

Western Society of Weed Science Research Progress Report 2017

Coeur D'Alene, Idaho, USA
13-16 March 2017

Editor:

Traci Rauch

ISBN: 978-1-5108-5066-8

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2017) by Western Society of Weed Science
All rights reserved.

Printed by Curran Associates, Inc. (2017)

For permission requests, please contact Western Society of Weed Science
at the address below.

Western Society of Weed Science
12011 Tejon Street, Ste. 700
Westminster, CO 80234
USA

Phone: 303-327-8016

info@wsweedscience.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

Project 1: WEEDS OF RANGE AND NATURAL AREAS	<u>Page</u>
Reed canarygrass control in wetlands.....	5
Evaluation of quinclorac applied in the spring or fall for optimum leafy spurge control	8
Leafy spurge control with quinclorac applied alone or with aminopyralid	11
Leafy spurge control with quinclorac mixtures applied in June or September.....	14
 Project 2: WEEDS OF HORTICULTURAL CROPS	
Performance comparison of glufosinate-ammonium formulations in California perennial crops	17
Postemergence herbicide control of bindweed and silverleaf nightshade in bermudagrass	19
Efficacy and comparison of postemergence herbicides for liverseedgrass in turf.....	21
Topramezone and quinclorac herbicide combinations for grass weed control in turf.....	23
Postemergence herbicide control of winter broadleaved weeds in turf	25
Efficacy of burndown treatments with different nonionic surfactant and herbicide rates	28
Postemergence weed control in walnuts within weeds of different maturity levels	30
 Project 3: WEEDS OF AGRONOMIC CROPS	
Broadleaf weed control in timothy and Kentucky bluegrass with bicyclopyrone	32
Effects of tillage for herbicide incorporation on broadleaf weed control in 'Frontier' chickpeas	36
Postemergence weed control with atrazine, tembotrione, thiencazone, and dicamba in corn resistant to glufosinate and glyphosate	38
Topramezone, dicamba, saflufenacil, and dimethenamid for sequential weed control in corn....	40
Acetochlor, clopyralid, flumetsulam, and mesotrione application timings in corn	42
Efficacy of preplant and early postemergence herbicides in corn	45
Single and sequential applications of pyroxasulfone, fluthiacet, and mesotrione in corn	48
Dicamba, tembotrione, atrazine, and glyphosate for efficacy in corn	51
Glyphosate-resistant junglerice control in corn	54
Underseeding clovers in small grains to suppress weeds in organic farming.....	56
Preemergence control of junglerice and Palmer amaranth.....	58
Rates of topramezone/dimethenamid for postemergence weed control in fallow	59
Dicamba, atrazine, saflufenacil, dimethenamid and topramezone application timings for weed control in fallow	61
AGH15004 at three rates with several adjuvants for postemergence fallow weed control	64
Isoxaflutole, atrazine, thiencazone, iodosulfuron, and dicamba for preemergence kochia control in fallow	66
Winter and early spring herbicides for kochia control in fallow	69
Weed management in carbon-seeded tall fescue with preemergence herbicides	71
Weed management in carbon-seeded orchardgrass with preemergence herbicides	73
Crop safety and weed control with PPO inhibitors and pyroxasulfone in peppermint.....	75

Weed management in noncarbon-seeded perennial ryegrass	77
Italian ryegrass control with pyroxasulfone/carfentrazone in wheat	79
Smooth scouringrush control with fallow-applied herbicides in a winter wheat/spring wheat/fallow rotation	82
Mayweed chamomile control in winter wheat.....	86
Rattail fescue control in winter wheat	89
Preemergence and post-harvest kochia control in wheat.....	92
The effect of disturbance on Italian ryegrass control with pyroxasulfone in winter wheat.....	95
Rush skeletonweed control in winter wheat following CRP takeout	97
‘Bobtail’ winter wheat sensitivity to flufenacet/metribuzin by seeding rate and herbicide application rate.....	100

Project 6: BASIC SCIENCES

Preemergent control of junglerice and Palmer amaranth in a greenhouse.....	101
Author Index	102
Keyword Index	103