

37th Annual Conference of the Canadian Nuclear Society & 41st CNS/CNA Student Conference 2017

Niagara Falls, Canada
4 - 7 June 2017

Volume 1 of 2

ISBN: 978-1-5108-5178-8

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2017) by the Canadian Nuclear Society
All rights reserved.

Printed by Curran Associates, Inc. (2018)

For permission requests, please contact the Canadian Nuclear Society
at the address below.

Canadian Nuclear Society
4th Floor, 700 University Ave
Toronto, Ontario, Canada
M5G 1X6

Phone: (416) 977-7620

Fax: (416) 977-8131

cns-snc@on.aibn.com

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

VOLUME 1

PLENARY I: NUCLEAR POWER PLANT LIFE EXTENSION 1

| | |
|--|----|
| NUCLEAR IN ONTARIO..... | 1 |
| <i>G. Jager</i> | |
| NUCLEAR POWER PLANT ASSET MANAGEMENT | 10 |
| <i>G. Newman</i> | |
| LIFE PAST 60 – AN INDUSTRY LEADERSHIP PERSPECTIVE ON SUBSEQUENT LICENSE RENEWAL IN THE US..... | 23 |
| <i>B. Coward</i> | |
| LONG-TERM OPERATION IN KOREA | 30 |
| <i>S. Bae</i> | |

PLENARY II: SAFETY & SECURITY

| | |
|---|----|
| THE CANADIAN APPROACH TO EFFECTIVE SAFETY AND SECURITY INTERFACING..... | 52 |
| <i>R. Jammal</i> | |
| WHOLE-SITE RISK CONSIDERATIONS FOR MULTI-UNIT NPPS..... | 61 |
| <i>C. Lorencez, P. Purdy</i> | |
| PROGRESS ON SAFETY AND SECURITY IN THE CANDU COMMUNITY..... | 70 |
| <i>F. Dermarkar</i> | |

HAROLD A. SMITH LECTURE

| | |
|--|----|
| HAROLD A. SMITH LECTURE: OUR NUCLEAR FUTURE..... | 78 |
| <i>P. Spekkens</i> | |

1A2 / 1B2 – PANEL DISCUSSION: FUSION 2030

| | |
|--|----|
| A ROADMAP FOR CANADA TO DEVELOP FUSION ENERGY | 86 |
| <i>N. Alexander, B. Bromley, M. Delage, T. Howard, R. Fedosejevs, A.A. Offenberger, Y. Tsui, H. Gaber, A. Smolyakov, C. Xiao, A. Wallace, M. Dalzell</i> | |

1A3 – REACTOR SAFETY AND LICENSING (I)

| | |
|---|-----|
| REVIEW OF MARGINS BEYOND DESIGN BASIS EARTHQUAKE..... | 98 |
| <i>A. Usmani, T. Aziz</i> | |
| EFFECT OF MISSING MASS AND RIGID MOTION ON SEISMIC RESPONSE SPECTRUM ANALYSIS | 106 |
| <i>Y. Liu, X.M. Han, L. Vaithlingam, W. Jiang</i> | |

1A4 – LIFE EXTENSION AND REFURBISHMENT (I)

| | |
|---|-----|
| A REVIEW OF FLOW ACCELERATED CORROSION IN CANDU FEEDER PIPES..... | 118 |
| <i>U. Wijayaratne, G. Bereznaï, S. Perera</i> | |
| AREVA – AGING MANAGEMENT SOFTWARE PLATFORM..... | 128 |
| <i>A. Zander, T. Seitz, U. Wildner</i> | |

1A5 – REACTOR AND RADIATION PHYSICS (I)

| | |
|---|-----|
| MULTI-OBJECTIVE SARAPAN AND DERMAGA ALGORITHMS FOR GENERATING RANDOM PATTERNED-CHANNEL-AGE IN CANDU FUEL MANAGEMENT ANALYSES..... | 139 |
| <i>D. Kastanya</i> | |
| STUDY OF LOCAL FUEL TEMPERATURE DISTRIBUTION EFFECTS USING COUPLED LATTICE PHYSICS AND THERMAL HYDRAULICS CODES | 153 |
| <i>A. Eckhardt, I. Hong, M. Dahmani</i> | |
| ANALYTIC BENCHMARK FOR FUEL-REFLECTOR PHWR CONFIGURATIONS..... | 168 |
| <i>P. Schwanke, E. Nichita</i> | |

1A6 – THERMALHYDRAULICS (I)

| | |
|--|-----|
| EVALUATION OF CHF CORRELATIONS FOR NONUNIFORM AXIALLY HEATED TUBES IN STEAM GENERATOR | 180 |
| <i>N. Almalki, W. Ahmed</i> | |
| DYNAMIC RESPONSE OF TWO-PHASE FLOW THROUGH PIPING COMPONENT WITH FLOW RESTRICTING ORIFICE | 190 |
| <i>O. Bamidele, W. Ahmed, M. Hassan</i> | |
| VIBRATIONAL BEHAVIOUR AND NATURAL FREQUENCIES OF A CANDU FUEL STRING | 199 |
| <i>M. Fadaee, S.D. Yu</i> | |

1B3 – REACTOR SAFETY AND LICENSING (II)

| | |
|---|-----|
| PARTRIDGE-II – AN INTERNATIONAL RESEARCH PROGRAM FOR DEVELOPING A PROBABILISTIC TOOL FOR RISK-INFORMED DECISION MAKING | 211 |
| <i>X. Duan, K. Chaudhry, P. Purdy, N. Popov, L. Sun, K. Krishnan</i> | |
| SIMULATION WITH TRACE OF A BWR/4 STEAM LINE BREAK UNDER "HOT STANDBY" CONDITIONS | 218 |
| <i>Y. Aounallah</i> | |
| SIMULATION OF A CANDU 6 CONTAINMENT LEAKAGE RATE TEST USING MELCOR | 228 |
| <i>H.C. Kim, S.K. Pak, J.S. Lee, S.W. Cho</i> | |

1B4 – HEALTH, ENVIRONMENT & SPENT FUEL / WASTE MANAGEMENT (I)

| | |
|---|-----|
| TROUBLE SHOOTING LEAKAGE ISSUES IN A DRY STORAGE CONTAINER (DSC) | 238 |
| <i>J. Carmichael, T. Iqbal, C. Wang, J.A. Sato</i> | |
| INTERACTION OF NPO_2^+ WITH Cl^- IN NA-CA-CL TYPE SOLUTIONS WITH HIGH IONIC STRENGTH | 246 |
| <i>S. Nagasaki, T. Saito, S. Tsushima, J. Goguen, T. Yang</i> | |
| QUANTOM - A NEW METHODOLOGY FOR SCANNING OF UNOPENED NUCLEAR WASTE PACKAGES | 257 |
| <i>A. Havenith, J. Kettler, K. Krycki, H. Wiesel, S. Wegener, W. Cooper</i> | |

1B5 – REACTOR AND RADIATION PHYSICS (II)

| | |
|--|-----|
| IMPROVEMENTS IN RFSP PREDICTION CAPABILITY FOR SPATIAL CONTROL IN DARLINGTON REACTORS | 270 |
| <i>G. LeRoy, A. Sullivan</i> | |
| ADJUSTER SHIM OPERATION AT DARLINGTON: USING CONFIGURATION-SPECIFIC REFERENCE MAPS | 282 |
| <i>C. Banica, A. Sullivan, Y. Parlatan, R. Rock</i> | |
| SUBCRITICAL REACTIVITY CALCULATIONS | 294 |
| <i>E. Talbot</i> | |

2A1 – HEALTH, ENVIRONMENT & SPENT FUEL / WASTE MANAGEMENT (II)

| | |
|---|-----|
| COMBUSTION SIMULATION OF TRANSPORTATION PACKAGE PERFORMANCE IN SEVERE, LONG DURATION FIRE USING COMPUTATIONAL FLUID DYNAMICS TOOLS | 306 |
| <i>Y. Sui</i> | |
| C-14 – RECOVERY FROM SPENT RESIN | 316 |
| <i>P. Zeh, A. Stahl, B. Cooper, L. Belda</i> | |
| NUCLEAR WASTE RETREATMENT / RETRIEVAL – CONCEPTS AND TECHNOLOGIES | 323 |
| <i>S. Nothvogel, T. Maeck</i> | |
| THE APPLICATION OF THE PORTABLE NUCLIDE RECOGNIZING RAPID RADIATION DISTRIBUTION MONITORING SYSTEM FOR ENSURING RADIATION SAFETY | 333 |
| <i>U. Lee, H.R. Kim</i> | |

2A2 – REACTOR SAFETY AND LICENSING (III)

| | |
|--|-----|
| DESIGN CONSIDERATIONS OF COOLING TOWERS FOR THE DARLINGTON B NUCLEAR GENERATION STATION POTENTIAL NEW-BUILD | 340 |
| <i>J. Zhao, P. Dolloso, K. Maharaj, S. Farhat, G. Bereznaï, D. Hoornweg</i> | |
| USE OF HELMHOLTZ RESONATORS TO SUPPRESS ACOUSTIC PRESSURE PULSATIONS IN PIPELINES | 346 |
| <i>M. Abdelmwgoud, M. Shaaban, N. Arafat, K. Sachedina, A. Mohany, M. Hassan</i> | |
| HUMAN ERROR ASSESSMENTS FOR IMPLEMENTING SEVERE ACCIDENT MANAGEMENT STRATEGIES USING A DYNAMIC HRA METHOD | 352 |
| <i>S.H. Jang, M.S. Jae</i> | |

2A3 – REACTOR AND RADIATION PHYSICS (III)

NANO-SLACLE MECHANICAL TEST OF IRRADIATED X-750 NI-BASED SUPERALLOY 357
P. Changizian, C. Lu, Z. Yao

IMPROVEMENT OF SAFETY PARAMETERS IN THE CANDU REACTOR USING BURNABLE ABSORBER ERBIUM 367
M.A. Motalab, W. Kim, Y. Kim

KERNEL DENSITY ESTIMATION METHOD IN TIME-DEPENDENT MONTE CARLO SIMULATION 384
W. Yan

UPDATED SHIELDING ANALYSIS METHODOLOGY APPLIED TO OPG WASTE MANAGEMENT FACILITIES 388
P. Smith, O. Shaikh, P. Crowley

2A4 – ADVANCED REACTORS (I)

THE ECONOMICS OF NOVEL VSMR IN THE NORTH 402
M. Moore

OPTIMIZATION APPROACH OF ENERGY GROUP STRUCTURE FOR THE CANADIAN PRESSURE TUBE SUPERCRITICAL WATER REACTOR 415
A. Moghrabi, D.R. Novog

ANALYSIS OF THE EFFICIENCY OF ELECTROMAGNETIC PUMP FOR SODIUM THERMOHYDRAULIC TEST ACCORDING TO COOLING CONDITION 428
J.S. Kwak, H.R. Kim

FUSION RELATED EXPERIMENTAL STUDIES AT THE UNIVERSITY OF SASKATCHEAN 435
C. Xiao, S. Elgriv, A. Rohollahi, R. Behbahani, J. Adegun, M. Patterson, S. Chung, O. Mitarai, A. Hirose

2A5 – COMPUTER CODE DEVELOPMENT

THE DEVELOPMENT OF AN AGILE ANALYSIS METHOD TO SUPPORT THE CONCEPTUAL DESIGN OF THE ROLLS-ROYCE SMALL MODULAR REACTOR 447
C. Bennett, D. Baker, J. Coulson, J. Archer, S. Treasure

SELF POWERED NEUTRON DETECTORS CALCULATIONS USING RAST-K V2.0 CODE 457
F. Khoshahval, M. Park, J. Park, J. Choe, P. Zhang, H.C. Shin, J.E. Jung, H.S. Lee, D. Lee

INVESTIGATION OF THE CANDU FUEL BUNDLE STRUCTURAL INTEGRITY DUE TO FLOW-INDUCED VIBRATIONS 470
O. Elnanhawy, M. Alzjadeh, A. Mohany, M. Hassan

2B1 – HEALTH, ENVIRONMENT & SPENT FUEL / WASTE MANAGEMENT (III)

FROM BURIAL TO RECYCLING: A CHANGE IMPERATIVE FOR NUCLEAR FUEL WASTE MANAGEMENT 477
P. Ottensmeyer

COUPLED HYDRO-MECHANICAL BEHAVIOUR OF IN-SITU SHAFT SEALING COMPONENTS 489
C.S. Kim, M.C. Alfaro, J.A. Blatz, D.A. Dixon

CANDU SPENT FUEL PURIFICATION 501
S. Sabharwal, C. Wei, J. Le, L. Pereira, S. Cherniak, C. Adam, A. Foroozan, E. Jelinski

2B2 – THERMALHYDRAULICS (II)

EXPERIMENTAL STUDY ON FLOW INSTABILITY AND CRITICAL HEAT FLUX OF TWO PARALLEL CHANNELS 512
X.Z. Liu, C.X. Peng

AN EVALUATION OF CLIFF-EDGE EFFECT UNDER SBO AND LOSS OF EPS SYSTEM COMBINED WITH LOSS OF UHS FOR THE AGED CANDU-6 REACTOR 519
E.K. Jang, S.R. Kim, S.D. Yi

POST-DRYOUT HEAT TRANSFER ASSESSMENT OF TRACE 529
Y. Aounallah

SENSITIVITY STUDIES FOR THE STATION BLACKOUT ACCIDENT WITH CRASH-COOLDOWN AT A GENERIC 900 MW CANDU REACTOR 541
F. Zhou, D. Novog, C. Harwood

STABILITY THRESHOLD OF A LOOSELY SUPPORTED TRIANGLE TUBE ARRAY SUBJECTED TO CROSSFLOW 556
A. Elhelaly, A. Mohany, S. Moussa, M. Hassan

2B3 – REACTOR AND RADIATION PHYSICS (IV)

| | |
|--|------------|
| OPTIMIZATION OF TIME-AVERAGE CALCULATIONS IN CANDU FUEL MANAGEMENT USING SIMULATED ANNEALING: MINIMIZATION OF MAXIMUM BUNDLE AND CHANNEL POWERS | 565 |
| <i>D. Kastanya, D. McClure</i> | |
| MONTE CARLO FIXED SOURCE CALCULATIONS TO SUPPORT BRUCE POWER START-UP INSTRUMENTATION PRELIMINARY DESIGN | 575 |
| <i>J.L. Hu, E. Talbot, A. Khaial, P. Paquette, M. Dahmani</i> | |
| COMPARISON BETWEEN WIMS-AECL DEPLETION CALCULATIONS AND A PWR THORIUM PIN-CELL BURNUP BENCHMARK | 587 |
| <i>T. Liang, M. Dahmani</i> | |
| APPLICATION OF BAYES METHOD IN EVALUATION OF ROP/NOP TRIP SETPOINT | 599 |
| <i>D. Serghiuta, J. Tholammakkil, A. O'Hagan, D.A. Stephens</i> | |
| INTEGRATED FRAMEWORK FOR PROPAGATION OF UNCERTAINTIES IN NUCLEAR CROSS-SECTIONS IN CANDU STEADY-STATE AND TRANSIENT REACTOR PHYSICS SIMULATIONS | 611 |
| <i>D. Serghiuta, H. Abdel-Khalik, J. Tholammakkil, A. Trottier</i> | |

2B4 – ADVANCED REACTORS (II)

| | |
|---|------------|
| CYCLE LENGTH EXTENSION OF SMPWR USING ZIRCALOY REFLECTOR | 621 |
| <i>J. Choe, H.C. Shin, J.E. Jung, H.S. Lee, D. Lee</i> | |
| RELIABILITY ASSESSMENT OF A DECAY HEAT REMOVAL SYSTEM IN A SFR USING RELIABILITY PHYSICS MODEL | 625 |
| <i>J.T. Kim, M.S. Jae</i> | |
| A SMALL MODULAR PWR CORE DESIGN USING NITRIDE FCM FUELS WITH FECRAL CLADDING FOR NATURAL CIRCULATION | 632 |
| <i>D.H. Hwang, J.Y. Choi, S.G. Hong, W.J. Lee, F. Venneri</i> | |
| A SMR PWR REACTOR CORE DESIGN USING NITRIDE FCM FUELS WITH FECRAL CLADDING AND FORCED CONVECTION CIRCULATION | 641 |
| <i>J.Y. Choi, D.H. Hwang, S.G. Hong, W.J. Lee, F. Venneri</i> | |
| INTEGRATED APPROACH TO FLUORIDE HIGH TEMPERATURE REACTOR (FHR) TECHNOLOGY DEVELOPMENT | 651 |
| <i>F. Rahnama, B. Petrovic, P. Singh, X. Sun, P. Tsvetkov, G. Yoder, D. Zhang, J. Zhang</i> | |

2B5 – LIFE EXTENSION AND REFURBISHMENT (II)

| | |
|---|------------|
| EMBALSE STEAM GENERATOR REPLACEMENT PROJECT: MAIN CHALLENGES AND PROGRESS UPDATE OF THE IMPLEMENTATION PHASE | 666 |
| <i>P.J. Luna, J. Jesko, S. Bostelaar, R. Sainz</i> | |
| QUANTIFYING PROBE COVERAGE ERROR IN FEEDER THINNING ASSESSMENT | 689 |
| <i>M.I. Jyrkama, M.D. Pandey</i> | |
| MANAGING MATERIAL DEGRADATION IN NUCLEAR POWER PLANTS | 700 |
| <i>M. Montazer, D. Montazer</i> | |

VOLUME 2

| | |
|--|------------|
| CHALLENGE PERFORMING CANDU FUEL CHANNEL REACTOR MAINTENANCE ON AGING CANDU REACTORS | 713 |
| <i>T. Lake</i> | |

PLENARY III: NUCLEAR POWER PLANT LIFE EXTENSION 2

| | |
|---|------------|
| AN OVERVIEW OF NUCLEAR PLANT LICENSE RENEWAL IN THE UNITED STATES | 723 |
| <i>S. Burns</i> | |
| CANDU REACTORS: LONG-TERM OPERATION AND REFURBISHMENT – CNSC PERSPECTIVE | 729 |
| <i>M. Santini</i> | |
| CERNAVOVA UNIT 1 ON THE PATH FOR A SECOND LIFECYCLE – CHALLENGES AND OPPORTUNITIES | 741 |
| <i>A. Cojanu</i> | |

PLENARY V: IRRADIATED FUEL & WASTE MANAGEMENT

| | |
|--|------------|
| AN OVERVIEW OF RADIOACTIVE WASTE MANAGEMENT AT ONTARIO POWER GENERATION | 753 |
| <i>L. Morton</i> | |
| IRRADIATED FUEL AND WASTE MANAGEMENT | 766 |
| <i>K. Kehler</i> | |

| | |
|--|------------|
| USING PLASMA TECHNOLOGY AS A NEW PROVEN DEVELOPMENT FOR TREATING RADIOACTIVE WASTE ON AN INDUSTRIAL SCALE | 772 |
| <i>J. Deckers</i> | |

PLENARY VI: NUCLEAR POWER PLANT NEW BUILD

| | |
|--|------------|
| WORLDWIDE NEW NPP BUILD | 781 |
| <i>W. Huang</i> | |
| CONTINUOUS INNOVATION – R&D FOR CHINESE ADVANCED PWR (CAP) SERIES | 803 |
| <i>M. Zheng</i> | |
| THE AFCR™ DEVELOPMENT - INNOVATION AND COLLABORATION BY SNC AND CNNC..... | 816 |
| <i>C. Cottrell</i> | |
| REGULATORY REQUIREMENTS FOR NEW BUILD IN INDIA..... | 825 |
| <i>S.A. Bhardwaj</i> | |
| NUCLEAR POWER PLANT NEW BUILD IN CHINA | 836 |
| <i>Q. Zhu</i> | |
| EXPLORING PATHS FORWARD TO FINALIZE AND COMMISSION CERNAVODA UNITS 3 & 4..... | 850 |
| <i>A. Cojanu</i> | |

3A2 – REACTOR AND RADIATION PHYSICS (V)

| | |
|---|------------|
| PERFORMANCE OF ON-THE-FLY CROSS SECTIONS PROCESSING IN MONTE CARLO SIMULATION CODE..... | 857 |
| <i>J. Yu, H. Lee, K. Azamat, K. Wang, D. Lee</i> | |
| MICRODOSIMETRIC STUDIES IN MIXED NEUTRON AND GAMMA RAY FIELDS USING TRIPLE GEM TISSUE EQUIVALENT PROPORTIONAL COUNTERS | 869 |
| <i>M. Seydaliev, J. Dubeau</i> | |
| SWIFT HEAVY ION IRRADIATION OF ZIRCONIUM ALLOY: DELETERIOUS EFFECTS ON THERMAL AND MECHANICAL PROPERTIES | 883 |
| <i>S. Kong, R. Bai, Z. Hua, W. Wang, L. Liu, D. Yuan, H. Ban, H. Xia</i> | |

3A3 – HEALTH, ENVIRONMENT & SPENT FUEL / WASTE MANAGEMENT (IV)

| | |
|---|------------|
| MINIMIZING PUBLIC RADIATION DOSE AT DECOMMISSIONED MINE SITES FOR FUTURE LAND USE OPPORTUNITIES..... | 889 |
| <i>J. Shen, J. Tang, R. Parker, D. Hart</i> | |
| DEVELOPMENT OF MEASUREMENT TECHNOLOGY FOR BETA-RAY DEPTH DISTRIBUTION IN SOIL | 900 |
| <i>J.W. Bae, U. Lee, C.W. Lee, H.R. Kim</i> | |
| SELECTION OF OBJECTIVE FUNCTIONS IN THE MULTI-OBJECTIVE FUEL MANAGEMENT OPTIMIZATION | 908 |
| <i>F. Khoshahval, D. Lee</i> | |

3A4 – I & C

| | |
|--|------------|
| DISTRIBUTED TEMPERATURE MEASUREMENTS ALONG A HEATED TUBE USING ALL-FIBER BRAGG GRATING OPTICAL SENSORS | 918 |
| <i>R.C. Bowden, W. Li, M. Gaudet, M. Benson, A. Siddiqui</i> | |
| DYNAMIC RELIABILITY ANALYSIS OF A DIGITAL CONTROL SYSTEM | 930 |
| <i>C. Zeliang, H. Gaber</i> | |
| RADON PROGENY IDENTIFICATION AND REJECTION BASED ON PSEUDO COINCIDENCE TECHNIQUE – FEASIBILITY ANALYSIS | 944 |
| <i>A. Caly, E. Saltanov, G. Bogorodzki</i> | |

3A5 - OPEX

| | |
|--|------------|
| STATUS UPDATE: ELEVATED RADIATION FIELDS IN THE PRIMARY HEAT TRANSPORT SYSTEM AT THE POINT LEPREAU NUCLEAR GENERATING STATION | 956 |
| <i>W. Cook, G. Brown, B. Smith, P. Thompson</i> | |
| INNOVATIVE SUSTAINABILITY..... | 968 |
| <i>C.P. Diebel</i> | |
| RADIATION DOSE REDUCTION IN SWISS NUCLEAR POWER PLANTS | 979 |
| <i>R.K. Ahlfänger</i> | |

3B2 – REACTOR SAFETY AND LICENSING (IV)

| | |
|---|------|
| UNCERTAINTY, SAMPLE SIZE AND THE 95/95 TOLERANCE LIMIT | 983 |
| <i>M.I. Jyrkama, M.D. Pandey</i> | |
| MEASUREMENTS OF ACOUSTIC ADMITTANCE OF PIPING SYSTEMS AT DIFFERENT FLOW VELOCITIES | 993 |
| <i>M. Shaaban, M. Abdelmwigoud, N. Arafat, K. Sachedina, A. Mohany, M. Hassan</i> | |
| TRACE/S3K CODE COUPLING SIMULATION OF A BWR/4 ANTICIPATED TRANSIENT WITHOUT SCRAM | 1000 |
| <i>Y. Aounallah</i> | |

3B3 – CHEMISTRY & MATERIALS

| | |
|---|------|
| THE ROLE OF SULFUR AND LEAD IN THE CORROSION OF NICKEL ALLOYS RELEVANT TO NUCLEAR STEAM GENERATORS | 1014 |
| <i>A. Foroozan Ebrahimi, A. Carcea, R. Newman</i> | |
| A PROPOSED CATALYTIC MECHANISM OF PD ON THE FORMATION OF UBE13 IN EXPERIMENTAL CONSTRUCTION OF U-PD PHASE DIAGRAMS | 1024 |
| <i>M.H. Kaye, L.C. Wang</i> | |

3B4 – LIFE EXTENSION AND REFURBISHMENT (III)

| | |
|--|------|
| EMBALSE REFURBISHMENT: UPDATE OF PROGRESS | 1038 |
| <i>R. Sainz, G.D. Diaz, J. Hopkins, J. Higgs</i> | |
| UNENE: AN INTEGRATED NETWORK FOR KNOWLEDGE MANAGEMENT FOR THE LONG-TERM | 1057 |
| <i>J. Hopwood, N. Popov, B. Rouben</i> | |

STUDENT POSTERS, WINE-&-CHEESE RECEPTION

| | |
|--|------|
| GEANT4 SIMULATIONS OF PROMPT NEUTRON DETECTION USING NEUTRON TIME-CORRELATION METHODS | 1065 |
| <i>A. Gaulin, F. Ali, L. Li, G. Li, G. Bentoumi</i> | |
| A THREE DIMENSIONAL MODEL OF THE PROPOSED CANADIAN DEEP GEOLOGIC REPOSITORY FOR USED NUCLEAR FUEL | 1071 |
| <i>S. Amin, R. Gunee, J. Donev</i> | |
| THE NUSCALE POWER MODULE™ SMALL MODULAR REACTOR AND ITS POTENTIAL APPLICATIONS TO CANADA | 1075 |
| <i>C. Rintoul, D. Grelowski, Y. Huang, J. Donev</i> | |
| VIDEOCONFERENCING AS A METHOD OF DOING NUCLEAR OUTREACH ACROSS CANADA | 1080 |
| <i>D. Grelowski, J. Owen, J. Donev</i> | |
| PRELIMINARY FLUX MEASUREMENTS AT THE MCMASTER NUCLEAR REACTOR | 1086 |
| <i>E. MacConnachie, D. Novog, S. Day</i> | |
| RPS AN OPPORTUNITY TO EXPAND CANADIAN CONTRIBUTIONS IN SPACE | 1092 |
| <i>J. Alho, B. Megaw, J. Donev</i> | |
| DESIGN PROCESS AND BUILD OF AN AUTOMATED NEUTRON SPECTROMETER CONCEPT | 1098 |
| <i>N. Galipeau, M. Nijhawan, S. Perera, C. Roberts, A. Walker</i> | |
| RADIOLYTIC COPPER CORROSION: MECHANISM OF CU₂O GROWTH | 1103 |
| <i>M. Naghizadeh, A. Jean, M. Momeni, J. Joseph, G. Whitaker, J.C. Wren</i> | |
| H₂O₂ HUMID AIR RADIOLYSIS-INDUCED CORROSION OF CARBON STEEL - STAINLESS STEEL WELDS | 1108 |
| <i>M. Zakeri, M. Momeni, M. Li, J. Joseph, O. Yong, J.C. Wren</i> | |
| MODELING OF RADIOLYTIC PRODUCTION OF OXIDANTS RELEVANT TO CORROSION OF A USED FUEL CONTAINER IN DEEP GEOLOGIC REPOSITORY ENVIRONMENTS | 1113 |
| <i>R. Morco, J.M. Joseph, D. Shoesmith, J.C. Wren</i> | |
| CORROSION OF COPPER COATED NUCLEAR WASTE CONTAINERS BY NITRIC ACID DROPLETS | 1118 |
| <i>J. Turnbull, R. Szukalo, M. Behazin, D. Zagidulin, S. Ramamurthy, D. Shoesmith, J. Wren</i> | |
| SORPTION MODELLING OF TH(IV), NP(IV), AND NP(V) ON ILLITE AND MONTMORILLONITE | 1123 |
| <i>J. Goguen, S. Nagasaki</i> | |
| THE EFFECTS OF PH AND RADIATION ON CORROSION AND OXIDE FORMATION ON PURE NICKEL AT 80°C IN BUFFER SOLUTIONS | 1130 |
| <i>R. Karimihaghi, J.C. Wren</i> | |
| ENVIRONMENTAL RADIATION (ENRAD) SAMPLING ROBOT | 1135 |
| <i>A. Bellingham, R. Nandakumar, R. Sharpe, S. Valookaran, T. Ravindran, S. Perera, E. Waller</i> | |
| COMPARISON OF HEAT-TRANSFER CORRELATIONS BASED ON FORCED-CONVECTION DATA OBTAINED IN R-22 AND R-134A AT SUPERCRITICAL PRESSURES | 1140 |
| <i>N. Tarsitano, K. Sidawi, I. Pioro</i> | |

| | |
|--|------|
| BORIC ACID IONIZATION CONSTANTS AND TRIBORATE FORMATION CONSTANTS UNDER PWR PRIMARY COOLANT CONDITIONS BY AC CONDUCTIVITY | 1145 |
| <i>J. Ferguson, H. Arcis, D. Hussey, D. Wells, P. Tremaine</i> | |
| QUANTITATIVE RAMAN INVESTIGATION OF URANYL SULFATE COMPLEXATION UNDER HYDROTHERMAL CONDITIONS | 1150 |
| <i>C. Alcorn, J. Cox, L. Applegarth, P. Tremaine</i> | |
| NUMERICAL MODELING OF TURBULENT MIXING IN CONNECTED NUCLEAR FUEL SUBCHANNELS WITH APPENDAGES | 1155 |
| <i>M. Ballyk, M. Lightstone, S. Tullis</i> | |
| AN EXPLORATION OF INTERACTIVE TEACHING TOOLS FOR THE USE OF NUCLEAR AND ASTROPHYSICS EDUCATION | 1160 |
| <i>M. Bootsma, J. Donev</i> | |
| IONIC STRENGTH AND PH DEPENDENCE OF SORPTION OF PD ONTO ILLITE, BENTONITE, AND SHALE | 1165 |
| <i>A. Walker, J. Goguen, J. Riddoch, S. Nagasaki</i> | |
| WHO'S LISTENING? STAKEHOLDER DIALOGUE AS SEEN BY STAKEHOLDERS | 1171 |
| <i>E. Lloyd, M. Bourassa</i> | |
| DECISION MATRIX FOR THE WASTE PROCESSING OF SPENT ION-EXCHANGE RESIN FROM NUCLEAR POWER PLANTS | 1178 |
| <i>J. Kim, B. Ikeda, J. McKellar</i> | |
| GENDERING ANALYSES OF SOCIAL LICENSE TO OPERATE IN SASKATCHEWAN'S NUCLEAR SECTOR | 1183 |
| <i>J. Schoenfeld, K. Deonandan</i> | |
| EFFECT OF NI AND CR CONTENTS ON CORROSION OF STEEL UNDER REACTOR CONDITIONS | 1190 |
| <i>J. Shin, D. Guo, D. Li, C. Wren</i> | |
| EDUCATING THE PUBLIC ABOUT RADIATION USING INEXPENSIVE, EASY TO MAKE SCINTILLATOR DETECTORS | 1196 |
| <i>J. Hanania, J. Donev</i> | |
| LITERATURE REVIEW OF CLADDING FOR CORROSION PROTECTION OF STRUCTURAL ALLOYS IN MOLTEN FLUORIDE SALTS | 1203 |
| <i>C. Eveleigh, J. Luxat, J. Kish</i> | |
| THERMAL EFFICIENCIES OF VARIOUS POWER CYCLES FOR GFRS | 1211 |
| <i>R. Popov, M. Mahdi, I. Pioro</i> | |
| FUEL BEHAVIOUR AFTER A LOSS OF COOLANT IN AN IRRADIATED FUEL BAY | 1217 |
| <i>D. Logtenberg, P. Chan, E. Corcoran</i> | |
| A COMPARISON OF CS-137 AND X-RAY SOURCES AS CALIBRATION REFERENCES FOR THERMOLUMINESCENT DOSIMETER CHIPS USED IN THE SASKATCHEWAN POSTAL QUALITY ASSURANCE PROGRAM FOR DIAGNOSTIC RADIOLOGY | 1224 |
| <i>A. Ravichandran, J. Sadowski</i> | |
| SUSCEPTIBILITY OF ALLOY 800 TO STRESS-CORROSION CRACKING INVESTIGATED IN CAUSTIC SOLUTIONS AT HIGH-TEMPERATURE AND HIGH-PRESSURE CONDITIONS | 1229 |
| <i>M. Bryk, D. Artymowicz, A. Carcea, R. Newman, A. Korinek, G. Botton</i> | |
| SYNERGISTIC EFFECTS BETWEEN RADIATION CHEMISTRY AND CARBON STEEL CORROSION IN THE CALANDRIA VAULT AND END SHIELD COOLING SYSTEM OF A CANDU REACTOR | 1234 |
| <i>J. Lyons, W. Cook, C. Stuart, E. Gardner</i> | |
| EVOLUTION OF AN ALLOY 690 SURFACE DURING OXIDATION IN A SIMULATED PWSCC ENVIRONMENT | 1240 |
| <i>A. Eskandari, D. Artymowicz, S. Ramamurthy, R. Newman</i> | |
| MEASUREMENT AND SIMULATION OF DIVIDING MANIFOLDS FOR MODERATOR FLOW TEST FACILITY | 1245 |
| <i>C. Hollingshead, D. Novog</i> | |
| EVALUATION OF THE EFFECT OF CONSTRUCTION MATERIAL ON THE ACCUMULATION OF HYDROGEN IN CNER'S HYDROGEN CORROSION PROBES (HCPS) | 1250 |
| <i>P. Santiwiparat, D.H. Lister, F.R. Steward, W.G. Cook</i> | |
| VERIFICATION OF HYDROGEN CORROSION PROBE (HCP) OPERABILITY UNDER FEEDWATER CHEMISTRY CONDITIONS | 1256 |
| <i>J. Kongtuk, W. Cook, D. Lister, F. Steward, T. Rirkomboon</i> | |
| CORE ELEMENTS IMPROVEMENTS FOR OPTIMIZATION OF RADIOISOTOPES PRODUCTION IN AN MTR-TYPE CORE | 1262 |
| <i>T. Makmal, M. Alqahtani, S. Day, A. Buijs, J. Luxat</i> | |
| EVALUATION OF EFFECT OF TEMPERATURE VARIATION ON PRESSURE TUBE TO CALANDRIA TUBE GAP MEASUREMENTS | 1269 |
| <i>G. Klein, J. Morelli, T. Krause</i> | |
| AN EDUCATIONAL TOOL FOR PRESSURIZED HEAVY WATER REACTOR BURNUP ANALYSIS | 1275 |
| <i>R. Laite, M. Naraine</i> | |
| UTILIZING SIMULATION AND EXPERIMENT FOR IN-CORE GAMMA HEAT ESTIMATION AT THE MCMaster NUCLEAR REACTOR | 1281 |
| <i>M. Alqahtani, A. Buijs</i> | |

| | |
|---|------|
| THE COMPONENT OPERATIONAL EXPERIENCE, DEGRADATION AND AGEING PROGRAMME (CODAP) PROJECT; CANADA'S CONTRIBUTIONS AND CAPABILITIES OF THE PROGRAM | 1287 |
| <i>H. Manoharan , J. Riznic</i> | |
| COMPARATIVE REACTOR PHYSICS STUDY ON ACCIDENT-TOLERANT FUEL FOR THE CANDU REACTOR | 1292 |
| <i>S. Younan, D. Novog</i> | |
| INVESTIGATION OF THE FACTORS AFFECTING STRESS CORROSION CRACKING RATES IN ZIRCALOY-4 FOIL | 1297 |
| <i>E. Veryard , Z. Wang, M. Daymond , D. Wowk, E. Corcoran</i> | |
| THE ROLE OF SULFUR AND LEAD IN THE CORROSION OF NICKEL ALLOYS RELEVANT TO NUCLEAR STEAM GENERATORS | 1303 |
| <i>A. Foroozan Ebrahimi, A. Carcea, R. Newman</i> | |
| REACTIVITY INITIATED ACCIDENT FOR THE CANADIAN SCWR | 1313 |
| <i>F. Salaun, D. Novog</i> | |
| BENCHMARKING OF THE TRANSIENT REACTOR PHYSICS SIMULATION CODE: G4-STORK | 1318 |
| <i>M. Ponce Tovar, A. Buijs, D. Novog</i> | |
| ELORA: THE CANADIAN NUCLEAR FUEL SIMULATION | 1325 |
| <i>K. Ansilio, J. Luxat</i> | |
| MINIMIZATION OF LIFT-OFF EFFECTS ON GAP MEASUREMENTS USING OPTIMAL FREQUENCIES | 1330 |
| <i>P. Bennett, G. Klein , M. Luloff , R. Underhill , J. Morelli , T. Krause</i> | |
| SCWR WATER CHEMISTRY: PROTO-CRACKS AND HYDROGEN OXIDATION | 1335 |
| <i>D. Kallikragas, K. Choudhry, I. Svishchev</i> | |
| INVESTIGATION OF THE LATTICE PHYSICS PHENOMENA IN THE CANADIAN PT-SCWR WITHIN SOME PERTURBED SCENARIOS | 1340 |
| <i>A. Moghrabi, D. Novog</i> | |
| DOSIMETRIC CHARACTERIZATION OF AN ACCESSORY MOUNTED MINI-BEAM COLLIMATOR ACROSS MULTIPLE CLINICALLY BEAM-MATCHED MEDICAL LINEAR ACCELERATORS | 1345 |
| <i>W. Davis , G. Cranmer-Sargison , C. Rangacharyulu , A. Alexander, V. Kundapur</i> | |
| THE IMPORTANCE OF MICROSTRUCTURAL CHARACTERIZATION OF COPPER COATINGS ON USED FUEL CONTAINERS FOR LONG-TERM DISPOSAL OF CANADA'S NUCLEAR WASTE | 1351 |
| <i>W. Li, J. Giallonardo, J. Tam, P. Lin, D. Doyle, G. Palumbo, U. Erb</i> | |
| VERIFICATION OF THE DYADYAKIN AND POPOV HEAT TRANSFER CORRELATION USING EXPERIMENTAL DATA FOR 3-ROD BUNDLES | 1357 |
| <i>H. Maloufi, A. Zopf, H. Xie, W. Anderson, I. Pioro</i> | |
| GENERATION OF HTC PROFILES FOR THREE CORRELATIONS AT VARIOUS OPERATING CONDITIONS | 1362 |
| <i>H. Maloufi, A. Zopf, H. Xie, W. Anderson, C. Langevin, I. Pioro</i> | |
| NEUTRONIC MODELING OF MOLTEN SALT REACTORS | 1369 |
| <i>U. Shahid , M.A. Allaf, F.O. Ozkan , A. Yilmazer</i> | |
| ATOMISTIC SIMULATIONS OF DISLOCATIONS IN ZIRCONIUM ALLOYS | 1375 |
| <i>C. Dai, P. Saidi , L. Balogh , Z. Yao, M. Daymond</i> | |

ADDITIONAL PAPERS

| | |
|---|------|
| STUDY OF ZR-2.5NB-0.5CU CANDU SPACER MATERIAL: MICROSTRUCTURE AND IRRADIATION EFFECT | 1380 |
| <i>Q. Dong, H. Yu, Z. Yao, M. Daymond</i> | |
| DYNAMIC RELIABILITY ANALYSIS USING DYNAMIC FLOWGRAPH METHOD | 1385 |
| <i>C. Zeliang, H. Gaber</i> | |
| CONTINUED OPERATION OF WOLSONG #1 | 1390 |
| <i>S. Bae</i> | |
| FEASIBILITY STUDY OF DETERMINING POINT SOURCE LOCATION IN CRONOS-4 GAMMA TOOL CONTAMINATION MONITOR | 1408 |
| <i>N. Al-Sadi, A. Caly, R. Machrafi</i> | |
| PRACTICAL ENVIRONMENT-CORRECTED DISCONTINUITY FACTORS FOR DIFFUSION CALCULATIONS | 1415 |
| <i>J. Sharpe, A. Buijs</i> | |
| RADIATION HEALTH RESPONSE PLAN | 1421 |
| <i>J. Bauman, A. Miller</i> | |
| SIMULATED ANNEALING METHODOLOGY FOR THE GENERATION OF REALISTIC BURNUP DISTRIBUTIONS FOR ATUCHA REACTORS | 1422 |
| <i>F. Clavero, M. Silva</i> | |

Author Index