

International Topical Meeting on Probabilistic Safety Assessment and Analysis (PSA 2017)

Pittsburgh, Pennsylvania, USA
24 - 28 September 2017

Volume 1 of 2

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2017) by American Nuclear Society
All rights reserved.

Printed by Curran Associates, Inc. (2018)

For permission requests, please contact American Nuclear Society
at the address below.

American Nuclear Society
555 North Kensington Avenue
La Grange Park, Illinois 60526
USA

Phone: (800) 323-3044
(708) 352-6611
Fax: (708) 352-0499

www.ans.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

VOLUME 1

EXTERNAL EVENTS ANALYSIS

Effective Use of PRA Walkdown Information for Integrated External Hazard Risk Model Development	1
<i>Richard Anoba</i>	
Determination of River Water Level Exceedance Frequency Curves	6
<i>G. M. Schoen, R. C. Hausherr, A. Ramezani</i>	
NPP Control Room Habitability Assessment Due to an Accidental Toxic Release from an External Event Applying Probabilistic Approach. Part 1: Atmospheric Dispersion	14
<i>Antonio Gomez, Guillem Cortes, Alfredo de Blas</i>	
A PSA for External Events Endangering Water Intake from the River Danube at NPP Paks	21
<i>Tamas Siklossy, Attila Bareith</i>	

HIGH WINDS PSA-I

Integrated Use of Modeling and Simulation in High Winds PRA	30
<i>Stephen M. Hess, Steven Prescott, Curtis Smith, Linyu Lin, Nam Dinh, Ramprasad Sampath, Niels Montanari</i>	
Plant Walkdown Guidance to Support High Winds Probabilistic Risk Assessments	40
<i>Nicholas Lovelace, Kelly Wright, Leo Shanley, Hasan Charkas</i>	
Excessive Risk Conservatism in High Wind PRA	49
<i>Mohammad Hadi Hadavi</i>	
Improved Tornado Missile Risk Analysis Using Nonlinear Finite Element Analysis of Nuclear Power Plant Structures	59
<i>Claudia Navarro-Northrup, Robert T. Bocchieri, Virginia Phan, Jeffrey C. Sciaudone, Lawrence A. Twisdale</i>	

SEISMIC PSA - 1

Methodology of Treatment of Multiple Failure Initiating Events for Seismic PRA (1) Establishment of Analysis Methodology and Trial Analysis of Core Damage Frequency	68
<i>Yuki Kameko, Tatsuya Kunishi, Ken Muramatsu, Hitoshi Muta</i>	
Quantification of Plant-Level HCLPF Capacity in PSA-Based SMA	74
<i>Zhaoliang Wang, Smain Yalaoui, Yolande Akl</i>	
Insights from the Application of the Hybrid Approach to Seismic Human Reliability Analysis at the Oconee Nuclear Station	84
<i>Erin P. Collins, Elizabeth Cook, Scott Hollingsworth, David Garland, Russell Childs, Paul J. Amico</i>	
Methodology of Treatment of Multiple Failure Initiating Events for Seismic PRA (2) Success Criteria Analysis for Multiple Pipe Break Accidents of a PWR	92
<i>Tatsuya Kunishi, Hitoshi Muta, Ken Muramatsu, Yuki Kameko</i>	

DYNAMIC PSA - I

Dynamic Event Tree Generation With RAVEN-MAAP5 Using Finite State Machine System Models	100
<i>Claudia Picoco, Tunc Aldemir, Valentin Rychkov</i>	
Local Fusion of an Ensemble of Semi-Supervised Self Organizing Maps for Post-Processing Accidental Scenarios	107
<i>Francesco Di Maio, Roberta Rossetti, Enrico Zio</i>	
IDPSA Approach to Assess the Potential of a Thermally Induced Steam Generator Tube Rupture	117
<i>Martina Kloos, Joerg Peschke</i>	
Dynamic Approach on Multi-Unit Probabilistic Risk Assessment Using Continuous Markov and Monte Carlo Method	125
<i>Sunghyon Jang, Akira Yamaguchi</i>	
Surrogate Model Selection in RAVEN for Seismic Dynamic PRA/PSA	132
<i>Brian Cohn, Richard Denning, Tunc Aldemir, Jieun Hur, Halil Sezen</i>	

MODELING AND SIMULATION - I

Implementation of the RCP SHIELD Seal Model in the Comanche Peak PRA	140
<i>Nathan Larson, Daniel Tirsun, Aaron Moreno</i>	
Coupling Smoothed-Particle Hydrodynamics and Torricelli's Law-Based Hydraulic Models for Flooding Risk Analysis	146
<i>Niels Montanari, Ramprasad Sampath, John E. Weglian, Robert J. Wolfgang, Donald A. Dube, Curtis L. Smith, Steven Prescott</i>	
Convolution Correction Factor Adjustments on Static PRA Models for Event Assessment	156
<i>James Knudsen, Ted Wood, Steven Prescott, Curtis Smith, John A. Schroeder</i>	

Accidents, Near Misses, and Probabilistic Analysis: On the Use of CCDPs in Enterprise Risk Monitoring and Management	163
<i>Nathan Siu, Kevin Coyne, John Nakoski, Christopher Hunter</i>	
Global Importance Measure Methodology for Integrated Probabilistic Risk Assessment	173
<i>Tatsuya Sakurahara, Zahra Mohaghegh, Seyed Reihani, Ernest Kee</i>	

SEISMIC PSA - II

Probabilistic Fault Displacement Hazard Analysis for Regulatory Decision-Making: A Case-Study for Krško, Slovenia	182
<i>Richard Quittmeyer, Milos Bavec, Igor Riznar, Ali Fatehi, Jose E. Blanco, Paul C. Rizzo, Mojca Planinc</i>	
Correlation of Equipment Failures in Seismic PRAs	192
<i>Robert W. Drsek, Sean A. McGhee, Lawrence A. Mangan, K. Raymond Fine, Eddie M. Guerra</i>	
An Original Approach to Derive Seismic Fragility Curves—Application to a PWR Main Steam Line	197
<i>Nadia Rahni, Christophe Clement, Georges Nahas, Julien Clement, Lionel Vivian, Yves Guigueno, Emmanuel Raimond, Thomas Chartier, Marine Marcilhac, Thierry Yalamas</i>	
Seismic PRA Fragility Sensitivity Studies	205
<i>Lawrence A. Mangan, Robert Drsek, Sean McGhee, K. Raymond Fine, Eddie M. Guerra</i>	
Seismic Evaluation of Auxiliary Buildings and Effects of 3D Locational Dynamic Response in SPRA	211
<i>Jieun Hur, Eric Althoff, Halil Sezen, Tunc Aldemir, Richard Denning</i>	

FIRE PSA - I

Lessons Learned Applying NRC-Approved Methods for Incipient Detection Credit in Fire PRA	219
<i>Richard Stremple, Sum T. Leung, F. William Etzel, K. Raymond Fine, Brian J. Krystek</i>	
Statistical Characterization of the Time to Reach Peak Heat Release Rate for Nuclear Power Plant Electrical Enclosure Fires	225
<i>Raymond H. V. Gallucci</i>	
Statistical Characterization of Heat Release Rates from Electrical Enclosure Fires for Nuclear Power Plant Applications	231
<i>Raymond H. V. Gallucci, Brian Metzger</i>	

HIGH WINDS PSA - II

An Estimation Method for Tornado Missile Strike Probability Under Assumption of Statistically Isotropic Tornado Path Directions	241
<i>Yuzuru Eguchi, Soichiro Sugimoto, Yasuo Hattori, Takahiro Murakami, Hiromaru Hirakuchi</i>	
Comparison of Tornado Missile Fragilities Developed Using TORMIS and Simplified Methods	247
<i>J. C. Sciaudone, L. A. Twisdale, T. B. Dombrosky, M. B. Hardy</i>	
High Wind PRA Key Insights and Uncertainties	255
<i>Nicholas Lovelace, Matt Johnson, Lawrence A. Twisdale Jr.</i>	

LPSD

Phenomena Identification Ranking Techniques (PIRT) for Determination of Low Power Shutdown PRA Priorities	260
<i>Garill Coles, Steve Short</i>	
Low Power and Shutdown PSA for High Temperature Gas-Cooled Reactor	270
<i>Tao Liu, Jiejuan Tong, Jun Zhao</i>	
Is Green Good Enough? Managing Shutdown Risk in Generation III+ Nuclear Power Plants	275
<i>Aaron Moreno, Nathan Larson, Ken Kiper</i>	

SEISMIC PSA - III

Qualitative Approach to Grasp Whole Risk Profile of Multi-Unit Site	279
<i>Haruhiro Nomura, Yoshiyuki Narumiya, Kensuke Toyoshima, Satoshi Shinzaki, Masayuki Hijiya, Akira Yamaguchi</i>	
Probabilistic Seismic Hazard Analyses—An Industry Professional’s Perspective	289
<i>Lawrence Salomone</i>	
Seismic Fragility Evaluation of Reinforced Concrete Walls with Arbitrary Shapes in Plan	294
<i>Enrique Bazan, Yigit Isbiliroglu, Bradley Yagla</i>	

RISK AGGREGATION - I

Data-Mining Approach for Validation of PSA Models	302
<i>G. Loskoutov, P. Hellström, C. Karlsson</i>	
WGRISK Site-Level PSA Project: Status Update and Preliminary Insights for the Risk Aggregation Focus Area	307
<i>Smain Yalaoui, Yolande Akl, Marina Roewekamp, Daniel Hudson</i>	

A Hierarchical Tree-Based Decision Making Approach for Assessing the Trustworthiness of Risk Assessment Models	314
<i>Tasneem Bani-Mustafa, Nicola Pedroni, Enrico Zio, Dominique Vasseur, Francois Beaudouin</i>	

FIRE PSA - II

Modeling the Interface of Manual Fire Protection Actions With Fire Progression in Fire Probabilistic Risk Assessment of Nuclear Power Plants	324
<i>Tatsuya Sakurahara, Zahra Mohaghegh, Seyed Reihani, Ernie Kee</i>	
High Energy Arc Faults (HEAF) and Their Impact on PRA for a Nuclear Power Plant—Latest International Operating Experience and Research Activities	333
<i>Marina Roewekamp, Nicholas Melly, Mark Henry Salley</i>	
Development of Fire PRA Guide for Japanese NPPs	342
<i>Tsuyoshi Uchida, Toshiyuki Zama, Hiroyuki Takeuchi, Shingo Oda, Kakujiro Kadoya, Daniel Funk, Mardy Kazarians</i>	

RISK-INFORMED DECISION MAKING - I

Enhanced Guidance on Integrated Risk-Informed Decision-Making	350
<i>Donald Dube, Gareth Parry, Stuart Lewis, Doug True, Fernando Ferrante, James Chapman</i>	
Probabilistic Risk Assessment Usage in Support of Plant Operations and Management	356
<i>Mark T. Cursey, Suzanne M. Loyd, Christopher Pupek, Gregory T. Zucal</i>	
Probabilistic Risk Assessment and Knowledge Management at the U.S. Nuclear Regulatory Commission	362
<i>Suzanne Dennis</i>	

ATF

Assessing the Business Case for Accident Tolerant Fuel	368
<i>Stephen M. Hess, Jeff R. Gabor, Jennifer L. Uhle, Tom Elicson, Garrett Geiger</i>	
Estimating the Benefits of Accident Tolerant Fuel (ATF)	377
<i>Raymond Schneider, N. Reed Labarge, Hans Van De Berg, Martin Van Haltern, Zeses Karoutas, Edward Lahoda</i>	
Risk Implication of Using Accident Tolerant Fuels in LWRs	385
<i>Koroush Shirvan, C. R. Grantom</i>	

DATA AND PARAMETER ESTIMATION - I

Nonparametric Empirical Bayes Estimation Through Deconvolution in Probabilistic Risk Analysis	392
<i>Andrei V. Gribok, Vivek Agarwal, Vaibhav Yadav</i>	
Methodology for Modeling Manual Valve Plugging Failures in PRA	396
<i>J. R. Soniker, N. M. Passmore</i>	
Bayes, Data and NUREG_CR-6928 Caveats	407
<i>Carroll Trull, Nathan Larson, Craig Navas</i>	

HRA - I

Reassessment of Operator Actions Claimed in the Sizewell B Living PSA	413
<i>Christopher Eames, John Collins</i>	
Human Reliability Analysis in CAP1400 Nuclear Power Plant	421
<i>Yongping Qiu, Jiandong He, Juntao Hu, Yucheng Zhuo, Jie He</i>	
Statistical Approaches to Estimation of Nominal HEPs Using Simulation Data	426
<i>Yochan Kim, Jinkyun Park, Wondea Jung</i>	
Lessons Learned in Fire PRA Human Reliability Analysis	432
<i>Pierre Macheret, Nicholas Lovelace</i>	

RISK AGGREGATION - II

Beyond Basic Events: Measuring the Importance of Hidden PRA Items of Interest	437
<i>Andrew Miller, Gregory Zucal</i>	
Multi-Hazard Risk Aggregation in Support of Risk-Informed Decision Making	442
<i>Robert Boyer, Eric Thornsbury, Stanley Levinson, Andrea Maioli</i>	
Further Development of a Framework for Addressing Site Integrated Risk	452
<i>Adriana Sivori, Kenneth Kiper, Andrea Maioli, David Teolis</i>	
Multi-Unit Accident Effects on Safety Goal Quantitative Health Objectives: Insights from a Two-Unit Case Study Involving Two Representative U.S. Nuclear Power Plant Sites	462
<i>Daniel Hudson, Mohammad Modarres</i>	

DYNAMIC PSA - II

Timed-Fault Tree Generation from Dynamic Flowgraph Method	472
<i>Chireuding Zeliang, Lixuan Lu</i>	
The ADS-IDAC Dynamic Platform with Dynamically Linked System Fault Trees	482
<i>Mihai A. Diaconeasa, Ali Mosleh</i>	
Development of Integrated Site Risk Using the Multi-Unit Dynamic Probabilistic Risk Assessment (MU-DPRA) Methodology	492
<i>Matthew Dennis, Mohammad Modarres, Ali Mosleh</i>	

SEISMIC PSA - IV

Systems-Based Seismic Contact Chatter Analysis	502
<i>Eric Jorgenson, Robert Miller, Parthasarathy Chandran</i>	
Analysis and Examination for Developing Fault Displacement PRA Methodology	506
<i>Katsumi Ebisawa, Hideaki Tsutsumi, Ryusuke Haraguchi, Kunihiko Sato, Futoshi Tanaka, Daisuke Ochi, Yoshinori Mihara, Shinichi Yoshida</i>	
In-Cabinet Amplification Factor for Relay Fragility Analysis in Seismic PRAs	514
<i>Stephen J. Eder, Kenneth Whitmore</i>	
Evaluation of Interinfluence Between Adjacent Units in Seismic PRA	519
<i>Shuhei Matsunaka, Hiroshi Abe, Manabu Watanabe, Yoshihiro Oyama</i>	

DATA AND PARAMETER ESTIMATION - II

Estimation of Manually Recoverable Fraction of Common Cause Failures of Motor Operated Valves	527
<i>Young G. Jo</i>	
Handling Room Cooling in PRA	535
<i>Carroll Trull, Daniel Tirsun</i>	
Expert Elicitation Process for ISLOCA Modeling – Process, Representative Results, and Lessons Learned	541
<i>Steve Short, William Ivans</i>	
Treatment of Expert Opinion Diversity in Bayesian Belief Network Model for Nuclear Digital I&C Safety Software Reliability Assessment	551
<i>Ming Li, Hyun Gook Kang, Sang Hun Lee, Seung Jun Lee, Tsong-Lun Chu, Athi Varuttamaseni, Meng Yue, Jaehyun Cho</i>	
Analysis on the Important Indicators in Bayesian Belief Network Model for RPS Software Reliability Assessment	559
<i>Sang Hun Lee, Hyun Gook Kang, Tsong-Lun Chu, Athi Varuttamaseni, Meng Yue, Jaehyun Cho, Ming Li, Seung Jun Lee</i>	

RISK-INFORMED DECISION MAKING - II

Exelon Economic Enterprise Risk Modeling of a BWR	567
<i>Donald Dube, Brian Albinson, Robert Wolfgang, Michael Saunders, Gregory Krueger</i>	
PRA Insights Relating to the Loss of Electrical Sources—A WGRISK Survey	572
<i>Jeanne-Marie Lanore, François Corenwinder, Gabriel Georgescu, Attila Bareith, Kevin Coyne, Per Hellström, Milan Patrik, Marina Roewekamp</i>	
Risk Methodology for Assessment of Fuel Debris Retrieval Options at the Fukushima Daiichi Nuclear Power Station	579
<i>William Ivans, Bruce Napier, Eva Mart, Michael Smith, Sandra Snyder, Masahiko Kakami, Mari Marianne Uematsu</i>	
Risk Analysis Framework for Severe Accident Mitigation Strategy in Nordic BWR: An Approach to Communication and Decision Making	587
<i>Sergey Galushin, Dmitry Grishchenko, Pavel Kudinov</i>	
Enhancing Safety Associated with Post Fukushima Modifications: Role of Risk-Informed Decision Making	595
<i>Sunil D. Weerakkody, Michael Montecalvo, Matthew Humberstone</i>	

RISK-INFORMED APPLICATIONS I

Implementation of a Risk-Informed Surveillance Frequency Control Program for the NextEra Energy Nuclear Fleet	601
<i>Anil Julka, Loren Heistand, Thomas Morgan</i>	
Integrating Risk and Engineering Skills for 10 CFR 50.69 System Categorization	606
<i>Brian Nolan, David Passehl</i>	
Lessons Learned from Development of the 10 CFR 50.69 LAR for Exelon Plants Using the NEI Efficiency Bulletin 17-09 Template	610
<i>David Passehl, Barry Sloane, Shannon Rafferty-Czincila, Eugene Kelly, Philip Tarpinian</i>	
Insights from Exelon 50.69 Passive Categorization Pilot at Limerick Generation Station	615
<i>David Bidwell, Maricarmen Trexler, Barry Sloane</i>	
10 CFR 50.69 Generic Categorization Process Development	620
<i>David Teolis, Ryan Griffin, Kyle Hope, Ogden Sawyer, Ralph Chackal</i>	

SEISMIC PSA - V

Integrating Physical Degradation Modeling Within the Seismic Fragility Analysis of Nuclear Power Plant Equipment	625
<i>Wei Wang, Sai Zhang</i>	
Relay Chatter in Seismic PRAs	634
<i>Andrea Maioli, Clarence Worrell, David Gerlits, Steven Satter, Andrew Masiunas, Mark Etre</i>	
How to Find Synergy Between Different Teams in a Seismic PRA Project	642
<i>Parthasarathy Chandran, Patrick Fussell, Adam Blood</i>	
An Effective and Efficient Methodology to Update the Seismic Fragilities of SSCs over Different Seismic Hazard Updates	646
<i>Benny Jebuna Ratnagaran, Parthasarathy Chandran, Adam Blood</i>	
Recent Advances in Seismic Fragilities for SPRAs	653
<i>Gregory S. Hardy, Robert P. Kassawara, John Richards</i>	

RISK AGGREGATION - III

Spatio-Temporal Probabilistic Methodology and Computational Platform for Common Cause Failure Modeling in Risk Analysis	658
<i>Tatsuya Sakurahara, Grant Schumock, Tadashi Murase, Zahra Mohaghegh, Seyed Reihani, Ernie Kee</i>	
Issues in Dependency Modeling in Multi-Unit Seismic PRA	668
<i>Taotao Zhou, Mohammad Modarres, Enrique Lopez Droguett</i>	

HUMAN FACTORS MODELING IN MULTI-UNIT SEISMIC DATA

Optimizing Human Performance Through Systems Engineering: Lessons from the UK Defence Sector	676
<i>Kelly Davies, Clare Borrás</i>	
Functional Allocation to Balance the Requirements of Humans and Automation	682
<i>Les Ainsworth</i>	

VOLUME 2

The Fidelity of Human Reliability Data Collected from Training Simulators—Comparing with Human Reliability Data Identified from Operation Experience	687
<i>Jinkyun Park, Yochan Kim, Wondea Jung</i>	

LEVEL 2 AND LEVEL 3 PSA - I

Protective Systems: An Application of Regulatory Guidance for ECCS Sump Performance	693
<i>Ha Bui, Tatsuya Sakurahara, Wen-Chi Cheng, Timothy Crook, Rodolfo Vaghetto, Martin Wortman, Zahra Mohaghegh, Seyed Reihani, Ernie Kee, Dominic Muñoz, David Johnson, Wes Schulz, Fatma Yilmaz, Vera Moiseyeva</i>	
Full Risk-Informed Resolution of the GSI-191: Simulations of LOCA Scenarios Using RELAP5-3D and MELCOR	703
<i>Rodolfo Vaghetto, Ernie Kee, Timothy Crook, Yassin Hassan</i>	
Modeling of SiC Cladding Behavior During Severe Accidents	711
<i>Wison Luangdilok, Peng Xu</i>	

HIGH WINDS PSA - III

Progressive Failure of Building Cladding in High Winds	721
<i>Sudhan S. Banik, Lawrence A. Twisdale, Jr., Peter J. Vickery, Shahriar Quayyum</i>	
Fragility Analysis of Extreme Wind and Wind-Driven Rainwater	730
<i>Peter J. Vickery, Lawrence A. Twisdale Jr., Abby Liu, Sudhan Banik, Artur Mironenko, Michael S. Kitlan Jr., Nicholas Lovelace</i>	
Non-Parametric Method for Wind Pressure Fragility Analysis	739
<i>Lawrence A. Twisdale Jr.</i>	

SEISMIC PSA - VI

SPRA Alternate Screening Method	750
<i>Robert Miller, Parthasarathy Chandran</i>	
Seismic PSA of WWER440 Type Reactors in Slovakia	757
<i>Zoltan Kovacs, Robert Spenlinger</i>	
Updates to the EPRI Seismic-Induced Fire and Flood Methodology Resulting from Pilot Application	765
<i>Paul Amico, Pierre Macheret, Robert Kassawara</i>	

RISK AGGREGATION - IV

Treating Common-Cause Failures in Multi-Unit PRAs	770
<i>Sai Zhang, Jiejuan Tong, Jing Wu</i>	
Parametric Estimation of Multi-Unit Dependencies	776
<i>Taotao Zhou, Mohammad Modarres</i>	
Exploring the Need for Standard Approaches to Addressing Risk Associated with Multi-Module Operation in Plants Using Small Modular Reactors	780
<i>Mark A. Caruso</i>	

UNCERTAINTY ANALYSIS AND MODELING

Interpretation of PSA Results Using Semantic Analysis of Minimal Cutsets	785
<i>Gennadi Loskoutov, Per Hellström</i>	
Uncertainty and Sensitivity Analysis of LSTF Small Break LOCA Tests Using RELAP5 and RAVEN	791
<i>Ikuo Kinoshita, Cristian Rabiti, Andrea Alfonsi</i>	
Simple Method to Account for the State of Knowledge Correlation	800
<i>Michael Lloyd, Jason Hall, Ross Anderson, David Teolis</i>	

CONFIGURATION RISK MANAGEMENT

Lessons Learned in the Development of an At-Power Risk Monitor for the AP1000® Plant	809
<i>Nathan Larson, Rachel Christian</i>	
The Instantaneous LOOP Frequency	814
<i>Ross C. Anderson, Jason Hall, Michael Lloyd</i>	
Lessons Learned from Incorporating Temporary Equipment into the Palo Verde Configuration Risk Management Program Using NEI 16-06	820
<i>Michael Wittas, Michael Powell</i>	

RISK-INFORMED APPLICATIONS - II

Technical Specification Surveillance Requirement Frequency Improvements in Nuclear Power Plants via Risk-Informed Initiative-5b Approach	828
<i>Luyen D. Nguyen, John T. Kitzmiller</i>	
Centralization of Surveillance Frequency Control Program for Enhanced Efficiency	833
<i>Nicholas C. Sternowski, Jenna Burr</i>	
Global Sensitivity Analysis to Rank Parameters of Stress Corrosion Cracking in the Spatio-Temporal Probabilistic Model of Loss of Coolant Accident Frequencies	840
<i>Wen-Chi Cheng, Chenghao Ding, Nicholas O'Shea, Tatsuya Sakurahara, Grant Schumock, Zahra Mohaghegh, Seyed Reihani, Ernie Kee</i>	

PSA STANDARDS AND PEER REVIEWS

Insights Into New 2017 Revision of ASME/ANS PRA Standard Part 5—Seismic	847
<i>Eddie M. Guerra, Andrea Maioli, Stephen Eder, Annie M. Kammerer</i>	
The Use of Comprehensive In-Process Peer Reviews in Support of the UK ABWR PSA Generic Design Assessment Process	857
<i>Dennis Henneke, Jonathan Li, Glen Seeman, Cassandra Ruch, Thomas Morgan, Eric Jorgenson</i>	
PRA Peer Review Finding Closure via Independent Assessment	861
<i>David Passehl, Paul Amico, Barry Sloane, Jeffrey Stone, Larry Naron</i>	

HRA - II

Approach to Human Reliability Analysis for High Winds Events	869
<i>Erin P. Collins, Elizabeth Cook,</i>	
Final Conclusions and Lessons Learned from Testing the Integrated Human Event Analysis System for Nuclear Power Plant Internal Events At-Power Application	875
<i>Huafei Liao, Stephanie Morrow, Gareth Parry, Dennis Bley, Lawrence Criscione, Mary Presley</i>	
Lessons Learned in HRA Dependency Analysis	885
<i>Joshua S. Beckton, Mark Wilk</i>	
How Representative Are Our Quantitative Data on Performance Shaping Factors	891
<i>Les Ainsworth</i>	

FUKUSHIMA LESSONS LEARNED

Mass Relocations After Nuclear Disasters	896
<i>Vicki M. Bier, Andrew J. Nosek</i>	
MAAP5 RCIC Model Benchmark Against the Fukushima Daiichi Unit 2 (1F2) RCIC Performance	904
<i>Christopher E. Henry, Jaehyok Lim, Robert E. Henry</i>	
Overview of the MAAP5 Benchmark with Fukushima Daiichi Unit 2 (1F2)	914
<i>Christopher E. Henry</i>	
Quantitative Risk Assessment for Process of Fuel Assembly Retrieval from Spent Fuel Pool in Fukushima Daiichi Nuclear Power Plant Decommissioning	924
<i>Akira Yamaguchi, Sunghyon Jang, Kazuki Hida, Yasunori Yamanaka, Yoshiyuki Narumiya</i>	

LEVEL 2 AND LEVEL 3 PSA - II

Likelihood that Short Term Station Blackout Scenarios Lead to a Large and Early Release	934
<i>Donald E. Vanover, Robert J. Wolfgang</i>	
Insights from MELCOR Independent Confirmatory Analyses for New Reactor Design Certification	941
<i>Jason Schaperow, Shawn Campbell, Marie Pohida</i>	
Advanced Containment Design to Enhance Passive Safety Through Phoretic Deposition Phenomena—Preliminary Findings from Empirical Studies	946
<i>Sola Talabi</i>	
Spatio-Temporal Socio-Technical Risk Analysis Methodology: An Application in Emergency Response	949
<i>Ha Bui, Justin Pence, Zahra Mohaghegh, Seyed Reihani, Ernie Kee</i>	

NON-LIGHT WATER REACTOR SAFETY

Development of a Design-Stage PRA for the Xe-100	959
<i>Alexander J. Huning, Karl N. Fleming</i>	
Evaluating Risk Measures for Non-LWR PSA	969
<i>Jonathan Li, Jordan Hagaman, Dennis Henneke, Gary Miller, Glen Seeman</i>	
Identification of Research and Development Needs for Non-LWR PSA	975
<i>Jordan Hagaman, Dennis Henneke, Gary Miller, Jonathan Li, Matt Warner, Jim Young</i>	
Preliminary Functional Safety Assessment for Molten Salt Fast Reactors in the Framework of the Samofar Project	980
<i>Anna Chiara Uggenti, Delphine Gérardin, Andrea Carpignano, Sandra Dulla, Elsa Merle, Daniel Heuer, Axel Laureau, Michel Allibert</i>	

FLOODING PSA - I

Nuclear Power Plant Flooding due to a Dam Failure: Teachings	990
<i>Christelle Weber, Anne Dufjoy, Coraline Gaucher</i>	
Revision and Expansion of ASME/ANS External Flooding PRA Standard	996
<i>Michelle Bensi, Ray Schneider, Artur Mironenko, Suzanne Loyd, Zhegang Ma</i>	
Modeling of Flooding Flow Rates Through Floor Drain Networks Using Mathcad	1003
<i>Robert J. Wolfgang</i>	
Development of Internal Flooding PSA for New Build UK Generic Design Assessment	1008
<i>Richard Derrett-Smith, Yuki Ishiwatari</i>	

HRA - III

Timeline Development for Main Control Room Abandonment Human Reliability Analysis due to Fire Conditions	1016
<i>Kaydee Kohlhepp Gunter, Jeffrey Julius, Erin Collins, Paul Amico, Mary Presley, Ashley Lindeman, Susan E. Cooper, Tammie Rivera, Stacey Hendrickson, John Wreathall</i>	
Dynamicizing the SPAR-H Method: A Simplified Approach to Computation-Based Human Reliability Analysis	1024
<i>Ronald Boring, Martin Rasmussen, Curtis Smith, Diego Mandelli, Sarah Ewing</i>	
Implementation of FLEX Operator Actions in PRA Models	1032
<i>Parthasarathy Chandran, David L. Moore, John Reddington</i>	
Human Reliability Analysis for Implementation of Incipient Fire Detectors in Fire PRAs	1036
<i>Susan E. Cooper, Amy D'Agostino, Gabriel Taylor, Nicholas Melly</i>	
Developing Human Reliability Analysis Guidance for Main Control Room Abandonment Scenarios in Fire PRA: What's Different About Command and Control	1045
<i>Susan E. Cooper, Stacey Hendrickson, John Wreathall, Jeff Julius, Mary Presley, Erin Collins, Kaydee Kohlhepp Gunter, Paul Amico, Ashley Lindeman, Tammie Rivera</i>	

DYNAMIC PSA - III

A Dynamic Assessment of an Interfacing System Loss of Coolant Accident	1052
<i>Zachary K. Jankovsky, Matthew R. Denman, Tunc Aldemir</i>	

Dynamic PRA of a Multi-Unit Plant	1061
<i>D. Mandelli, C. Parisi, A. Alfonsi, D. Maljovec, S. St. Germain, R. Boring, S. Ewing, C. Smith, C. Rabiti</i>	
Measuring Risk Importance in a Dynamic PRA Framework	1069
<i>D. Mandelli, Z. Ma, C. Parisi, A. Alfonsi, C. Smith</i>	
Dynamic PRA with Component Aging and Degradation Modeled Utilizing Plant Risk Monitoring Data	1077
<i>Vaibhav Yadav, Vivek Agarwal, Andrei V. Gribok, Curtis L. Smith</i>	
Emulation-Based Uncertainty Quantification of a Fire Dynamics Simulation	1084
<i>Clarence Worrell, Raymond Schneider, Brian Leyde, Max Xu</i>	

LEVEL 2 AND LEVEL 3 PSA - III

Determining Source Terms for Releases from PWR Spent Fuel Pools in Case of Severe Accidents	1089
<i>Michael Hage, Horst Löffler, Michael Kowalik</i>	
Crediting the Use of a Rapidly Deployable Mobile Pump to Recover from and Core Damage Events Caused by a Failure of the Turbine Driven Auxiliary Feedwater Pump	1097
<i>Michael Powell, Roy Linthicum, Richard Haessler, Jeffrey Taylor</i>	
Protective Systems: Definitions and Terms in the Regulated Risk Assessment Setting	1101
<i>Ha Bui, Tatsuya Sakurahara, Justin Pence, Zihui Gu, Zahra Mohaghegh, Seyed Reihani, Martin Wortman, Ernie Kee, Vera Moiseytseva, David Johnson</i>	
A Bayesian Approach to Estimate Failure Probability of Nuclear Turbine Blades due to Several Degradation Mechanisms	1111
<i>David Quintanar-Gago, Pamela F. Nelson</i>	

RISK-INFORMED REGULATION

Main Applications of Probabilistic Safety Analysis Technology in Nuclear Power Plant Design in China	1112
<i>Gong Yu, Li Chun, Ni Man, Qian Hong Tao</i>	
A Tool for Planning the Safety Review of Structures, Systems and Components: Development and Application	1117
<i>Tony Nakanishi, Mark A. Caruso, Lynn A. Mrowca</i>	
Evaluation of the Cumulative Impact of Pending Model Changes to Address MSPI FAQ 14-01 Requirements	1122
<i>Joseph Lavelline</i>	

FIRE PSA - III

Development of Computer Program to Model Cylindrical Incident Discrete Emissive Radiation (CINDER) from Pool Fires	1127
<i>Robert J. Wolfgang</i>	
Insights Gained from a Review of Fire PRA Risk Contribution by Ignition Frequency Bin	1133
<i>Jazmin NeVille, Usama Farradj, Kiang Zee, Ashley Lindeman</i>	
Modeling of NUREG/CR-7150 Spurious Duration Probabilities	1142
<i>Nathan Larson, Daniel Tirsun, Kyle Christiansen</i>	
Impact of New NUREGs on Fire PRAs	1148
<i>Mark Humphrey, Harold Stiles, Bruce Morgen</i>	
Modeling Incipient Fire Detection with Updated Guidance	1152
<i>Brian Krystek</i>	

MODELING AND SIMULATION - II

Implementation of FLEX Strategies in Surry PRA	1159
<i>Aram Hakobyan, Craig Nierode</i>	
Probabilistic Analysis of Electrical Faults Affecting Multiple Redundant Trains of the Electrical Power Supply System of Nuclear Power Plants	1165
<i>B. Brück, G. Gänßmantel, A. Kreuser, C. Müller, E. Piljugin, J. C. Stiller</i>	
Fitting of Failure Rate Data to Gamma-Poisson Distribution Utilizing Method of Moments	1170
<i>Sarah M. Ewing, M. R. Kunz</i>	
Exploring Network Metrics for Accident Scenarios: A Case of Study of the Uncontrolled Level Drop	1177
<i>Mouna Rifi, Mohamed Hibti, Rushed Kanawati</i>	
A Multi-State Physics Modeling for Estimating the Size- and Location-Dependent Loss of Coolant Accident Initiating Event Probability	1185
<i>Francesco Di Maio, Davide Colli, Enrico Zio, Liu Tao, Jiejuan Tong</i>	

CYBER SECURITY/CYBER RISK

A Risk-Informed Cyber-Security Program Approach	1193
<i>F. Gregory Hudson, Meredith M. Allen</i>	
An Approach for Evaluating the Consequence of Cyber Attacks on Nuclear Power Plants	1199
<i>Athi Varuttamaseni, Robert Bari, Robert Youngblood</i>	

Estimation of Failure On-Demand Probability and Malfunction Rate Values in Cyber-Physical Systems of Nuclear Power Plants	1205
<i>Wei Wang, Francesco Di Maio, Enrico Zio</i>	
Research on Vital Digital Assets for Nuclear Cyber Security	1212
<i>Kookheui Kwon, Hyundoo Kim, Siwon Kim</i>	
Improvement of Vital Area Identification Method	1216
<i>Woo Sik Jung</i>	

FIRE PSA - IV

Advanced Techniques for Modeling Fire-Induced Circuit Failures of Digital Control Systems in Support of Fire Probabilistic Risk Assessments	1220
<i>Nicholas Lovelace, Dane Lovelace, Brett Long, Daniel Funk</i>	
Moving Forward with Developed Fire PRA Models—A Model Owner's Perspective	1226
<i>Young G. Jo</i>	
Is Fire Modeling Getting Better?—A Comparison of Recent Fire Dynamics Simulator Versions for Result Trends	1231
<i>Jeffrey D. Miller</i>	
Predictive Model of the Degradation of Cable Insulation Subject to Radiation and Temperature	1239
<i>Yuan-Shang Chang, Ali Mosleh</i>	
The "Incredible" Difficulty of Proving "Incredibility"—Example of Fire-Induced Multiple Spurious Operations	1247
<i>Raymond H. V. Gallucci</i>	

PASSIVE SYSTEM SAFETY AND RELIABILITY

Comparative Assessment of Passive and Active Systems for the Development of Advanced Reactors	1256
<i>Luciano Burgazzi</i>	
A Mechanistic Reliability Assessment of RVACS and Metal Fuel Inherent Reactivity Feedback	1266
<i>David Grabaskas, Acacia J. Brunett, Stefano Passerini, Austin Grelle</i>	
Mission Definition for a Passive Reliability Assessment of SMART Passive Residual Heat Removal System	1277
<i>Douglas A. Fynan, Yong Hun Jung, Jin Hee Park</i>	
Passive System Reliability Analysis Using APSRA+ Methodology and Its Application to Passive Isolation Condenser System of an Advanced Reactor	1284
<i>A. Chandrakar, A. K. Nayak, Vinod Gopika</i>	

SAFETY CULTURE AND ORGANIZATIONAL FACTORS

Data-Theoretic Methodology and Computational Platform for the Quantification of Organizational Mechanisms in Probabilistic Risk Assessment	1294
<i>Justin Pence, Yicheng Sun, Xuefeng Zhu, Zahra Mohaghegh, Cheri Ostroff, Ernie Kee</i>	
Employee Well-Being Framework to Facilitate a Total Safety Culture Within a Nuclear Power Plant	1301
<i>N. J. F. van Loggarenberg, Hester Nienaber</i>	

FLOODING PSA - II

A Case Study of Simulation-Based Dynamic Analysis Approach for Modeling Plant Response to Flooding Events	1311
<i>Zhegang Ma, Curtis Smith, Steven Prescott</i>	
Monte Carlo Simulations for Probabilistic Flood Hazard Assessment	1319
<i>Ahmed "Jemie" A. Dababneh, Mark A. Schwartz</i>	
Lessons Learned in the Development and Characterization of an External Flood Hazard for a Plant Site with Multiple Upstream Dams	1328
<i>Raymond Schneider, Gary Douglas, Jay Fluehr, H. A. Hackerott</i>	

OTHER EXTERNAL HAZARDS PSA

Hazard Curve Evaluation for Forest Fire Smoke Effects on Air-Cooling Decay Heat Removal Systems	1334
<i>Yasushi Okano, Hidemasa Yamano</i>	
Screening Approach for Systematically Considering Hazards and Hazard Combinations in PRA for a Nuclear Power Plant Site	1343
<i>Marina Roewekamp, Silvio Sperbeck, Gerhard Gaenssmantel</i>	
Analysis of the Risk of Aircraft Crash Hazard	1353
<i>James C. Lin</i>	

ADVANCED INFORMATION TECHNOLOGY AND PSA

Protective Systems: Possible Extensions to the RoverD Method 1362
Tatsuya Sakurahara, Ha Bui Houng, Justin Pence, Wen-Chi Cheng, Zahra Mohaghegh, Ernie Kee, Seyed Reihani, Martin Wortman, Vera Moiseytseva, Fatma Yilmaz, David Johnson

Protective Systems: Margins of Safety, Regulatory Authority, and the Calculus of Negligence..... 1366
Martin Wortman, Ernie Kee, Vera Moiseytseva, Fatma Yilmaz, David Johnson

Author Index