

# **2017 SBMO/IEEE MTT-S International Microwave and Optoelectronics Conference (IMOC 2017)**

**Aguas de Lindoia, Brazil  
27 – 30 August 2017**



**IEEE Catalog Number: CFP17SBM-POD  
ISBN: 978-1-5090-6242-3**

**Copyright © 2017 by the Institute of Electrical and Electronics Engineers, Inc.  
All Rights Reserved**

*Copyright and Reprint Permissions:* Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

***\*\*\* This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

|                         |                   |
|-------------------------|-------------------|
| IEEE Catalog Number:    | CFP17SBM-POD      |
| ISBN (Print-On-Demand): | 978-1-5090-6242-3 |
| ISBN (Online):          | 978-1-5090-6241-6 |

**Additional Copies of This Publication Are Available From:**

Curran Associates, Inc  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: (845) 758-0400  
Fax: (845) 758-2633  
E-mail: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

CURRAN ASSOCIATES INC.  
**proceedings**  
.com

## Paper / Author Index

|                                                                                                                                                                                     |    |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 1. <a href="#"><u>1570341257: Compact Antenna based on Fractal for IoT Sub-GHz Wireless Communications</u></a> .....                                                                | 1  |
| 2. <a href="#"><u>1570346539: A Behaviour Model for Power Amplifiers based on Sum of Products between One-dimensional Polynomials and Finite Impulse Response Filters</u></a> ..... | 6  |
| 3. <a href="#"><u>1570350046: Guard Time Requirements for SOA-based Electro-Optical Space Switches and AM Signals</u></a> .....                                                     | 11 |
| 4. <a href="#"><u>1570350689: Design of a Novel Single-Layer Dual-Band FSS with Angular Stability Using Multifractal Geometry</u></a> .....                                         | 16 |
| 5. <a href="#"><u>1570351282: Measurement of Multi-point Displacements by Optical Fiber Specklegram Sensor</u></a> .....                                                            | 21 |
| 6. <a href="#"><u>1570352079: Study of the Effects of a Metasurface on the Performance of a Microstrip Antenna</u></a> .....                                                        | 26 |
| 7. <a href="#"><u>1570352624: Design of a DAC-less PAM-4 Integrated Optical Modulator Based on Silicon Photonics with Graphene</u></a> .....                                        | 31 |
| 8. <a href="#"><u>1570352860: Distributed high birefringence localization based in polarization OTDR converter: a field demonstration</u></a> .....                                 | 35 |
| 9. <a href="#"><u>1570352863: Negative Group Delay in Lumped-Element C-L Transmission Lines</u></a> .....                                                                           | 38 |
| 10. <a href="#"><u>1570354192: THz dynamically controllable graphene Y-circulator</u></a> .....                                                                                     | 43 |
| 11. <a href="#"><u>1570355145: Cascaded Long Period Grating Coated with Polymethyl methacrylate</u></a> .....                                                                       | 48 |
| 12. <a href="#"><u>1570355323: Remote Fiber Bragg Grating-Based Sensor Characterization with Ultra-High-Resolution Tunable Photon Counting OTDR</u></a> .....                       | 51 |
| 13. <a href="#"><u>1570355357: CMOS developments for photonic modules on endoscopic capsules</u></a> ....                                                                           | 55 |
| 14. <a href="#"><u>1570355681: Extraction of Effective Parameters in Terahertz Time-Domain Spectroscopy</u></a> .....                                                               | 59 |
| 15. <a href="#"><u>1570355693: Finite-Element Time-Domain Solver for Axisymmetric Devices Based on Discrete Exterior Calculus and Transformation Optics</u></a> .....               | 63 |
| 16. <a href="#"><u>1570355694: A Novel Complementary Frequency Selective Surface for Satellite Communication</u></a> .....                                                          | 67 |
| 17. <a href="#"><u>1570355869: On-Chip Patch Antenna on InP Substrate for Short-Range Wireless Communication at 140 GHz</u></a> .....                                               | 71 |
| 18. <a href="#"><u>1570356089: Forward and Backward Waves Propagation in an Array of Split-Ring Resonators</u></a> .....                                                            | 76 |
| 19. <a href="#"><u>1570356298: Analysis of Impedance Matching Techniques in Tapered Microstrip Patch Antenna</u></a> .....                                                          | 81 |
| 20. <a href="#"><u>1570356474: A 24 GHz IQ-Demodulator with Ultra-Low Amplitude and Phase Imbalance</u></a> .....                                                                   | 85 |



|     |                                                                                                                                                   |     |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 21. | <a href="#"><u>1570356527: Parameters Optimization for Rectangular and Circular Microstrip Antennas Using the Taguchi Method</u></a>              | 89  |
| 22. | <a href="#"><u>1570356807: Fabrication of a tactile sensor array with fiber Bragg gratings using a 3D printed mold</u></a>                        | 94  |
| 23. | <a href="#"><u>1570356821: Single-Carrier 400G Unrepeated WDM Transmission using Nonlinear Compensation and DD-LMS with FEC Feedback</u></a>      | 98  |
| 24. | <a href="#"><u>1570356829: Real-time Multiple Machines Sound Listening Using a phase-OTDR Based Distributed Microphone</u></a>                    | 103 |
| 25. | <a href="#"><u>1570356843: FSO Applied to Optical Fiber Sensing: a Field Test Demonstration</u></a>                                               | 106 |
| 26. | <a href="#"><u>1570356865: Proposal of a Microwave Absorber Using FSS with Square Loops</u></a>                                                   | 111 |
| 27. | <a href="#"><u>1570356908: H-Shaped Fractal Antennas for Dual-Band Applications</u></a>                                                           | 115 |
| 28. | <a href="#"><u>1570357007: Modeling Lossy Boundaries in TLM-SCN Time Domain</u></a>                                                               | 119 |
| 29. | <a href="#"><u>1570357068: Vortex-based ferromagnetic resonance isolator in 2D photonic crystal waveguide</u></a>                                 | 122 |
| 30. | <a href="#"><u>1570357107: Fabrication and characterization of fiber Bragg grating based sensors for force measurements</u></a>                   | 127 |
| 31. | <a href="#"><u>1570357136: High-quality phase-shifted Bragg grating sensor inscribed with only one laser pulse in a polymer optical fiber</u></a> | 132 |
| 32. | <a href="#"><u>1570357139: Voltage-Controlled Gain Amplifier Applied for Temperature Compensation in FBG Dynamical Sensing</u></a>                | 136 |
| 33. | <a href="#"><u>1570357154: Some Recent Improvements in Modeling of Electromagnetic Well-Logging Sensors via Numerical Mode-Matching</u></a>       | 140 |
| 34. | <a href="#"><u>1570357162: Linearization Techniques for Electro-Optical Modulation in Analog Radio over Fiber</u></a>                             | 145 |
| 35. | <a href="#"><u>1570357277: Implementation of an Optically-Controlled Antenna in a dual-band Communications System</u></a>                         | 149 |
| 36. | <a href="#"><u>1570357298: A Trimmable 24 GHz Low-Noise Amplifier with 20 dB Gain and 3.7 dB Noise Figure in 65 nm Bulk CMOS</u></a>              | 154 |
| 37. | <a href="#"><u>1570357351: Ku-Band Hybrid GaN Block Upconverter for Very Small Aperture Terminals</u></a>                                         | 158 |
| 38. | <a href="#"><u>1570357381: Dissimilar Circular Patch Size Antenna Array With Enhanced Bandwidth and Broadside Gain</u></a>                        | 162 |
| 39. | <a href="#"><u>1570357391: Photonics-Based RF Phase Shifter for Ultra-Broadband Communications</u></a>                                            | 167 |
| 40. | <a href="#"><u>1570357398: GPON-based Front-End Architecture for 5G Networks</u></a>                                                              | 172 |
| 41. | <a href="#"><u>1570357430: Analysis of azimuthal variation of rain attenuation</u></a>                                                            | 177 |
| 42. | <a href="#"><u>1570357475: Investigation of 56-GBd PAM4 Bandwidth and Chromatic Dispersion Limitations for Data Center Applications</u></a>       | 182 |
| 43. | <a href="#"><u>1570357488: Microwave Imaging update</u></a>                                                                                       | 187 |



|     |                                                                                                                                                                |     |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 44. | <a href="#"><u>1570357490: Extended-Reach Transmission of Single-Wavelength 112-Gbps PAM4 Channel Enabled by MLSE for Intra Data Center Applications</u></a>   | 191 |
| 45. | <a href="#"><u>1570357506: Low-Cost Embedded OTDR Monitoring for Direct Modulation Analog Radio over Fiber</u></a>                                             | 195 |
| 46. | <a href="#"><u>1570357542: Algorithm for Shared Path Protection in Elastic Optical Network Based on Spectrum Partition</u></a>                                 | 198 |
| 47. | <a href="#"><u>1570357545: 1310 nm Data Transmission using Silicon Photonic Integrated Circuit comprising Directly Modulated DFB Laser and SOA</u></a>         | 203 |
| 48. | <a href="#"><u>1570357553: Execution Time Improvement for Optical Amplifier Cognitive Methodology in Dynamic WDM Networks</u></a>                              | 207 |
| 49. | <a href="#"><u>1570358013: Beam Selection in Multiuser Millimeter-Wave Systems with Sub-Array User Terminal Architectures</u></a>                              | 212 |
| 50. | <a href="#"><u>1570358075: The Radar Cross Section of a Military Transport Helicopter in the X-Band</u></a>                                                    | 216 |
| 51. | <a href="#"><u>1570358094: Electromagnetic Modeling of Wave Propagation in Curved Boreholes for Geophysical Exploration</u></a>                                | 220 |
| 53. | <a href="#"><u>1570358671: Separation of Temperature and Strain in a Single Fiber BOTDA System by Pseudo-inverse Approach</u></a>                              | 225 |
| 54. | <a href="#"><u>1570358911: 3D Thermal Simulations and Modeling of Multi-Finger InP DHBTs for Millimeter-Wave Power Amplifiers</u></a>                          | 229 |
| 55. | <a href="#"><u>1570358935: Full Three-Dimensional Broadband and Isotropic Carpet Cloak</u></a>                                                                 | 234 |
| 56. | <a href="#"><u>1570359061: Frequency Selective Surface Based on Open Trapezoidal Rings Geometry</u></a>                                                        | 237 |
| 57. | <a href="#"><u>1570359143: Measurement of RF Field Strength in Home Environments from a Nearby Base Station and Wireless Devices</u></a>                       | 242 |
| 58. | <a href="#"><u>1570359157: On the accuracy of approximate descriptions of discrete superpositions of Bessel beams in the generalized Lorenz-Mie theory</u></a> | 247 |
| 59. | <a href="#"><u>1570359293: A New Planar Sensor Based on the Matryoshka Microstrip Resonator</u></a>                                                            | 252 |
| 60. | <a href="#"><u>1570359391: All-optical fast Fourier transform for processing an optical OFDM superchannel</u></a>                                              | 257 |
| 61. | <a href="#"><u>1570359414: OSNR-based Backup Path Protection Algorithm with Sharing Limits</u></a>                                                             | 262 |
| 62. | <a href="#"><u>1570359548: Laser Beam Welding of Ku Band Waveguides for Communication Satellites</u></a>                                                       | 267 |
| 63. | <a href="#"><u>1570359562: On Analytical Descriptions of Finite-Energy Paraxial Frozen Waves in Generalized Lorenz-Mie Theory</u></a>                          | 270 |
| 64. | <a href="#"><u>1570359577: Curvature Sensitivity Enhancement of Fused Fiber Taper</u></a>                                                                      | 275 |
| 65. | <a href="#"><u>1570359579: Horn Antenna Covered with an Artificial Dielectric Structure</u></a>                                                                | 280 |
| 66. | <a href="#"><u>1570359581: Ultrashort Pulse Generation Using Mechanically Exfoliated Graphite onto D-shaped Optical Fiber in Erbium Doped Fiber Laser</u></a>  | 285 |



|     |                                                                                                                                                                 |     |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 67. | <a href="#"><u>1570359584: Characterization of the Occlusal Splints using Optical Fiber Sensors</u></a>                                                         | 288 |
| 68. | <a href="#"><u>1570359585: Controlled Directivity and Gain of Antenna Using Square Loop RFSS Based on PIN Diode</u></a>                                         | 292 |
| 69. | <a href="#"><u>1570359586: Mode characteristics of a D-shaped porous fiber with a thin gold layer in THz regime</u></a>                                         | 296 |
| 70. | <a href="#"><u>1570359595: Properties of bulk dental composites using fiber Bragg grating sensors</u></a>                                                       | 300 |
| 71. | <a href="#"><u>1570359599: Sub-300 fs Mode-locked Erbium Doped Fiber Laser Using Graphene Oxide and Reduced Graphene Oxide onto D-Shaped Optical Fibers</u></a> | 303 |
| 72. | <a href="#"><u>1570359605: Discrete Hopf Fibration in the Design of Four-Dimensional Modulations</u></a>                                                        | 306 |
| 73. | <a href="#"><u>1570359608: Microstrip Feeding for the Excitation of a Higher-Order Resonant Mode in Cylindrical Dielectric Resonator Antennas</u></a>           | 311 |
| 74. | <a href="#"><u>1570359696: Measurements of Extremely Low Frequency Waves (1-12 Hz) Produced by Ionospheric High-Frequency Waves</u></a>                         | 316 |
| 75. | <a href="#"><u>1570359700: Retrieval of Electromagnetic Properties of Metamaterials with Weak-Coupling</u></a>                                                  | 319 |
| 76. | <a href="#"><u>1570359710: Dual-Band Antenna Array with Beam Steering for mm-waves 5G Networks</u></a>                                                          | 323 |
| 77. | <a href="#"><u>1570359711: Design of a Microstrip Antenna Array with Polarization Diversity for DoA Application</u></a>                                         | 327 |
| 78. | <a href="#"><u>1570359717: 3D Printed Microstructured Optical Fibers</u></a>                                                                                    | 332 |
| 79. | <a href="#"><u>1570359727: Performance Evaluation of a real time OFDM Radio Over Fiber System at 2.5 GHz using Software Defined Radio SDR</u></a>               | 335 |
| 80. | <a href="#"><u>1570359733: Optical Filters for Narrow-Band Imaging on Medical Devices</u></a>                                                                   | 340 |
| 81. | <a href="#"><u>1570359734: Implementation of a Broadband Photonics-assisted RF Amplifier Toward 5G Networks</u></a>                                             | 344 |
| 82. | <a href="#"><u>1570359736: Optical Constant and Thickness Determination Using THz Time-Domain Reflection-Only Signals</u></a>                                   | 349 |
| 83. | <a href="#"><u>1570359740: 3D numerical investigation of double-core optical fiber properties modulated by flexural acoustic waves</u></a>                      | 354 |
| 84. | <a href="#"><u>1570359750: A Passive Capacitive Soil Moisture and Environment Temperature UHF RFID Based Sensor for Low Cost Agricultural Applications</u></a>  | 358 |
| 85. | <a href="#"><u>1570359757: Optical measurements of vibration waves: analysis of point-scanning and full-field interferometric methods</u></a>                   | 362 |
| 86. | <a href="#"><u>1570359766: Retrieval Parameters of Chiral Metamaterials With Proposed Crescent Shaped Split Ring Resonators</u></a>                             | 366 |
| 87. | <a href="#"><u>1570359769: Quadrature Frontend with Directional Coupler for RF Reflection Coefficient Measurements</u></a>                                      | 369 |



|      |                                                                                                                                                            |     |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 88.  | <a href="#"><u>1570359772: Longitudinal Forces on a Spherical Dielectric Particle Exerted by a Truncated Bessel Beam in the Ray Optics Regime.....</u></a> | 374 |
| 89.  | <a href="#"><u>1570359780: Performance Comparison of Metallic and Graphene Buckypaper Microstrip Transmission Lines.....</u></a>                           | 379 |
| 90.  | <a href="#"><u>1570359782: Mechanically Reconfigurable Slotted-Waveguide Antenna Array for 5G Networks.....</u></a>                                        | 384 |
| 91.  | <a href="#"><u>1570359783: Analytical Model for Magneto-optic Five-layered Planar Waveguide ..</u></a>                                                     | 389 |
| 92.  | <a href="#"><u>1570359786: Design of a 40 GHz Bandwidth Slow-Wave Silicon Modulator.....</u></a>                                                           | 394 |
| 93.  | <a href="#"><u>1570359787: 100 Gbit/s Optical Transport Network 40 nm Test Chip Design and Prototyping.....</u></a>                                        | 399 |
| 94.  | <a href="#"><u>1570359795: Exploring THz Hollow-Core Fiber Designs Manufactured by 3D Printing .....</u></a>                                               | 404 |
| 95.  | <a href="#"><u>1570359806: Impact of the Fiber Type Arrangement on Bidirectional Mixed-Fiber Optical Links.....</u></a>                                    | 409 |
| 96.  | <a href="#"><u>1570359808: Holographic Techniques using Spatial Light Modulators applied to Maskless Photolithography.....</u></a>                         | 414 |
| 97.  | <a href="#"><u>1570359810: Design of a 80-nm tunable hybrid III/V-on-silicon laser.....</u></a>                                                            | 418 |
| 98.  | <a href="#"><u>1570359811: Vortex Polymer Optical fiber operating at a visible wavelength of 633 nm .....</u></a>                                          | 423 |
| 99.  | <a href="#"><u>1570359814: Investigation on the Deployment of FSS as Electromagnetic Shielding for 5G Devices.....</u></a>                                 | 427 |
| 100. | <a href="#"><u>1570359820: Arbitrary Geometry Polarization Splitter Designed with Quasi-Conformal Transformation Optics.....</u></a>                       | 432 |
| 101. | <a href="#"><u>1570359821: Measurement Campaign on the Electromagnetic Environment in the Central Region of the City of Mossoró.....</u></a>               | 436 |
| 102. | <a href="#"><u>1570359822: Radar Cross Section Computation of Aircraft with Detailed Engine Inlets.....</u></a>                                            | 440 |
| 103. | <a href="#"><u>1570359824: Patch Antenna Bio-inspired on Wayfaring-tree (Viburnum lantana) for Applications in 2.4 GHz .....</u></a>                       | 443 |
| 104. | <a href="#"><u>1570359828: A Low-Cost Modular Transmit Front-End with Analog Beamforming Capability.....</u></a>                                           | 447 |
| 105. | <a href="#"><u>1570359833: Directly Matched Active Integrated Antenna for GPS receiver.....</u></a>                                                        | 452 |
| 106. | <a href="#"><u>1570359834: Analysis of Dual-Band Non-Uniformly Spaced Arrays for Mobile Communications.....</u></a>                                        | 457 |
| 107. | <a href="#"><u>1570359835: Operation Analysis of a Novel Concept of RF Source Known as Gyromagnetic Line.....</u></a>                                      | 462 |
| 108. | <a href="#"><u>1570359838: Design of Optimized Integrated Optical Phase Modulators with Graphene.....</u></a>                                              | 466 |



|      |                                                                                                                                                                     |     |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 109. | <a href="#"><u>1570359841: Antenna impedance correction for low power energy harvesting device</u></a>                                                              | 470 |
| 110. | <a href="#"><u>1570359847: Modeling of magnetostrictive optical modulator for application as a magnetic field sensor</u></a>                                        | 475 |
| 111. | <a href="#"><u>1570359851: SDR-Based Radar-Detectors Embedded on Tablet Devices</u></a>                                                                             | 479 |
| 112. | <a href="#"><u>1570359852: Methodologies for Path Loss Prediction in LTE - 1.8 GHz Networks Using Neuro-Fuzzy and ANN</u></a>                                       | 484 |
| 113. | <a href="#"><u>1570359853: Design of Microstrip Monopoles for Broadband Systems Using an Iterative Wave Formulation</u></a>                                         | 489 |
| 114. | <a href="#"><u>1570359858: Double-Lock Strategy Applied to Optical Spectral Phase and Delay Encoding</u></a>                                                        | 493 |
| 115. | <a href="#"><u>1570359872: Computational Modeling of Transducer Elements of Temperature Sensors using Surface Plasmon Resonance in a D-Shaped Optical Fiber</u></a> | 498 |
| 116. | <a href="#"><u>1570359879: FSS-based Dual-Band Cassegrain Parabolic Antenna for RadarCom Applications</u></a>                                                       | 503 |
| 117. | <a href="#"><u>1570359880: Improving Temperature Resolution of Distributed Temperature Sensor Using Artificial Neural Network</u></a>                               | 507 |
| 118. | <a href="#"><u>1570359884: Temporal coupled-mode theory of electromagnetic components with magnetic symmetry</u></a>                                                | 512 |
| 119. | <a href="#"><u>1570359887: Magnetic group analysis of electromagnetic modes in C<sub>2v</sub>(C<sub>2</sub>)-symmetric graphene array</u></a>                       | 517 |
| 120. | <a href="#"><u>1570359889: Predicting Complete Band-Gaps of 2D Photonic Crystals by Using Artificial Neural Networks</u></a>                                        | 522 |
| 121. | <a href="#"><u>1570359891: Data Transmission in the EHF band with QPSK modulation</u></a>                                                                           | 527 |
| 122. | <a href="#"><u>1570359893: A Terahertz Graphene Antenna with Dynamical Control of its Radiation Pattern</u></a>                                                     | 532 |
| 123. | <a href="#"><u>1570359903: Harmonic Suppression in Microstrip Patch Antenna Using Spur-Line Filter</u></a>                                                          | 536 |
| 124. | <a href="#"><u>1570359904: Graphene 3-port circulator based on edge-guide mode propagation</u></a>                                                                  | 541 |
| 125. | <a href="#"><u>1570359905: Scattering Due to Rain in Brazil for Millimeter Waves</u></a>                                                                            | 545 |
| 126. | <a href="#"><u>1570359906: Real Time Beamforming Algorithms: Experimental Validation</u></a>                                                                        | 550 |
| 127. | <a href="#"><u>1570359907: Impact of the Phase Modulation Index in the Performance of CO-OFDM Systems based on Electrical Domain Constant-Envelope Signals</u></a>  | 555 |
| 128. | <a href="#"><u>1570359909: Data-aided power estimation for a multiuser noncoherent MFSK fast Rayleigh fading system</u></a>                                         | 560 |
| 129. | <a href="#"><u>1570359920: Vibration Analysis of a Cantilever Beam with Viscoelastic Neutralizers Using Fiber Bragg Gratings</u></a>                                | 565 |



|      |                                                                                                                                                                                         |     |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 130. | <a href="#"><u>1570359922: A Design of Adiabatic Digital Circuits for Micro, Nano and Cube Satellites: Four Stage JK-FF Binary Counter Using Four-Phase AC-clocked Power-Supply</u></a> | 570 |
| 131. | <a href="#"><u>1570359929: Analysis of Grounding Problems using Interpolation Element-Free Galerkin Method with Reduction of Computational Domain</u></a>                               | 574 |
| 132. | <a href="#"><u>1570359931: Optimization of the Parameters of a Microstrip Line for the Construction of a Hydrogen Sensor</u></a>                                                        | 579 |
| 133. | <a href="#"><u>1570359934: A New Compact Dual-band FSS with Angular and Polarization Stability for Wireless Applications</u></a>                                                        | 582 |
| 134. | <a href="#"><u>1570359935: Metal-Insulator-Metal Tunnel Diodes on Micro/Nano Antennas for Energy Harvesting and Detector Applications</u></a>                                           | 586 |
| 135. | <a href="#"><u>1570359937: A Simple Reduced Size and Reconfigurable Element for Multiband and Angular Stable Frequency Selective Surface</u></a>                                        | 591 |
| 136. | <a href="#"><u>1570359942: Fiber Bragg Grating Interrogation Using FBG Filters and Artificial Neural Network</u></a>                                                                    | 596 |
| 137. | <a href="#"><u>1570359947: 3D CUDA Based FDTD Method for Analysis of Microstrip Antennas</u></a>                                                                                        | 600 |
| 138. | <a href="#"><u>1570359948: Low Power CMOS Temperature Protection Sensor for Smart Cards</u></a>                                                                                         | 605 |
| 139. | <a href="#"><u>1570359949: Thirty Years of Fast-tracking Chemical Reactions with Microwaves</u></a>                                                                                     | 610 |
| 140. | <a href="#"><u>1570360132: Degradation of Passive Microwave Components due to Metalstack Deviations in CMOS Technology</u></a>                                                          | 614 |
| 141. | <a href="#"><u>1570365633: Offline Measurements of Photonic Devices</u></a>                                                                                                             | 619 |
| 142. | <a href="#"><u>1570365644: Satellite Communication Challenges in a Fully Interconnected World</u></a>                                                                                   | 624 |
| 143. | <a href="#"><u>1570365992: A Novel Microstrip Frequency Discriminator for IFM Based on Balanced Gray-code</u></a>                                                                       | 629 |
| 144. | <a href="#"><u>1570368266: Passive Optical Networks: Present Status and Future Outlook</u></a>                                                                                          | 633 |
| 145. | <a href="#"><u>1570368269: On the Feasibility of Mode-Division Multiplexed Transmission over Few-Mode Fibres</u></a>                                                                    | 638 |
| 146. | <a href="#"><u>1570368277: Sparse Array of Dielectric Resonator Antennas for Ultra-Wide Band Applications</u></a>                                                                       | 643 |
| 147. | <a href="#"><u>1570368334: Plastic Optical Fiber Sensors Applied to Electric Energy Industry</u></a>                                                                                    | 647 |
| 148. | <a href="#"><u>1570368358: Review on Human Exposure to Radiofrequency Electromagnetic Field</u></a>                                                                                     | 652 |
| 149. | <a href="#"><u>1570368941: Antenna Development for 5G Networks [Invited Paper]</u></a>                                                                                                  | 657 |
| 150. | <a href="#"><u>1570368973: An Intelligent and Integrated Architecture for Data Centers with Distributed Photonic Switching</u></a>                                                      | 662 |
| 151. | <a href="#"><u>1570369761: Characterization of nonlinear carrier dynamics in silicon strip nanowaveguides</u></a>                                                                       | 667 |



# IMOC2017

águas de lindoia

|             |                                                                                                                                         |            |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------|------------|
| <u>152.</u> | <u>1570389995: Evaluation of FBG sensors to measure ultrasonic guided waves in rail transport monitoring</u>                            | <u>671</u> |
| <u>153.</u> | <u>1570391422: Circularly Symmetric Frozen Waves and their Optical Forces in Optical Tweezers Using a Ray Optics Approach</u>           | <u>675</u> |
| <u>154.</u> | <u>1570391527: 1-Tb/s WDM PAM-4 Transmission over 80 km of Uncompensated SSF Link with Direct Detection and Reduced Complexity DSP</u>  | <u>680</u> |
| <u>155.</u> | <u>1570391535: 16-QAM FPGA Digital Modulator and a Tool to Evaluate Bit Error Rate</u>                                                  | <u>683</u> |
| <u>156.</u> | <u>1570391645: An Open Source Simulation Tool for Sharing and Compatibility Studies between 5G and Other Radiocommunication Systems</u> | <u>688</u> |

## Additional Paper

|                                                                                                       |            |
|-------------------------------------------------------------------------------------------------------|------------|
| <u>1570358145: Refining Worst-Case Crosstalk Models for the Next Generation Broadband Over Copper</u> | <u>693</u> |
|-------------------------------------------------------------------------------------------------------|------------|