
Bioengineering Based on Electrochemistry

Editors:

J. Burgess

Case Western Reserve University
Cleveland, Ohio, USA

M. Bayachou

Cleveland State University
Cleveland, Ohio, USA

A. Simonian

Auburn University
Auburn, Alabama, USA

Sponsoring Divisions:



Organic and Biological Electrochemistry

Sensor



Published by

The Electrochemical Society

65 South Main Street, Building D
Pennington, NJ 08534-2839, USA

tel 609 737 1902

fax 609 737 2743

www.electrochem.org

ecs transactions™

Vol. 50, No. 28

Copyright 2013 by The Electrochemical Society.
All rights reserved.

This book has been registered with Copyright Clearance Center.
For further information, please contact the Copyright Clearance Center,
Salem, Massachusetts.

Published by:

The Electrochemical Society
65 South Main Street
Pennington, New Jersey 08534-2839, USA

Telephone 609.737.1902
Fax 609.737.2743
e-mail: ecs@electrochem.org
Web: www.electrochem.org

ISSN 1938-6737 (online)
ISSN 1938-5862 (print)
ISSN 2151-2051 (cd-rom)

ISBN 978-1-62332-064-5 (Softcover)
ISBN 978-1-60768-416-9 (PDF)

Printed in the United States of America.

ECS Transactions, Volume 50, Issue 28
Bioengineering Based on Electrochemistry

Table of Contents

Preface	iii
Peroxidase Activity of G-Quadruplex Hemin-Binding DNA Aptamers Determined by Electrochemical Measurement <i>I. Kubo, T. Eguchi, Y. Hoshino, M. Liu, H. Abe, Y. Ito</i>	1
Blood Glucose Dependence on Emotional Behaviors and Body Surface Temperatures in Common Marmoset's Socio-Psychological Learning with Peers - for 'Development of Human-Environment Interface by Sensing and Multivariate Analysis of Bio-Ecosystem' - <i>M. Koshiba, A. Seno, G. Karino, Y. Shirakawa, K. Mimura, T. Sagawa, W. Tsugawa, K. Sode, S. Nakamura</i>	9
Au Nanoparticle-based Detection of Human Chorionic Gonadotropin Using Electrochemical Impedance Spectroscopy <i>N. Li, Q. Li, X. R. Chen, A. J. Veloso, V. W. S. Hung, D. Dhar, K. Kerman</i>	15
Self-Assembled Synthetic Protein Scaffolds: Biosynthesis and Applications <i>W. W. Su, Z. Han</i>	23
Use of High Surface Area Electrodes for Safe Delivery of Direct Current for Nerve Conduction Block <i>T. Vrabec, J. Wainright, N. Bhadra, N. Bhadra, K. Kilgore</i>	31
Fabrication of Semi-Invasive Micro-Needle Array Using Gradation Exposure <i>M. Yamaguchi, Y. Sasaki, Y. Kimura, M. Sasaki, Y. Nakayama</i>	39
Author Index	45