

# **2017 IEEE Asia Pacific Microwave Conference (APMC 2017)**

**Kuala Lumpur, Malaysia  
13-16 November 2017**

**Pages 686-1372**



**IEEE Catalog Number: CFP17APM-POD  
ISBN: 978-1-5386-0641-4**

**Copyright © 2017 by the Institute of Electrical and Electronics Engineers, Inc.  
All Rights Reserved**

*Copyright and Reprint Permissions:* Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

***\*\*\* This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

|                         |                   |
|-------------------------|-------------------|
| IEEE Catalog Number:    | CFP17APM-POD      |
| ISBN (Print-On-Demand): | 978-1-5386-0641-4 |
| ISBN (Online):          | 978-1-5386-0640-7 |

**Additional Copies of This Publication Are Available From:**

Curran Associates, Inc  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: (845) 758-0400  
Fax: (845) 758-2633  
E-mail: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

CURRAN ASSOCIATES INC.  
**proceedings**  
.com

# TABLE OF CONTENTS

|                                                                                                                          |    |
|--------------------------------------------------------------------------------------------------------------------------|----|
| <b>HIGH-EFFICIENCY 100-GB/S 4-VPP PAM-4 DRIVER IN SIGEC BICMOS FOR OPTICAL MODULATORS</b> .....                          | 1  |
| <i>P. Rito ; I. García López ; A. Awany ; M. Ko ; A. C. Ulusoy ; D. Kissinger</i>                                        |    |
| <b>A DC-50 GHZ, LOW INSERTION LOSS AND HIGH P1DB SPDT SWITCH IC IN 40-NM SOI CMOS</b> .....                              | 5  |
| <i>Cuilin Chen ; Xiao Xu ; Toshihiko Yoshimasu</i>                                                                       |    |
| <b>A 35 GHZ COMPOSITE RIGHT/LEFT HAND T-LINE BASED CONTINUOUS TUNABLE PHASE SHIFTER IN 65 NM CMOS</b> .....              | 9  |
| <i>Qian Chen ; Guangyin Feng ; Nan Li ; Alit Apriyana ; Hao Yu</i>                                                       |    |
| <b>BEAM SQUINTING IN WIDEBAND 60 GHZ ON-BOARD SERIES-FED DIFFERENTIAL PATCH ARRAYS</b> .....                             | 13 |
| <i>Wael A. Ahmad ; Jeng-Hau Lu ; Dietmar Kissinger ; Herman Jalli Ng</i>                                                 |    |
| <b>A DUAL-LINEARLY POLARIZED RECEIVE ANTENNA ARRAY FOR DIGITAL BEAMFORMING IN AUTOMOTIVE USE</b> .....                   | 17 |
| <i>Gerhard F. Hamberger ; Uwe Siart ; Thomas F. Eibert</i>                                                               |    |
| <b>RESEARCH OF MILLIMETER-WAVE SHAPED OFFSET FEED DUAL-REFLECTOR ANTENNA</b> .....                                       | 21 |
| <i>Chen Xin ; Xu Liang ; Xu Pen</i>                                                                                      |    |
| <b>RADIATED POWER SENSOR AT 38 GHZ</b> .....                                                                             | 25 |
| <i>Hsin-Chia Lu ; Yu-Ni Chen ; Jian-Syuan Huang ; Yu-Teng Chang</i>                                                      |    |
| <b>A 220–260 GHZ MEDIUM POWER VARIABLE GAIN AMPLIFIER MMIC WITH LOW PHASE VARIATION</b> .....                            | 29 |
| <i>D. Müller ; M. Fink ; C. V. Vangerow ; A. Tessmann ; A. Leuther ; T. Zwick ; I. Kallfass</i>                          |    |
| <b>A COMPARISON OF LUMPED-BASED TUNABLE MATCHING NETWORKS FOR DYNAMICALLY-LOAD-MODULATED POWER AMPLIFIERS</b> .....      | 33 |
| <i>Eyad Arabi ; Chris Gamlath ; Kevin Morris ; Mark Beach</i>                                                            |    |
| <b>ENVELOPE TRACKING LTE MULTIMODE POWER AMPLIFIER WITH 44% OVERALL EFFICIENCY</b> .....                                 | 37 |
| <i>Florinel Balteanu ; Hardik Modi ; Sabah Khesbak ; Serge Drogi ; Paul Dicarolo</i>                                     |    |
| <b>A KA-BAND PLANAR COMPATIBLE TRAVELING-WAVE SPATIAL POWER COMBINING AMPLIFIER BASED ON RIBLET COUPLER</b> .....        | 41 |
| <i>Honglei Sun ; Chao Yu ; Xiao-Wei Zhu</i>                                                                              |    |
| <b>STUDY AND ANALYSIS OF CHANNEL CHARACTERISTICS OF ULTRA-WIDEBAND COMMUNICATION LINKS USING WEARABLE ANTENNAS</b> ..... | 45 |
| <i>Richa Bharadwaj ; Shibani K. Koul</i>                                                                                 |    |
| <b>ANALYSIS OF A RAIN ATTENUATION TIME SERIES FROM SYNTHESIZER AND EXPERIMENTAL SATELLITE MEASUREMENTS</b> .....         | 49 |
| <i>Juan Antonio Romo Argota ; Asier Fernández ; Ignacio Anitzine ; Jorge Mezquita</i>                                    |    |
| <b>EFFICIENCY OF SCATTERING ALGORITHM WITH OVERSET GRID GENERATION FOR DETECTION OF BURIED OBJECT</b> .....              | 53 |
| <i>Deanne Anak Edwin ; Shafrida Sahrani ; Kismet Hong Ping</i>                                                           |    |
| <b>ESTABLISHMENT OF BOUNDARIES FOR NEAR-FIELD, FRESNEL AND FRAUNHOFER-FIELD REGIONS</b> .....                            | 57 |
| <i>Saifullah Amin ; Bilal Ahmed ; Muhammad Amin ; Muhammad Inam Abbasi ; Adnan Elahi ; Usman Aftab</i>                   |    |
| <b>DESIGN OF LINEAR SPARSE ARRAY BASED ON THE TAYLOR LINE SOURCE DISTRIBUTION ELEMENT SPACING</b> .....                  | 61 |
| <i>Eko Tjipto Rahardjo ; Efri Sandi ; Fitri Yuli Zulkifli</i>                                                            |    |
| <b>A BEAMFORMING NETWORK USING A 3-DIMENSIONAL DIELECTRIC LENS FOR SDMA SYSTEMS</b> .....                                | 65 |
| <i>Maki Arai ; Ken Hiraga ; Daisei Uchida ; Takana Kaho ; Tomohiro Seki</i>                                              |    |
| <b>IMPROVEMENT OF SIDE-LOBE CHARACTERISTIC USING NON-UNIFORM DISTRIBUTION TECHNIQUE IN RADAR ANTENNA SYSTEM</b> .....    | 69 |
| <i>F. Oktafiani ; Y. P. Saputera ; Y. Wahyu</i>                                                                          |    |
| <b>A NEW MODEL FOR DESIGN OF WIDEBAND RADIATING ELEMENTS FOR REFLECTARRAY ANTENNA</b> .....                              | 73 |
| <i>H. Delafkar ; A. Pirhadi ; S. Karimian</i>                                                                            |    |

|                                                                                                                                                             |            |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>MILLIMETER-WAVE TRANSISTOR RESEARCH AT ETH-ZURICH .....</b>                                                                                              | <b>77</b>  |
| <i>C. R. Bolognesi</i>                                                                                                                                      |            |
| <b>THZ MEMS — MICROMACHINING ENABLING NEW SOLUTIONS AT MILLIMETER AND SUBMILLIMETER-WAVE FREQUENCIES (INVITED PAPER).....</b>                               | <b>81</b>  |
| <i>Joachim Oberhammer</i>                                                                                                                                   |            |
| <b>MM-WAVE AND THZ CIRCUIT DESIGN IN STANDARD CMOS TECHNOLOGIES: CHALLENGES AND OPPORTUNITIES .....</b>                                                     | <b>85</b>  |
| <i>Patrick Reynaert ; Wouter Steyaert ; Alexander Standaert ; Dragan Simic ; Guo Kaizhe</i>                                                                 |            |
| <b>ERROR COMPENSATION OF THE TEMPERATURE INFLUENCE ON RADAR BASED DISPLACEMENT MEASUREMENTS .....</b>                                                       | <b>89</b>  |
| <i>Christoph Will ; Sebastian Mann ; Fabian Michler ; Torsten Reissland ; Fabian Lurz ; Robert Weigel ; Alexander Koelpin</i>                               |            |
| <b>ANGLE OF ARRIVAL ESTIMATION EMBEDDED IN A CIRCULAR PHASED ARRAY 4 × 4 MIMO ANTENNA .....</b>                                                             | <b>93</b>  |
| <i>Kazuhiro Honda ; Daishi Iwamoto ; Koichi Ogawa</i>                                                                                                       |            |
| <b>PILOTS-AIDED LTE REFERENCE SIGNAL RECONSTRUCTION IN LOW SNR REFERENCE CHANNEL FOR PASSIVE SENSING .....</b>                                              | <b>97</b>  |
| <i>Wei Cao ; Weidong Hu ; Lefeng Zhang ; Jing Lei</i>                                                                                                       |            |
| <b>A SINGLE-LAYER DYNAMIC MONOPULSE RADAR FOR PRECISE ANGLE-OF-ARRIVAL DETECTION IN SHORT-RANGE OPEN SPACE .....</b>                                        | <b>101</b> |
| <i>Jia-Yu Liu ; Pei-Yu Lyu ; Sheng-Fuh Chang</i>                                                                                                            |            |
| <b>FREQUENCY SWITCHABLE ORIGAMI MAGIC CUBE ANTENNA.....</b>                                                                                                 | <b>105</b> |
| <i>Syed Imran Hussain Shah ; Sungjoon Lim</i>                                                                                                               |            |
| <b>A DESIGN OF RADIATION PATTERN AND POLARIZATION RECONFIGURABLE ANTENNA USING METASURFACE .....</b>                                                        | <b>108</b> |
| <i>Aixin Chen ; Xiangwei Ning ; Li Wang ; Zhe Zhang</i>                                                                                                     |            |
| <b>POLARIZATION RECONFIGURABLE ANTENNA DESIGN USING A NOVEL AND COMPACT VARIABLE SIGNAL SPLITTER .....</b>                                                  | <b>112</b> |
| <i>Li-Peng Cai ; Yi-Feng Cheng ; Kwok-Keung M. Cheng</i>                                                                                                    |            |
| <b>A STEERABLE LINEARLY-POLARIZED ANTENNA DESIGN BASED UPON A NOVEL VARIABLE SIGNAL SPLITTER .....</b>                                                      | <b>116</b> |
| <i>Li-Peng Cai ; Yi-Feng Cheng ; Kwok-Keung M. Cheng</i>                                                                                                    |            |
| <b>COMPOUND RECONFIGURABLE MICROSTRIP PATCH ANTENNA ARRAY USING INTEGRATED CONTROLLED GROUND MODIFIED STRUCTURE AND SUB DELAY LINE FEEDING NETWORK.....</b> | <b>120</b> |
| <i>M. A. Aris ; M. T. Ali ; N. H. Abd Rahman ; I. Pasya</i>                                                                                                 |            |
| <b>TUNABLE DUAL-MODE RING FILTER BASED ON BICMOS EMBEDDED MEMS IN V-BAND .....</b>                                                                          | <b>124</b> |
| <i>Pedro Rynkiewicz ; Anne-Laure Franc ; Fabio Coccetti ; Selin Tolunay Wipf ; Matthias Wietstruck ; Mehmet Kaynak ; Gaëtan Prigent</i>                     |            |
| <b>MILLIMETER-WAVE THREE-STATE TUNABLE STOPBAND RESONATOR BASED ON INTEGRATED MEMS.....</b>                                                                 | <b>128</b> |
| <i>Pedro Rynkiewicz ; Anne-Laure Franc ; Fabio Coccetti ; Selin Tolunay Wipf ; Matthias Wietstruck ; Mehmet Kaynak ; Gaëtan Prigent</i>                     |            |
| <b>2ND- AND 4TH-ORDER PLANAR DUAL-MODE RING FILTERS AT 140 GHZ IN A 130NM BICMOS TECHNOLOGY .....</b>                                                       | <b>132</b> |
| <i>Pedro Rynkiewicz ; Anne-Laure Franc ; Fabio Coccetti ; Matthias Wietstruck ; Mehmet Kaynak ; Gaëtan Prigent</i>                                          |            |
| <b>COMPACT MEANDERED SHORTED-STUB K-BAND FILTER USING 0.18-μM CMOS PROCESS.....</b>                                                                         | <b>136</b> |
| <i>Noriza Othman ; Mohd Khairul Mohd Salleh ; Gaëtan Prigent</i>                                                                                            |            |
| <b>COMFORTABLE GATEWAY TO THE KQ THEORY INVITED.....</b>                                                                                                    | <b>139</b> |
| <i>Takashi Ohira</i>                                                                                                                                        |            |
| <b>A 3-COIL WIRELESS POWER TRANSFER SYSTEM WITH FINE TUNED POWER AMPLIFIER FOR BIOMEDICAL CAPSULE.....</b>                                                  | <b>142</b> |
| <i>Md. Rubel Basar ; Mohd Yazed Ahmad ; Jongman Cho ; Fatimah Ibrahim</i>                                                                                   |            |
| <b>FREQUENCY MODES IN A MIMO WIRELESS POWER TRANSFER SYSTEM .....</b>                                                                                       | <b>146</b> |
| <i>Minh Quoc Nguyen ; Kien Ta ; Souvik Dubey ; J. -C. Chiao</i>                                                                                             |            |
| <b>HIGHLY EFFICIENT DUAL BAND 2.45/5.85 GHZ RECTIFIER FOR RF ENERGY HARVESTING APPLICATIONS IN ISM BAND .....</b>                                           | <b>150</b> |
| <i>Mutee Ur Rehman ; Waleed Ahmad ; Wasif Tanveer Khan</i>                                                                                                  |            |
| <b>BALANCED RECTIFIER USING ANTIPARALLEL-DIODE CONFIGURATION .....</b>                                                                                      | <b>154</b> |
| <i>Muh-Dey Wei ; Renato Negra</i>                                                                                                                           |            |

|                                                                                                                                                                 |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>PERFORMANCE EVALUATION AND IMPLEMENTATION OF SEMI-FLEXIBLE DIPOLE ANTENNA FOR INTERNET OF THINGS APPLICATIONS.....</b>                                       | 158 |
| <i>F. C. Seman ; C. Manoharen ; Z. Z. Abidin ; F. A. Poad</i>                                                                                                   |     |
| <b>DETUNING EFFECTS OF WEARABLE PATCH ANTENNAS.....</b>                                                                                                         | 162 |
| <i>Sree Pramod Pinapati ; Shengjian Jammy Chen ; Damith Ranasinghe ; Christophe Fumeaux</i>                                                                     |     |
| <b>WEARABLE E-TEXTILE SPLIT RING PASSIVE UHF RFID TAG: BODY-WORN PERFORMANCE EVALUATION.....</b>                                                                | 166 |
| <i>Shubin Ma ; Leena Ukkonen ; Lauri Sydänheimo ; Toni Björninen</i>                                                                                            |     |
| <b>FULL-WAVE ELECTROMAGNETIC SIMULATION OF ANTENNA ON ELECTRO-TEXTILE AND ACCURATE MEASUREMENT OF DIELECTRIC PROPERTIES THROUGH PRECISE ADJUSTABLE JIG.....</b> | 169 |
| <i>M. S. Amin Nordin ; N. H. A. Rahman ; M. T. Ali ; A. A. Sharatol Ahmad Shah ; M. R. Ahmad</i>                                                                |     |
| <b>ANALYSIS OF SUPER DIRECTIVE ARRAY WITH SWITCHABLE BEAM PATTERN.....</b>                                                                                      | 173 |
| <i>Bakar Rohani ; Yonezawa Shun ; Hiroyuki Arai</i>                                                                                                             |     |
| <b>MICROSTRIP REFLECTARRAY USING SECOND ITERATION MINKOWSKI-LIKE RADIATING ELEMENT.....</b>                                                                     | 176 |
| <i>Abdulkadir Bello Shallah ; Farid Zubir ; Mohamad Kamal A Rahim ; Osman Ayop</i>                                                                              |     |
| <b>MILLIMETER-WAVE FRESNEL ZONE PLATE LENS WITH PRESSED FOAM TECHNOLOGY.....</b>                                                                                | 180 |
| <i>M. Himdi ; A. Jouade ; O. Lafond</i>                                                                                                                         |     |
| <b>RECONFIGURABLE MIMO SLOT ANTENNA WITH UWB SENSING CAPABILITY.....</b>                                                                                        | 184 |
| <i>Gunjan Srivastava ; Akhilesh Mohan ; Ajay Chakrabarty</i>                                                                                                    |     |
| <b>DOUBLE-POLARIZATION FREQUENCY SELECTIVE RASORBER BASED ON SPIRAL SLOT ARRAY.....</b>                                                                         | 188 |
| <i>Hao Chen ; Ye Han ; Xin Xiu ; Wenquan Che</i>                                                                                                                |     |
| <b>DOPPLER RADAR OCCUPANCY SENSOR FOR SMALL-RANGE MOTION DETECTION.....</b>                                                                                     | 192 |
| <i>Pooja Nuti ; Ehsan Yavari ; Olga Boric-Lubecke</i>                                                                                                           |     |
| <b>NARROWBAND BANDPASS FREQUENCY SELECTIVE SURFACE WITH MINIATURIZED ELEMENTS.....</b>                                                                          | 196 |
| <i>Amir Ebrahimi ; Thomas Baum ; James Scott ; Kamran Ghorbani</i>                                                                                              |     |
| <b>ANALYSIS OF STACKED STRUCTURES OF TWO-DIMENSIONAL HOLES AND DIELECTRIC SLABS.....</b>                                                                        | 200 |
| <i>Saeedeh Barzegar-Parizi</i>                                                                                                                                  |     |
| <b>A PLANAR FILTERING CROSSOVER UTILIZING FULL-WAVELENGTH RING RESONATORS.....</b>                                                                              | 204 |
| <i>Guan-Jia Chen ; Yi-Hsin Pang</i>                                                                                                                             |     |
| <b>A SLOT ANTENNA BACKED BY A HALF CYLINDRICAL CAVITY WITH A SLIT AS A TUNING ELEMENT.....</b>                                                                  | 208 |
| <i>Yuto Ishii ; Hitoshi Shimasaki</i>                                                                                                                           |     |
| <b>MULTIPHYSICS DESIGN OF A HIGH POWER CW MODE CONVERTER AT 3.7 GHZ FOR TOKAMAK APPLICATIONS.....</b>                                                           | 211 |
| <i>Yogesh M. Jain ; P. K. Sharma ; Jagabandhu Kumar ; Harish V. Dixit ; Aviraj Jadhav</i>                                                                       |     |
| <b>EXTENDED ARC ANTENNA FOR NEAR ISOTROPIC RADIATION PATTERN.....</b>                                                                                           | 215 |
| <i>Saifullah Amin ; Muhammad Amin ; Muhammad Bilal Ahmad ; Awais Ali Shah ; Muhammad Inam Abbasi</i>                                                            |     |
| <b>PRECISE ANALYSIS OF FREQUENCY SPLITTING PHENOMENON OF MAGNETICALLY COUPLED WIRELESS POWER TRANSFER SYSTEM.....</b>                                           | 219 |
| <i>Fatemeh Nasr ; Mohammad Madani ; Mehdi Niroomand</i>                                                                                                         |     |
| <b>HIGH GAIN AIR-FILLED H-PLANE HORN ANTENNA WITH DIELECTRIC LOAD IN W-BAND BASED ON LOW-COST PCB TECHNOLOGY.....</b>                                           | 225 |
| <i>Zihang Qi ; Xiuping Li</i>                                                                                                                                   |     |
| <b>A STUDY OF RECTENNA RECEIVING AREA DIVISION FOR MICROWAVE WIRELESS POWER TRANSFER SYSTEM.....</b>                                                            | 229 |
| <i>Ryosuke Kashimura ; Tomohiro Seki ; Koichi Sakaguchi</i>                                                                                                     |     |
| <b>INDOOR RF SIGNAL COVERAGE SOLUTION.....</b>                                                                                                                  | 233 |
| <i>Y. F. Tang ; Y. X. Zhang ; S. L. Kan</i>                                                                                                                     |     |
| <b>HIGH Q REALIZATION OF QUASI DUAL-MODE DUAL BAND BANDPASS FILTER.....</b>                                                                                     | 237 |
| <i>Cheab Sovuthy ; Wong Peng Wen ; Anwar Faizd Osman</i>                                                                                                        |     |
| <b>COMPACT TRIPLE-WIDEBAND BANDPASS FILTER BASED ON MULTI-MODE STEPPED-IMPEDANCE STUB-LOADED RESONATOR.....</b>                                                 | 241 |
| <i>Jhong-Jhen Li ; Guo-Yun Wang ; Chi-Feng Chen</i>                                                                                                             |     |

|                                                                                                                                                                                                                                           |            |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>THE FAST MULTI-BEAM RECEIVER DESIGN WITH RF OVER FIBER LINK .....</b>                                                                                                                                                                  | <b>244</b> |
| <i>Kanapathippillai Jeganathan ; Alex Dunning ; Jin Chengjin ; Zhang Haiyan ; Yoon Chung ; Simon Mackay ; Paul Doherty ; Henry Kanoniuk ; Les Reilly ; Peter Roush ; Robert D. Shaw ; Sean Severs ; Mark A. Bowen ; Douglas B. Hayman</i> |            |
| <b>A LOW COST AND SIMPLE STRUCTURE IEEE802.11AD WIRELESS NETWORK APPLIANCE TEST SYSTEM USING GUNN OSCILLATOR AND FUNDAMENTAL MIXER.....</b>                                                                                               | <b>248</b> |
| <i>Kohei Fujiwara ; Hidehiko Yamaoka ; Takeshi Kobayashi ; Tatunori Onzuka ; Shingo Ozaki ; Atsushi Nakagawa ; Yoneo Akita ; Yoshiichi Fujinaka</i>                                                                                       |            |
| <b>A NEW ROBUST BEAMFORMING ALGORITHM: EMBEDDING ARRAY'S ACTIVE PATTERN IN DIAGONAL LOADING METHOD .....</b>                                                                                                                              | <b>252</b> |
| <i>Yuyue Luo ; Jin Pan ; Shaode Huang</i>                                                                                                                                                                                                 |            |
| <b>DESIGN OF A WIDEBAND PHASED ARRAY TRANSMITTER USING ROTMAN LENS.....</b>                                                                                                                                                               | <b>256</b> |
| <i>Ahood Al Jneibi ; Majd Al Marri ; Esra Al Hadhrami ; Maha Al Mufti ; Styliaios Triantafyllidis ; Athanasios Konstantinidis ; Muhammad Saeed Khan ; Raed Shubair</i>                                                                    |            |
| <b>EXTREMELY LOW PROFILE FLEXIBLE ANTENNA FOR MEDICAL BODY AREA NETWORKS.....</b>                                                                                                                                                         | <b>260</b> |
| <i>Nabeel Ahmed Malik ; Masood Ur-Rehman ; Ghazanfar Ali Safdar ; Qammer H. Abbasi</i>                                                                                                                                                    |            |
| <b>A MODIFIED DECOMPOSED VECTOR ROTATION BEHAVIORAL MODEL FOR CONCURRENT DUAL-BAND ENVELOPE TRACKING RF POWER AMPLIFIERS.....</b>                                                                                                         | <b>264</b> |
| <i>Qianyun Lu ; Fan Meng ; Yan Guo ; Jialin Cai ; Jixin Chen ; Pinpin Yan ; Xiaowei Zhu ; Jianfeng Zhai ; Chao Yu</i>                                                                                                                     |            |
| <b>A 40-NM CMOS V-BAND SINGLE-POLE QUADRUPLE-THROW ABSORPTIVE SWITCH FOR PHASED-ARRAY APPLICATIONS .....</b>                                                                                                                              | <b>268</b> |
| <i>Dong-Ru Lin ; Kao-Yao Kao ; Kun-You Lin</i>                                                                                                                                                                                            |            |
| <b>ENHANCED GROUP DELAY OF MICROSTRIP-LINE-BASED DISPERSIVE DELAY LINES WITH LC RESONANT CIRCUITS FOR REAL-TIME ANALOG SIGNAL PROCESSING.....</b>                                                                                         | <b>272</b> |
| <i>Hong Wenjia ; Yasushi Horii</i>                                                                                                                                                                                                        |            |
| <b>ELECTROMAGNETIC SHIELDING EFFECTIVENESS WITH MULTI-LAYERED WAVEGUIDE-BELOW-CUTOFF ARRAY FOR IMPROVED AIR FLOW .....</b>                                                                                                                | <b>276</b> |
| <i>Sangin Kim ; Yuna Kim ; Seung-Ki Pang ; Jong-Gwan Yook</i>                                                                                                                                                                             |            |
| <b>DESIGN OF A WIDEBAND PLANAR PATCHED CROSSOVER WITH SLOTTED LINES .....</b>                                                                                                                                                             | <b>280</b> |
| <i>Yi-Yuan Lin ; Bo-Lin Jiang ; Chun-Yuan Huang ; Ching-Wen Tang</i>                                                                                                                                                                      |            |
| <b>WIDEBAND PHASE SHIFTER WITH STUB LOADED TRANSMISSION LINE.....</b>                                                                                                                                                                     | <b>283</b> |
| <i>Anuradha Ahlawat ; Rahul Gupta ; Mohammad S. Hashmi</i>                                                                                                                                                                                |            |
| <b>A RECONFIGURABLE IN-PHASE/OUT-OF-PHASE AND POWER-DIVIDING RATIO POWER DIVIDER.....</b>                                                                                                                                                 | <b>287</b> |
| <i>Pei-Ling Chi ; Yu-Wen Chi ; Tao Yang</i>                                                                                                                                                                                               |            |
| <b>A 220–325 GHZ LOW-LOSS MICROMACHINED WAVEGUIDE POWER DIVIDER.....</b>                                                                                                                                                                  | <b>291</b> |
| <i>Robert Malmqvist ; Andreas Gustafsson ; Jan Svedin ; Bernhard Beuerle ; Umer Shah ; Joachim Oberhammer</i>                                                                                                                             |            |
| <b>200 GHZ SIGE-BICMOS LOSS-COMPENSATED DISTRIBUTED POWER DIVIDER .....</b>                                                                                                                                                               | <b>295</b> |
| <i>Paolo Valerio Testa ; Corrado Carta ; Frank Ellinger</i>                                                                                                                                                                               |            |
| <b>DUAL-BAND BANDPASS FILTER TYPE WILKINSON POWER DIVIDER WITH MICROSTRIP COMPOSITE RESONATORS.....</b>                                                                                                                                   | <b>299</b> |
| <i>Xiaolong Wang ; Naoki Kimata ; Zhewang Ma ; Masataka Ohira</i>                                                                                                                                                                         |            |
| <b>CONCEPT OF A STUB-LOADED RECONFIGURABLE REFLECTARRAY UNIT CELL.....</b>                                                                                                                                                                | <b>302</b> |
| <i>Siti Nailah Mastura Zainarry ; Nghia Nguyen-Trong ; Christophe Fumeaux</i>                                                                                                                                                             |            |
| <b>A NOVEL CIRCULAR-POLARIZATION-SWITCHABLE SLOT RING ANTENNA WITH DIAGONAL CROSS SLIT .....</b>                                                                                                                                          | <b>306</b> |
| <i>Yen-Ting Lin ; Deng-Yin Wang ; Shih-Yuan Chen</i>                                                                                                                                                                                      |            |
| <b>A MONOPOLE FREQUENCY RECONFIGURABLE ANTENNA PRINTED ON MULTILAYERED SUBSTRATE.....</b>                                                                                                                                                 | <b>310</b> |
| <i>Jayendra Kumar ; Banani Basu ; Fazal A. Talukdar</i>                                                                                                                                                                                   |            |
| <b>75 GHZ INP DHBT POWER AMPLIFIER BASED ON TWO-STACKED TRANSISTORS.....</b>                                                                                                                                                              | <b>314</b> |
| <i>Michele Squartecchia ; Virginio Midili ; Tom K. Johansen ; Jean-Yves Dupuy ; Virginie Nodjiadjim ; Muriel Riet ; Agnieszka Konczykowska</i>                                                                                            |            |
| <b>A TRANSFORMER-COUPLED POWER AMPLIFIER IN 90-NM CMOS PROCESS FOR V-BAND APPLICATIONS .....</b>                                                                                                                                          | <b>318</b> |
| <i>Juo-Chen Chen ; Wei-Hsiang Chiu ; Yen-Chung Chiang</i>                                                                                                                                                                                 |            |
| <b>A K-BAND LINEAR/NORMAL/EFFICIENT TRI-MODE POWER AMPLIFIER IN 0.18-UM CMOS WITH BODY BIAS ADOPTION .....</b>                                                                                                                            | <b>322</b> |
| <i>Cheng-Hung Hsieh ; Zuo-Min Tsai</i>                                                                                                                                                                                                    |            |
| <b>REVIEW ON WIRELESS POWER TRANSFER TECHNOLOGY (INVITED PAPER) .....</b>                                                                                                                                                                 | <b>326</b> |
| <i>A. Alphones ; Prasad Jayathurathnaga</i>                                                                                                                                                                                               |            |

|                                                                                                                                              |            |
|----------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>A MINIATURIZED IMPLANTABLE DUAL-BAND PLATFORM DESIGN FOR WIRELESS POWER TRANSFER AND BIOTELEMETRY .....</b>                               | <b>330</b> |
| <i>Joonseong Kang ; Jaechun Lee ; Wonseok Lee ; Sang Joon Kim ; Seong-Cheol Kim</i>                                                          |            |
| <b>A COMPACT BUTLER MATRIX FOR WIRELESS POWER TRANSFER TO AID ELECTROMAGNETIC ENERGY HARVESTING FOR SENSORS.....</b>                         | <b>334</b> |
| <i>J. J. Kuek ; Karthik T. Chandrasekaran ; M. F. Karim ; Nasimuddin ; A. Alphones</i>                                                       |            |
| <b>EXPERIMENTAL STUDY ON SIMUTANEOUS WIRELESS POWER AND INFORMATION TRANSFER IN ENCLOSED ENVIRONMENT .....</b>                               | <b>337</b> |
| <i>Xin Wang ; Chen Chen ; Hang Wong ; Mingyu Lu</i>                                                                                          |            |
| <b>A THIN AMC-COMBINED LOOP ANTENNA APPLICABLE TO WEARABLE DEVICES.....</b>                                                                  | <b>341</b> |
| <i>Changhyeong Lee ; Dajung Han ; Heejun Park ; Sungtek Kahng</i>                                                                            |            |
| <b>POLARIZATION INDEPENDENT ISOTROPIC NEAR-ZERO-INDEX METAMATERIALS COMPOSED OF DIELECTRIC SPHERES FOR 3-D INVISIBILITY CLOAKS .....</b>     | <b>345</b> |
| <i>Yuma Takano ; Atsushi Sanada</i>                                                                                                          |            |
| <b>OPTIMIZING EFFECT OF THE HIGH-IMPEDANCE SURFACE ON RADIATION PERFORMANCES OF THE VLASOV LAUNCHER.....</b>                                 | <b>349</b> |
| <i>Zhangjie Luo ; Liu Zhao ; Daibing Chen ; Changjiang Xue ; Shangyun Wu</i>                                                                 |            |
| <b>EXPERIMENTAL DEMONSTRATION OF MICROWAVE VARIABLE-FOCAL-LENGTH LENS WITH SINGLE-LAYER METAMATERIAL BASED ON SPLIT-RING-RESONATORS.....</b> | <b>353</b> |
| <i>Daisuke Kitayama ; Makoto Yaita ; Hideyuki Nosaka</i>                                                                                     |            |
| <b>CLASSIFICATION OF OBJECTS IN POLARIMETRIC RADAR IMAGES USING CNNs AT 77 GHZ .....</b>                                                     | <b>356</b> |
| <i>Tristan Visentin ; Andrej Sagainov ; Jürgen Hasch ; Thomas Zwick</i>                                                                      |            |
| <b>A SCALABLE FREQUENCY-DIVISION MULTIPLEXING MIMO RADAR UTILIZING SINGLE-SIDEBAND DELTA-SIGMA MODULATION .....</b>                          | <b>360</b> |
| <i>Herman Jalli Ng ; Dietmar Kissinger</i>                                                                                                   |            |
| <b>24GHZ PULSED TRANSMITTER FOR ULTRA LOW POWER DOPPLER RADAR APPLICATIONS .....</b>                                                         | <b>364</b> |
| <i>Baekhyun Kim ; Jaecheol Oh ; Songcheol Hong</i>                                                                                           |            |
| <b>WIDEBAND MONOPULSE ANTENNA SYSTEM FOR SHORT RANGE CW RADAR APPLICATION .....</b>                                                          | <b>368</b> |
| <i>Vijayashree Bhat ; Ritesh Kumar ; K J Vinoy</i>                                                                                           |            |
| <b>HIGH-RESOLUTION SAR/ISAR IMAGING WITH CHAOTIC NOISE SIGNALS.....</b>                                                                      | <b>372</b> |
| <i>Yunhua Zhang ; Xiao Dong ; Qilun Yang ; Wenshuai Zhai ; Xiaojin Shi ; Qingshan Yang ; Xueyan Kang</i>                                     |            |
| <b>ELECTRONICALLY-TUNABLE RESONANT BLAZED METASURFACE GRATING .....</b>                                                                      | <b>376</b> |
| <i>Haozhan Tian ; Mohammad Memarian ; Tatsuo Itoh</i>                                                                                        |            |
| <b>BANDWIDTH ENHANCEMENT OF METAMATERIAL ABSORBER USING DOUBLE RESONANCE .....</b>                                                           | <b>380</b> |
| <i>Toan Trung Nguyen ; Sungjoon Lim</i>                                                                                                      |            |
| <b>ULTRATHIN MINIATURIZED META-SURFACE FOR WIDE BAND GAIN ENHANCEMENT .....</b>                                                              | <b>383</b> |
| <i>Amit K. Singh ; Mahesh P. Abegaonkar ; Shiban K. Koul</i>                                                                                 |            |
| <b>MICROWAVE HEAT TREATED FERRITE BASED X-BAND MICROWAVE ABSORBER WITH WIDE BANDWIDTH FOR LOW OBSERVABLE APPLICATIONS.....</b>               | <b>387</b> |
| <i>Ravi Panwar ; Dharmendra Singh</i>                                                                                                        |            |
| <b>ENERGY-EFFICIENT DOHERTY POWER AMPLIFIER MMIC AND BEAMFORMING-ORIENTED DIGITAL PREDISTORTION FOR 5G MASSIVE MIMO APPLICATION.....</b>     | <b>391</b> |
| <i>Wenhua Chen ; Guansheng Lv ; Xin Liu ; Zhenghe Feng</i>                                                                                   |            |
| <b>ENHANCED GAN HEMT TECHNOLOGY FOR E-BAND POWER AMPLIFIER MMICS WITH 1W OUTPUT POWER.....</b>                                               | <b>395</b> |
| <i>Dirk Schwantuschke ; Peter Brückner ; Sandrine Wagner ; Michael Dammann ; Michael Mikulla ; Rüdiger Quay</i>                              |            |
| <b>GENETIC-ALGORITHM-BASED SYNTHESIS OF DIFFERENTIAL AMPLIFIERS WITH COMPLEX-IMPEDANCE TERMINATIONS.....</b>                                 | <b>399</b> |
| <i>Andrey A. Kokolov ; Leonid I. Babak ; Dmitry A. Zhabin ; Feodor I. Sheyerman</i>                                                          |            |
| <b>NOVEL SHAPING FUNCTION FOR ENVELOPE TRACKING LINEARIZATION.....</b>                                                                       | <b>402</b> |
| <i>Yu Zhu ; Oleksiy P Klimashov ; Boshi Jin ; Florinel Balteanu ; Serge Drogi ; Dylan C Bartle ; Paul T Dicarlo</i>                          |            |
| <b>110 GHZ TRAVELLING-WAVE AMPLIFIER IN 22 NM FD-SOI CMOS .....</b>                                                                          | <b>406</b> |
| <i>Paolo Valerio Testa ; David Fritsche ; Stefan Schumann ; Wolfgang Finger ; Corrado Carta ; Frank Ellinger</i>                             |            |
| <b>THZ INSTRUMENTS FOR SPACE EXPLORATION.....</b>                                                                                            | <b>410</b> |
| <i>Imran Mehdi</i>                                                                                                                           |            |
| <b>300-GHZ BAND MILLIMETER-WAVE SPECTRUM MEASUREMENT SYSTEM WITH PRE-SELECTOR .....</b>                                                      | <b>414</b> |
| <i>Yuji Sekine ; Shigeo Arai ; Takashi Kawamura ; Masaaki Fuse ; Shigenori Mattori ; Hanako Noda</i>                                         |            |

|                                                                                                                                               |            |
|-----------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>DESIGN OF A 220GHZ SUBHARMONIC MIXER BASED ON PLANNAR SCHOTTKY DIODE .....</b>                                                             | <b>418</b> |
| <i>Liu Gaojian ; Li Jun ; Xu Hui ; Zhang Xiaoyang ; Li Shuantao ; Yu Hongxi</i>                                                               |            |
| <b>A SUB-TERAHERTZ MULTI-PIXEL IMAGING SYSTEM WITH SURFACE WAVE<br/>RESONATOR FOR ISOLATION .....</b>                                         | <b>422</b> |
| <i>Jiang Luo ; Alit Apriyana ; Guangyin Feng ; Guodong Su ; Qian Chen ; Jin He ; Qijun Huang ; Hao Yu</i>                                     |            |
| <b>EXPERIMENTAL VERIFICATION OF PHASE NOISE ROBUST SPIRAL CONSTELLATION<br/>FOR THZ AND OPTICAL COMMUNICATION .....</b>                       | <b>426</b> |
| <i>Changhao Du ; Zhongxia Simon He ; Jingjing Chen ; Amina Piemontese ; Jianping An ; Herbert Zirath ; Thomas Eriksson</i>                    |            |
| <b>NOVEL WIDEBAND CIRCULARLY POLARIZED ANTENNA FOR WIRELESS APPLICATIONS .....</b>                                                            | <b>430</b> |
| <i>Thi Duyen Bui ; Quoc Cuong Nguyen ; Minh Thuy Le</i>                                                                                       |            |
| <b>WIDEBAND SINGLE LAYER UHF ANTENNA BASED ON EMBEDDED NOTCH FEEDING<br/>DIPOLE WITH LOAD BAR FOR SAW SENSOR .....</b>                        | <b>434</b> |
| <i>Jie Wang ; Yuqi Li ; Cheng Jin</i>                                                                                                         |            |
| <b>WIDEBAND TUNABLE MEANDER-LINE LOADED ANTENNA WITH DUAL-MODE<br/>CAPABILITY IN V/UHF FREQUENCIES .....</b>                                  | <b>437</b> |
| <i>Farbod Molaei-Ghaleh ; Karim Mohammadpour-Aghdam</i>                                                                                       |            |
| <b>BI-DIRECTIONAL CIRCULAR HORN ANTENNA WITH CIRCULAR PROBE TUNING FOR<br/>DUAL BAND APPLICATIONS .....</b>                                   | <b>440</b> |
| <i>Amnoiy Ruengwaree ; Wannop Lakvaengmon ; Watcharaphon Naktong ; Apirada Namsang</i>                                                        |            |
| <b>PLANAR QUASI-YAGI ANTENNA WITH BAND REJECTION CHARACTERISTICS FOR UWB<br/>APPLICATIONS .....</b>                                           | <b>444</b> |
| <i>Dongdong Geng ; Deqiang Yang ; Hua Xiao</i>                                                                                                |            |
| <b>DESIGN OF A POWER AMPLIFIER MODULE IN A NOVEL SILICON-CERAMIC SUBSTRATE<br/>FOR AN LTE TRANSMITTER .....</b>                               | <b>448</b> |
| <i>V. Silva Cortes ; L. Liu ; U. Stehr ; M. Fischer ; A. Frank ; V. Chauhan ; M. Hein ; J. Müller ; R. Weigel ; G. Fischer ; A. Hagelauer</i> |            |
| <b>A MULTI-CHANNEL PHASE-COHERENT X-BAND FREQUENCY SYNTHESIZER FOR<br/>ARRAY RADAR APPLICATIONS .....</b>                                     | <b>452</b> |
| <i>Zhiqiang Chen ; Yuanwang Yang ; Chengcheng Bao ; Baichuan Gan ; Jingye Cai ; Xuekun Du</i>                                                 |            |
| <b>MULTIPLE AMPLIFIER SEPARATION STRUCTURE FOR OFDM MODULATION .....</b>                                                                      | <b>456</b> |
| <i>Shintaro Yamazaki ; Masayoshi Tanaka ; Tomohiro Seki</i>                                                                                   |            |
| <b>LOW COST REACTIVELY MATCHED BROADBAND GAAS MMIC POWER AMPLIFIER FOR<br/>AIRBORNE APPLICATIONS .....</b>                                    | <b>460</b> |
| <i>Aaron Pereira ; Said Al-Sarawi ; Neil Weste ; Vincenzo Carrubba</i>                                                                        |            |
| <b>COMPARISON OF POWER COMBINING METHODS IN POWER-AMPLIFIER-INSERTED<br/>TRANSVERSAL FILTER FOR EPWM TRANSMITTERS .....</b>                   | <b>464</b> |
| <i>Yuto Tanaka ; Yohtaro Umeda ; Yusuke Kozawa</i>                                                                                            |            |
| <b>STUDY ON QUASI-MILLIMETER-WAVE WICOPT SYSTEM AND DEVELOPMENT OF<br/>CIRCUITS FOR THE SYSTEM .....</b>                                      | <b>468</b> |
| <i>Hiroya Hojo ; Toshio Ishizaki</i>                                                                                                          |            |
| <b>MEASUREMENT OF HUMAN BODY BLOCKING AT 60 GHZ FOR INTER-NETWORK<br/>INTERFERENCE OF MMWAVE WBAN .....</b>                                   | <b>472</b> |
| <i>Kohei Akimoto ; Suguru Kameda ; Mizuki Motoyoshi ; Noriharu Suematsu</i>                                                                   |            |
| <b>SIGNAL DIVERSITY USING RECONFIGURABLE ALL PASS NETWORKS FOR WIDEBAND<br/>SYSTEMS .....</b>                                                 | <b>476</b> |
| <i>Ritesh Kumar ; K. J. Vinoy</i>                                                                                                             |            |
| <b>EXPERIMENTAL INVESTIGATIONS OF 28-GHZ-BAND POWER AMPLIFIER FOR MASSIVE<br/>MIMO TRANSMITTER .....</b>                                      | <b>479</b> |
| <i>Yasunori Suzuki ; Kunihiro Kawai ; Hiroshi Okazaki ; Shoichi Narahashi ; Takahiro Asai ; Yukihiko Okumura</i>                              |            |
| <b>OPTIMUM ANTENNA BEAM PATTERN DESIGN FOR POINT-TO-MULTIPOINT GRS OF UAS<br/>CNPC .....</b>                                                  | <b>483</b> |
| <i>Hee Wook Kim ; Daeho Kim ; Kunseok Kang ; Kwangjae Lim ; Byoung-Sun Lee ; Jae Young Ahn</i>                                                |            |
| <b>RADIO FREQUENCY ENERGY HARVESTING FROM AMBIENT FM SIGNALS FOR MAKING<br/>BATTERY-LESS SENSOR NODES FOR WIRELESS SENSOR NETWORKS .....</b>  | <b>487</b> |
| <i>Mutee-Ur-Rehman ; Muhammad Ibrahim Qureshi ; Waleed Ahmad ; Wasif Tanveer Khan</i>                                                         |            |
| <b>A DUAL BAND DIFFERENTIAL RECTIFYING CIRCUIT FOR RF ENERGY HARVESTER .....</b>                                                              | <b>491</b> |
| <i>Sandhya Chandravanshi ; M. Jaleel. Akhtar</i>                                                                                              |            |
| <b>ANALYSIS OF NEAR FIELD WIRELESS POWER TRANSFER USING BOW-TIE DEFECTED<br/>GROUND STRUCTURE .....</b>                                       | <b>495</b> |
| <i>M. R. Saad ; Fairus Tahar ; Adel Barakat ; Kuniaki Yoshitomi ; Ramesh K. Pokharel</i>                                                      |            |



|                                                                                                                                                |            |
|------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>FEASIBILITY OF EMPLOYING ORTHODONTIC BRACES AS RADIATING ANTENNA FOR IMPLANTABLE DEVICES .....</b>                                          | <b>499</b> |
| <i>Mansour Taghadosi ; Lutfi Albasha ; Amer Zakaria ; Nasir Abdul Quadir ; Nasser Qaddoumi</i>                                                 |            |
| <b>A K-BAND ULTRA-COMPACT TRANSFORMER COMBINED POWER AMPLIFIER WITH TOTAL CHIP SIZE 0.2 MM<sup>2</sup> IN 0.18-UM CMOS PROCESS.....</b>        | <b>503</b> |
| <i>Cheng-Hung Hsieh ; Zuo-Min Tsai</i>                                                                                                         |            |
| <b>WIDEBAND MICROWAVE CROSSOVER USING SUSPENDED SUBSTRATE TRANSMISSION LINE CONFIGURATION.....</b>                                             | <b>507</b> |
| <i>Erin Oliver ; Yifan Wang ; John Ness ; Amin Abbosh</i>                                                                                      |            |
| <b>ASINGLE AND DUAL BAND METAMATERIAL SWITCHABLE ABSORBER OR REFLECTOR.....</b>                                                                | <b>509</b> |
| <i>M. M. Gajibo ; M. K. A. Rahim ; N. A. Murad ; O. Ayop ; H. A. Majid</i>                                                                     |            |
| <b>SWITCHABLE BANDSTOP TO BANDPASS FILTER USING PARALLEL-COUPLED RESONATOR.....</b>                                                            | <b>513</b> |
| <i>M. K. Zahari ; B. H. Ahmad ; P. W. Wong ; N. A. Shairi</i>                                                                                  |            |
| <b>CONNECTIVITY RESTORATION IN PARTITIONED WIRELESS SENSOR NETWORKS USING ROUND TABLE DECISION .....</b>                                       | <b>517</b> |
| <i>Sachin Shrivastav ; Debasish Ghose</i>                                                                                                      |            |
| <b>COOPERATIVE DETECTION FOR FALSIFICATION AND ISOLATION OF MALICIOUS NODES FOR WIRELESS SENSOR NETWORKS IN OPEN ENVIRONMENT .....</b>         | <b>521</b> |
| <i>Eiji Nii ; Takamasa Kitanouma ; Naotoshi Adachi ; Yasuhisa Takizawa</i>                                                                     |            |
| <b>PERFORMANCE IMPROVEMENT OF EMBEDDED MICROSTRIP CIRCULATORS IN PRINTED CIRCUIT BOARD.....</b>                                                | <b>525</b> |
| <i>Zhiping Feng ; Zhuo Li ; Edwin John Nealis ; Ying Shen</i>                                                                                  |            |
| <b>THE GUIDE WAVELENGTH IN A CFRP WR90 WAVEGUIDE.....</b>                                                                                      | <b>529</b> |
| <i>Alexe Bojovschi ; Mahan Rudd ; James Scott ; Kamran Ghorbani</i>                                                                            |            |
| <b>INTERDIGITAL CAPACITOR DIELECTRIC CONSTANT PROBE.....</b>                                                                                   | <b>532</b> |
| <i>Ahmed M. Attiya ; W. M. Hassan</i>                                                                                                          |            |
| <b>A MODIFIED RF-TRANSMISSION LINE CONCEPT FOR PROBE EXCITATION IN LIGHT-INDUCED MAGNETIC RESONANCE FORCE MICROSCOPY .....</b>                 | <b>536</b> |
| <i>Christoph Baer ; Kerstin Orend ; Thomas Musch ; Jacqueline Deichmüller ; Martina Havenith</i>                                               |            |
| <b>A COMPACT AND BROADBAND FEEDING STRUCTURE FOR IN-SITU PLASMA PROBE MEASUREMENTS.....</b>                                                    | <b>540</b> |
| <i>C. Schulz ; I. Rolfes</i>                                                                                                                   |            |
| <b>CHIPLESS RFID TAG BASED ON OPEN-LOOP RESONATOR.....</b>                                                                                     | <b>543</b> |
| <i>Vijay Sharma ; Mohammad Hashmi</i>                                                                                                          |            |
| <b>A PORTABLE MEASUREMENT SYSTEM FOR ANTENNA'S RADIATION PATTERN.....</b>                                                                      | <b>547</b> |
| <i>Nazurah Hamzah ; Syarfa Zahirah Sapuan ; Ahmed M. Sayegh ; Mohd Zarar M. Jenu ; Nasimuddin</i>                                              |            |
| <b>A 38-GHZ UP-CONVERSION SUB-HARMONIC MIXER WITH BUFFER AMPLIFIER IN 65-NM CMOS PROCESS.....</b>                                              | <b>551</b> |
| <i>Hung-Hao Lin ; Yu-Hsuan Lin ; Hsin-Chia Lu ; Huei Wang</i>                                                                                  |            |
| <b>PROXIMITY-COUPLED L-BAND PATCH ARRAY ANTENNA FED BY BINOMIAL POWER DISTRIBUTION.....</b>                                                    | <b>554</b> |
| <i>Oktaria Sari Ginting ; Chairunnisa ; Achmad Munir</i>                                                                                       |            |
| <b>DETERMINISTIC DESIGN OF SIMULTANEOUSLY MATCHED, TWO-STAGE LOW-NOISE AMPLIFIERS .....</b>                                                    | <b>558</b> |
| <i>Sergio Colangeli ; Walter Ciccognani ; Alessandro Salvucci ; Ernesto Limiti</i>                                                             |            |
| <b>A 2-STAGE CASCODE CMOS LOW-NOISE AMPLIFIER FOR 40 GHZ ROF SYSTEM.....</b>                                                                   | <b>562</b> |
| <i>S. M. Mohd Hassan ; A. Marzuki ; N. E. Farid ; R. Sanusi</i>                                                                                |            |
| <b>A CMOS LNA EQUIPPED WITH CONCURRENT DUAL-BAND MATCHING NETWORKS.....</b>                                                                    | <b>566</b> |
| <i>Taishi Kitano ; Kiyotaka Komoku ; Takayuki Morishita ; Nobuyuki Itoh</i>                                                                    |            |
| <b>SPECIFIC ABSORPTION RATE AND TEMPERATURE INCREASE FOR A PASSIVE BRAIN IMPLANTABLE MEDICAL DEVICE USING TRANSMISSION LINE ANALYSIS .....</b> | <b>570</b> |
| <i>Mohamed Manoufali ; Amin Abbosh</i>                                                                                                         |            |
| <b>DETECTION OF MERCURY ION (HG<sup>2+</sup>) ON CHITOSAN FILM USING MICROSTRIP INTERDIGITAL CAPACITOR .....</b>                               | <b>573</b> |
| <i>N. Osman ; R. Radzali</i>                                                                                                                   |            |
| <b>SUPPRESSION OF CROSS POLARIZED RADIATION FOR CIRCULAR PATCH ANTENNA USING DIFFERENT SUBSTRATES AND DEFECTED GROUND STRUCTURE .....</b>      | <b>576</b> |
| <i>Arnab Nandi ; Ashim Kumar Biswas</i>                                                                                                        |            |
| <b>NATURE INSPIRED DUAL BAND SNEEZEWORT PLANT GROWTH PATTERN SHAPED ANTENNA .....</b>                                                          | <b>580</b> |
| <i>Ushaben Keshwala ; Sanyog Rawat ; Kanad Ray</i>                                                                                             |            |

|                                                                                                                                                                                   |            |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>PERFORMANCE ENHANCEMENT OF CAVITY-BACKED UWB PRINTED MONOPOLE ANTENNA .....</b>                                                                                                | <b>584</b> |
| <i>Achmad Munir ; Roy B. V. B. Simorangkir</i>                                                                                                                                    |            |
| <b>SCATTERING ANALYSIS OF RECTANGULAR CAVITY WITH INPUT AND OUTPUT WAVEGUIDES AND ITS APPLICATION TO MATERIAL CHARACTERIZATION .....</b>                                          | <b>588</b> |
| <i>Mohamad Shaiful Bin Abdul Karim ; Nurhafizah Binti Abu Talip Yusof ; Toshihide Kitazawa</i>                                                                                    |            |
| <b>AN EXTENDED STUDY ON M-PHC CAVITY WITH CONTROLLABLE RESONANT FREQUENCIES .....</b>                                                                                             | <b>592</b> |
| <i>Chenglong Xie ; Chun-Ping Chen ; Shun Kikawa ; Daisuke Tetsuda ; Zejun Zhang ; Tetsuo Anada</i>                                                                                |            |
| <b>A REDUCED COMPLEXITY DIGITAL PREDISTORTER WITH A SINGLE COMMON FEEDBACK LOOP FOR CONCURRENT MULTI-BAND POWER AMPLIFIERS.....</b>                                               | <b>596</b> |
| <i>Tomoya Ota ; Toshio Kawasaki ; Shigekazu Kimura ; Ken Tamanoi ; Toru Maniwa ; Makoto Yoshida</i>                                                                               |            |
| <b>AN ARTIFICIAL NEURAL NETWORK BASED NONLINEAR BEHAVIORAL MODEL FOR RF POWER TRANSISTORS .....</b>                                                                               | <b>600</b> |
| <i>Jialin Cai ; Jie Wang ; Chao Yu ; Haiyan Lu ; Jun Liu ; Lingling Sun</i>                                                                                                       |            |
| <b>ANALYSIS ON THE INTRINSIC DESIGN SPACE OF DLM CONTINUOUS CLASS-B/J POWER AMPLIFIER .....</b>                                                                                   | <b>604</b> |
| <i>Xuekun Du ; Chang Jiang You ; Sagar K. Dhar ; Xiang Li ; Mohamed Helaoui ; Jingye Cai ; Fadhel M. Ghannouchi</i>                                                               |            |
| <b>A NOVEL MULTIBAND MIMO ANTENNA FOR SMARTPHONES WITH A NON-SLIT METAL FRAME .....</b>                                                                                           | <b>608</b> |
| <i>Yohei Koga ; Takashi Yamagajo ; Manabu Kai</i>                                                                                                                                 |            |
| <b>MULTIBAND MIMO ANTENNA ON VARIABLE-SIZED TABLET PCS .....</b>                                                                                                                  | <b>612</b> |
| <i>Aqsa Ahmad ; Farooq A. Tahir</i>                                                                                                                                               |            |
| <b>EXTERNAL ANTENNA COUPLED WITH ONE-DIMENSIONAL FREE ACCESS TRANSMISSION LINE.....</b>                                                                                           | <b>616</b> |
| <i>Yuka Shinozaki ; Hiroyuki Arai</i>                                                                                                                                             |            |
| <b>SUPPRESSION OF MUTUAL COUPLING IN WIDEBAND FRACTAL TETRAHEDRON DRA FOR MIMO APPLICATIONS.....</b>                                                                              | <b>618</b> |
| <i>Kedar Trivedi ; Dhaval Pujara</i>                                                                                                                                              |            |
| <b>A 40 DB PEAK GAIN, WIDEBAND, LOW NOISE INTERMEDIATE FREQUENCY (IF) AMPLIFIER .....</b>                                                                                         | <b>622</b> |
| <i>Ruibing Dong ; Shinsuke Hara ; Kosuke Katayama ; Kyoya Takano ; Issei Watanabe ; Norihiko Sekine ; Akifumi Kasamatsu ; Takeshi Yoshida ; Shuhei Amakawa ; Minoru Fujishima</i> |            |
| <b>RF NOISY ENVIRONMENT MEASUREMENT AND THROUGHPUT MEASUREMENT BY SUPERCONDUCTING CRYOGENIC RECEIVER .....</b>                                                                    | <b>626</b> |
| <i>Hiroyuki Kayano ; Tamio Kawaguchi ; Hiroaki Ikeuchi ; Yuichi Sawahara ; Yoshichika Ohta ; Sho Kimura ; Noritsugu Shiokawa</i>                                                  |            |
| <b>Q-BAND SELF-BIASED MMIC LNAS USING A 70 NM INGAAS/ALGAAS PROCESS .....</b>                                                                                                     | <b>630</b> |
| <i>Marco Vittori ; Giorgio Polli ; Walter Ciccognani ; Sergio Colangeli ; Alessandro Salvucci ; Ernesto Limiti</i>                                                                |            |
| <b>A NOVEL CURRENT-REUSE ARCHITECTURE DEMONSTRATED ON A TWO-STAGE GAN-ON-SIC LNA.....</b>                                                                                         | <b>634</b> |
| <i>Sergio Colangeli ; Walter Ciccognani ; Marco Vittori ; Mirko Palomba ; Ernesto Limiti</i>                                                                                      |            |
| <b>BALANCED FILTER WITH WIDE STOPBAND USING ASYMMETRICAL COUPLED LINES .....</b>                                                                                                  | <b>638</b> |
| <i>Xueke Ma ; Wenjie Feng ; Wenquan Che ; Haidong Chen ; Wanchen Yang</i>                                                                                                         |            |
| <b>IMPROVEMENT OF TRANSMISSION CHARACTERISTICS IN MULTILAYER DUAL BAND FILTER .....</b>                                                                                           | <b>642</b> |
| <i>Yuta Takeuchi ; Ryosuke Nakano ; Hiroyuki Deguchi ; Mikio Tuji</i>                                                                                                             |            |
| <b>IMPROVEMENT OF SELECTIVITY AND SUPPRESSION LEVEL OF A MICROSTRIP LOWPASS FILTER.....</b>                                                                                       | <b>646</b> |
| <i>S. -A. Malakooti ; S. M. H. Mousavi ; C. Fumeaux</i>                                                                                                                           |            |
| <b>MICROSTRIP BALANCED FILTER AND BALUN FILTER INCORPORATING EDGE COUPLINGS AND CONNECTED COUPLINGS BASED ON ARTIFICIAL TRANSMISSION LINES .....</b>                              | <b>650</b> |
| <i>Shih-Cheng Lin ; Jia-Ying Li ; Jian-Shun Chiou ; Chong-You Yeh ; Yi-Ming Chen ; Sheng-Fuh Chang</i>                                                                            |            |
| <b>TEA LEAVES MOISTURE PREDICTION USING ONE-PORT MONOPOLE SENSOR.....</b>                                                                                                         | <b>654</b> |
| <i>J. A. Ling ; Y. L. Then ; K. Y. You ; J. Ahmed ; D. N. A. Zaidel</i>                                                                                                           |            |
| <b>DETECTION OF FERRITIN CONCENTRATION FROM BLOOD SAMPLE USING RF SPIRAL INDUCTOR BASED CAVITY .....</b>                                                                          | <b>658</b> |
| <i>Pratik Porwal ; Azeemuddin Syed ; Prabhakar Bhimalapuram ; Tapan Kumar Sau</i>                                                                                                 |            |
| <b>GAS SENSOR PLATFORM WITH RING RESONATOR.....</b>                                                                                                                               | <b>662</b> |
| <i>Sungmook Lim ; Songcheol Hong</i>                                                                                                                                              |            |

|                                                                                                                                                        |            |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>MEASURING METHOD OF COMPLEX DIELECTRIC CONSTANT WITH MONOSTATIC HORN ANTENNA IN W-BAND USING MULTIPLE DISTANCE MEASUREMENTS AND ANALYSIS .....</b>  | <b>666</b> |
| <i>Yuhei Yamaguchi ; Yasumoto Sato</i>                                                                                                                 |            |
| <b>TEA LEAVES MOISTURE MEASUREMENT AND PREDICTION USING RF WAVEGUIDE ANTENNA .....</b>                                                                 | <b>670</b> |
| <i>Shyh Yau Tein ; Yi Lung Then ; Kok Yeow You</i>                                                                                                     |            |
| <b>MICROWAVE ABSORPTION PROPERTY OF PVB-POLYANILINE NANOCOMPOSITE.....</b>                                                                             | <b>674</b> |
| <i>Pritom J. Bora ; Irthasa Azeem ; K. J. Vinoy ; Praveen C. Ramamurthy ; Giridhar Madras</i>                                                          |            |
| <b>MICROWAVE ABSORPTION PROPERTIES OF STRONTIUM FERRITE AND CARBON BLACK BASED NANOCOMPOSITES FOR STEALTH APPLICATIONS .....</b>                       | <b>678</b> |
| <i>Vishal Kumar Chakradhary ; M. J. Akhtar</i>                                                                                                         |            |
| <b>EFFICIENT THRESHOLD SIMULATION OF MULTIPACTOR IN FERRITE COMPONENTS FOR SPACE APPLICATION .....</b>                                                 | <b>682</b> |
| <i>Yun Li</i>                                                                                                                                          |            |
| <b>8 TO 13 GHZ TUNABLE FILTER BASED ON SOL-GEL BCTZ VARACTORS .....</b>                                                                                | <b>686</b> |
| <i>D. Mercier ; H. Sibuet ; C. Dieppedale ; J. Chautagnat ; C. Baret ; C. Bonnard ; J. Guillaume ; P. Gardes ; P. Poveda ; G. Le Rhun ; C. Billard</i> |            |
| <b>A NOVEL 5 GHZ HIGH GAIN DUAL SUBSTRATE INTEGRATED WAVEGUIDE EPSILON NEAR ZERO ANTENNA FOR WLAN APPLICATIONS.....</b>                                | <b>690</b> |
| <i>Dibin Mary George ; Aanandan Chandroth ; Ritesh Kumar ; P. R. Young</i>                                                                             |            |
| <b>DESIGN OF COMPACT KA- BAND CHIPLESS IDENTIFICATION TAG USING HMSIW CAVITY RESONATOR .....</b>                                                       | <b>694</b> |
| <i>Soumava Mukherjee</i>                                                                                                                               |            |
| <b>TRIPLE BAND SIW CAVITY BACKED SLOT ANTENNA.....</b>                                                                                                 | <b>698</b> |
| <i>Manoj Prabhakar Mohan ; Arokiaswami Alphones ; Faeyz Karim</i>                                                                                      |            |
| <b>SUBSTRATE INTEGRATED WAVEGUIDE H-PLANE HORN ANTENNA WITH SYMMETRIC BEAMWIDTHS.....</b>                                                              | <b>702</b> |
| <i>Farzeen Iqbal ; Jens Bornemann</i>                                                                                                                  |            |
| <b>COMPACT CROSS-COUPLED HALF-MODE SUBSTRATE INTEGRATED WAVEGUIDE BANDPASS FILTER .....</b>                                                            | <b>706</b> |
| <i>Raj Camdoo ; Siang Mun Lau ; Hieng Tiong Su</i>                                                                                                     |            |
| <b>SIW SLOT ANTENNAS FOR PASSIVE MICROWAVE RADIOMETER SYSTEM.....</b>                                                                                  | <b>710</b> |
| <i>Shahriar Hasan Shehab ; Nemai Karmakar</i>                                                                                                          |            |
| <b>A HIGHLY LINEAR 5GS/S VOLTAGE-TO-TIME CONVERTER FOR TIME-BASED ANALOG-TO-DIGITAL CONVERTERS .....</b>                                               | <b>714</b> |
| <i>Song Jia ; Lin Weng ; Wanlu Wang ; Yuan Wang</i>                                                                                                    |            |
| <b>ANALYSIS OF A BROADBAND QUASI-OPTICAL MODE CONVERTER FOR GYROTRONS WORKING IN MULTI MODES .....</b>                                                 | <b>718</b> |
| <i>Hui-Qi Bian ; Chao-Hai Du ; Shi Pan ; Juan-Feng Zhu ; Xiao Ji ; Xiang-Bo Qi ; Pu-Kun Liu</i>                                                        |            |
| <b>MULTILAYER QUAD-BAND BPF WITH CONTROLLABLE TRANSMISSION ZEROS.....</b>                                                                              | <b>722</b> |
| <i>Rezki El Arif ; Muhammad Aziz Muslim ; Sholeh Hadi Pramono ; Chung-Yi Hsu ; Tzyy Sheng Horng</i>                                                    |            |
| <b>SYNTHESIS SCHEME OF BANDPASS-TO-ALL-STOP SWITCHABLE WIDEBAND FILTERS BASED ON COUPLED-LINES .....</b>                                               | <b>726</b> |
| <i>Daisuke Tetsuda ; Chun-Ping Chen ; Chenglong Xie ; Shun Kikawa ; Zejun Zhang ; Tetsuo Anada ; Zhewang Ma</i>                                        |            |
| <b>A COMPACT, HIGH-SELECTIVITY, AND WIDE PASSBAND SEMI-LUMPED 70 MHZ HIGH-PASS FILTER .....</b>                                                        | <b>730</b> |
| <i>Yu-Jen Huang ; Cheng-Hung Hsieh ; Zuo-Min Tsai</i>                                                                                                  |            |
| <b>IMPLEMENTATION OF SECOND-ORDER OPEN-LOOP RESONATOR FILTER WITH SKEW-SYMMETRIC INPUT/OUTPUT COUPLING STRUCTURE .....</b>                             | <b>734</b> |
| <i>Yew Leong Toh ; Chun-Hung Lin ; Peng Wen Wong ; Jen-Tsai Kuo</i>                                                                                    |            |
| <b>ANTENNA FAR-FIELD PREDICTION USING RESTRICTED IDM BASED CONVEX OPTIMIZATION .....</b>                                                               | <b>737</b> |
| <i>Sung-Jun Yang ; Dal-Jae Yun ; Hyung-Ju Kim ; Jae-In Lee ; Woo-Yong Yang ; Noh-Hoon Myung</i>                                                        |            |
| <b>EM ISOLATION ENHANCEMENT BASED ON METAMATERIAL CONCEPT IN ANTENNA ARRAY SYSTEM TO SUPPORT FULL-DUPLEX APPLICATION.....</b>                          | <b>740</b> |
| <i>Mohammad Alibakhshikenari ; Marco Vittori ; Sergio Colangeli ; Bal S. Virdee ; Aurora Andújar ; Jaume Anguera ; Ernesto Limiti</i>                  |            |
| <b>MULTIPLE-ELEMENT PIFA MIMO ANTENNA SYSTEM DESIGN FOR FUTURE 5G WIRELESS COMMUNICATION APPLICATIONS .....</b>                                        | <b>743</b> |
| <i>Bazilah Baharom ; Mohd Tarmizi Ali</i>                                                                                                              |            |

|                                                                                                                                            |            |
|--------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>FREQUENCY RECONFIGURABILITY ARRAY ANTENNA WITH ELECTROMAGNETIC BAND GAP (EBG) CELLS .....</b>                                           | <b>747</b> |
| <i>R. Dewan ; M. K. A. Rahim ; M. Himdi ; M. R. Hamid ; F. Zubir ; N. A. Samsuri</i>                                                       |            |
| <b>FLAT TOPPED RADIATION PATTERN SYNTHESIS BASED ON FIR FILTER CONCEPT .....</b>                                                           | <b>751</b> |
| <i>Yan Zhang ; Weiliang He ; Wei Hong ; Zhe Song</i>                                                                                       |            |
| <b>A Q-BAND AMPLIFIER WITH LOW NOISE FIGURE AND MEDIUM OUTPUT POWER CAPABILITY FOR ALMA BAND-1 RECEIVER .....</b>                          | <b>755</b> |
| <i>Shuo-Hsuan Chang ; Chau-Ching Chiong ; Kun-Yao Kao ; Huei Wang</i>                                                                      |            |
| <b>DESIGN OF THE COMPACT MICROSTRIP LOWPASS FILTER WITH ULTRA-WIDE STOPBAND .....</b>                                                      | <b>759</b> |
| <i>Chun-Yuan Huang ; Tung-Yi Hsieh ; Ching-Wen Tang</i>                                                                                    |            |
| <b>MICROFLUIDIC DUAL-BAND BANDPASS FILTER .....</b>                                                                                        | <b>762</b> |
| <i>Eiyong Park ; Sungjoon Lim</i>                                                                                                          |            |
| <b>A 140-GHZ HIGH-GAIN BROADBAND TAPERED BOX-HORN ARRAY ANTENNA .....</b>                                                                  | <b>765</b> |
| <i>Yuhan Huang ; Xiuping Li ; Zihang Qi ; Hua Zhu ; Jun Xiao ; Jinjin Chu</i>                                                              |            |
| <b>DIFFERENTIAL PAIR FEED LINE DESIGN FOR A MILLIMETER-SIZE ANTENNA FOR IN-BODY/OUT-BODY DUAL USAGE .....</b>                              | <b>768</b> |
| <i>Naoyuki Takeda ; Takuto Saito</i>                                                                                                       |            |
| <b>POLARIZATION RECONFIGURABLE ANTENNA FOR 5G CELLULAR NETWORKS OPERATING AT MILLIMETER WAVES .....</b>                                    | <b>772</b> |
| <i>Emad Al Abbas ; Ahmed Toaha Mobashsher ; Amin Abbosh</i>                                                                                |            |
| <b>BROADBAND MILLIMETER-WAVE DETECTOR BASED ON TRIPLE-BARRIER RESONANT TUNNELING DIODE AND TAILORED ARCHIMEDEAN SPIRAL ANTENNA .....</b>   | <b>775</b> |
| <i>Andreas Rennings ; Benedikt Sievert ; Wanjiao Liu ; Khaled Arzi ; Werner Prost ; Daniel Erni</i>                                        |            |
| <b>SEMICIRCULAR MULTIBAND ACS FEED ANTENNA FOR IOT .....</b>                                                                               | <b>779</b> |
| <i>R. P. Labade ; A. R. Tambe ; Ajay Kumar Poddar</i>                                                                                      |            |
| <b>TIME DOMAIN ANALYSIS OF A COMPACT UWB ANTENNA ACTING AS A BAND STOP FILTER IN FIVE NARROW FREQUENCY BANDS .....</b>                     | <b>783</b> |
| <i>Muhibur Rahman ; Wasif Tanveer Khan ; Muhammad Imran ; Muhammad Awais</i>                                                               |            |
| <b>A NEW TYPE OF DUAL-BAND CIRCULARLY POLARIZED ANTENNA BASED ON FRACTAL STRUCTURE .....</b>                                               | <b>787</b> |
| <i>Xiao Hua ; Deqiang Yang ; Dongdong Geng</i>                                                                                             |            |
| <b>DUAL-PORT 28 GHZ PATTERN RECONFIGURABLE QUADRUPLE PARASITIC IFA DESIGN FOR MIMO 5G MOBILE TERMINAL .....</b>                            | <b>791</b> |
| <i>Surentiran Padmanathan ; Azremi Abdullah Al-Hadi ; Ping Jack Soh ; Mohd Faizal Jamlos ; Fauziahanim Che Seman</i>                       |            |
| <b>DEVELOPMENT OF A CIRCULAR PHASED ARRAY <math>4 \times 4</math> MIMO ANTENNA FOR AD HOC CONNECTED CAR SYSTEM .....</b>                   | <b>795</b> |
| <i>Kazuhiro Honda ; Taiki Fukushima ; Koichi Ogawa</i>                                                                                     |            |
| <b>A NOVEL MINIATURIZED BAND STOP FILTER USING FRACTAL TYPE DEFECTED GROUND STRUCTURE (DGS) .....</b>                                      | <b>799</b> |
| <i>S. Verma ; D. Rano ; M. S. Hashmi</i>                                                                                                   |            |
| <b>COMPACT DUAL-BAND BANDPASS FILTER USING STUB-LOADED STEPPED IMPEDANCE RESONATORS WITH MIXED ELECTRIC AND MAGNETIC COUPLINGS .....</b>   | <b>803</b> |
| <i>Pin Wen ; Zhewang Ma ; Haiwen Liu ; Masataka Ohira ; Baoping Ren ; Xiaolong Wang</i>                                                    |            |
| <b>COMPACT EIGHTH-ORDER MICROSTRIP FILTERING COUPLER .....</b>                                                                             | <b>806</b> |
| <i>Chun-Hung Lin ; Jen-Tsai Kuo</i>                                                                                                        |            |
| <b>STAR-CONNECTED SHORTED COUPLED-LINES BANDPASS FILTER .....</b>                                                                          | <b>809</b> |
| <i>Mohd Nasiruddin Hushim ; Mohd Khairul Mohd Salleh ; Norfishah Ab Wahab ; Mohd Khairil Adzhar Mahmood</i>                                |            |
| <b>DESIGN OF HIGHER ORDER MINIATURIZED BANDPASS FILTER USING TWO CASCADED NEW MULTIMODE RESONATORS .....</b>                               | <b>813</b> |
| <i>Pratik Mondal ; Susanta Kumar Parui</i>                                                                                                 |            |
| <b>UWB FILTER WITH CONTROLLABLE NOTCH BAND AND HIGHER STOP BAND TRANSMISSION ZERO USING OPEN STUB IN INVERTED T-SHAPED RESONATOR .....</b> | <b>817</b> |
| <i>Prashant Ranjan ; Nand Kishore ; V. K. Dwivedi ; Gaurav Upadhyay ; V. S. Tripathi</i>                                                   |            |
| <b>A NOVEL UWB BANDPASS FILTER BASED ON MULTI-STUB LOADED HALF-WAVELENGTH RESONATOR .....</b>                                              | <b>821</b> |
| <i>Wei Li ; Fei Xiao ; Xumin Yu ; Jun Xu ; Xiaohong Tang</i>                                                                               |            |
| <b>HIGH POWER MICROWAVE DEVICES: DEVELOPMENT SINCE 1880 .....</b>                                                                          | <b>825</b> |
| <i>F. Hamamah ; W F H Wan Ahmad ; C. Gomes ; M Mohd Isa ; M J Homam</i>                                                                    |            |

|                                                                                                                                                                                           |            |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>OPTIMAL SIZING OF CASCADED DIGITAL PREDISTORTION FOR LINEARIZATION OF HIGH POWER AMPLIFIERS .....</b>                                                                                  | <b>829</b> |
| <i>Siqi Wang ; Mazen Abi Hussein ; Olivier Venard ; Genevieve Baudoin</i>                                                                                                                 |            |
| <b>BANDWIDTH ENHANCEMENT TECHNIQUE FOR BIPOLAR SINGLE STAGE DISTRIBUTED AMPLIFIER DESIGN .....</b>                                                                                        | <b>833</b> |
| <i>Temitope Odedeyi ; Izzat Darwazeh</i>                                                                                                                                                  |            |
| <b>SIMULTANEOUS POWER ENCODING AND UPCONVERSION FOR ALL-DIGITAL TRANSMITTERS USING DIGITAL PWM.....</b>                                                                                   | <b>837</b> |
| <i>Omer Tanovic ; Rui Ma ; Koon Hoo Teo</i>                                                                                                                                               |            |
| <b>LINEARLY POLARIZED YAGI-UDA-LIKE TRANSMITARRAY .....</b>                                                                                                                               | <b>841</b> |
| <i>H. B. Chew ; E. H. Lim ; F. L. Lo ; Y. N. Phua ; K. Y. Lee ; B. K. Chung</i>                                                                                                           |            |
| <b>LARGE ARRAY APPLICATION AND DIRECT CONVERSION CAPABILITIES .....</b>                                                                                                                   | <b>845</b> |
| <i>Marc Stackler ; Romain Pilard ; Gregory Wagner ; Marc Wingender</i>                                                                                                                    |            |
| <b>JAMMING PROPAGATION CHARACTERISTICS OF A 4 × 4 ARRAY SYNTHESIS HORN ANTENNA USING A HIGH-POWER MAGNETRON SOURCE .....</b>                                                              | <b>849</b> |
| <i>Jae Yoon Shin ; Dong Su Choi ; Chong Hwan Park ; Jong Myung Woo</i>                                                                                                                    |            |
| <b>U-BAND HYBRID CORRUGATED HORN: AN ALTERNATIVE TO THE CONVENTIONAL RADIAL CORRUGATED HORNS.....</b>                                                                                     | <b>853</b> |
| <i>Gupta Jay Vishnu ; Grishma Jani ; Dhaval Pujara ; Shreya S. Menon</i>                                                                                                                  |            |
| <b>ANALYSIS OF PEDESTRIAN'S DOPPLER CHARACTERISTICS USING MIMO CW RADAR.....</b>                                                                                                          | <b>857</b> |
| <i>Tajmalludin Yaakob ; Nur Emileen Abd Rashid ; Idnin Pasya</i>                                                                                                                          |            |
| <b>BIO-INSPIRED RADAR: RECOGNITION OF HUMAN ECHOLOCATOR TONGUE CLICKS SIGNALS .....</b>                                                                                                   | <b>861</b> |
| <i>R S A Raja Abdullah ; N L Saleh ; S M S Ahmad ; N E Abdul Rashid ; G. Reich ; M. Cherniakov ; M. Antoniou ; L. Thaler</i>                                                              |            |
| <b>HYBRID FINGERPRINT-BASED LOCALIZATION OF UNKNOWN RADIOS: MEASUREMENTS IN AN OPEN FIELD.....</b>                                                                                        | <b>865</b> |
| <i>Azril Haniz ; Gia Khanh Tran ; Kei Sakaguchi ; Jun-Ichi Takada ; Daisuke Hayashi ; Toshihiro Yamaguchi ; Shintaro Arata</i>                                                            |            |
| <b>NONDESTRUCTIVE MEASUREMENT OF EM-PARAMETERS OF HIGH-LOSS MATERIALS BY TWO-PROBES-METHOD .....</b>                                                                                      | <b>869</b> |
| <i>Shun Kikawa ; Chun-Ping Chen ; Daisuke Tetsuda ; Chenglong Xie ; Zejun Zhang ; Tetsuo Anada</i>                                                                                        |            |
| <b>A MICROWAVE METALLIC PHOTONIC CRYSTAL-BASED RF-PROBE FOR THE CHARACTERIZATION OF COLLOIDAL GOLD NANOPARTICLES.....</b>                                                                 | <b>873</b> |
| <i>Rahul Yadav ; Piyush N. Patel</i>                                                                                                                                                      |            |
| <b>MINIATURISATION OF RING SHAPE ELEMENT FREQUENCY SELECTIVE SURFACE FOR X-BAND SHIELDING .....</b>                                                                                       | <b>877</b> |
| <i>W. Y. Yong ; S. K. A. Rahim ; F. C. Seman ; M. R. Ramli ; N. A. Remli</i>                                                                                                              |            |
| <b>ENERGY-EFFICIENT AND JOINT OPTIMAL POWER ALLOCATION FOR DISTRIBUTED ANTENNAS IN MASSIVE MIMO SYSTEMS .....</b>                                                                         | <b>881</b> |
| <i>A. Salh ; L. Audah ; N. S. M. Shah ; S. A. Hamzah</i>                                                                                                                                  |            |
| <b>REDUCTION OF PILOT CONTAMINATION IN MASSIVE MIMO SYSTEM .....</b>                                                                                                                      | <b>885</b> |
| <i>A. Salh ; L. Audah ; N. S. M. Shah ; S. A. Hamzah</i>                                                                                                                                  |            |
| <b>LOW COMPLEXITY CHANNEL ESTIMATION TECHNIQUE FOR 1- BIT ADC MIMO-CONSTANT ENVELOPE MODULATION USING COMPRESSIVE SENSING .....</b>                                                       | <b>889</b> |
| <i>Shaimaa Hussein ; Hany S. Hussein ; Ehab Mahmoud Mohamed</i>                                                                                                                           |            |
| <b>HIGHER ORDER MODULATION SCHEME FOR THE 1- BIT ADC MIMO-CONSTANT ENVELOPE MODULATION .....</b>                                                                                          | <b>894</b> |
| <i>Mohamed Elsayed ; Hany S. Hussein ; Usama Sayed Mohamed</i>                                                                                                                            |            |
| <b>0.35-<math>\mu</math>M SIGE BICMOS WEAVER IMAGE REJECTION RECEIVER WITH 60-GHZ DOUBLE-QUADRATURE SUB-HARMONIC SCHOTTKY DIODE MIXER AND 10-GHZ DOUBLE QUADRATURE GILBERT MIXER.....</b> | <b>899</b> |
| <i>Kuo-An Wang ; Chinchun Meng ; Tai-Lin Lo ; Guo-Wei Huang</i>                                                                                                                           |            |
| <b>A 24 GHZ CMOS MIXER USING SYMMETRICAL DESIGN METHODOLOGY WITH I/Q IMBALANCE CALIBRATION .....</b>                                                                                      | <b>903</b> |
| <i>Zhiqing Liu ; Zhengdong Jiang ; Zhilin Chen ; Lin Zhang ; Huihua Liu ; Yunqiu Wu ; Chenxi Zhao ; Kai Kang</i>                                                                          |            |
| <b>AN L-BAND SIGE HBT ACTIVE DIFFERENTIAL EQUALIZER WITH VARIABLE POSITIVE/NEGATIVE GAIN SLOPES USING PARALLEL RC CIRCUITS .....</b>                                                      | <b>906</b> |
| <i>Yasushi Itoh ; Hiroaki Takagi ; Weng Xiaole ; Shiori Omokawa</i>                                                                                                                       |            |
| <b>A 25–65 GHZ BROADBAND LOW-LO-DRIVING WIDE-MODULATION-BANDWIDTH MONOLITHIC BPSK MODULATOR IN GAAS PIN DIODE MMIC PROCESS.....</b>                                                       | <b>910</b> |
| <i>Xiang Lin ; Hao-En Liu ; Hong-Yeh Chang ; Yu-Chi Wang</i>                                                                                                                              |            |

|                                                                                                                                                               |            |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>A NEW CONCEPT TO COMPENSATE THE LOOP GAIN VARIATION IN PHASE-LOCKED LOOPS FOR WIDEBAND MICROWAVE FREQUENCY RAMP SYNTHESIS.....</b>                         | <b>914</b> |
| <i>M. Van Delden ; N. Pohl ; T. Musch</i>                                                                                                                     |            |
| <b>A STUDY ON THE SNR IN HIGHER NYQUIST ZONE OF 1-BIT LOW-PASS DELTA-SIGMA RZ-DAC .....</b>                                                                   | <b>918</b> |
| <i>Masafumi Kazuno ; Mizuki Motoyoshi ; Suguru Kameda ; Noriharu Suematsu</i>                                                                                 |            |
| <b>A WIDEBAND PROGRAMMABLE HYBRID CONTINUOUS-TIME/DISCRETE-TIME EQUALIZER WITH ASYMMETRIC FREQUENCY RESPONSE IN 28 NM CMOS.....</b>                           | <b>922</b> |
| <i>Yohei Morishita ; Koichi Mizuno ; Junji Sato ; Koji Takinami ; Kazuaki Takahashi</i>                                                                       |            |
| <b>6 GBIT/S PAM-4 SIGNAL GENERATION WITH VARIABLE GAIN DISTRIBUTED POWER COMBINER.....</b>                                                                    | <b>926</b> |
| <i>Christian V. Vangerow ; Daniel Müller ; Thomas Zwick</i>                                                                                                   |            |
| <b>SYSTEMATIC ANALYSIS OF A COMPACT TERAHERTZ PULSE GYROTRON OSCILLATOR .....</b>                                                                             | <b>930</b> |
| <i>Shi Pan ; Chao-Hai Du ; Hui-Qi Bian ; Juan-Feng Zhu ; Xiao Ji ; Xiang-Bo Qi ; Pu-Kun Liu</i>                                                               |            |
| <b>SLOW-WAVE COPLANAR STRIP LINE BASED LOW-POWER 80-GHZ VOLTAGE CONTROL OSCILLATOR ON 22-NM FDSOI TECHNOLOGY .....</b>                                        | <b>934</b> |
| <i>Tekfouy Lim ; Ekta Sharma ; David Borggreve ; Emmanuel Pistono ; Sylvain Bourdel ; Erkan Nevzat Isa ; Frank Vanselow ; Philippe Ferrari ; Linus Maurer</i> |            |
| <b>18-GHZ BAND LOW-POWER LC VCO IC USING LC BIAS CIRCUIT IN 56-NM SOI CMOS .....</b>                                                                          | <b>938</b> |
| <i>Xiao Xu ; Cuilin Chen ; Tsuyoshi Sugiura ; Toshihiko Yoshimasu</i>                                                                                         |            |
| <b>A PULSE VCO WITH TAIL FILTER .....</b>                                                                                                                     | <b>942</b> |
| <i>Haosheng Zhang ; Aravind Tharayil Narayanan ; Bangan Liu ; Kenichi Okada ; Akira Matsuzawa</i>                                                             |            |
| <b>A 0.55 V BACK-GATE CONTROLLED RING VCO FOR ADCS IN 65 NM SOTB CMOS.....</b>                                                                                | <b>946</b> |
| <i>Tsunehiro Yoshio ; Takao Kihara ; Tsutomu Yoshimura</i>                                                                                                    |            |
| <b>NON-FOSTER IMPEDANCE MATCHING OF AN ELECTRICALLY SMALL LOOP ANTENNA FOR BIOMEDICAL TELEMETRY .....</b>                                                     | <b>949</b> |
| <i>Mohamed Manoufali ; Amin Abbosh</i>                                                                                                                        |            |
| <b>A COMPACT DUAL-BAND CIRCULARLY POLARIZED ASYMMETRIC PATCH ANTENNA FOR WLAN APPLICATIONS .....</b>                                                          | <b>952</b> |
| <i>Saba Arshad ; Aqsa Ahmad ; Zia Sheikh ; Aamir Rashid ; Farooq A. Tahir</i>                                                                                 |            |
| <b>DEVELOPMENT OF STACKED ANTENNA INTEGRATED WITH RING CONFIGURATION LED FOR WI-FI APPLICATION .....</b>                                                      | <b>956</b> |
| <i>Hamizan Yon ; Aziati Husna Awang ; Mohd Tarmizi Ali ; Suhaila Subahir</i>                                                                                  |            |
| <b>DUAL BAND OPTICALLY TRANSPARENT ANTENNA FOR WIRELESS APPLICATIONS .....</b>                                                                                | <b>960</b> |
| <i>Arpan Desai ; Trushit Upadhyaya ; Merih Palandoken ; Riki Patel ; Upesh Patel</i>                                                                          |            |
| <b>IMPROVED CROSS POLARIZATION AND WIDEBAND MULTILAYER WIDE-SLOT MICROSTRIP ANTENNA WITH ROTATED PARASITIC PATCH .....</b>                                    | <b>964</b> |
| <i>Munish Kumar ; Vandana Nath</i>                                                                                                                            |            |
| <b>A MULTIBAND FRACTIONAL-N PLL FOR IEEE802.11 A/B/G AND GPS APPLICATIONS.....</b>                                                                            | <b>968</b> |
| <i>Guochi Huang ; Juan Zhang ; Yi Wu ; Byung-Sung Kim</i>                                                                                                     |            |
| <b>PSRR MEASUREMENT METHOD FOR PLL INCLUDING POWER DELIVERY NETWORK .....</b>                                                                                 | <b>972</b> |
| <i>Hongsu Lee ; Soyoung Kim</i>                                                                                                                               |            |
| <b>SMALL-SIGNAL MODELING OF IN2O5SN BASED TRANSPARENT GATE RECESSED CHANNEL MOSFET FOR MICROWAVE/RF APPLICATIONS.....</b>                                     | <b>976</b> |
| <i>Ajay Kumar ; M. M. Tripathi ; Rishu Chaujar</i>                                                                                                            |            |
| <b>A DESIGN TECHNIQUE FOR CONCURRENT MULTIBAND TUNABLE LOADS FROM 0.4–6GHZ WITH INDEPENDENT Q TUNING .....</b>                                                | <b>980</b> |
| <i>Chris Gamlath ; Eyad Arabi ; Kevin A. Morris</i>                                                                                                           |            |
| <b>A KA-BAND 25-DBM OUTPUT POWER HIGH EFFICIENCY MONOLITHIC DOHERTY POWER AMPLIFIER IN 0.15-<math>\mu</math>M GAAS E-MODE PHEMT PROCESS.....</b>              | <b>984</b> |
| <i>Yu-An Lin ; Jien-Rong Ji ; Tzu-Han Chien ; Hong-Yeh Chang ; Yu-Chi Wang</i>                                                                                |            |
| <b>A WAVEFORM-VERIFIED BROADBAND CLASS-E POWER AMPLIFIER DESIGN UTILIZING FINITE NUMBER OF HARMONICS .....</b>                                                | <b>988</b> |
| <i>Fei You ; Chaoyi Huang ; Songbai He</i>                                                                                                                    |            |
| <b>FULL MODE SUBSTRATE INTEGRATED WAVEGUIDE TYPE HIGH POWER AMPLIFIER WITH SECOND HARMONIC SUPPRESSION .....</b>                                              | <b>992</b> |
| <i>Djitiningo Thierry Joel Diatta ; Chan-Wang Park</i>                                                                                                        |            |
| <b>LINEARITY IMPROVEMENT FOR SINGLE-GAN HEMT DUAL-BAND POWER AMPLIFIER IN CONCURRENT OPERATION MODE .....</b>                                                 | <b>995</b> |
| <i>Alice Maruyama ; Yoichiro Takayama ; Ryo Ishikawa ; Kazuhiko Honjo</i>                                                                                     |            |

|                                                                                                                                                                       |             |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| <b>COMPARISON OF 2-D BEHAVIORAL MODELS FOR MODELING AND DIGITAL PREDISTORTION OF ENVELOPE TRACKING POWER AMPLIFIERS .....</b>                                         | <b>999</b>  |
| <i>Haider Al-Kanan ; Fu Li ; Felice Francesco Tafuri</i>                                                                                                              |             |
| <b>A QUADRATURE-MODULATION EPWM TRANSMITTER THAT USES SINE WAVE CARRIERS FOR I AND Q CHANNEL WITH A 90 HYBRID .....</b>                                               | <b>1003</b> |
| <i>Tomoaki Morita ; Ryo Sakai ; Yohtaro Umeda ; Yusuke Kozawa</i>                                                                                                     |             |
| <b>DESIGN OF MICROSTRIP CONTIGUOUS BROADBAND DIPLEXER BASED ON DUAL-MODE STUB-LOADED RESONATORS .....</b>                                                             | <b>1007</b> |
| <i>Guo-Yun Wang ; Jhong-Jhen Li ; Chi-Feng Chen</i>                                                                                                                   |             |
| <b>GAN/SI MONOLITHIC SAW LUMPED ELEMENT RESONATOR FOR C- AND X- BAND APPLICATIONS .....</b>                                                                           | <b>1010</b> |
| <i>Alina-Cristina Bunea ; Dan Neculoiu ; Adrian Dinescu</i>                                                                                                           |             |
| <b>STUDY OF PHASE NOISE IMPROVEMENT OF K-BAND VCO USING ADDITIONAL SERIES RESONANCE REALIZED BY DGS RESONATOR ON CMOS TECHNOLOGY .....</b>                            | <b>1014</b> |
| <i>Nusrat Jahan ; Adel Barakat ; Ramesh K. Pokharel</i>                                                                                                               |             |
| <b>STUDY ON CHARACTERISTICS OF MC-CDMA COMMUNICATION SYSTEM .....</b>                                                                                                 | <b>1018</b> |
| <i>Yuma Kase ; Masayoshi Tanaka ; Tomohiro Seki</i>                                                                                                                   |             |
| <b>VALIDATION OF A LARGE SEMI ANECHOIC ROOM USING NORMALISED SITE ATTENUATION METHOD BY USING ACCELERATED COMPUTER AIDED SIMULATION .....</b>                         | <b>1022</b> |
| <i>Xavier Ngu ; Audrey Huong ; Samsul Halmi Dahlan ; Ahmad Faridz Bin Abd Ghafar ; Wan Mustafa Bin Wan Hanafi ; Norkamizah Bt Mohd Nor ; Mohd Faudzi Bin Mohammad</i> |             |
| <b>METHOD OF MOMENT USING MATRIX EQUILIBRATION FOR STEALTH AIRCRAFT SCATTERING ANALYSIS IN VHF BAND .....</b>                                                         | <b>1026</b> |
| <i>Dal-Jae Yun ; Hyung-Ju Kim ; Sung-Jun Yang ; Jae-In Lee ; Woo-Yong Yang ; Noh-Hoon Myung</i>                                                                       |             |
| <b>CLUSTER BASED MASSIVE MIMO CHANNEL MODEL FOR INDOOR ENVIRONMENT USING RAY TRACING TECHNIQUE .....</b>                                                              | <b>1030</b> |
| <i>Mohammad Mehdi Tamaddondar ; Narges Noori</i>                                                                                                                      |             |
| <b>ESTIMATING THE CONDUCTIVITY OF CARBON FIBRE VEIL (CFV) BASED ON SHIELDING EFFECTIVENESS .....</b>                                                                  | <b>1034</b> |
| <i>Mahan Rudd ; Thomas C. Baum ; Kelvin J. Nicholson ; Kamran Ghorbani</i>                                                                                            |             |
| <b>ELECTRON ACCELERATION EFFICIENCY ENHANCEMENT WITH TAPERED MAGNETIC FIELD BY CIRCULARLY POLARIZED MICROWAVE .....</b>                                               | <b>1037</b> |
| <i>Li Luo ; Ling-Bao Kong ; Pu-Kun Liu</i>                                                                                                                            |             |
| <b>DUAL-BAND DIPOLE ANTENNA BASED ON REVERSE-COUPLING MULTILAYER RING RESONATORS (MRR) .....</b>                                                                      | <b>1040</b> |
| <i>Zahra Khajehhosseini Dalasm ; Seyedehnastaran Mirmohammadi ; Seyyedkamal Hashemi</i>                                                                               |             |
| <b>DESIGN OF A RECTANGULAR LOOP-SHAPE RF COIL FOR 7-TESLA MAGNETIC RESONANCE IMAGING .....</b>                                                                        | <b>1044</b> |
| <i>Sanaa Salama</i>                                                                                                                                                   |             |
| <b>COMPACT MICROSTRIP PATCH ANTENNA FOR MULTI-SERVICE WIRELESS COMMUNICATIONS .....</b>                                                                               | <b>1048</b> |
| <i>Md. Naimur Rahman ; Mohammad Tariqul Islam ; Mandeep Singh Jit Singh ; Norbahiah Misran ; Kamarulzaman Mat ; Md. Samsuzzaman</i>                                   |             |
| <b>KA-BAND ANTIPODAL DUAL EXPONENTIALLY TAPERED SLOT ANTENNA FOR NEXT GENERATION MOBILE COMMUNICATION SYSTEM APPLICATIONS .....</b>                                   | <b>1051</b> |
| <i>Heng-Tung Hsu ; Ting-Jui Huang ; Yi-Fang Tsao</i>                                                                                                                  |             |
| <b>DESIGN CONSIDERATIONS OF DP ACPA WITH HIGHER ISOLATION AT KU-BAND FOR SOIL MOISTURE RADIOMETER .....</b>                                                           | <b>1055</b> |
| <i>Muhsiul Hassan ; Nemai Karmakar</i>                                                                                                                                |             |
| <b>PERFORMANCE COMPARISON OF SPIRAL RESONATOR AND EBG ANTENNAS FOR RF ENERGY HARVESTING AT 2.45 GHZ ISM BAND .....</b>                                                | <b>1059</b> |
| <i>Lillian J A Olule ; Gnanam Gnanagurunathan ; Nandha T Kumar ; Baskaran Kasi</i>                                                                                    |             |
| <b>DUAL FREQUENCY APPLICATOR FOR MEDICAL APPLICATIONS .....</b>                                                                                                       | <b>1063</b> |
| <i>Houda Halheit ; Tan Phu Vuong</i>                                                                                                                                  |             |
| <b>A MILLIMETER WAVE DIGITAL PRE-DISTORTION PLATFORM FOR LINEARIZATION OF POWER AMPLIFIERS .....</b>                                                                  | <b>1066</b> |
| <i>Xing-Wang Wu ; Chao Yu ; Hong-Lei Sun ; Xiao-Wei Zhu</i>                                                                                                           |             |
| <b>AN HIGH IMPEDANCE TRANSFORMATION RATIO DUAL-BAND MATCHING NETWORK WITH DC ISOLATION CAPABILITY .....</b>                                                           | <b>1069</b> |
| <i>R. Gupta ; A. Saxena ; M. A. Maktoomi ; M. S. Hashmi</i>                                                                                                           |             |

|                                                                                                                                       |             |
|---------------------------------------------------------------------------------------------------------------------------------------|-------------|
| <b>AN IMPROVED TERAHERTZ TRANSMISSION LINE WITH GAUSSIAN MODE FILTERING AND BEAM SHAPING FOR DNP-NMR .....</b>                        | <b>1073</b> |
| <i>Hong Pu ; Chao-Hai Du ; Shi Pan ; Pu-Kun Liu</i>                                                                                   |             |
| <b>IMPROVEMENT OF TRANSMISSION CHARACTERISTICS OF COMPOSITE RIGHT/LEFT HANDED MICROSTRIP LINES BY USING IMPEDANCE MATCHING .....</b>  | <b>1076</b> |
| <i>Takuya Nakabayashi ; Akikazu Mishiro ; Hiroyuki Deguchi ; Mikio Tsuji</i>                                                          |             |
| <b>A NOVEL COMPACT TRI-BAND MATCHING NETWORK UTILIZING TWO DUAL-BAND TRANSFORMERS AT A COMMON REFERENCE FREQUENCY .....</b>           | <b>1080</b> |
| <i>Deepayan Banerjee ; Antra Saxena ; Mohammad Hashmi</i>                                                                             |             |
| <b>PLANAR DUAL-POLARIZED DUAL-MODE LOOP ANTENNA WITH PATTERN DIVERSITY .....</b>                                                      | <b>1084</b> |
| <i>Junping Song ; Dazhi Piao</i>                                                                                                      |             |
| <b>HIGH PERFORMANCE OAM COMMUNICATION USING LOOP ANTENNAS OPTIMIZED FOR PORT AZIMUTHS .....</b>                                       | <b>1087</b> |
| <i>Hiroto Otsuka ; Ryohei Yamagishi ; Akira Saitou ; Ryo Ishikawa ; Kazuhiko Honjo</i>                                                |             |
| <b>ANALYSIS OF DOUBLING MULTIPLICITY FOR OAM COMMUNICATION USING LOOP ANTENNA ARRAYS.....</b>                                         | <b>1091</b> |
| <i>Akira Saito ; Hiroto Otsuka ; Ryohei Yamagishi ; Ryo Ishikawa ; Kazuhiko Honjo</i>                                                 |             |
| <b>IMPROVEMENT OF MODE UNIQUENESS FOR OAM COMMUNICATION USING A LOOP ARRAY WITH REFLECTOR PLANE.....</b>                              | <b>1095</b> |
| <i>Ryohei Yamagishi ; Hiroto Otsuka ; Akira Saitou ; Ryo Ishikawa ; Kazuhiko Honjo</i>                                                |             |
| <b>DESIGN OF A LOW-COST INTEGRATED RF FRONT-END FOR A MODULATED-WIDEBAND-CONVERTER BASED RECEIVER.....</b>                            | <b>1099</b> |
| <i>Fei You ; Pengfei Shang ; Peng Wang</i>                                                                                            |             |
| <b>AN 850-NM COMMON-CATHODE VCSEL DRIVER WITH TUNABLE ENERGY EFFICIENCY FOR 45 GBIT/S DATA TRANSMISSION WITHOUT EQUALIZATION.....</b> | <b>1103</b> |
| <i>David Schoeniger ; Ronny Henker ; Frank Ellinger</i>                                                                               |             |
| <b>DIFFERENTIAL COMMON BASE TIA WITH 56 DB OHM GAIN AND 45 GHZ BANDWIDTH IN 130 NM SIGE.....</b>                                      | <b>1107</b> |
| <i>Stavros Giannakopoulos ; Zhongxia Simon He ; Izzat Darwazah ; Herbert Zirath</i>                                                   |             |
| <b>A 5–13 GHZ 6-BIT VECTOR-SUM PHASE SHIFTER WITH +3.5 DBM IP1DB IN 0.25-<math>\mu</math>M SIGE BICMOS.....</b>                       | <b>1111</b> |
| <i>Barbaros Cetindogan ; Berkutug Ustundag ; Abdurrahman Burak ; Matthias Wietstruck ; Mehmet Kaynak ; Yasar Gurbuz</i>               |             |
| <b>DEVELOPMENT OF A LOW COST AND HIGH DATA RATE X-BAND TRANSMITTER FOR MICRO-SATELLITE APPLICATIONS .....</b>                         | <b>1115</b> |
| <i>Shiou-Li Chen ; Szu-Hsien Yu ; Shih-Ming Wang ; Chieh-Fu Chang ; Ming-Hwang Shie</i>                                               |             |
| <b>EFFECTS OF SINGLE VEGETATION OBSTRUCTION ON 5G MOBILE SERVICES IN 28GHZ.....</b>                                                   | <b>1119</b> |
| <i>Poh Soon Chang ; Siva Priya Thiagarajah ; J. Sheela-Francisca</i>                                                                  |             |
| <b>COMPARISON OF MICROSTRIP LINE AND GROUNDED COPLANAR WAVEGUIDE AS MICROWAVE SENSOR FOR DIELECTRIC MEASUREMENTS.....</b>             | <b>1123</b> |
| <i>Lee Kim Yee ; Chung Boon Kuan ; Phua Yeong Nan ; Lim Eng Hock ; Cheng Ee Meng</i>                                                  |             |
| <b>A PARAMETRIC STUDY ON THE DIMENSIONS OF THE GROUND PLANE OF AXIAL-MODE HELICAL ANTENNAS .....</b>                                  | <b>1127</b> |
| <i>Fatemeh Sadeghikia ; Ali K. Horestam</i>                                                                                           |             |
| <b>THERMAL ANALYSIS OF THE VIA HOLES IN ALGAN/GAN HEMTS .....</b>                                                                     | <b>1130</b> |
| <i>Yonghao Jia ; Yuehang Xu ; Yunqiu Wu ; Ruimin Xu</i>                                                                               |             |
| <b>DEPENDENCE OF GAN HEMT AM/AM AND AM/PM NON-LINEARITY ON ALGAN BARRIER LAYER THICKNESS .....</b>                                    | <b>1134</b> |
| <i>S. Khandelwal ; S. Ghosh ; S. A. Ahsan ; Y S. Chauhan</i>                                                                          |             |
| <b>120W S-BAND INTERNALLY MATCHED PACKAGED GAN HEMT WITH 50% PAE FOR 500MHZ BANDWIDTH .....</b>                                       | <b>1138</b> |
| <i>Kwanjin Oh ; Sangmin Lee ; Hwejong Kim ; Heejun Kim ; Heejae Yoon</i>                                                              |             |
| <b>TERAHERTZ CIRCULAR-TO-LINEAR POLARIZATION CONVERTER BASED ON GRAPHENE METASURFACE .....</b>                                        | <b>1142</b> |
| <i>Jiang-Yu Liu ; Tie-Jun Huang ; Pu-Kun Liu</i>                                                                                      |             |
| <b>THEORY OF LIGHT TRANSMISSION PROPERTIES THROUGH FANSHAPED METALLIC GRATING .....</b>                                               | <b>1145</b> |
| <i>Tie-Jun Huang ; Heng-He Tang ; Jiang-Yu Liu ; Yunhua Tan ; Pu-Kun Liu</i>                                                          |             |
| <b>CHARACTERISTICS OF A DOUBLE-SIDED DIRAC CONE METAMATERIAL .....</b>                                                                | <b>1149</b> |
| <i>Yuto Kato ; Masahiro Horibe ; Hidehisa Shiomi ; Hiroshi Murata ; Atsushi Sanada</i>                                                |             |



|                                                                                                                                                                                  |             |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| <b>FREQUENCY-DEPENDENT BIFUNCTIONAL METASURFACE AT TERAHERTZ FREQUENCIES .....</b>                                                                                               | <b>1153</b> |
| <i>Xi Wang ; Jun Ding ; Hualiang Zhang ; Guohua Zhai</i>                                                                                                                         |             |
| <b>A NOVEL METHOD OF DETECTING AND ANALYZING ELECTROMAGNETIC EMISSION .....</b>                                                                                                  | <b>1156</b> |
| <i>Donglin Su ; Jiayi Wu ; Xiaofan Shang ; Kaixiang Zhu ; Zhenzhen Peng</i>                                                                                                      |             |
| <b>THE EXTRACTION METHOD OF RELATIVE PERMITTIVITY BY NEAR FIELD MEASUREMENT .....</b>                                                                                            | <b>1159</b> |
| <i>Yu-Ren Chen ; Bo-You Chen ; Sung-Mao Wu ; Ming-Shan Lin ; Chia-Hung Su</i>                                                                                                    |             |
| <b>REVERSE-PIM EXTRACTION IN NON-CONTACT ANTENNA-PIM MEASUREMENT .....</b>                                                                                                       | <b>1163</b> |
| <i>Ryosuke Okawa ; Nobuhiro Kuga</i>                                                                                                                                             |             |
| <b>MEASUREMENT OF ACTIVE S-PARAMETERS ON ARRAY ANTENNA USING DIRECTIONAL COUPLERS .....</b>                                                                                      | <b>1167</b> |
| <i>Chen Zhang ; Qinghua Lai ; Chu Gao</i>                                                                                                                                        |             |
| <b>AN M-SEQUENCE REFLECTION MEASUREMENT SYSTEM .....</b>                                                                                                                         | <b>1171</b> |
| <i>Gordon Notzon ; Lukas Polzin ; Dennis Falkenberg ; Robert Storch ; Thomas Musch ; Michael Vogt</i>                                                                            |             |
| <b>INPUT RESISTANCES OF SMALL NORMAL-MODE HELICAL ANTENNAS IN DIELECTRIC MATERIALS .....</b>                                                                                     | <b>1175</b> |
| <i>Rasyidah Hanan Binti Mohd Baharin ; Yoshihide Yamada ; Kamilia Binti Kamardin ; Nguyen Quoc Dinh ; Naobumi Michishita</i>                                                     |             |
| <b>CHARACTERISTIC MODES ANALYSIS FOR PATCH ANTENNA .....</b>                                                                                                                     | <b>1179</b> |
| <i>Masashi Yamamoto ; Hiroyuki Arai</i>                                                                                                                                          |             |
| <b>EFFECT OF REDUCED GROUND PLANE IN A VERTEX-FED HEXAGONAL C-BAND ANTENNA .....</b>                                                                                             | <b>1181</b> |
| <i>Abhishek Joshi ; Rahul Singhal</i>                                                                                                                                            |             |
| <b>A WIDEBAND CIRCULARLY POLARIZED MICROSTRIP SLOT-PATCH ANTENNA DESIGN .....</b>                                                                                                | <b>1185</b> |
| <i>Yuan-Ming Cai ; Ke Li ; Yingzeng Yin</i>                                                                                                                                      |             |
| <b>COMPACT DUAL-BAND FILTERING ANTENNA BASED ON CAPACITOR LOADED PATCH RADIATOR .....</b>                                                                                        | <b>1188</b> |
| <i>Kirti Dhawaj ; Joshua M. Kovitz ; Richard Al-Hadi ; Tatsuo Itoh</i>                                                                                                           |             |
| <b>OMMIC 70NM-MHEMT LNA DESIGN .....</b>                                                                                                                                         | <b>1192</b> |
| <i>Ying Chen ; Kun-Long Wu ; Ching-Ying Huang ; Che-Kun Chang ; Xin Sun ; Bin Li ; Robert Hu</i>                                                                                 |             |
| <b>A K-BAND AREA-SAVING MARCHAND BALUN INTEGRATED WITH LOW-NOISE AMPLIFIER IN 0.18-<math>\mu</math>M CMOS .....</b>                                                              | <b>1196</b> |
| <i>Hong-Shen Chen ; Cheng-Hsuan Wu ; Yi-Cheng Lin ; Jenny Yi-Chun Liu</i>                                                                                                        |             |
| <b>A 33.5–39 GHZ 5-BIT VARIABLE GAIN LNA WITH 4 DB NF AND LOW PHASE SHIFT .....</b>                                                                                              | <b>1200</b> |
| <i>Zhengdong Jiang ; Lin Zhang ; Zhiqing Liu ; Zhilin Chen ; Huihua Liu ; Yunqiu Wu ; Chenxi Zhao ; Kai Kang</i>                                                                 |             |
| <b>A 21.9-DB GAIN 18.9–35.9-GHZ LOW NOISE AMPLIFIER USING INGAAS E-MODE 0.15-UM PHEMT TECHNOLOGY .....</b>                                                                       | <b>1203</b> |
| <i>Sunwoo Kong ; Hui Dong Lee ; Cheol Ho Kim ; Bonghyuk Park</i>                                                                                                                 |             |
| <b>DUAL-BAND BALANCED-TO-BALANCED RAT-RACE COUPLER WITH BANDPASS RESPONSE .....</b>                                                                                              | <b>1207</b> |
| <i>Chih-Chen Chang ; Yi-Hsin Pang</i>                                                                                                                                            |             |
| <b>A NOVEL COMPACT FILTERING HYBRID COUPLER WITH ARBITRARY COUPLING LEVELS AND PHASE DIFFERENCES .....</b>                                                                       | <b>1211</b> |
| <i>Shaopu Sun ; Yongle Wu ; Lingxiao Jiao ; Mingxing Li ; Yuanan Liu</i>                                                                                                         |             |
| <b>A NOVEL FIVE PORT WAVEGUIDE STRUCTURE .....</b>                                                                                                                               | <b>1215</b> |
| <i>Letian Guo ; Wenhua Huang ; Jiawei Li ; Tao Ba</i>                                                                                                                            |             |
| <b>AN S-BAND CMOS TRANSCEIVER FRONT-END FOR DIGITAL ARRAY RADARS .....</b>                                                                                                       | <b>1219</b> |
| <i>Zongming Duan ; Wei Lv ; Bowen Wu ; Qiang Ma ; Fujiang Lin</i>                                                                                                                |             |
| <b>A CMOS 2.4 GHZ RF TRANSCEIVER FOR TRAIN SAFETY MONITORING SYSTEMS .....</b>                                                                                                   | <b>1223</b> |
| <i>Won Il Chang ; Yun Seong Eo</i>                                                                                                                                               |             |
| <b>A 24 GHZ ZERO-IF IQ-RECEIVER USING LOW-NOISE QUADRATURE SIGNAL GENERATION .....</b>                                                                                           | <b>1226</b> |
| <i>Yaoshun Ding ; Soenke Vehring ; Dominic Maurath ; Friedel Gerfers ; Georg Boeck</i>                                                                                           |             |
| <b>24 GHZ LOW-PHASE-NOISE VCO USING 3D-STRIPED INDUCTOR UTILIZED THIN-METAL LAYERS .....</b>                                                                                     | <b>1230</b> |
| <i>Yuta Sakamoto ; Kiyotaka Komoku ; Takayuki Morishita ; Nobuyuki Itoh</i>                                                                                                      |             |
| <b>TEMPERATURE DEPENDENCE OF TUNABLE RESONATORS ON FR4 AND SILICON .....</b>                                                                                                     | <b>1234</b> |
| <i>Rozenn Allanic ; July Paola Cortes ; Jessica Benedicto ; Denis Le Berre ; Yves Quéré ; Cédric Quendo ; David Chouteau ; Virginie Grimal ; Damien Valente ; Jérôme Billoué</i> |             |

|                                                                                                                                                                                          |             |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| <b>NOVEL DESIGN FOR CSRR BASED ELECTRONICALLY STEERED COMPACT S-BAND MICROWAVE RESONATOR.....</b>                                                                                        | <b>1238</b> |
| <i>N K Tiwari ; Yash Tiwari ; Prakrati Azad ; M Jaleel Akhtar</i>                                                                                                                        |             |
| <b>A NOVEL MICROSTRIP TRIPLEXER BASED ON MEANDERED LOOP RESONATORS .....</b>                                                                                                             | <b>1242</b> |
| <i>Ali Kursad Gorur ; Ceyhun Karpuz</i>                                                                                                                                                  |             |
| <b>MULTIPLE PASSBAND CIRCULAR CAVITY SUBSTRATE INTEGRATED WAVEGUIDE FILTER USING ASYMMETRIC COMPLEMENTARY SPLIT RING RESONATORS .....</b>                                                | <b>1246</b> |
| <i>Soumit Samadder Chaudhury ; Seema Awasthi</i>                                                                                                                                         |             |
| <b>DESIGN OF 18~26GHZ RECEIVER WITH WIDEBAND RF, LO AND IF IN 0.15<math>\mu</math>M GAAS PHEMT PROCESS .....</b>                                                                         | <b>1250</b> |
| <i>Ying Chen ; Zhong-I Yu ; Ching-Ying Huang ; Kuan-Han Hsieh ; Robert Hu</i>                                                                                                            |             |
| <b>A WIDEBAND LNA WITH DIGITALLY CONTROLLABLE GAIN AND NOISE FIGURE .....</b>                                                                                                            | <b>1254</b> |
| <i>Juan Zhang</i>                                                                                                                                                                        |             |
| <b>A 1.2 AND 2.4 GHZ VARIABLE GAIN CONCURRENT DUAL BAND LOW NOISE AMPLIFIER.....</b>                                                                                                     | <b>1258</b> |
| <i>Aayush Aneja ; Xue Jun Li</i>                                                                                                                                                         |             |
| <b>AUTOMATED SYNTHESIS OF LOW NOISE AMPLIFIERS USING S-PARAMETER SETS OF PASSIVE ELEMENTS .....</b>                                                                                      | <b>1262</b> |
| <i>Dmitry A. Zhabin ; Dmitriy V. Garays ; Alexey A. Kalentyev ; Igor M. Dobush ; Leonid I. Babak ; Andrey A. Kokolov</i>                                                                 |             |
| <b>A FULLY SYNTHESIZED INJECTION LOCKED RING OSCILLATOR BASED ON A PULSE INJECTION LOCKING TECHNIQUE.....</b>                                                                            | <b>1265</b> |
| <i>Mingze Li ; Ralph D. Mason ; Nahla T. Abou-El-Kheir</i>                                                                                                                               |             |
| <b>AN OPTICALLY CONTROLLABLE MILLIMETER-WAVE PHASE SHIFTER.....</b>                                                                                                                      | <b>1269</b> |
| <i>Mohammad Soltani ; Shaghayegh Yaraghi ; Karim Mohammadpour-Aghdam ; Mahmoud Shahabadi</i>                                                                                             |             |
| <b>STUDY ON SURFACE ACOUSTIC WAVE PROPAGATION FOR A NON-PLANAR PIEZOELECTRIC THIN FILM DEVICE WITH HIGH ACOUSTIC IMPEDANCE MATERIAL REFLECTORS .....</b>                                 | <b>1273</b> |
| <i>Eloi Marigo ; Mohanraj Soundara ; Maheshlall Goutham ; Chan Buan Fei ; Mugilan Gopal Krishnan ; Jazril Bin ; Jamil Din ; Anis Amiera Binti Mohd Radzi ; Nur Faatyhah Binti Shaari</i> |             |
| <b>VERIFICATION OF EXTENDED THROUGH-LINE DEEMBEDDING .....</b>                                                                                                                           | <b>1276</b> |
| <i>Kimberley W. Eccleston</i>                                                                                                                                                            |             |
| <b>SUB-TERAHERTZ FREQUENCY GENERATION IN NON-RESONANT FABRY-PÉROT CAVITY .....</b>                                                                                                       | <b>1280</b> |
| <i>Tian Seng Chan ; Wu Yi Chong ; Ala'Eddin A. Saif ; Prabakaran Poopalan</i>                                                                                                            |             |
| <b>COMPUTING THE RESONANCE WAVELENGTH AND Q OF PHC RESONATORS AND PLASMONIC NANOPARTICLES WITH THE SURFACE INTEGRAL EQUATION METHOD .....</b>                                            | <b>1284</b> |
| <i>Oleksiy S. Kim</i>                                                                                                                                                                    |             |
| <b>ANALYTICAL ANALYSIS OF STRUCTURES COMPOSED OF PERIODIC ARRAYS OF SLITS AND DIELECTRIC SLABS .....</b>                                                                                 | <b>1286</b> |
| <i>Saeedeh Barzegar-Parizi</i>                                                                                                                                                           |             |
| <b>INDOOR RANGE-DIRECTION-MOVEMENT SAR FOR DRONE-BASED RADAR SYSTEMS .....</b>                                                                                                           | <b>1290</b> |
| <i>Jiaming Yan ; Zhengyu Peng ; Hong Hong ; Xiaohua Zhu ; Qi Lu ; Beibei Ren ; Changzhi Li</i>                                                                                           |             |
| <b>RADAR CROSS SECTION MEASUREMENTS OF QUADCOPTERS USING LONG TERM EVOLUTION FREQUENCY.....</b>                                                                                          | <b>1294</b> |
| <i>Soobum Kim ; Sung Jun Lee ; Jae Ho Jung ; Youngsik Kim</i>                                                                                                                            |             |
| <b>ROTATIONAL DOPPLER EFFECT BASED ON THE RADIO ORBITAL ANGULAR MOMENTUM WAVE .....</b>                                                                                                  | <b>1298</b> |
| <i>Jiayu Zheng ; Shilie Zheng ; Zhenlei Shao ; Xianmin Zhang</i>                                                                                                                         |             |
| <b>VEHICULAR RADAR AND COMMUNICATION FOR TRAFFIC CAPACITY IMPROVEMENT IN REALISTIC URBAN ROAD .....</b>                                                                                  | <b>1302</b> |
| <i>Md Anowar Hossain ; Ibrahim Elshafiey ; Abdulhameed Al-Sanie</i>                                                                                                                      |             |
| <b>IN-LINE MATERIAL CHARACTERIZATION SENSORS OPERATING AT 10GHZ AND 77GHZ .....</b>                                                                                                      | <b>1306</b> |
| <i>Martin Frank ; Armin Talai ; Robert Weigel ; Alexander Koelpin</i>                                                                                                                    |             |
| <b>DESIGN OF FRACTAL GEOMETRY BASED RF SENSOR FOR DETECTION OF COMPLEX PERMITTIVITY OF UNKNOWN SAMPLE.....</b>                                                                           | <b>1310</b> |
| <i>Pratik Porwal ; Azeemuddin Syed ; Prabhakar Bhimalapuram ; Tapan Kumar Sau</i>                                                                                                        |             |
| <b>HIGH-RESOLUTION SAR/ISAR IMAGING WITH CHAOTIC NOISE SIGNALS.....</b>                                                                                                                  | <b>1313</b> |
| <i>Yunhua Zhang ; Xiao Dong ; Qilun Yang ; Wenshuai Zhai ; Xiaojin Shi ; Qingshan Yang ; Xueyan Kang</i>                                                                                 |             |
| <b>A COMPACT CSRR BASED DIFFERENTIAL SLOT ANTENNA FOR UWB APPLICATIONS .....</b>                                                                                                         | <b>1317</b> |
| <i>Gunjan Srivastava ; Akhilesh Mohan ; Ajay Chakrabarty</i>                                                                                                                             |             |

|                                                                                                                             |             |
|-----------------------------------------------------------------------------------------------------------------------------|-------------|
| <b>A VIA-LESS COMPACT BANDPASS FILTER WITH IMPROVED SELECTIVITY USING METAMATERIAL STRUCTURE .....</b>                      | <b>1321</b> |
| <i>Dilip Kumar Choudhary ; Naveen Mishra ; Rajkishor Kumar ; Raghvendra Kumar Chaudhary</i>                                 |             |
| <b>REFRACTIVE INDEX RECONFIGURABLE METAMATERIAL STRUCTURE AT 28 GHZ FREQUENCY RANGE.....</b>                                | <b>1325</b> |
| <i>B. A. F. Esmail ; H. A. Majid ; Z. Z. Abidin ; S. H. Dahlan ; O. Ayop ; M. K. A. Rahim</i>                               |             |
| <b>LOW-PROFILE OMNIDIRECTIONAL ANTENNAS BASED ON PSEUDO-TRAVELING-WAVE RESONANCE USING NONRECIPROCAL METAMATERIALS.....</b> | <b>1329</b> |
| <i>Junji Yamauchi ; Keisuke Ninomiya ; Tetsuya Ueda ; Tatsuo Itoh</i>                                                       |             |
| <b>FLAT FOCUSING REFLECTOR SIMULATION EMPLOYING CIRCUIT MODELS .....</b>                                                    | <b>1333</b> |
| <i>Tsutomu Nagayama ; Seiji Fukushima ; Toshio Watanabe</i>                                                                 |             |
| <b>CIRCULAR HIGH IMPEDANCE SURFACE FOR RADIALLY POLARIZED FIELDS .....</b>                                                  | <b>1337</b> |
| <i>Benedikt Sievert ; Daniel Erni ; Andreas Rennings</i>                                                                    |             |
| <b>REFLECTION CHARACTERISTICS OF A 2-D INDEFINITE MEDIUM .....</b>                                                          | <b>1341</b> |
| <i>Hidehisa Shiomi ; Atsushi Sanada</i>                                                                                     |             |
| <b>ARTIFICIAL EPSILON NEGATIVE STRUCTURE-INSPIRED MICROWAVE BANDSTOP FILTER FOR WIDE FREQUENCY DIVERSITY .....</b>          | <b>1345</b> |
| <i>Ratnesh Kumari ; Piyush N. Patel ; Rahul Yadav</i>                                                                       |             |
| <b>DESIGN OF MODULATED ARTIFICIAL MAGNETIC CONDUCTOR METASURFACES FOR RCS REDUCTION OF PATCH ANTENNA .....</b>              | <b>1349</b> |
| <i>Kumar Goodwill ; Vibha Tripathi ; M. V. Kartikeyan</i>                                                                   |             |
| <b>REFLECTED-FIELD CALIBRATION TECHNIQUE FOR MICROWAVE SUBSURFACE IMAGING .....</b>                                         | <b>1353</b> |
| <i>Greeshmaja Govind ; M. J. Akhtar</i>                                                                                     |             |
| <b>STUDY OF A FLEXIBLE ANTENNA FOR INTELLIGENT TRANSPORT SYSTEM APPLICATION .....</b>                                       | <b>1357</b> |
| <i>S. N. Zabri ; N. Mohd Salleh ; M. Abu ; S. Y. Mohamad</i>                                                                |             |
| <b>EFFECTIVE INTERFERENCE ASSESSMENT FROM EARTH STATION IN MOTION TO FIXED STATION IN THE 28 GHZ BAND .....</b>             | <b>1361</b> |
| <i>Dae-Sub Oh ; Young-Houng Kang</i>                                                                                        |             |
| <b>4 CHANNEL X-BAND MICROWAVE MONOPULSE RECEIVER .....</b>                                                                  | <b>1369</b> |
| <i>Veerendra Mittapally ; M. Gangadhara ; B Someswara Rao</i>                                                               |             |
| <b>Author Index</b>                                                                                                         |             |