

# **2017 Smart Grid Conference (SGC 2017)**

**Tehran, Iran  
20-21 December 2017**



**IEEE Catalog Number: CFP17SGB-POD  
ISBN: 978-1-5386-4280-1**

**Copyright © 2017 by the Institute of Electrical and Electronics Engineers, Inc.  
All Rights Reserved**

*Copyright and Reprint Permissions:* Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

***\*\*\* This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

|                         |                   |
|-------------------------|-------------------|
| IEEE Catalog Number:    | CFP17SGB-POD      |
| ISBN (Print-On-Demand): | 978-1-5386-4280-1 |
| ISBN (Online):          | 978-1-5386-4279-5 |
| ISSN:                   | 2572-6935         |

**Additional Copies of This Publication Are Available From:**

Curran Associates, Inc  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: (845) 758-0400  
Fax: (845) 758-2633  
E-mail: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

CURRAN ASSOCIATES INC.  
**proceedings**  
.com

# TABLE OF CONTENTS

|                                                                                                                                                     |            |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>A BI-LEVEL MODEL FOR STRATEGIC BIDDING OF VIRTUAL POWER PLANT IN DAY-AHEAD AND BALANCING MARKET .....</b>                                        | <b>1</b>   |
| <i>Morteza Shafiekhani ; Ali Badri ; Farshad Khavari</i>                                                                                            |            |
| <b>AN INTELLIGENT LOAD AND GENERATION SHEDDING PROCEDURE IN AN ISLANDED NETWORK USING A SMART POWER MANAGEMENT SYSTEM .....</b>                     | <b>7</b>   |
| <i>Ali Parizad ; Hamid Khoshkhoo ; Shahab Dehghan ; Rasoul Moradtalab</i>                                                                           |            |
| <b>APPLICATION OF IPSO ALGORITHM IN DFIG-BASED WIND TURBINES FOR EFFICIENT FREQUENCY CONTROL OF MULTI-AREA POWER SYSTEMS .....</b>                  | <b>19</b>  |
| <i>Arman Oshnoei ; Rahmat Khezri ; Mohammad Ghaderzadeh ; Hasti Parang ; Soroush Oshnoei ; Morteza Kheradmandi</i>                                  |            |
| <b>AUTONOMOUS CONTROL AND OPERATION OF AN INTERCONNECTED AC/DC MICROGRID WITH G-Z-SOURCE INTERLINKING CONVERTER .....</b>                           | <b>25</b>  |
| <i>M. Poursmaeil ; Sh. Moradinejad Dizgah ; H. Torkaman ; E. Afjei</i>                                                                              |            |
| <b>A COMPARISON OF CENTRALIZED AND DECENTRALIZED ENERGY-MANAGEMENT MODELS OF MULTI-MICROGRID SYSTEMS.....</b>                                       | <b>31</b>  |
| <i>Farshad Khavari ; Ali Badri ; Ali Zangeneh ; Morteza Shafiekhani</i>                                                                             |            |
| <b>A DEMAND-SIDE MANAGEMENT-BASED MODEL FOR G&amp;T&amp;P PROBLEM CONSIDERING FSC ALLOCATION .....</b>                                              | <b>37</b>  |
| <i>Majid Zeinaddini-Meymand ; Masoud Rashidinejad ; Mohsen Gharachedaghi</i>                                                                        |            |
| <b>A NEW APPROACH TO ENHANCE TRANSIENT STABILITY OF POWER SYSTEM AND ITS IMPACT ON LOCAL MARGINAL PRICES .....</b>                                  | <b>45</b>  |
| <i>B. Zaker ; S. Hadavi ; A. A. Khodadoost Arani ; F. Ashrafi ; G. B. Gharehpetian</i>                                                              |            |
| <b>A NEW CONTROL METHOD BASED ON DROOP AND THEVENIN THEOREM TO IMPROVE RESPONSES OF VSI IN ISLANDED MG .....</b>                                    | <b>53</b>  |
| <i>H. Naderian ; A. A. Khodadoost Arani ; G. B. Gharehpetian</i>                                                                                    |            |
| <b>A NOVEL APPROACH FOR IMPROVING VOLTAGE PROFILE IN LOW VOLTAGE NETWORKS WITH HIGH SOLAR PANEL PENETRATION LEVEL BY USING FLEXIBLE LOADS .....</b> | <b>58</b>  |
| <i>Pooriya Motevaker ; Behrad Ghanbari ; Hamed Nafisi ; Mehrdad Abedi ; Hossein Hosseini</i>                                                        |            |
| <b>A NOVEL HYBRID HARMONY SEARCH AND PARTICLE SWARM OPTIMIZATION METHOD FOR SOLVING COMBINED HEAT AND POWER ECONOMIC DISPATCH.....</b>              | <b>65</b>  |
| <i>Morteza Nazari-Heris ; Amir Fakhim-Babaei ; Behnam Mohammadi-Ivatloo</i>                                                                         |            |
| <b>ACCURATE ACTIVE POWER-SHARING IN LOW-VOLTAGE ISLANDED MICROGRIDS USING A DISTRIBUTED SECONDARY COOPERATIVE CONTROL .....</b>                     | <b>74</b>  |
| <i>Morteza Mansouri Takantape ; Mohsen Hamzeh</i>                                                                                                   |            |
| <b>AMI DATA ANALYTICS; AN INVESTIGATION OF THE SELF-ORGANIZING MAPS CAPABILITIES IN CUSTOMERS CHARACTERIZATION AND BIG DATA MANAGEMENT .....</b>    | <b>80</b>  |
| <i>Mohsen Kojury-Naftchali ; Alireza Fereidunian ; Hamid Lesani</i>                                                                                 |            |
| <b>BIDDING STRATEGY FOR PARTICIPATION OF VIRTUAL POWER PLANT IN ENERGY MARKET CONSIDERING UNCERTAINTY OF GENERATION AND MARKET PRICE .....</b>      | <b>86</b>  |
| <i>Mohsen Khorasany ; Mahdi Raoofat</i>                                                                                                             |            |
| <b>CHALLENGES AND OPPORTUNITIES OF THE INTEGRATION OF IOT AND SMART GRID IN IRAN TRANSMISSION POWER SYSTEM.....</b>                                 | <b>92</b>  |
| <i>Adel Nazemi Babadi ; Sanaz Nouri ; Siamak Khalaj</i>                                                                                             |            |
| <b>CHANCE CONSTRAINED POWER-FLOW FOR VOLTAGE REGULATION IN DISTRIBUTION SYSTEMS .....</b>                                                           | <b>98</b>  |
| <i>Seyed Naser Hashemipour ; Jamshid Aghaei</i>                                                                                                     |            |
| <b>CYBER-PHYSICAL INTERDEPENDENCY IN SMART GRID .....</b>                                                                                           | <b>104</b> |
| <i>Hossein Zeynal ; Sima Ahmadpour</i>                                                                                                              |            |
| <b>DEMAND RESPONSE OF ISLANDED RESIDENTIAL CRITICAL LOADS CONSIDERING PV GENERATION UNCERTAINTY AND STORAGE CAPACITY .....</b>                      | <b>110</b> |
| <i>Arin Hovanessian ; Mohammad-Ali Norouzi ; Gevorg B. Gharehpetian</i>                                                                             |            |
| <b>DETECTION OF ANOMALIES IN SMART METER DATA: A DENSITY-BASED APPROACH.....</b>                                                                    | <b>118</b> |
| <i>Froogh Fathnia ; Farid Fathnia ; D. B. Mohammad Hossein Javidi</i>                                                                               |            |
| <b>DFIG WIND TURBINE CONTROL DESPITE THE UNCERTAINTIES IN THE MODEL USING HIGH-ORDER ADAPTIVE SLIDING .....</b>                                     | <b>124</b> |
| <i>Sariyeh Moghtader Arbatsofla ; Alireza Toloei ; Fatemeh Soudagary ; Aref Naseri</i>                                                              |            |

|                                                                                                                                                            |            |
|------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>EFFECT OF OPTIMAL GENERATION SCHEDULING OF COMPRESSED AIR ENERGY STORAGE AND WIND POWER GENERATION ON ECONOMIC AND TECHNICAL ISSUES .....</b>           | <b>131</b> |
| <i>Mohammad Ghaljehei ; Masoud Aliakbar Golkar</i>                                                                                                         |            |
| <b>ENERGY MANAGEMENT IN SMART HOME INCLUDING PV PANEL, BATTERY, ELECTRIC HEATER WITH INTEGRATION OF PLUG-IN ELECTRIC VEHICLE.....</b>                      | <b>137</b> |
| <i>Alireza Lorestani ; Seyed Saeed Aghaee ; Gevork B. Gharehpetian ; Morteza Mohammadi Ardehali</i>                                                        |            |
| <b>FAULT CURRENT LIMITER OPTIMAL PLACEMENT CONSIDERING DIFFERENT MICROGRID OPERATIONAL MODES USING CUCKOO SEARCH ALGORITHM.....</b>                        | <b>144</b> |
| <i>P. Maleki ; A. A. Khodadoost Arani ; G. B. Gharehpetian</i>                                                                                             |            |
| <b>FREQUENCY CONTROLLER DESIGN FOR ISLANDED MICROGRID BY MULTI-OBJECTIVE LMI BASED APPROACH .....</b>                                                      | <b>150</b> |
| <i>Sajjad Malek ; Amin Khodabakhshian</i>                                                                                                                  |            |
| <b>FUZZY CHOPPER-BASED LOAD EMULATOR FOR AUT MICROGRID .....</b>                                                                                           | <b>157</b> |
| <i>M. S. Mahdavi ; G. B. Gharehpetian ; P. Ranjbaran ; H. Azizi ; A. A. Khodadoost</i>                                                                     |            |
| <b>GENERALIZED DROOP CHARACTERISTIC-BASED DEMAND RESPONSE AND SECONDARY FREQUENCY CONTROL COORDINATION IN AN ISOLATED MICROGRID .....</b>                  | <b>163</b> |
| <i>F. Habibi ; H. Bevrani ; Q. Shafiee</i>                                                                                                                 |            |
| <b>IMPACTS OF BAD DATA INJECTION ON POWER SYSTEMS SECURITY: INTRUDER POINT OF VIEW .....</b>                                                               | <b>170</b> |
| <i>Sina Gharebaghi ; Seyed Hamid Hosseini ; Milad Izadi ; Amir Safdarian</i>                                                                               |            |
| <b>IMPLEMENTATION OF SMART OPTIMAL AND AUTOMATIC CONTROL OF ELECTRICAL HOME APPLIANCES (IOT) .....</b>                                                     | <b>176</b> |
| <i>Ali Parsa ; Tooraj Abbasian Najafabadi ; Farzad Rajaei Salmasi</i>                                                                                      |            |
| <b>IMPLEMENTATION, OPERATION AND ECONOMICAL ASSESSMENT OF THE FIRST 3MW BIOMASS DISTRIBUTED ENERGY RESOURCE: A CASE STUDY OF IRAN .....</b>                | <b>182</b> |
| <i>Mostafa Ataei ; Soheil Malekshah ; Mohsen Ghanbarnejad ; Aref Jalili Irani</i>                                                                          |            |
| <b>IMPROVING THE RESPONSE TRANSIENT AND DYNAMIC STABILITY USING VOLTAGE-BASED DROOP CONTROL IN AN ISLANDED MICROGRID EQUIPPED WITH ENERGY STORAGE.....</b> | <b>190</b> |
| <i>M. Reza Nassaj ; Saman Mehrnia ; Hassan Rastegar ; Mehrdad Abedi</i>                                                                                    |            |
| <b>IMPROVING TRANSIENT PERFORMANCE OF VSG BASED MICROGRIDS BY VIRTUAL FACTS' FUNCTIONS.....</b>                                                            | <b>197</b> |
| <i>Amin Karimi ; Yousef Khayat ; Mobin Naderi ; Rahmatollah Mirzaee ; Hassan Bevrani</i>                                                                   |            |
| <b>INTELLIGENT MANAGEMENT OF IMMEDIATE OPERATION OF MICRO GRID IN FAULT AND LOAD CHANGE BASED ON ADAPTIVE FUZZY PI CONTROLLER.....</b>                     | <b>203</b> |
| <i>Ehsan Gord ; Naghi Moaddabi Pirkolachahi</i>                                                                                                            |            |
| <b>LOW-VOLTAGE RIDE-THROUGH CAPABILITY OF FLYBACK INVERTER UNDER BCM OPERATION FOR AC MODULE APPLICATIONS .....</b>                                        | <b>210</b> |
| <i>Sajad Arab Ansari ; S. Hossein Hosseinian ; Javad Shokrollahi Moghani</i>                                                                               |            |
| <b>MULTI-OBJECTIVE OPTIMAL SCHEDULING OF A MICRO-GRID CONSISTED OF RENEWABLE ENERGIES USING MULTI-OBJECTIVE ANT LION OPTIMIZER .....</b>                   | <b>216</b> |
| <i>Kamran Hosseini ; Samad Araghi ; Mohamad Bagher Ahmadian ; Vli Asadian</i>                                                                              |            |
| <b>MULTI-OBJECTIVE OPTIMIZATION OF REACTIVE POWER DISPATCH IN POWER SYSTEMS VIA SPMGSO ALGORITHM.....</b>                                                  | <b>224</b> |
| <i>Mohammad Mohsen ; Hassan Siahkali</i>                                                                                                                   |            |
| <b>ONLINE PRE-FAULT FACTS TUNING IN SMART GRID FOR TRANSIENT STABILITY ENHANCEMENT BASED ON CCT.....</b>                                                   | <b>233</b> |
| <i>M. S. Mahdavi ; S. Mehrnia ; G. B. Gharehpetian ; M. Abedi</i>                                                                                          |            |
| <b>OPTIMAL PLACEMENT OF NORMALLY OPEN SWITCHES FOR DISTRIBUTION AUTOMATION IN SMART GRID .....</b>                                                         | <b>239</b> |
| <i>Seyyed Masoud Hashemi ; Alireza Fereidunian ; Hamed Mirsaedi ; Hamid Lesani</i>                                                                         |            |
| <b>OPTIMAL SCHEDULING OF RENEWABLE-BASED ENERGY HUBS CONSIDERING TIME-OF-USE PRICING SCHEME .....</b>                                                      | <b>245</b> |
| <i>Ali Pasban-Gajan ; Moein Moeini-Aghtaie ; Zohreh Parvini ; Mahmud Fotuhi-Firuzabad</i>                                                                  |            |
| <b>OPTIMAL SIZING AND TECHNICAL ANALYSIS OF RURAL ELECTRIFICATION ALTERNATIVES IN KERMAN PROVINCE .....</b>                                                | <b>251</b> |
| <i>Majid Moazzami ; Davoud Fadaei ; Hossein Shahinzadeh ; S. Hamid Fathi</i>                                                                               |            |
| <b>OPTIMIZING MICROGRID USING DEMAND RESPONSE AND ELECTRIC VEHICLES CONNECTION TO MICROGRID.....</b>                                                       | <b>259</b> |
| <i>Sahand Ghaseminejad Liasi ; Seyed Mohammad Taghi Bathaee</i>                                                                                            |            |

|                                                                                                                                                                                              |            |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>OPTIMAL BIDDING STRATEGY FOR A SMART MICROGRID IN DAY-AHEAD<br/>ELECTRICITY MARKET WITH DEMAND RESPONSE PROGRAMS CONSIDERING<br/>UNCERTAINTIES .....</b>                                  | <b>266</b> |
| <i>Mohammad Javad Salehpour ; Seyed Masoud Moghaddas Tafreshi</i>                                                                                                                            |            |
| <b>OPTIMAL CHARGING SCHEDULE OF ELECTRIC VEHICLES AT BATTERY SWAPPING<br/>STATIONS IN A SMART DISTRIBUTION NETWORK .....</b>                                                                 | <b>273</b> |
| <i>Saeed Salimi Amiri ; Shahram Jadid</i>                                                                                                                                                    |            |
| <b>OPTIMAL DG PLACEMENT AND SIZING BASED ON MICP IN RADIAL DISTRIBUTION<br/>NETWORKS.....</b>                                                                                                | <b>281</b> |
| <i>Mohammad Mousavi ; Ali Mohammad Ranjbar ; Amir Safdarian</i>                                                                                                                              |            |
| <b>OPTIMAL DISTRIBUTION NETWORK RECONFIGURATION CONSIDERING POWER<br/>QUALITY ISSUES.....</b>                                                                                                | <b>287</b> |
| <i>Emad Nazerian ; Sina Gharebaghi ; Amir Safdarian</i>                                                                                                                                      |            |
| <b>OPTIMAL HYBRID SYSTEM DESIGN BASED ON RENEWABLE ENERGY RESOURCES .....</b>                                                                                                                | <b>293</b> |
| <i>Heydar Chamandoust ; Abozar Hashemi ; Ghasem Derakhshan ; Babak Abdi</i>                                                                                                                  |            |
| <b>OPTIMAL NETWORK CONFIGURATION CONSIDERING NETWORK LOSSES AND SERVICE<br/>RELIABILITY.....</b>                                                                                             | <b>298</b> |
| <i>Sina Gharebaghi ; Milad Izadi ; Amir Safdarian</i>                                                                                                                                        |            |
| <b>OPTIMAL OPERATION OF WIND FARM IN PRESENCE OF PUMPED-STORAGE STATION<br/>AS SMART INFRASTRUCTURE AND LOAD ESTIMATION USING ARTIFICIAL NEURAL<br/>NETWORKS.....</b>                        | <b>304</b> |
| <i>Hossein Shayeghi ; Ali Ahmadpour ; Mir Mohsen Hosseini Khashe Heiran</i>                                                                                                                  |            |
| <b>OPTIMAL PLACEMENT AND CHARGE/DISCHARGE SCHEDULING OF ELECTRIC<br/>PARKING LOTS CONSIDERING REACTIVE POWER GENERATION CAPABILITY .....</b>                                                 | <b>311</b> |
| <i>Ebrahim Mohammadi ; Roohollah Fadaeinedjad ; Masoud Rashidinejad ; Abdolvahid Mahdavinia</i>                                                                                              |            |
| <b>PERFORMANCE ANALYSIS OF AN IMPROVED HIERARCHICAL DROOP-BASED CONTROL<br/>SCHEME UNDER TOPOLOGICAL, PARAMETRIC AND COMMUNICATION<br/>UNCERTAINTIES: TOWARDS A RESILIENT MICROGRID.....</b> | <b>317</b> |
| <i>Hamid Reza Baghaee ; Mojtaba Mirsalim ; Gevork B. Gharehpetian ; Heidar Ali Talebi</i>                                                                                                    |            |
| <b>PERFORMANCE ANALYSIS OF SERIES SPOS IN A DROOP-CONTROLLED DC MICROGRID.....</b>                                                                                                           | <b>323</b> |
| <i>Amirhossein Tavassoli ; Babak Allahverdinejad ; Nasim Rashidirad ; Mohsen Hamzeh</i>                                                                                                      |            |
| <b>PHASOR MEASUREMENT UNITS PLACEMENT CONSIDERING DOUBLE CONTINGENCY<br/>BY DIFFERENTIAL EVOLUTION ALGORITHM BASED ON PARETO METHOD.....</b>                                                 | <b>329</b> |
| <i>Seyyed Mostafa Nosratabadi ; Javad Modarresi</i>                                                                                                                                          |            |
| <b>RELIABLE ECONOMIC DISPATCH OF MICROGRIDS BY EXCHANGE MARKET<br/>ALGORITHM .....</b>                                                                                                       | <b>335</b> |
| <i>Pouya Pourghasem ; Farnaz Sohrabi ; Behnam Mohammadi-Ivatloo ; Mehdi Abapour</i>                                                                                                          |            |
| <b>SCHEDULING AND SITING OF STORAGES CONSIDERING POWER PEAK SHAVING AND<br/>LOSS REDUCTION BY EXCHANGE MARKET ALGORITHM .....</b>                                                            | <b>340</b> |
| <i>Tohid Khalili ; Amirreza Jafari ; Ebrahim Babaei</i>                                                                                                                                      |            |
| <b>STOCHASTIC ENERGY MANAGEMENT IN A PRACTICAL SMART MICROGRID IN<br/>DAVARZAN-IRAN CONSIDERING DEMAND RESPONSE WITH WIND AND PV POWER<br/>SCENARIOS.....</b>                                | <b>347</b> |
| <i>Seyyed Mostafa Nosratabadi ; Javad Modarresi</i>                                                                                                                                          |            |
| <b>THE ESTIMATION OF INERTIA AND LOAD DAMPING CONSTANTS USING PHASOR<br/>MEASUREMENT DATA .....</b>                                                                                          | <b>354</b> |
| <i>Amir Darbandsari ; Amirhossein Maroufkhani ; Turaj Amraee</i>                                                                                                                             |            |
| <b>UNIT COMMITMENT IN SMART GRIDS WITH WIND FARMS USING VIRUS COLONY<br/>SEARCH ALGORITHM AND CONSIDERING ADOPTED BIDDING STRATEGY .....</b>                                                 | <b>361</b> |
| <i>Hossein Shahinzadeh ; Gevork B. Gharehpetian ; Majid Moazzami ; Jalal Moradi ; Seyed Hossein Hosseinian</i>                                                                               |            |
| <b>VOLTAGE CONTROL IN SMART GRID USING T2FLS.....</b>                                                                                                                                        | <b>370</b> |
| <i>Yaser Khodayar ; Kamel Sabahi ; Amin Hajizadeh</i>                                                                                                                                        |            |
| <b>TWO NOVEL AOTSMC OF PHOTOVOLTAIC SYSTEM USING VSC MODEL IN SMART GRID .....</b>                                                                                                           | <b>375</b> |
| <i>Ali Soltani Sharif Abadi ; Pooyan Alinaghi Hosseiniabadi ; Saad Mekhilef</i>                                                                                                              |            |
| <b>Author Index</b>                                                                                                                                                                          |            |