

Charging & Infrastructure Symposium 2018

Held at AABC Europe 2018

Mainz, Germany
29 January – 1 February

ISBN: 978-1-5108-5902-9

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2018) by Cambridge EnerTech
All rights reserved.

Printed by Curran Associates, Inc. (2018)

For permission requests, please contact Cambridge EnerTech
at the address below.

Cambridge EnerTech
Cambridge Innovation institute
250 First Avenue
Suite 300
Needham, MA 02494
USA

Phone: 781-972-5400
Fax: 781-972-5425

ce@cambridgeenertech.com

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

PLENARY

VEHICLE ELECTRIFICATION: IS THE PATH TO MASS MARKET OPEN?	1
<i>M. Anderman</i>	
EU REGULATIONS: DRIVING ELECTROMOBILITY ... SLOWLY	20
<i>G. Archer</i>	
CAN CALIFORNIA AND THE FEDERAL GOVERNMENT GET ALONG?	30
<i>R. Bienenfeld</i>	
TRANSPORT REGULATIONS FOR LI-ION BATTERIES AND THE IMPACT ON THE AUTOMOTIVE MARKET	44
<i>P. Horner</i>	
WHAT'S THE NEXT STEP? PROPOSED & FORECASTED FUTURE CHANGES IN THE CHINESE XEV BATTERY MARKET	60
<i>H.-L. Lu</i>	
RENAULT EV BATTERY	69
<i>M. Origuchi</i>	

PRESENTATIONS

INCREASING THE INFLUENCE OF CO₂ EMISSIONS INFORMATION ON CAR PURCHASES	81
<i>R. Daziano</i>	
FAST CHARGING LI-ION BATTERY MARKET REVIEW 2017	94
<i>S. De-Leon</i>	
CHARIN E.V.– IS THE INFRASTRUCTURE AND THE STANDARD READY?	106
<i>M. Keller</i>	
XEV INDUSTRY TRENDS OF CHARGING & BATTERY SYSTEMS	117
<i>K. Konecky</i>	
NOVELTY SOLUTIONS IN OVER-CURRENT PROTECTION OF HVDC CIRCUIT OF BATTERY-POWERED ELECTRIC VEHICLE	132
<i>M. Koprivsek</i>	
GRID IMPACTS OF PLUG-IN ELECTRIC VEHICLE CHARGING INFRASTRUCTURE	140
<i>B. Carlson, C. Michelbacher</i>	

POSTERS

E-DUMPER: THE WORLD'S LARGEST ELECTRIC VEHICLE	152
<i>D. Aepli, M. Held, M. Stock, G. Rizzo, P. Affolter, A. Santis</i>	
CYLINDRICAL GRAPHITE/LIFEPO₄ COMMERCIAL BATTERIES CYCLED AT HIGH CURRENT DENSITIES STUDY BY POST MORTEM ANALYSIS	155
<i>E. Bekaert, E. Gucciardi, F. Aguess</i>	
TOWARDS HIGH SPECIFIC ENERGIES FOR LITHIUM-ION BATTERIES: OVERLITHIATED HIGH VOLTAGE SPINELS AS CATHODE MATERIAL	157
<i>J.-P. Brinkmann, L. Nowak, R. Schmuck, M. Winter, T. Placke</i>	
CORRELATION OF DEGRADATION AND THERMAL STABILITY OF DIFFERENT POSITIVE ACTIVE MATERIALS IN LITHIUM ION BATTERIES	159
<i>M. Borner, M. Eilers-Rethwisch, Y. Stenzel, J. Henschel, F. Schappacher, M. Winter</i>	
HIGH ACCURATE LITHIUM-ION BATTERY SOC ESTIMATION WITH DATA-DRIVEN BATTERY MODEL	161
<i>C. Xiao, G. Luo</i>	
RECENT ACHIEVEMENTS OF QUANTUM CHEMICAL SIMULATIONS: MATERIAL SCREENINGS, MATERIALS MORPHOLOGY AND DYNAMICS, ARTIFICIAL INTELLIGENCE	163
<i>M. Chęcinski, K. Stier</i>	
ANALYZING THE INFLUENCE OF EMISSION SAVINGS ON THE PURCHASE OF ENERGY EFFICIENT VEHICLES	164
<i>R. Daziano</i>	

A NOVEL SOLID NANOCOMPOSITE ELECTROLYTE FOR HIGH PERFORMANCE BATTERIES	165
<i>M. Debuquoy, M. Mees, X. Chen, K. Gandrud, B. Put, M. De Nooijer, J. Oudenhoven, K. Van Nieuwenhuysen, N. Hendrickx, N. Clerckx, A. Sagara, M. Murata, M. Tomiyama, M. Shimada, P. Vereecken</i>	
INTERMITTENT SLOT DIE COATING FOR LITHIUM-ION-BATTERY-APPLICATIONS	166
<i>R. Diehm, J. Kumberg, P. Scharfer, W. Schabel</i>	
TEMPERATURE GRADIENTS IN LITHIUM-ION BATTERIES DETERMINED BY IN-SITU ELECTROTHERMAL IMPEDANCE SPECTROSCOPY (ETIS)	167
<i>M. Dippon, M. Weiss, E. Ivers-Tiffée</i>	
A SMARTPHONE APPLICATION TO EVALUATE INDIVIDUAL OPPORTUNITIES FOR THE APPLICATION OF ELECTRIC VEHICLES	168
<i>P. Dost, C. Degner, C. Sourkounis</i>	
SORPTION EQUILIBRIUM AND DIFFUSIONAL RESISTANCE IN COMPOUNDS OF LI-ION BATTERIES	170
<i>J. Eser, P. Scharfer, W. Schabel</i>	
EFFECTIVE SUPPRESSION OF IRREVERSIBLE LI METAL DEPOSITS AT HIGH CHARGING RATES OF LOW TEMPERATURES INFLUENCED BY SEI PROPERTIES IN LITHIUM ION BATTERIES	171
<i>A. Friesen, M. Winter, F. Schappacher</i>	
ALL-SOLID-STATE LITHIUM-METAL SECONDARY BATTERY BASED ON A SULFIDE TYPE ELECTROLYTE	173
<i>S. Fujiki, Y. Aihara, N. Yashiro, N. Suzuki, R. Omoda, T. Shiratsuchi, Y. Park</i>	
ADAPTION OF PRODUCTION PROCESSES WITH NEXT GENERATION CELL TECH	174
<i>D. Gallus, M. Woland, N. Löffler, R. Hassoun, R. Stanek, M. Hackmann</i>	
EDLC LIFETIME HOLISTIC ESTIMATION FOR HEAVY-DUTY APPLICATIONS	176
<i>I. Gandiaga, E. Sarasketa-Zabala, X. Agirre, T. Nieva</i>	
ANALYZING THE PERFORMANCE LIMITATIONS OF A COMMERCIAL LITHIUM-ION BATTERY BY AN IMPEDANCE BASED CELL MODEL	178
<i>S. Gantenbein, M. Weiss, E. Ivers-Tiffée</i>	
PREPARATION AND CHARACTERIZATION OF GEL-TYPE ELECTROLYTES BASED ON POLYCARBONATE/LI-SALT-SYSTEMS	179
<i>A. Gerlitz, H.-D. Wiemhofer</i>	
EXPERIMENTS TO COMPARE DIFFERENT TRIGGERS OF THERMAL-RUNAWAY	181
<i>A. Golubkov, R. Panteu, B. Rasch, O. Korak, A. Thaler, V. Hacker</i>	
PROTECTION OF HIGH-VOLTAGE BATTERY SYSTEMS AGAINST WATER INGRESS AND CONDENSATION	182
<i>M. Harenbrock, S. Kunze, S. Niemeyer</i>	
APPROACH TOWARDS UNCERTAINTIES REGARDING ASSUMPTION-BASED REQUIREMENTS IN BATTERY SYSTEM DEVELOPMENT	183
<i>A. Haunreiter, A. Kampker, H. Heimes, C. Lienemann, S. Wessel</i>	
ADVANCED INTERFACE CHARACTERIZATION USING SURFACE SCIENCE METHODS: RECENT INSIGHTS FOR INTERFACES IN LIQUID AND SOLID ELECTROLYTE BASED CELLS	184
<i>R. Hausbrand, N. Schulz, T. Spaeth, M. Fingerle, C. Guhl, T. Ferber, W. Jaegermann</i>	
FROM E-SCOOTERS TO SOLAR POWER STORAGE - SECOND LIFE FOR USED BATTERIES	185
<i>M. Held, D. Aeppli</i>	
HEAT GENERATION OF A LITHIUM COIN CELL MEASURED WITH A DSC-LIKE BATTERY CALORIMETER	186
<i>D. Henriques</i>	
NANO-ACTIVE ELECTRODE MATERIALS	187
<i>P. Hodgson, M. Sceats, K. Majumder, T. Hills, Q. Song, P. Fennel, R. Gao, R. Tan, D. Macfarlane, M. Forsyth, P. Howlett</i>	
NUMERICAL SIMULATION OF LITHIUM ION BATTERIES AND CELLS	189
<i>L. Hollmotz, O. Schoeneich, S. Kott</i>	
DC RESISTANCE ANALYSIS BASED ON DISCHARGE CURVE ANALYSIS FOR LIFE PREDICTION OF LITHIUM-ION BATTERIES	190
<i>K. Honkura, M. Oda, T. Yamazoe, S. Makino, T. Okumura</i>	
INVESTIGATION OF WATER CONSUMPTION MECHANISM OF FLOODED-TYPE ISS BATTERIES TO BALANCE WITH CHARGE ACCEPTANCE	191
<i>D. Hosaka</i>	
HIGH DURABILITY OF LTO/NCM BATTERY FOR 14 V SYSTEM AT 80°C	193
<i>K. Hoshina, T. Kano, H. Watanabe, A. Sato, T. Sasakawa, M. Ishibashi, N. Takami</i>	

INFLUENCE OF HYDROCHLORIC ACID PROCESSING AND THE CURRENT COLLECTOR MATERIAL ON THE ELECTROCHEMICAL PERFORMANCE OF BINDER-FREE SILICON ANODES IN LITHIUM ION BATTERIES	194
<i>J. Huesker, R. Nolle, M. Winter, T. Placke</i>	
NONMECHANICAL RANGE EXTENDER FOR ELECTRIC VEHICLES.....	196
<i>E. Husam</i>	
ON THE IMPACT OF THE GRAPHITE ANODE IN PARALLEL CONNECTED LITHIUM-ION-BATTERIES: A CASE STUDY ON TESLA MODEL S 85 CELLS	197
<i>F. Hust, M. Niessen, X. Xu, D. Sauer</i>	
ESTER COMPOUNDS AS NOVEL AND ENVIRONMENTAL FRIENDLY SOLVENTS FOR ELECTROLYTES IN LI-ION BATTERIES.....	199
<i>J. Jirka, A. Buchheit, M. Gruenebaum, H.-D. Wiemhofer</i>	
DEEP EUTECTIC SOLVENTS, A VERSATILE ALTERNATIVE TO IONIC LIQUIDS IN IONOGEL-LIKE ELECTROLYTES.....	201
<i>B. Joos, T. Vranken, W. Marchal, M. Safari, A. Hardy, M. Van Bael</i>	
ELECTROTHERMAL AND 3D THERMAL MODEL FOR LITHIUM ION CAPACITORS.....	203
<i>S. Kakihara, J. Ronsmans, N. Omar, M. Soltani</i>	
ELECTROCHEMICAL PERFORMANCE OF CATION DISORDERED LI RICH LI-MN-O MATERIAL WITH NACL TYPE STRUCTURE.....	204
<i>R. Kataoka, N. Takeichi</i>	
INSIGHTS ABOUT THE VOLTAGE DECAY IN LITHIUM- AND MANGANESE-RICH CATHODE MATERIALS.....	205
<i>A. Kenkel, J. Wang, M. Winter, J. Li</i>	
INFLUENCE OF THE WEIGHT RATIO BETWEEN CATHODE CONDUCTIVE AND BINDER MATERIALS ON THE CAPACITY OF LI-ION BATTERIES.....	207
<i>C. Kim, J.-H. Lee, S.-M. Yun</i>	
THE EFFECT OF ELECTROLYTE ADDITIVES ON PERFORMANCE IMPROVEMENT OF HIGH VOLTAGE EDLC	208
<i>J.-H. Kim, R.-N. Lim, J.-S. Kim</i>	
MULTILAYERED ELECTRODES FOR LI-ION BATTERIES TO REDUCE DRYING TIME	209
<i>J. Kumberg, R. Diehm, C. Doerrer, J. Knack, C. Grosselindemann, P. Scharfer, W. Schabel</i>	
WHY SEPARATOR PORE SPACE CONNECTIVITY MATTERS FOR BATTERY OPERATION.....	210
<i>M. Lagadec, S. Muller, R. Zahn, V. Wood</i>	
HIGH CAPACITANCE HYBRID NANOMATERIALS FOR SUPERCAPACITORS ELECTRODES	212
<i>I. Larraza, M. Seara, A. Garcia, E. Pena, V. Blanco</i>	
REMOVE OF RESIDUAL LI COMPOUNDS ON NI-RICH NCM(=80%) BY ONE-POT TREATMENT SOLUTION.....	213
<i>C.-W. Lee, J.-S. Kim</i>	
SYNTHESIS AND ELECTROCHEMICAL PROPERTIES OF NA[X]CO[Y]O[Z] CATHODE ADDITIVES FOR NA-ION BATTERIES.....	214
<i>H.-J. Lee, S.-M. Lee, J.-S. Kim</i>	
EFFECTS OF MORPHOLOGY AND STRUCTURE OF SULFUR COMPOSITE ELECTRODE ON THE PERFORMANCE OF ALL-SOLID-STATE LI-S BATTERIES.....	215
<i>H.-T. Lim, H. Choi</i>	
EFFECT OF PROPYLENE CARBONATE AS CO-SOLVENT FOR IMPROVING LOW TEMPERATURE PERFORMANCE OF LITHIUM ION CAPACITORS	216
<i>R.-N. Lim, J.-H. Kim, J.-S. Kim</i>	
A LEAN MANAGEMENT APPROACH TO IMPROVE BATTERY DEVELOPMENT	217
<i>E. Loechl</i>	
THE STUDY ON SIZE EFFECT IN LAYERED STRUCTURE CATHODE MATERIAL FOR FAST CHARGE IN LIBS	219
<i>B.-C. Min, D.-J. Park, J.-S. Kim</i>	
STUDY OF BATTERY PERFORMANCE WITH HARDWARE IN THE LOOP SIMULATION OF HIGH POWER WORKING VEHICLES	220
<i>F. Mocera, E. Vergori, A. Soma</i>	
APPLICATION OF 2D MATERIALS AS ANODE ELECTRODES FOR ADVANCED NA OR LI ION-BATTERIES	222
<i>B. Mortazavi, T. Rabezuk</i>	
NANOSCALE IMAGING, QUANTIFICATION, AND MODELING OF MECHANICAL DEGRADATION IN LITHIUM-ION BATTERIES.....	223
<i>S. Muller, P. Pietsch, B.-E. Brandt, P. Baade, J. Eller, M. Ebner, C. Burns, D. Westhoff, J. Feinauer, V. De Andrade, F. Marone, M. Stampanoni, J. Dahn, V. Schmidt, F. De Carlo, V. Wood</i>	

A TWO-CHANNEL TRANSMISSION LINE MODEL FOR A QUANTITATIVE ANALYSIS OF LI-ION BATTERY ELECTRODE PERFORMANCE	225
<i>T. Mundloch, M. Weiss, A. Weber, E. Ivers-Tiffée</i>	
OPTIMIZATION OF CARBONACEOUS MATERIALS AND ELECTROLYTES FOR HIGH-RATE CAPACITOR APPLICATIONS	226
<i>R. Mysyk, N. Diez, E. Redondo, E. Goikolea, D. Carriazo</i>	
DETERMINATION OF AN EFFICIENT FORMATION STRATEGY – THE IMPACT OF DIFFERENT C-RATES	227
<i>P. Niehoff, L. Heitbaum, F. Schappacher, M. Winter</i>	
EFFECT OF HIGH STRENGTH CLAD FOIL ON CYCLE LIFE OF SIO ANODE	229
<i>Y. Nozawa, Y. Oda, R. Inoue, K. Masuda</i>	
SOLID ELECTROLYTE INTERPHASE FORMATION MODEL FOR LITHIUM-ION BATTERIES BASED ON STEM OBSERVATIONS AND DISCHARGE CURVE ANALYSIS	230
<i>M. Oda, K. Honkura, S. Terada, Y. Sugimasa, J. Kawaji, T. Okumura</i>	
INTERFACIAL AND MECHANICAL ISSUES IN ALL SOLID-STATE BATTERIES	231
<i>S. Ohno, W. Zhang, W. Zeier, J. Janek</i>	
EFFECT OF POLY-PYRROLE SURFACE MODIFICATION OF CATHODE ACTIVE MATERIALS FOR NA-ION BATTERIES	232
<i>A.-R. Park, J.-S. Kim, S.-M. Lee</i>	
IMPROVING CYCLE PERFORMANCE OF NI-RICH NCM POSITIVE ELECTRODE MATERIALS BY BORON DOPING	233
<i>D. Park, J.-S. Kim</i>	
DETERMINING THE UNCERTAINTY IN LITHIUM ION BATTERY MICRO-STRUCTURAL PARAMETERS EXTRACTED FROM TOMOGRAPHIC DATA	234
<i>P. Pietsch, M. Ebner, F.</i>	
DEGRADATION MECHANISMS OF ALL-SOLID-STATE BATTERIES	236
<i>F. Richter, W. Zeier, J. Janek</i>	
OXIDIC SOLID ELECTROLYTES AND THEIR CHALLENGES FOR ALL-SOLID-STATE BATTERIES	237
<i>R. Samsinger, M. Schneider, J. Schuhmacher, U. Peuchert, A. Roters</i>	
DEDUCTION OF AN EVALUATION PROCESS FOR THE OPTICAL CHARACTERIZATION OF THE MACROSCOPIC ELECTROLYTE DISTRIBUTION IN LITHIUM-ION BATTERIES	238
<i>A. Schilling, C. Schroeder, F. Dietrich, K. Droeder</i>	
PRODUCTION TECHNOLOGIES FOR SULFIDE- AND OXIDE-BASED ALL-SOLID-STATE BATTERIES	240
<i>J. Schnell, A. Hofer, N. Billot, C. Singer, F. Tietz, G. Reinhart</i>	
IMPROVED CYCLING PERFORMANCE OF SILICON/CARBON-ELECTRODES BY SURFACE MODIFICATION OF ACTIVE MATERIALS NAD NEUTRALIZATION OF POLY(ACRYLIC ACID)-BINDER	241
<i>V. Siozios, M. Heidbuchel, M. Ruttert, M. Winter, T. Placke</i>	
OPTIMIZATION OF SILICON ALLOY MATERIALS FOR LITHIUM ION BATTERIES	242
<i>D. Strand, K. Carroll, B. Li, Y. Zhu</i>	
PREPARATION AND CHARACTERIZATION OF A POLYETHYLENE OXIDE BASED COMPOSITE CATHODE	243
<i>B. Tessmer, A. Buchheit, H.-D. Wiemhofer</i>	
MANUFACTURING LOW COST NANO-COATINGS FOR HIGH PERFORMANCE BATTERY MATERIALS	245
<i>J. Trevey, P. Lichty, D. King, A. Dameron, B. Hughes</i>	
WEIGHT REDUCTION IN LITHIUM ION POUCH CELL AUTOMOTIVE BATTERY MODULES THROUGH THE USE OF FLEXIBLE GRAPHITE THERMAL MANAGEMENT MATERIALS	246
<i>B. Trimmer</i>	
EXTRUSION AND LASER DRYING TECHNOLOGIES IN THE MANUFACTURING OF ELECTRODES FOR LITHIUM-ION BATTERIES	247
<i>A. Vom Hemdt, A. Kampker, H. Heimes, S. Wessel, S. Tirumani, S. Kraus</i>	
VERSATILITY OF WET-CHEMICAL SYNTHESIS FOR LITHIUM ION BATTERY ELECTRODE MATERIALS	248
<i>T. Vranken, F. Ulu, D. De Sloovere, M. Safari, M. Van Bael, A. Hardy</i>	
HIKOMAT: MATERIAL DESIGN OF HIERARCHICAL STRUCTURED COMPOSITE MATERIALS FOR ELECTROCHEMICAL ENERGY STORAGE	249
<i>A. Wagner, M. Kamlah, J. Binder</i>	

HIGH VOLTAGE CHARGE/DISCHARGE PERFORMANCE OF ALL SOLID-STATE BATTERY USING LITHIUM ARGYRODITE SOLID ELECTROLYTE	250
<i>D. Washida, K. Yasuda, N. Miyashita, H. Ide, T. Takahashi, T. Mitsumoto, T. Ito, J. Omura</i>	
PROGRESSING THE DESIGN OF MATERIALS FOR ALL SOLID STATE BATTERIES THROUGH ATOMIC-SCALE MODELING	251
<i>R. Windiks, A. Mavromaras, B. Dron, E. Wimmer</i>	
DEVELOPMENT OF A COMBINED BATTERY SYSTEM TO ENHANCE ITS LIFE FOR EV	252
<i>S. Yamauchi, R. Chandra, T. Inoue, D. Komatsu, S. Makino</i>	
BCRLS-EKF-BASED PARAMETER IDENTIFICATION AND STATE-OF-CHARGE ESTIMATION APPROACH OF LITHIUM-ION POLYMER BATTERY IN ELECTRIC VEHICLES	253
<i>D. Yang, Z. Wang</i>	
AMPHI-CHARGE STORABLE PYROPOLYMERS WITH HIERARCHICAL PORE STRUCTURES FOR HYBRID SUPERCAPACITORS	254
<i>Y. Yun</i>	
HIGH PERFORMANCE LITHIUM SULFUR BATTERY	255
<i>G. Zheng, W. Tang, K. Loh, Y. Cui</i>	
INFLUENCE OF MORPHOLOGY - LFP/C NANOPARTICLE COMPOSITES AND THEIR FAST-CHARGING PERFORMANCE	256
<i>J. Ziegler, M. Froba</i>	
Author Index	