

Lithium Battery Chemistry Symposium 2018

Held at AABC Europe 2018

Mainz, Germany
29 January - 1 February 2018

ISBN: 978-1-5108-5907-4

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2018) by Cambridge EnerTech
All rights reserved.

Printed by Curran Associates, Inc. (2018)

For permission requests, please contact Cambridge EnerTech
at the address below.

Cambridge EnerTech
Cambridge Innovation institute
250 First Avenue
Suite 300
Needham, MA 02494
USA

Phone: 781-972-5400
Fax: 781-972-5425

ce@cambridgeenertech.com

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

PLENARY PRESENTATIONS

| | |
|---|----|
| Vehicle Electrification: Is the Path to Mass Market Open? | 1 |
| <i>Menahem Anderman</i> | |
| EU Regulations: Driving Electromobility ... Slowly | 20 |
| <i>Greg Archer</i> | |
| Can California and the Federal Government Get Along? The Future of GHG, CAFÉ and ZEV Regulations for Light-Duty Vehicles | 30 |
| <i>Robert Bienenfeld</i> | |
| Transport Regulations for Li-ion Batteries and the Impact on the Automotive Market | 44 |
| <i>Paul Horner</i> | |
| What's the Next Step? Proposed & Forecasted Future Changes in the Chinese xEV Battery Market | 60 |
| <i>Hsueh-lung Lu</i> | |
| RENAULT EV BATTERY | 69 |
| <i>Masato Origuchi</i> | |

PRESENTATIONS

| | |
|---|-----|
| Anode Materials for Sodium(-ion) Batteries and the „missing“ Sei in Case of Graphite | 81 |
| <i>Phillipp Adelhelm</i> | |
| 8 Years Advanced Research on Li-Air (O₂) Battery in the Toyota Group | 92 |
| <i>Barde Fanny</i> | |
| Alternative Battery Chemistries – Developments and Challenges | 105 |
| <i>Maximillian Fichter</i> | |
| Implications of Cycle Stability of Silicon Alloy Anodes on Driving Range, Costs and Business Models of Electric Vehicles | 124 |
| <i>Egbert Figgemeier</i> | |
| Towards a New Generation of Solid State Li Metal Rechargeable Batteries with Ionogel Electrolytes | 141 |
| <i>D. Guyonard, J. Le Bideau, B. Lestriez, D. Aidoud, P. E. Delannoy, A. Guyo-Lack, A. Etienne, D. Guy-Bouyssou, P. Soudan, T. Brousse, J. B. Ducros, J. Abusleme, E. Maire</i> | |
| Advances and Challenges in Multivalent Chemistries for Energy Storage | 162 |
| <i>Brian J. Ingram</i> | |
| Next Generation Low Weight Lithium Sulfur Batteries | 172 |
| <i>Stefan Kaskel</i> | |
| The Development of Solid State Batteries Through Combinatorial Synthesis and High Throughput Screening | 193 |
| <i>Brian E. Hayden, David Laughman, Christopher E. Lee</i> | |
| Developing High-Energy Rechargeable Lithium Metal and Lithium Sulfur Batteries | 202 |
| <i>Jun Liu</i> | |
| Electrolytes and Electrode Interphases in Lithium-Ion Batteries | 211 |
| <i>Brett L. Lucht</i> | |
| Solvay Last Developments of Electrolyte Ingredients for High Voltage Li-ion Batteries | 226 |
| <i>Thomas Mathivet</i> | |
| Silicon-dominant Anodes in Electromobility Chemistries for Extreme Fast Charge Capable Batteries | 238 |
| <i>Benjamin Park</i> | |
| The Challenging Path Towards Ca Metal Anode Based Batteries | 248 |
| <i>Alexandre Ponrouch</i> | |
| An Industrial View on Challenges of Solid Electrolytes for Solid State Batteries | 258 |
| <i>Andreas Roters</i> | |
| Surface Modifications of Li-Ion Battery Active Materials with Polymers for Improved Performance | 272 |
| <i>Nae-Lih Nuck Wu</i> | |

POSTER PRESENTERS

| | |
|---|-----|
| High Performance Lithium Sulfur Battery | 282 |
| <i>Wei Tang, Kian Ping Loh, Yi Cui, Guangyuan Wesley Zheng</i> | |
| Application of 2D Materials as Anode Electrodes for Advanced Na or Li Ion-Batteries | 283 |
| <i>Timon Rabczuk, Bohayra Mortazavi</i> | |
| Cylindrical Graphite/LiFePO₄ Commercial Batteries Cycled at High Current Densities Study by Post Mortem Analysis | 284 |
| <i>Emanuele Gucciardi, Frederic Aguesse, Emilie Bekaert</i> | |
| Optimization of Carbonaceous Materials and Electrolytes for High-Rate Capacitor Applications | 286 |
| <i>Noel Diez, E. Redondo, E. Goikolea, D. Carriazo</i> | |
| Analyzing the Influence of Emission Savings on the Purchase of Energy Efficient Vehicles | 287 |
| <i>Ricardo Daziano</i> | |
| The Effect of Electrolyte Additives on Performance Improvement of High Voltage EDLC | 288 |
| <i>Ra-Na Lim, Jeom-Soo Kim, Jun-Ho Kim</i> | |
| Remove of Residual Li Compounds on Ni-Rich NCM(≥80%) by One-Pot Treatment Solution | 289 |
| <i>Jeom-Soo Kim, Chang-Woo Lee</i> | |
| Synthesis and Electrochemical Properties of Na_xCo_yO_z Cathode Additives for Na-Ion Batteries | 290 |
| <i>Sang-Min Lee, Jeom-Soo Kim, Hyun-Ju Lee</i> | |
| Effect of Propylene Carbonate as Co-Solvent for Improving Low Temperature Performance of Lithium Ion Capacitors | 291 |
| <i>Jun-Ho Kim, Jeom-Soo Kim, Ra-Na Lim</i> | |
| The Study on Size Effect in Layered Structure Cathode Material for Fast Charge in LIBs | 292 |
| <i>Dong-Jun Park, Jeom-Soo Kim, Byeong-Cheol Min</i> | |
| Improving Cycle Performance of Ni-Rich NCM Positive Electrode Materials by Boron Doping | 293 |
| <i>Jeom-Soo Kim, Dong Jun Park</i> | |
| Effect of Poly-Pyrrole Surface Modification of Cathode Active Materials for Na-Ion Batteries | 294 |
| <i>Jeom-Soo Kim, Sang-Min Lee, A-Ram Park</i> | |
| E-Dumper: The World's Largest Electric Vehicle | 295 |
| <i>Marcel Held, Max Stöck, Gerhard Rizzo, Peter Affolter, Alejandro Santis, Daniel Aepli</i> | |
| Heat Generation of a Lithium Coin Cell Measured with a DSC-Like Battery Calorimeter | 298 |
| <i>Daniel Aepli, Marcel Held</i> | |
| Why Separator Pore Space Connectivity Matters for Battery Operation | 299 |
| <i>Marie Francine Legadec, Simon Muller, Raphael Zahn, Vanessa Wood</i> | |
| Nanoscale Imaging, Quantification, and Modeling of Mechanical Degradation in Lithium-Ion Batteries | 301 |
| <i>Simon Müller, Patrick Pietsch, Ben-Elias Brandt, Paul Baade, Jens Eller, Martin Ebner, Chris Burns, Daniel Westhoff, Julian Feinauer, Vincent De Andrade, Federica Marone, Marco Stampanoni, Jeff Dahn, Volker Schmidt, Francesco De Carlo, Vanessa Wood</i> | |
| Determining the Uncertainty in Lithium Ion Battery Micro-Structural Parameters Extracted from Tomographic Data | 303 |
| <i>Martin Ebner, Federica Marone, Marco Stampanoni, Vanessa Wood, Patrick Pietsch</i> | |
| Manufacturing Low Cost Nano-Coatings for High Performance Battery Materials | 305 |
| <i>Paul Lichty, David King, Arrelaine Dameron, Barbara Hughes, James Trevey</i> | |
| High Durability of LTO/NCM Battery for 14 V System at 80°C | 306 |
| <i>Keigo Hoshina, Tetsuro Kano, Hidetoshi Watanabe, Asako Sato, Tetsuya Sasakawa, Mitsuru Ishibashi, Norio Takami</i> | |
| Development of a Combined Battery System to Enhance Its Life for EV | 307 |
| <i>Rishi Chandra, Takeshi Inoue, Daiki Komatsu, Shigeki Makino, Shin Yamauchi</i> | |
| Effect of High Strength Clad Foil on Cycle Life of SiO Anode | 308 |
| <i>Yoshimitsu Oda, Ryouji Inoue, Kaoru Masuda, Yasuto Nozawa</i> | |
| Investigation of Water Consumption Mechanism of Flooded-Type ISS Batteries to Balance with Charge Acceptance | 309 |
| <i>Daisuke Hosaka</i> | |
| Solid Electrolyte Interphase Formation Model for Lithium-Ion Batteries Based on STEM Observations and Discharge Curve Analysis | 311 |
| <i>Kohei Honkura, Shohei Terada, Yuka Sugimasa, Jun Kawaji, Takefumi Okumura, Masanari Oda</i> | |
| Electrothermal and 3D Thermal Model for Lithium Ion Capacitors | 312 |
| <i>Jan Ronsmans, Noshin Omar, Mahdi Soltani, Shouji Kakihara</i> | |
| Temperature Gradients in Lithium-Ion Batteries Determined by In-Situ Electrothermal Impedance Spectroscopy (ETIS) | 313 |
| <i>Michael Weiss, Ellen Ivers-Tiffée, Michael Dippon</i> | |

| | |
|---|-----|
| Analyzing the Performance Limitations of a Commercial Lithium-Ion Battery by an Impedance Based Cell Model | 314 |
| <i>Michael Weiss, Ellen Ivers-Tiffée, Sophia Gantenbein</i> | |
| A Two-Channel Transmission Line Model for a Quantitative Analysis of Li-Ion Battery Electrode Performance | 315 |
| <i>Michael Weiss, Andre Weber, Ellen Ivers-Tiffée, Timo Mundloch</i> | |
| Experiments to Compare Different Triggers of Thermal-Runaway | 316 |
| <i>Rene Planteu, Bernhard Rasch, Oliver Korak, Alexander Thaler, Viktor Hacker, Andrey W. Golubkov</i> | |
| Protection of High-Voltage Battery Systems Against Water Ingress and Condensation | 317 |
| <i>Stefan Kunze, Stephan Niemeyer, Michael Harenbrock</i> | |
| Nano-Active Electrode Materials | 318 |
| <i>Philip Hodgson, Mark Sceats, Khokan Majumder, Tom Hills, Qilei Song, Paul Fenne, Rontan Gao, Rui Tan, Douglas Macfarlane, Maria Forsyth, Patrick Howlett</i> | |
| High Voltage Charge/Discharge Performance of All Solid-State Battery Using Lithium Argyrodite Solid Electrolyte | 320 |
| <i>Kiyotaka Yasuda, Norihiko Miyashita, Hitohiko Ide, Tsukasa Takahashi, Tetsuya Mitsumoto, Takahiro Ito, Jun Omura, Daisuke Washida</i> | |
| A Lean Management Approach to Improve Battery Development | 321 |
| <i>Emanuel Loechl</i> | |
| Electrochemical Performance of Cation Disordered Li Rich Li-Mn-O Material with NaCl Type Structure | 323 |
| <i>Nobuhiko Takeichi, Riki Kataoka</i> | |
| Adaption of Production Processes with Next Generation Cell Tech | 324 |
| <i>Markus Woland, Nicholas Löffler, Ryan Hassoun, Robert Stanek, Markus Hackmann, Dennis Gallus</i> | |
| On the Impact of the Graphite Anode in Parallel Connected Lithium-Ion-Batteries: A Case Study on Tesla Model S 85 Cells | 326 |
| <i>Markus Niessen, Xinya Xu, Dirk Uwe Sauer, Friedrich Emanuel Hust</i> | |
| All-Solid-State Lithium-Metal Secondary Battery Based on a Sulfide Type Electrolyte | 328 |
| <i>Yuichi Aihara, Nobuyoshi Yashiro, Naoki Suzuki, Ryo Omoda, Tomoyuki Shiratsuchi, Youngsin Park, Satoshi Fujiki</i> | |
| Deduction of an Evaluation Process for the Optical Characterization of the Macroscopic Electrolyte Distribution in Lithium-Ion Batteries | 329 |
| <i>Christian Schroeder, Franz Dietrich, Klaus Droeder, Antje Schilling</i> | |
| Advanced Interface Characterization Using Surface Science Methods: Recent Insights for Interfaces in Liquid and Solid Electrolyte Based Cells | 331 |
| <i>Natalia Schulz, Thomas Spaeth, Mathias Fingerle, Conrad Guhl, Thimo Ferber, Wolfram Jaegermann, Rene Hausbrand</i> | |
| Influence of Hydrochloric Acid Processing and the Current Collector Material on the Electrochemical Performance of Binder-Free Silicon Anodes in Lithium Ion Batteries | 332 |
| <i>Jessica Huesker, Roman Nolle, Martin Winter, Tobias Placke</i> | |
| Influence of Morphology - LFP/C Nanoparticle Composites and Their Fast-Charging Performance | 334 |
| <i>Michael Fröba, Julia Ziegler</i> | |
| Towards High Specific Energies for Lithium-Ion Batteries: Overlithiated High Voltage Spinel as Cathode Material | 335 |
| <i>Jan-Paul Brinkmann, Laura Nowak, Richard Schmuck, Martin Winter, Tobias Placke, Johannes Betz</i> | |
| Correlation of Degradation and Thermal Stability of Different Positive Active Materials in Lithium Ion Batteries | 337 |
| <i>M. Eilers-Rethwisch, Y. P. Stenzel, J. Henschel, F. M. Schappacher, M. Winter, Markus Börner</i> | |
| Effective Suppression of Irreversible Li Metal Deposits at High Charging Rates or Low Temperatures Influenced by SEI Properties in Lithium Ion Batteries | 339 |
| <i>Martin Winter, Falko M. Schappacher, Alex Friesen</i> | |
| From E-Scooters to Solar Power Storage - Second Life for Used Batteries | 341 |
| <i>Marcel Held, Daniel Aeppli</i> | |
| Insights About the Voltage Decay in Lithium- and Manganese-Rich Cathode Materials | 342 |
| <i>J. Wang, M. Winter, J. Li, Alexander Kenkel</i> | |
| Determination of an Efficient Formation Strategy – The Impact of Different C-Rates | 344 |
| <i>L. Heitbaum, F. Schappacher, M. Winter, Philip Niehoff</i> | |
| Improved Cycling Performance of Silicon/Carbon-Electrodes by Surface Modification of Active Materials and Neutralization of Poly(Acrylic Acid)-Binder | 346 |
| <i>Marcel Heidebüchel, Mirco Ruttert, Martin Winter, Tobias Placke, Vassilios Sizios</i> | |
| High Accurate Lithium-Ion Battery SOC Estimation with Data-Driven Battery Model | 347 |
| <i>Guangzhao Luo, Xiao Cai</i> | |

| | |
|---|-----|
| BCRLS-EKF-Based Parameter Identification and State-of-Charge Estimation Approach of Lithium-Ion Polymer Battery in Electric Vehicles | 349 |
| <i>Zhifu Wang, Deqiang Yang</i> | |
| A Novel Solid Nanocomposite Electrolyte for High Performance Batteries | 350 |
| <i>M. Mees, X. Chen, K. B. Gandrud, B. Put, M. C. De Nooijer, J. F. M. Oudenhoven, K. Van Nieuwenhuysen, N. Hendrickx, N. Clerckx, A. Sagara, M. Murata, M. Tomiyama, M. Shimada, P. M. Vereecken, Maarten Debuquoy</i> | |
| Oxidic Solid Electrolytes and Their Challenges for All-Solid-State Batteries | 351 |
| <i>Meike Schneider, Joerg Schuhmacher, Ulrich Peuchert, Andreas Roters, Rolf Samsinger</i> | |
| Preparation and Characterization of Gel-Type Electrolytes Based on Polycarbonate/Li-Salt-Systems | 352 |
| <i>Hans-Dieter Wiemhöfer, Anna Gerlitz</i> | |
| Ester Compounds as Novel and Environmental Friendly Solvents for Electrolytes in Li-Ion Batteries | 354 |
| <i>Annika Buchheit, Mariano Gruenebaum, Hans-Dieter Wiemhöfer, Jonas Jirka</i> | |
| Preparation and Characterization of a Polyethylene Oxide Based Composite Cathode | 356 |
| <i>Annika Buchheit, Hans-Dieter Wiemhöfer, Britta Tessmer</i> | |
| Numerical Simulation of Lithium Ion Batteries and Cells | 358 |
| <i>Oliver Schoeneich, Silvio Kott, Lars Hollmoltz</i> | |
| Recent Achievements of Quantum Chemical Simulations: Material Screenings, Materials Morphology and Dynamics, Artificial Intelligence | 359 |
| <i>Kenta Stier, Marek Checinski</i> | |
| HiKoMat: Material Design of Hierarchical Structured Composite Materials for Electrochemical Energy Storage | 360 |
| <i>M. Kamlah, J. R. Binder, Amalia Wagner</i> | |
| Influence of the Weight Ratio Between Cathode Conductive and Binder Materials on the Capacity of Li-Ion Batteries | 361 |
| <i>Jung-Hoon Lee, Seong-Min Yun, Cheol Kim</i> | |
| Progressing the Design of Materials for All Solid State Batteries Through Atomic-Scale Modeling | 362 |
| <i>Alexander Mavromaras, Brian Dron, Erich Wimmer, Rene Windiks</i> | |
| Extrusion and Laser Drying Technologies in the Manufacturing of Electrodes for Lithium-Ion Batteries | 363 |
| <i>Achim Kampker, Heiner Heimes, Saskia Wessel, Sagar Tirumani, Stefan Kraus, Ansgar Vom Hemdt</i> | |
| Production Technologies for Sulfide- and Oxide-Based All-Solid-State Batteries | 364 |
| <i>Andreas Hofer, Nicolas Billot, Celestine Singer, Frank Tietz, Gunther Reinhart, Joscha Schnell</i> | |
| Deep Eutectic Solvents, a Versatile Alternative to Ionic Liquids in Ionogel-Like Electrolytes | 365 |
| <i>Thomas Vranken, Wouter Marchal, Momo Safari, An Hardy, Marlies Van Bael, Bjorn Joos</i> | |
| Versatility of Wet-Chemical Synthesis for Lithium Ion Battery Electrode Materials | 367 |
| <i>Fulya Ulu, Dries De Sloovere, Mohammadhosein Safari, Marlies K. Van Bael, An Hardy, Thomas Vranken</i> | |
| Optimization of Silicon Alloy Materials for Lithium Ion Batteries | 368 |
| <i>Kyler Carroll, Bin Li, Ye Zhu, Dee Strand</i> | |
| Effects of Morphology and Structure of Sulfur Composite Electrode on the Performance of All-Solid-State Li-S Batteries | 369 |
| <i>Han Ul Choi, Hyung-Tae Lim</i> | |
| Interfacial and Mechanical Issues in All Solid-State Batteries | 370 |
| <i>Wenbo Zhang, Wolfgang G. Zeier, Juergen Janek, Saneyuki Ohno</i> | |
| Degradation Mechanisms of All-Solid-State Batteries | 371 |
| <i>Wolfgang G. Zeier, Juergen Janek, Felix H. Richter</i> | |
| EDLC Lifetime Holistic Estimation for Heavy-Duty Applications | 372 |
| <i>Elixabet Sarasketa-Zabala, Xabier Agirre, Txomin Nieva, Inigo Gandiaga</i> | |
| Weight Reduction in Lithium Ion Pouch Cell Automotive Battery Modules Through the Use of Flexible Graphite Thermal Management Materials | 374 |
| <i>Bret A. Trimmer</i> | |
| Amphi-Charge Storable Pyropolymers with Hierarchical Pore Structures for Hybrid Supercapacitors | 375 |
| <i>Young Soo Yun</i> | |
| Intermittent Slot Die Coating for Lithium-Ion-Battery-Applications | 376 |
| <i>Jana Kumberg, Philip Scharfer, Wilhelm Schabel, Ralf Diehm</i> | |
| Sorption Equilibrium and Diffusional Resistance in Compounds of Li-Ion Batteries | 377 |
| <i>Philip Scharfer, Wilhelm Schabel, Jochen Eser</i> | |
| Multilayered Electrodes for Li-Ion Batteries to Reduce Drying Time | 378 |
| <i>R. Diehm, C. Doerrerr, J. Knack, C. Grosseindemann, P. Scharfer, W. Schabel, Jana Kumberg</i> | |
| High Capacitance Hybrid Nanomaterials for Supercapacitors Electrodes | 379 |
| <i>Maria Seara, Alejandra Garcia, Elisa Peña, Victor Blanco, Inigo Larraza</i> | |

| | |
|---|-----|
| Study of Battery Performance with Hardware in the Loop Simulation of High Power Working Vehicles | 380 |
| <i>Elena Vergori, Aurelio Somà, Francesco Mocera</i> | |
| A Smartphone Application to Evaluate Individual Opportunities for the Application of Electric Vehicles | 382 |
| <i>Christoph Degner, Constantinos Sourkounis, Philip Dost</i> | |
| Approach Towards Uncertainties Regarding Assumption-Based Requirements in Battery System Development | 384 |
| <i>Achim Kampker, Heiner Heimes, Christoph Lienemann, Saskia Wessel, Andreas Haunreiter</i> | |
| Nonmechanical Range Extender for Electric Vehicles | 385 |
| <i>Elif Hüsam</i> | |
| DC Resistance Analysis Based on Discharge Curve Analysis for Life Prediction of Lithium-Ion Batteries | 386 |
| <i>Kohei Honkura, Masanari Oda, Takanori Yamazoe, Shigeki Makino, Takefumi Okumura</i> | |
| Author Index | |