

# **2018 Australian Microwave Symposium (AMS 2018)**

**Brisbane, Australia  
6 – 7 February 2018**



**IEEE Catalog Number: CFP18AWF-POD**  
**ISBN: 978-1-5386-2569-9**

**Copyright © 2018 by the Institute of Electrical and Electronics Engineers, Inc.  
All Rights Reserved**

*Copyright and Reprint Permissions:* Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

***\*\*\* This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

|                         |                   |
|-------------------------|-------------------|
| IEEE Catalog Number:    | CFP18AWF-POD      |
| ISBN (Print-On-Demand): | 978-1-5386-2569-9 |
| ISBN (Online):          | 978-1-5386-2568-2 |

**Additional Copies of This Publication Are Available From:**

Curran Associates, Inc  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: (845) 758-0400  
Fax: (845) 758-2633  
E-mail: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

CURRAN ASSOCIATES INC.  
**proceedings**  
.com

# Table of Content

| Paper ID | Paper Title                                                                                                                                           | Author                                                             | Page(s) |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|---------|
| AMS-01   | Detection Error Rate Analysis using Coloured noise for the Movement of Chipless RFID Tag                                                              | M. A. Bibile<br>N. A. Karmakar                                     | 1 - 2   |
| AMS-02   | SAR for Grape Bunch Detection in Vineyards                                                                                                            | K. W. Eccleston<br>I. G. Platt<br>A. E.-C. Tan                     | 3 - 4   |
| AMS-03   | A Wideband Base Station Antenna with Stable Radiation Pattern                                                                                         | H. Sun<br>C. Ding<br>T. Yang<br>Y. J. Guo<br>P. Qin                | 5 - 6   |
| AMS-05   | Photonics-Enabled Innovations in RF Engineering                                                                                                       | L. Zhuang<br>Y. Xie<br>A. J. Lowery                                | 7 - 8   |
| AMS-06   | An estimating equation without using a short termination for dielectric measurement in liquids via the open-ended cut-off waveguide reflection method | K. Shibata                                                         | 9 - 10  |
| AMS-07   | Low-profile Monopole Antenna with Vialess Shorting                                                                                                    | K. Paramayudha<br>S. J. Chen<br>W. Withayachumnankul<br>C. Fumeaux | 11 - 12 |
| AMS-08   | Orthogonal Coaxial to Suspended Substrate Transition for K Band Operation                                                                             | Y. Wang<br>E. Oliver<br>J. Ness<br>A. M. Abbosh                    | 13 - 14 |
| AMS-09   | Surface Curvature Correction in Microwave Tomography                                                                                                  | S. Patil<br>T. C. Baum<br>C. Y. Lai<br>K. J. Nicholson             | 15 - 16 |
| AMS-12   | A Cavity Triple-Mode Filter with Excitation of L-shape Model                                                                                          | J.-Y. Lin<br>M. Li<br>S.-W. Wong<br>Y. Yang<br>X. Zhu              | 17 - 18 |
| AMS-13   | A Novel Connected PIFA Array with MIMO Configuration for 5G Mobile Applications                                                                       | M. Ikram<br>Y. Wang                                                | 19 - 20 |

|        |                                                                                             |                                                                                 |         |
|--------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|---------|
|        |                                                                                             | M. S. Sharawi<br>A. M. Abbosh                                                   |         |
| AMS-15 | A Balanced 28 to 47 GHz GaAs Pre-Amplifier                                                  | L. E. Milner<br>M. E. Parker<br>M. C. Heimlich                                  | 21 - 22 |
| AMS-18 | Transformer Balun design in Gallium Arsenide and Silicon Germanium processes                | S. Chakraborty<br>L. E. Milner<br>A. Parker<br>M. C. Heimlich                   | 23 - 24 |
| AMS-19 | Modal Analysis of Transmission Lines Periodically Loaded with Semi-Lumped Resonators        | A. Ebrahimi<br>J. Scott<br>K. Ghorbani                                          | 25 - 26 |
| AMS-20 | Reconfigurable Shorted Patch Antenna with Polarization and Pattern Diversity                | N. Nguyen-Trong<br>A. T. Mobashsher<br>A. M. Abbosh                             | 27 - 28 |
| AMS-21 | Wideband Circularly Polarized Reconfigurable Crossed Dipole Antenna                         | N. Nguyen-Trong<br>H. H. Tran<br>C. Park<br>A. M. Abbosh                        | 29 - 30 |
| AMS-22 | Metallic and Dielectric Resonators in Broadband Half-Wave Mirrors for Terahertz Frequencies | W. S. L. Lee<br>M. Bhaskaran<br>S. Sriram<br>C. Fumeaux<br>W. Withayachumnankul | 31 - 32 |
| AMS-23 | Accurate Permittivity Measurement of PTFE                                                   | S. Burger<br>W. Taute<br>M. Hoeft                                               | 33 - 34 |
| AMS-26 | Base Station Antenna Element with Simple Structure but Excellent Performance                | H. Sun<br>C. Ding<br>T. S. Bird<br>Y. J. Guo                                    | 35 - 36 |
| AMS-27 | Gold-compensated High Resistivity Silicon as Low-loss Microwave Substrate                   | N. Z. Hashim<br>C. H. de Groot                                                  | 37 - 38 |
| AMS-33 | Analysis of Low-Frequency Noise Characterisation Set-up for Electronic Devices              | J. T. Hodges<br>M. C. Heimlich<br>S. Khandelwal                                 | 39 - 40 |

|        |                                                                                                        |                                                              |         |
|--------|--------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|---------|
| AMS-35 | Improving MIMO Multiplexing for mmWave Static Links                                                    | I. S. Z. Abidin<br>T. W. C. Brown                            | 41 - 42 |
| AMS-36 | Development of 4th Order Optimized Debye Model for the Human Head Tissues at the Sub-1GHz              | M. Manoufali<br>S. A. R. Naqvi<br>A. M. Abbosh               | 43 - 44 |
| AMS-39 | Vertically Directed Microwave Radiation from a Floating Hemispherical Antenna                          | Z. M. Loni<br>H. G. Espinosa<br>D. V. Thiel                  | 45 - 46 |
| AMS-40 | Microwave split-ring resonator array for imaging of near-surface material defects                      | A. Trakic<br>Y. Wang<br>D. Foster<br>A. M. Abbosh            | 47 - 48 |
| AMS-44 | Wideband Tunable Reflection-type Phase Shifter Using High-Directivity Directional Coupler              | H. Zhu<br>A. M. Abbosh                                       | 49 - 50 |
| AMS-46 | Bandwidth Enhanced Dual-Band Half-Mode Substrate-Integrated Cavity                                     | S. Pinapati<br>D. Ranasinghe<br>C. Fumeaux                   | 51 - 52 |
| AMS-48 | The Effect of Thin Insulating Layers on Surface Fields from a 433MHz Transmitter Inside the Human Body | J. Singh<br>H. G. Espinosa<br>D. V. Thiel                    | 53 - 54 |
| AMS-49 | Broadband On-Chip Bandpass Filter using Ring Resonator with Capacitive Loading                         | M. Li<br>Y. X. Cai<br>M. G. Bautista<br>Y. Yang<br>X. Zhu    | 55 - 56 |
| AMS-52 | A Low Phase Noise VCO Employing Tunable Stubs Loaded Nested Split-Ring Resonator                       | Z. Cai<br>J. Lin<br>T. Zhang<br>Y. Yang<br>Y. Liu<br>X. Tang | 57 - 58 |
| AMS-53 | Design of Voltage-Controlled Oscillator with Compact Size and Wide Tuning Range                        | T. Zhang<br>J. Lin<br>J. Bao<br>Z. Cai<br>Y. Yang            | 59 - 60 |
| AMS-54 | Highly Efficient Graphite Antennas for Conformal Applications                                          | S. J. Chen                                                   | 61 - 62 |

C. Fumeaux

|        |                                                                                                                 |                                                                                      |         |
|--------|-----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------|
| AMS-55 | Microwave Conductivity Measurements of a Graphene Monolayer over D-Band                                         | F. Majeed<br>T. Fickenscher<br>M. Shahpari<br>D. V. Thiel                            | 63 - 64 |
| AMS-56 | A High Gain Radial Line Slot Array Antenna For Satellite Reception                                              | Mst. N. Y. Koli<br>M. U. Afzal<br>K. Esselle<br>M. Z. Islam                          | 65 - 66 |
| AMS-58 | Microwave Measurements in Cured Concrete – Experiment and Modelling                                             | A. A. Emelyanenko<br>J.-H. Doh<br>H. G. Espinosa<br>D. V. Thiel                      | 67 - 68 |
| AMS-59 | Simulation of S- and L-Band FSS Reflector Antenna                                                               | G. Catton<br>H. G. Espinosa<br>A. Dewani<br>S. G. O’Keefe                            | 69 - 70 |
| AMS-60 | Analysis on Electrical Breakdown in OFDM Systems                                                                | C. Phok<br>A. Neild<br>D. Pelz<br>J. Armstrong                                       | 71 - 72 |
| AMS-61 | Compact Feeding Structure for Standard Waveguide and Substrate Integrated Waveguide Arrays                      | S. Sheel<br>J. C. Coetzee                                                            | 73 - 74 |
| AMS-65 | A Reconfigurable Antenna with Three Radiation Patterns for Portable Multi-slice Electromagnetic Imaging Systems | A. T. Mobashsher<br>A. M. Abbosh                                                     | 75 - 76 |
| AMS-70 | Changes in Epidermal Dielectric Properties Due to Skin Cancer Across the Band 1 to 50 GHz                       | B. J. Mohammed<br>S. A. R. Naqvi<br>M. Manoufali<br>K. S. Bialkowski<br>A. M. Abbosh | 77 - 78 |
| AMS-71 | Flexible Quasi-Yagi Antenna Arrays for Wearable Electromagnetic Head Imaging Based on Polymer Technology        | A. S. M. Alqadami<br>K. Bialkowski<br>A. M. Abbosh                                   | 79 - 80 |
| AMS-74 | Millimeter-wave Substrate Integrated Waveguide Probe for Near-Field Skin Cancer Detection                       | G. Mansutti<br>A. T. Mobashsher<br>A. M. Abbosh                                      | 81 - 82 |

|        |                                                                                                       |                                                                 |         |
|--------|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|---------|
| AMS-75 | Fast Onsite Electromagnetic Imaging Method for Medical Applications                                   | A. Afsari<br>A. M. Abbosh                                       | 83 - 84 |
| AMS-76 | Interference analysis of Multiple In-Road Readers                                                     | L. Zhang<br>K. S. Bialkowski<br>A. J. Pretorius<br>A. M. Abbosh | 85 - 86 |
| AMS-77 | Compact Stepped Slot Antenna with Unidirectional Radiation for Animal Head Imaging System             | B.J. Mohammed<br>K. S. Bialkowski<br>A. M. Abbosh               | 87 - 88 |
| AMS-78 | Conformal Array-based Directional Antenna System for Biomedical Applications                          | G. Mansutti<br>A. T. Mobashsher<br>A. M. Abbosh                 | 89 - 90 |
| AMS-79 | The Effects of Frequency Variation on The Induced Fields of Transcranial Magnetic Stimulation Systems | R. A. Yosef<br>A. T. Mobashsher<br>A. M. Abbosh                 | 91 - 92 |
| AMS-81 | Antenna gain in a Millimetre-Wave Multipath Environment                                               | S. Dahal<br>S. Ahmed<br>H. King<br>M. Faulkner                  | 93 - 94 |