

28th International Conference on Low Temperature Physics (LT28)

Journal of Physics: Conference Series Volume 969

Gothenburg, Sweden
9 - 16 August 2017

Editors:

**Jonas Bylander
Tomas Lofwander
Maciej Misiorny**

ISBN: 978-1-5108-6236-4
ISSN: 1742-6588

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2017) by the Institute of Physics
All rights reserved. The material featured in this book is subject to
IOP copyright protection, unless otherwise indicated.

Printed by Curran Associates, Inc. (2018)

For permission requests, please contact the Institute of Physics
at the address below.

Institute of Physics
Dirac House, Temple Back
Bristol BS1 6BE UK

Phone: 44 1 17 929 7481
Fax: 44 1 17 920 0979

techtracking@iop.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

Table of contents

Volume 969

28th International Conference on Low Temperature Physics (LT28)

9–16 August 2017, Gothenburg, Sweden

Accepted papers received: 13 February 2018

Published online: 19 April 2018

Preface

[28th International Conference on Low Temperature Physics \(LT28\)](#)

[28th International Conference on Low Temperature Physics \(LT28\)](#)

[28th International Conference on Low Temperature Physics \(LT28\)](#)

[Peer review statement](#)

Papers

Quantum fluids and solids

[Probing the dynamics of \$^3\text{He}\$ atoms adsorbed on MCM-41 with pulsed NMR](#)

C. Huan, N. Masuhara, J. Adams, M. Lewkowitz and N. S. Sullivan.....1

[Observation of the spiral flow and vortex induced by a suction pump in superfluid \$^4\text{He}\$](#)

H Yano, K Ohyama, K Obara and O Ishikawa.....6

[Strongly Interacting Multi-component Fermions: From Ultracold Atomic Fermi Gas to Asymmetric Nuclear Matter in Neutron Stars](#)

Hiroyuki Tajima, Tetsuo Hatsuda and Yoji Ohashi.....11

Decay of grid turbulence in superfluid helium-4: Mesh dependence

J Yang and G G Ihias.....17

Torsional Oscillator Measurements of Liquid ^4He Confined in 2.5-nm Channel of FSM

Kento Taniguchi, Junko Taniguchi and Masaru Suzuki.....23

Recombination of radiation defects in solid methane: neutron sources and cryo-volcanism on celestial bodies

O. Kirichek, E.V. Savchenko, C.R. Lawson, I.V. Khyzhniy, D.M. Jenkins, S.A. Uyutnov, M.A. Bludov and D.J. Haynes.....28

Luminescence of molecular nitrogen nanoclusters containing stabilized nitrogen, oxygen, hydrogen, and deuterium atoms

P T McColgan, A Meraki, R E Boltnev, S Sheludiakov, D M Lee and V V Khmelenko.....34

Low-temperature hydrogen absorption into V and Nb metals from liquid hydrogen

H Takata, K Ienaga, M Shiga, Md S Islam, Y Inagaki, H Tsujii, K Hashizume and T Kawae.....40

Onsager vortex formation in two-component Bose–Einstein condensates in two-dimensional traps

Junsik Han and Makoto Tsubota.....46

Two-parameter boundary condition applied to transverse acoustic impedance of a Fermi liquid

J. A. Kuorelahti and E. V. Thuneberg.....52

Decoupling of Solid ^4He Layers under the Superfluid Overlayer

Kenji Ishibashi, Jo Hiraide, Junko Taniguchi and Masaru Suzuki.....58

Pairing fluctuations in a strongly interacting two-dimensional Fermi gas

Morio Matsumoto, Ryo Hanai, Daisuke Inotani and Yoji Ohashi.....63

Specific heat and effects of strong pairing fluctuations in a superfluid Fermi atom gas in the BCS-BEC crossover region

Pieter van Wyk, Daisuke Inotani and Yoji Ohashi.....69

Analysis of Bose system in spin-orbit coupled Bose-Fermi mixture to induce a spin current of fermions

R Sakamoto, Y Ono, R Hatsuda, K Shiina, E Arahata and H Mori.....75

Thermophysical and Heat transfer Characteristics of R134a-TiO₂ Nanorefrigerant: A Numerical Investigation

S S Sanukrishna, Nabeel Ajmal and M Jose Prakash.....81

Dynamics of vortex lattice formation in rotating two-component Bose-Einstein condensates

Toshiaki Kanai and Makoto Tsubota.....87

Closed-channel contribution in the BCS-BEC crossover regime of an ultracold Fermi gas with an orbital Feshbach resonance

S Mondal, D Inotani and Y Ohashi.....93

Coalescence of Multielectron Bubbles in Liquid Helium

Vaisakh Vadakkumbatt and Ambarish Ghosh.....99

Superfluidity of ⁴He in dense aerogel studied using quartz tuning fork

K Matsumoto, R Okamoto, A Nakajima and S Abe.....104

Correlation of Hall and Shubnikov-de Haas Oscillations and Impurity States in *Sn*- and *I*-Doped Single Crystals p-Bi₂Te₃

M Z Tahar, D I Popov and S A Nemov.....110

Electron spectra of graphene with local and extended defects

V.V. Eremenko, V.A. Sirenko, I.A. Gospodarev, E.S. Syrkin, S.B. Feodosyev, I.S. Bondar, K.A. Minakova and A. Feher.....116

Superconductivity

Impurity states in mesoscopic SNS junctions with a point defect

A. A. Bepalov and A. S. Mel'nikov.....122

Coexistence of topological charge density waves and superconductivity in a two-dimensional topological superconductor

K. Tanaka, Yuki Nagai, S. L. Goertzen and Evan D. B. Smith.....127

Fe-impurity-induced magnetic excitations in heavily over-doped La_{1.7}Sr_{0.3}Cu_{0.95}Fe_{0.05}O₄

K. Ikeuchi, T. Kikuchi, K. Nakajima, R. Kajimoto, S. Wakimoto and M. Fujita.....133

Electrical transport properties of epitaxial titanium nitride nanowire

K Makise and B Shinozaki.....138

Superconductor-Insulator transition in sputtered amorphous MoRu and MoRuN thin films

K Makise, B Shinozaki and F Ichikawa.....142

Superconducting state in (Eu_{1-x}Ca_x)RbFe₄As₄ with 1144-type Structure

K. Kawashima, S. Ishida, K. Oka, H. Kito, N. Takeshita, H. Fujihisa, Y. Gotoh, K. Kihou, H. Eisaki, Y. Yoshida and A. Iyo.....148

Possibility of Cooper-pair formation controlled by multi-terminal spin injection

K Ohnishi, M Sakamoto, M Ishitaki and T Kimura.....153

The electrical resistance of gold-capped chromium thin films

Masashi Ohashi, Masaki Sawabu, Kohei Ohashi, Masahiro Miyagawa, Kae Maeta, Takahide Kubota and Koki Takanashi.....160

Electrical Transport between Superconducting Niobium and a Zinc-Oxide-based Electric Double-layer Transistor

T Narita, H Takayanagi and R Ishiguro.....165

Different electronic states at crystallographically inequivalent CuO₂ planes on four-layered cuprates HgBa₂Ca₃Cu₄O_{10+δ}

R Sekine, S Nakayama, A Tsukada, S J Denholme, N Miyakawa and K Tokiwa.....170

Transport Properties of the Layered Transition Metal Oxypnictide Sr₂ScCo_{1-x}Fe_xPO₃ with Fe-doped Co_{1-x}Fe_xP layers

S Okada, Y Kamihara, N Ohkubo, S Ban and M Matoba.....176

Ruderman-Kittel interaction between Si in URu₂Si₂

S. Kambe, T. Hattori, Y. Tokunaga, H. Sakai, T.D. Matsuda, Y. Haga and R.E. Walstedt.....181

Vortex states in a submicron Bi2212 crystal probed by intrinsic Josephson junctions

S. Ooi, M. Tachiki, T. Mochiku, H. B. Wang, K. Komori, K. Hirata and S. Arisawa.....187

Two-photon absorption and amplitude mode in conventional superconductors with paramagnetic impurities

Takanobu Jujo.....192

Proximity-Induced Superconductivity in a Ferromagnetic Semiconductor (In,Fe)As

Taketomo Nakamura, Le Duc Anh, Yoshiaki Hashimoto, Yu Iwasaki, Shinobu Ohya, Masaaki Tanaka and Shingo Katsumoto.....198

Spontaneous generation of fractional vortex-antivortex pairs at single edges of high-Tc superconductors

P Holmvall, T Löfwander and M Fogelström.....203

Irreversibility and critical current density of $\text{FeSr}_2\text{ErCu}_2\text{O}_{6+\nu}$

Y. Hata, I. Iida, T. Mochiku and H. Yasuoka.....209

Time-reversal symmetry breaking phase and gapped surface states in *d*-wave nanoscale superconductors

Yuki Nagai, Yukihiro Ota and K. Tanaka.....214

Magnetization measurements of Sr_2RuO_4 -Ru eutectic microplates using dc-SQUIDs

Y. Nago, D. Sakuma, R. Ishiguro, S. Kashiwaya, S. Nomura, K. Kono, Y. Maeno and H. Takayanagi.....220

Electronic states of domain structure in $1T\text{-TaS}_{2-x}\text{Se}_x$ observed by STM/STS

D Fujii, T Iwasaki, K Akiyama, Y Fujisawa, S Demura and H Sakata.....225

Thickness dependence of dendritic flux avalanches in $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ films

E. Baruch-El, M. Baziljevich, T.H. Johansen, A. Shaulov and Y. Yeshurun.....229

Theoretical analysis for spin-polarized local density of states in the vortex state of helical *p*-wave superconductors

Kenta K Tanaka, Masanori Ichioka and Seiichiro Onari.....235

Superconductivity in the underdoped region of the T'-structure cuprates based on an effective two-band model

Kunito Yamazaki, Hiroki Tsuchiura, Takuya Yoshioka and Masao Ogata.....241

Effect of carbon coating on the superconducting properties of Pb and Sn nano-spheres

L. Shani, V. B. Kumar, A. Gedanken, I. Shapiro, B.Y. Shapiro, A. Shaulov and Y. Yeshurun.....246

Impurity effects of hydrogen and deuterium in vanadium nanoconstrictions

M S Islam, Y Ueno, H Takata, Y Inagaki, K Hashizume and T Kawae.....251

Little-Parks oscillations in superconducting ring with Josephson junctions

Omri J. Sharon, Amos Shiloni, Jorge Berger, Avner Shaulov and Yosi Yeshurun.....257

Fluxoids behavior in superconducting ladders

Omri J. Sharon, Noam Haham, Avner Shaulov and Yosef Yeshurun.....262

Design versions of HTS three-phase cables with the minimized value of AC losses

V A Altov, N N Balashov, P N Degtyarenko, S S Ivanov, S I Kopylov, DA Lipa, S V Samoilov, V E Sytnikov and V V Zheltov.....268

Correlation of T_c and coefficient of T^2 resistivity term of Fe-based pnictide & chalcogenide superconductors

P. B. Castro, J. L. Ferreira, M. B. Silva Neto and M. ElMassalami.....274

Reduction and oxidation annealing effects on Cu K-edge XAFS for electron-doped cuprate superconductors

S Asano, K M Suzuki, D Matsumura, K Ishii, T Ina and M Fujita.....280

Electronic phase diagram of the titanium oxypnictide superconductor $\text{BaTi}_2(\text{Sb}_{1-x}\text{Bi}_x)_2\text{O}$

Wataru Ishii, Takeshi Yajima and Zenji Hiroi.....285

Superposition of $\sqrt{13} \times \sqrt{13}$ and 3×3 supermodulations in TaS_2 probed by scanning tunneling microscopy

Y Fujisawa, T Iwasaki, D Fujii, S Ohta, J Iwashita, T Fujita, M Nakata, K Kishimoto, S Demura and H Sakata.....291

Charged and uncharged vortices in quasiclassical theory

Yusuke Masaki and Yusuke Kato.....295

Effect of diffusion annealing regimes on the structure of Nb_3Sn layers in ITER-type bronze-processed wires

E G Valova-Zaharevskaya, E N Popova, I L Deryagina, I M Abdyukhanov and A S Tsapleva.....301

Influence of substitution, nonstoichiometry and annealing-conditions on superconductivity and normal conductivity of $\text{Fe}_{1+\delta}(\text{Te}_{1-x}X_x)$ ($X=\text{Se}, \text{S}$)

M. S. L. Lima, M. ElMassalami, K. Deguchi, H. Takeya and Y. Takano.....307

Electrical transport between a MoS_2 -based electric double-layer transistor and normal and superconducting Al

Y Aikawa, K Tsumura, T Narita, H Takayanagi and R Ishiguro.....313

Supercurrent through MoS_2 -based electric double-layer transistor sandwiched between conventional superconductors

Y Aikawa, K Tsumura, T Narita, H Takayanagi and R Ishiguro.....318

Variations of superconducting transition temperature in $\text{YbBa}_2\text{Cu}_3\text{O}_{7-\delta}$ ceramics by Gd substitution

K Matsushima, C Taka and A Nishida.....323

Superconducting critical temperature and upper magnetic field in Weyl semimetal.

Dingping Li, B. Rosenstein, B. Ya. Shapiro and I. Shapiro.....329

Superconducting Fluctuations above T_c and pair breaking parameters of two dimensional Niobium Nitride Films

B. Shinozaki, S. Ezaki, T. Odou, K. Makise and T. Asano.....335

Quantum phase slip and enhancement of superconductivity by magnetic field in NbN nanowires

Bunju Shinozaki, Kazumasa Makise and Takayuki Asano.....340

Flux-periodicity crossover from $h/2e$ to h/e in aluminium nano-loops

C. Espy, O. J. Sharon, J. Braun, R. Garreis, F. Strigl, A. Shaulov, P. Leiderer, E. Scheer and Y. Yeshurun.....345

T_c depression and superconductor-insulator transition in molybdenum nitride thin films

F Ichikawa, K Makise, T Tsuneoka, S Maeda and B Shinozaki.....351

Enhancement of macroscopic quantum tunneling in the higher-order phase switches of Bi2212 intrinsic Josephson junctions

Haruhisa Kitano, Ayami Yamaguchi, Yusaku Takahashi, Shunpei Umegai, Yuji Watabe, Haruka Ohnuma, Kazutaka Hosaka and Daiki Kakehi.....357

Anomalous dispersion relations in the staggered flux state

Hiroki Tsuchiura, Masao Ogata, Kunito Yamazaki and Rui Asaoka.....363

Composition and annealing effects on superconductivity in sintered and arc-melted $\text{Fe}_{1+\epsilon}\text{Te}_{0.5}\text{Se}_{0.5}$

M M Foreman, G Ponti, S Mozaffari and J T Markert.....368

NMR study of the layered cobalt oxyphosphide $\text{Sr}_2\text{Sc}(\text{Co}_{1-x}\text{Fe}_x)\text{PO}_3$

K Magishi, R Watanabe, A Hisada, T Saito, K Koyama, S Okada, Y Kamihara, N Ohkubo, S Ban and M Matoba.....374

Strong Electron Self-Cooling in the Cold-Electron Bolometers Designed for CMB Measurements

L.S. Kuzmin, A.L. Pankratov, A.V. Gordeeva, V.O. Zbrozhek, L.S. Revin, V.A. Shamporov, S. Masi and P. de Bernardis.....379

Crystal Growth and Neutron Scattering Study of Spin Correlations of the T'-Structured $\text{Pr}_{2-x}\text{Ca}_x\text{CuO}_4$

Masaki Fujita, Kenji Tsutsumi, Tomohiro Miura and Sergey Danilkin.....385

STM/STS study on electronic superstructures in the superconducting state of high- T_c cuprate $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$

S Mizuta, T Kurosawa, K Takeyama, N Momono, Y Ishii, H Yoshida, M Oda and M Ido.....391

Magnetic-field-induced 1st order transition to FFLO state at paramagnetic limit in 2D superconductors

N A Fortune, C C Agosta, S T Hannahs and J A Schleuter.....397

Flux-flow instability in 2H-NbSe₂ superconducting thin crystals stamped on SiO₂/Si substrates

J Yoshida, H Ando and N Kokubo.....403

Direct observation of magnetic flux and interstitial vortices in perforated mesoscopic squares of superconducting films

M Mitsuishi, N Kokubo, K Kitano, S Okayasu, T Nojima and T Sasaki.....408

A doping dependent study of interplay between magnetic and superconducting properties in $\text{BaFe}_{2-x}\text{Co}_x\text{As}_2$ single crystals

Biplab Bag, Gorky Shaw, S S Banerjee, K Vinod and A Bharathi.....414

New ethylenediamine-intercalated superconductor $(C_2H_8N_2)_x Ta_2PdSe_6$ with $T_c = 4.5$ K

S. Nakamura, T. Noji, T. Hatakeda, K. Sato, T. Kawamata, M. Kato and Y. Koike.....420

Superconductivity in Lithium- and Diamines-Intercalated $TiSe_2$ and $MoSe_2$

K. Sato, T. Noji, T. Hatakeda, T. Kawamata, M. Kato and Y. Koike.....425

Spatially dispersive surface impedance in the electrodynamics of conductors without dc dissipation

N A Volchkov, A L Karuzskii, V A Kulbachinskii, Y A Mityagin, A V Perestoronin and A P Chernyaev.....431

Index theorem for the flat Andreev bound states at a dirty surface of a nodal superconductor

Satoshi Ikegaya and Yasuhiro Asano....437

Cryogenic techniques and applications

4He permeation and H_2O uptake of cyanate ester resins — an alternative to commonly used epoxy resins at low temperature

Sachiko Nakamura, Takenori Fujii, Shoji Matsukawa, Masayuki Katagiri and Hiroshi Fukuyama.....443

Experimental study of a SINIS detector response time at 350 GHz signal frequency

S. Lemzyakov, M. Tarasov, S. Mahashabde, R. Yusupov, L. Kuzmin and V. Edelman.....449

Superconducting stripline resonators at frequencies up to 50 GHz for microwave spectroscopy applications

Tobias Wollandt, Markus Thiemann, Martin Dressel and Marc Scheffler.....455

Cross-correlation limit of a SQUID-based noise thermometer of the pMFFT type

A Kirste and J Engert.....461

Design of distributed JT (Joule-Thomson) effect heat exchanger for superfluid 2 K cooling device

S Jeong, C Park and K Kim.....467

Photo-electron emission directly in superfluid helium

V V Zavyalov, E B Pyurbeeva and S I Khaldeev.....473

Examination of cryogenic filters for multistage RF filtering in ultralow temperature experiments

V V Zavyalov, S A Chernyaev, K V Shein, A G Shukaleva and K Yu Arutyunov.....478

Pre-cooling of ton-scale particle detectors in low radioactivity environments

L Cappelli, C E Pagliarone, C Bucci, D D'Aguanno, G Erme, P Gorla, S Kartal and F Marignetti.....484

SINIS bolometer with a suspended absorber

M. Tarasov, V. Edelman, S. Mahashabde, M. Fominsky, S. Lemzyakov, A. Chekushkin, R. Yusupov, D. Winkler and A. Yurgens.....490

Development of a pressure cell using a beta-titanium alloy for a Differential Scanning Calorimeter

T Eto, K Akagi, E Takashima, A Noguchi, T Sakami, T Noda and F Nakamura.....496

Normal metal - insulator - superconductor thermometers and coolers with titanium-gold bilayer as the normal metal

I M W Räisänen, Z Geng, K M Kinnunen and I J Maasilta.....501

A compact cryogen-free platform operating at 1 K or 50 mK

A J Matthews, M Patton, T Marsh and H van der Vliet.....507

Arcing time analysis of liquid nitrogen with respect to electrode materials

Muhammad Junaid, Kun Yang, Hanming Ge and Jianhua Wang.....513

Design and expected performance of a compact and continuous nuclear demagnetization refrigerator for sub-mK applications

Ryo Toda, Satoshi Murakawa and Hiroshi Fukuyama.....519

Magnetism and quantum phase transitions

Dielectric anomaly and magnetoelectric effect accompanying a charge ordering in the electron-doped manganite $\text{Ca}_{1-x}\text{Sr}_x\text{Mn}_{0.85}\text{Sb}_{0.15}\text{O}_3$

Haruka Taniguchi, Hidenori Takahashi, Akihiro Terui, Satoru Kobayashi, Michiaki Matsukawa and Ramanathan Suryanarayanan.....525

Phase diagram of the magnetic state obtained from a two-particle self-consistent analysis of the half-filled Hubbard model on a honeycomb lattice

Hirohito Aizawa.....531

Multipole interactions of Γ_3 non-Kramers doublet systems on cubic lattices

Katsunori Kubo and Takashi Hotta.....536

Between metamagnetic transition and spin-flip behavior in Ce 122 system of $(\text{Ce}-\text{Gd})\text{Ru}_2\text{Si}_2$

K Yano, Y Amakai, Y Hara, K Sato, E Kita, H Takano, T Ohta and S Murayama.....542

Magnetic properties of Heusler compound $\text{Fe}_{1.3}\text{Mn}_{1.7}\text{Si}$

Masahiko Hiroi, Tomohito Nonoyama, Genta Adachi, Iduru Shigeta, Hirotaka Manaka and Norio Terada.....547

Magnetization and magnetic phase diagram of Heusler compounds $\text{Fe}_{3-y}(\text{Mn}_{1-x}\text{V}_x)_y\text{Si}$ ($y = 1$ and 1.5)

Masahiko Hiroi, Syunya Ishikuma, Iduru Shigeta, Keiichi Koyama, Akihiro Kondo, Koichi Kindo, Hirotaka Manaka and Norio Terada.....553

Magnetic properties of the antiferromagnetic spin- $\frac{1}{2}$ tetramer compound CuInVO_5

Masashi Hase, Masashige Matsumoto, Akira Matsuo and Koichi Kindo.....559

Magnetic properties of the UNiGe_2 at low temperature

Kohei Ohashi, Masashi Ohashi, Masaki Sawabu, Masahiro Miyagawa, Kae Maeta and Tomoo Yamamura.....565

Magnetoelectric properties of $\text{Ca}_2\text{CoSi}_2\text{O}_7$ studied by high-field electron spin resonance

Mitsuru Akaki, Konatsu Kanaida and Masayuki Hagiwara.....569

Successive Phase Transitions and Magnetic Fluctuation in a Double-Perovskite $\text{NdBaMn}_2\text{O}_6$ Single Crystal

S Yamada, H Sagayama, K Sugimoto and T Arima.....574

Formation of the $S = 1$ paramagnetic centers in the bond-diluted spin-gap magnet $(\text{C}_4\text{H}_{12}\text{N}_2)(\text{Cu}_2\text{Cl}_6)$

V N Glazkov, Yu V Krasnikova, D Hüvonen and A Zheludev.....579

Metal–insulator transition in a transition metal dichalcogenide: Dependence on metal contacts

Y Shimazu, K Arai and T Iwabuchi.....584

Tight-binding calculation of the magnetic moment of CrAs under pressure

Carmine Autieri, Giuseppe Cuono, Filomena Forte and Canio Noce.....589

Surface topography and electrical properties in $\text{Sr}_2\text{FeMoO}_6$ films studied at cryogenic temperatures

I. Angervo, M. Saloaro, J. Mäkelä, J. -P. Lehtiö, H. Huhtinen and P. Paturi.....595

^{133}Cs -NMR Study on the Ground State of the Equilateral Triangular Spin Tube CsCrF_4

K Matsui, T Goto, H Manaka and Y Miura.....601

Thermal expansion and magnetostriction measurements of perovskite-type Co oxides $\text{Sr}_{1-x}\text{Y}_x\text{C}_0\text{O}_{3-\delta}$ in high magnetic fields

S Imura, S Kimura, S Awaji and I Terasaki.....606

Magnetic and nonmagnetic impurity effects on $\text{Cu}_3\text{Mo}_2\text{O}_9$

Y Ebukuro, M Noda, H Kuwahara, H Kuroe, M Hase, K Oka, T Ito and H Eisaki.....610

High-frequency electron-spin-resonance measurements on $\text{Mn}_x\text{Mg}_{1-x}\text{O}$ ($x = 1.0 \times 10^{-4}$) and DPPH at very low temperatures

Y Ishikawa, K Ohya, S Miura, Y Fujii, S Mitsudo, T Mizusaki, A Fukuda, A Matsubara, H Kikuchi, T Asano, H Yamamori, S Lee and S Vasiliev.....616

Numerical Study of the Kitaev-Heisenberg chain as a spin model of the K-intercalated RuCl_3

Cliò Efthimia Agrapidis, Jeroen van den Brink and Satoshi Nishimoto.....622

Low temperature ESR in spin ladder $(\text{C}_7\text{H}_{10}\text{N})_2\text{Cu}_{(1-x)}\text{Zn}_x\text{Br}_4$

Yu V Krasnikova, V N Glazkov, M A Fayzullin, D Schmidiger, K Yu Povarov, S Galeski and A Zheludev.....627

Phase diagram of the frustrated $J_1 - J_2$ transverse field Ising model on the square lattice

M. Sadrzadeh and A. Langari.....631

Competition between dynamic and structural disorder in a doped triangular antiferromagnet RbFe(MoO₄)₂

A I Smirnov, T A Soldatov, O A Petrenko, A Takata, T Kida, M Hagiwara, M E Zhitomirsky and A Ya Shapiro.....637

Observation of spin superfluidity: YIG magnetic films and beyond

Edouard Sonin....644

Magnetic phase diagram of the frustrated S=1/2 triangular-lattice magnet Cu₂(NO₃)(OH)₃

H. Kikuchi, N. Kasamatsu, Y. Ishikawa, Y. Koizumi, Y. Fujii, A. Matsuo and K. Kindo.....650

Resonant x-ray scattering study on electronic hybridization in unconventional ordered phase of PrRu₄P₁₂

Hironori Nakao, Chihiro Tabata and Kazuaki Iwasa.....656

Development of birefringence imaging techniques under high electric fields

Hirotaka Manaka, Hirofumi Nozaki and Yoko Miura.....661

Thermal expansion and magnetostriction of clathrate compound Pr₃Pd₂₀Ge₆

K Matsumoto, Y Sekiguchi, O Iwakami, T Ono, S Abe, G Ano, M Akatsu, K Mitsumoto, Y Nemoto, T Goto, N Takeda and H Kitazawa.....667

Unusual Magnetic Response of an S = 1 Antiferromagnetic Linear-Chain Material

Jian-Sheng Xia, Andrzej Ozarowski, Peter M. Spurgeon, Adora G. Graham, Jamie L. Manson and Mark W. Meisel....673

Magnetic, thermodynamic and optical properties of Sb-substituted Ba₂PrBiO₆ double perovskite oxides

K. Onodera, T. Kogawa, M. Matsukawa, H. Taniguchi, K. Nishidate, A. Matsushita and M. Shimoda.....679

Dynamical spin structure factors of α -RuCl₃

Takafumi Suzuki and Sei-ichiro Suga.....685

Extremely anisotropic suppression of huge enhancement of electrical resistivity by magnetic field in α -R₂S₃ (R = Sm, Dy)

S Ebisu, T Era, Q Guo and M Miyazaki.....691

¹³³Cs-NMR study on aligned powder of competing spin chain compound Cs₂Cu₂Mo₃O₁₂

A Yagi, K Matsui, T Goto, M Hase and T Sasaki.....697

Spontaneous Magnetization of the Spin-1/2 Heisenberg Antiferromagnet on the Triangular Lattice with a Distortion

Alisa Shimada, Tôru Sakai, Hiroki Nakano and Kazuyoshi Yoshimura.....702

Quantum Spin Fluid Behaviors of the Kagome- and Triangular-Lattice Antiferromagnets

Tôru Sakai and Hiroki Nakano.....708

Low-temperature elastic properties of YbSbPt probed by ultrasound measurements

Y. Nakanishi, S. Takahashi, R. Ohyama, J. Hasegawa, M. Nakamura, H. Suzuki and M. Yoshizawa.....714

Quantum transport and quantum information in condensed matter

Frequency dependent ac transport of films of close-packed carbon nanotube arrays

A Endo, S Katsumoto, K Matsuda, W Norimatsu and M Kusunoki.....720

Magnetotransport of Monolayer Graphene with Inert Gas Adsorption in the Quantum Hall Regime

A Fukuda, D Terasawa, A Fujimoto, Y Kanai and K Matsumoto.....726

Noise and loss of superconducting aluminium resonators at single photon energies

Jonathan Burnett, Andreas Bengtsson, David Nipce and Jonas Bylander.....732

Effects of dynamic stress in magnetic superlattice of a monoaxial chiral magnet $\text{Cr}_{1/3}\text{NbS}_2$

K Tsuruta, M Mito, Y Togawa, Y Kousaka, J Akimitsu and K Inoue.....738

Bulk-edge correspondence in topological transport and pumping

Ken-Ichiro Imura, Yukinori Yoshimura, Takahiro Fukui and Yasuhiro Hatsugai.....744

Extremely large magnetoresistance in a high-quality WTe_2 grown by flux method

K. Tsumura, R. Yano, H. Kashiwaya, M. Koyanagi, S. Masubuchi, T. Machida, H. Namiki, T. Sasagawa and S. Kashiwaya.....750

Controlling entanglement in the interferometry of driven coupled flux qubits

Ana Laura Gramajo, Daniel Domínguez and María José Sánchez.....755

Anomalous amplitude of the quantum oscillations in the longitudinal magneto-thermoelectric power

N Satoh.....761

Topology in single-wall carbon nanotube of zigzag and armchair type

Rin Okuyama, Wataru Izumida and Mikio Eto.....766

Statistics of the quantized microwave electromagnetic field in mesoscopic elements at low temperature

Stéphane Virally, Jean Olivier Simoneau, Christian Lupien and Bertrand Reulet.....772

Nonlinear heat transport in ferromagnetic-quantum dot-superconducting systems

Sun-Yong Hwang and David Sánchez.....778

[Asymmetries in the spectral density of an interaction-quenched Luttinger liquid](#)

A. Calzona, F. M. Gambetta, M. Carrega, F. Cavaliere and M. Sasseti.....784

[Cross-coupling effects in circuit-QED stimulated Raman adiabatic passage](#)

A. Vepsäläinen and G. S. Paraoanu.....790

[Quantum magnetotransport and de Haas–van Alphen measurements in the three-dimensional Dirac semimetal \$Pb_{0.83}Sn_{0.17}Se\$](#)

F Orbanić, M Novak, S Pleslić and I Kokanović.....795

[Photoassisted shot noise spectroscopy at fractional filling factor](#)

Luca Vannucci, Flavio Ronetti, Dario Ferraro, Jérôme Rech, Thibaut Jonckheere, Thierry Martin and Maura Sasseti.....801

[Heat current through an artificial Kondo impurity beyond linear response](#)

Miguel A. Sierra and David Sánchez.....807

[Equilibrium finite-frequency noise of an interacting mesoscopic capacitor studied in time-dependent density functional theory](#)

Niklas Dittmann, Janine Splettstoesser and Nicole Helbig.....813

[Microwave photon generation in a doubly tunable superconducting resonator](#)

I-M. Svensson, M. Pierre, M. Simoen, W. Wustmann, P. Krantz, A. Bengtsson, G. Johansson, J. Bylander, V. Shumeiko and P. Delsing.....819

[Electron transport in a bilayer graphene/layered superconductor \$NbSe_2\$ junction: effect of work function difference](#)

Katsuhide Yarimizu, Hikari Tomori, Kenji Watanabe, Takashi Taniguchi and Akinobu Kanda.....825

Magneto-Transport Measurements on Multilayered Graphene on SiC(000 $\bar{1}$)

Mohammed Z Tahar.....830

Magneto-photoconductivity of three dimensional topological insulator bismuth telluride

Bingchen Cao, Mustafa Eginligil and Ting Yu.....836

Magnetoresistance measurements of tetralayer graphene device with single gate electrode

T Hirahara, R Ebisuoka, K Watanabe, T Taniguchi and R Yagi.....842

Annealing effect on effective mass of two-dimensional electrons in InGaAsN/GaAsSb type II quantum well

Shuichi Kawamata, Sho Tanaka, Akira Hibino and Yuichi Kawamura.....846

Superconductivity, Magnetoresistance, Magnetic Anomaly and Crystal Structure of New Phases of Topological Insulators Bi₂Se₃ and Sb₂Te₃

V.A. Kulbachinskii, S.G. Buga, N.R. Serebryanaya, N.S. Perov, V.G. Kytin, S.A. Tarelkin, R.H. Bagramov, N.N. Eliseev and V.D. Blank.....851

Observation of ferroelastic domains in layered magnetic compounds using birefringence imaging

Yoko Miura, Kazuya Okumura and Hirotaka Manaka.....857

Magnetoresistance in single-electron transistors comprising a superconducting island with ferromagnetic leads

Yoshinao Mizugaki, Masashi Takiguchi, Nobuyuki Tamura and Hiroshi Shimada.....863

Andreev reflection in a proximity junction of graphene: Influence of a naturally formed pn junction

Yositake Takane and Akinobu Kanda.....869