2018 Technologies for Smart-City Energy Security and Power (ICSESP 2018)

Bhubaneswar, India 28-30 March 2018



IEEE Catalog Number: CFP18O29-POD ISBN: 978-1-5386-4582-6

Copyright \odot 2018 by the Institute of Electrical and Electronics Engineers, Inc. All Rights Reserved

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

*** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.

 IEEE Catalog Number:
 CFP18O29-POD

 ISBN (Print-On-Demand):
 978-1-5386-4582-6

 ISBN (Online):
 978-1-5386-4581-9

Additional Copies of This Publication Are Available From:

Curran Associates, Inc 57 Morehouse Lane Red Hook, NY 12571 USA Phone: (845) 758-0400 Fax: (845) 758-2633

E-mail: curran@proceedings.com Web: www.proceedings.com



IEEE INTERNATIONAL CONFERENCE ON TECHNOLOGIES FOR SMART CITY ENERGY SECURITY AND POWER

"Smart Solutions for Smart Cities" 28th - 30th March, 2018

SESSION - 1(A) 11.50 AM -1.00 PM DAY 1 (28/03/2018) BOSCH AUDITORIUM	PAGE	NAME OF THE PAPER
	1 Power Fa Conversi	ctor Correction using Boost Converter Operating in Continuous Conduction Mode for Front-End AC to DC on
	7 Control o BESS	of Voltage & Frequency of a Hybrid Microgrid Using a FLC based Bidirectional Converter equipped with
	13 Real Tir	ne Protection Technique for DC Microgrid Using Local Measurements
		ied GWO technique based Fractional order PID controller with derivative Filter coefficient for AGC of power with plug in electric vehicles
	24 Smart C	ities in India: Features, Policies, Current Status, and Challenges
	PAGE	NAME OF THE PAPER
	28 Optimal	Power Flow for IEEE 30 and 118-Bus systems using Monarch Butterfly Optimization
1 (8) M	34 Impact	of DFIG on Voltage Stability of a Network in Smart Grid: An Analysis
B) PP 2013 RIU	43 Cycle-cl	narging dispatch strategy based performance analysis for standalone PV system with DG & BESS
-1(5.45 3/2 (TO	48 Influenc	e of Parametric Variation in Extraction of MPP from Solar PV Modules
0N · 1 - 5 / 8 / 0 / 0 / 0 / 0 / 0 / 0 / 0 / 0 / 0	54 A Reviev	v of Recent Control Strategies for Wind Farm Based HVDC Systems
SSI PN L (2) H A	62 A Compa	rative Study of Different Controllers in A Deregulated MAMM System
SES 3.451 DAY 1 BOSCH	68 Smart Ho	omes: Architectural and Engineering Design Imperatives for Smart City Building Codes
	72 Power Q	uality Improvement of a 25 KV Distribution System under 3 Phase Fault using UPQC
	76 Manager	nent of Time-Flexible Demand to provide Power System Frequency Response
	80 Applicat	on of soft computing in simulations of solar power tracking
	11	

	PAGE	NAME OF THE PAPER
ш		oust Control Approach Based On Seeker Optimization for Power Quality Enhancement in a Grid Connected I Generator
ENCE	91 Desig	n of FPI controller for Load Frequency control of a Nonlinear Power System
; 3) ILLI	97 A Rev	riew on Feedback Current Control Techniques of Grid-connected PV Inverter System with LCL Filter
SESSION - 1(C) 3.45 PM - 5.45 PM DAY1(28/03/2018 ORACLE CENTRE OF EXCE	103 Desig	gn and Analysis of Firefly Algorithm based PID Controller for Automatic Load Frequency Control Problem
	108 Effec	t of Rotor Eccentricity in Bearingless Switched Reluctance Motor
	114 Com	parative Analysis of Electrical Braking Performance for Induction Motor Drive
		frequency control of multi-source interconnected power system using 2-DOF PID controller based on Moth- e Optimization technique
		w-Cost Microcontroller-based Prototype Design for Power Factor Improvement in Transmission Line Using istor Switched Capacitor Scheme
	131 BER I	Performance Analysis of Indoor MIMO-VLC System for Multipath Reflection
	136 An In	vestigation of Harmonics in Grid Connected DFIG-WT Experiencing Transmission Faults
	142 A Cor Redu	nparative Analysis of Five Level Diode Clamped and Cascaded H-Bridge Multilevel Inverter for Harmonics ction

SESSION - 2(A) 11.00 AM - 1.00 PM DAY 2 (29/03/2018) BOSCH AUDITORIUM	PAGE NAME OF THE PAPER			
	148 Modelling and Cost-Benefit Analysis of PEM Fuel-Cell-Battery Hybrid Energy System for Locomotive Application			
	153 Smart Street Lighting System with Light Intensity Control using Power Electronics			
	158 Congestion Aware Tra c Grooming in Elastic Optical and WiMAX network			
	167 Comparison of Converter Structures for Residential PV System with Module based Maximum Power Point Tracking			
	173 Optimal Control based PID tuning for control of Four Quadrant Chopper fed DC Motor			
	179 Design of SPWM Based Three Phase Inverter Model			
	185 Design and implementation of SSA based fractional order PID controller for automatic generation control of a multi-area, multi-source interconnected power system			
	191 Hybrid power systems Frequency regulation using Hybrid PIDF based robust controller design and Differential Evolution (DE) algorithm			
	197 Topology Alteration for Output Power Maximization in PV Arrays under Partial Shading			
	203 Comparative study of SOS & PSO for fuzzy based PID controller in AGC in an integrated power system			
SESSION - 2(B) 3.45 PM - 5.45 PM DAY 2 (29/03/2018) BOSCH AUDITORIUM	NAME OF THE PAPER			
	209 Synchrophasor Based Concurrent Swing and State Estimation of Synchronous Generator			
	214 Application of Differential evaluation algorithm in automatic generation control with generation rate constraint in power system			
	220 Real-time Analysis of Fuzzy controlled 2C Dual Buck Half-Bridge Shunt APF with different MFs for Dynamic Unbalanced Load			
	226 Modelling and simulation of interleaved boost converter with MPPT for fuel cell application			
	231 RanDroid: Android Malware Detection Using Random Machine Learning Classifiers			
	237 Performance analysis of optical CDMA system by straight detection method for fiber optic network			
	242 Hardware Design of Three Phase Voltage Source Inverter using Arduino Microcontroller and its Harmonic Analysis			
	249 A novel method of starting of a fluorescent lamp with Cockcroft Walton voltage multiplier			
	255 Application of SOS-based fuzzy PID controller for AGC of multi-area power system			
	261 Design and Analysis of Solar PV and Electrolyzer based DG with unique control aspect			

SESSION - 2(C) 3.45 PM - 5.45 PM DAY 2(29/03/2018) ORACLE CENTRE OF EXCELLENCE	PAGE NAME OF THE PAPER				
	267 Performance analysis of wireless sensor networks using Artificial Bee Colony algorithm				
	272 Nodal Voltage Magnitude Control By Integrated Transformer Firing-Angle Model Based SVC				
	277 A Window Based Threshold Technique for Improved Post Event Analysis using SPMs				
	283 Study of AGC in an interconnected power system under deregulated scenario				
	289 A Study of Symmetrical and various Asymmetrical Dc source Configuration of a Novel Cascaded Multilevel Inverter Topology				
	294 Voltage & Frequency Stabilisation of a SEIG based Micro-Hydro System through a DFIG based WECS equipped with BESS				
	300 Automatic Generation Control of a multi-area power system using superconducting magnetic energy storage unit				
	305 Economic load dispatch using moderate Random search PSO with ramp rate limit Constraints				
	309 A review paper on Inrush Fault Isolation Methods of a Three Phase Transformer				
	314 Application of firefly based for coordinated design of PSS and PID based SSSC based controller				
f23	PAGE NAME OF THE PAPER				
	321 Extraction of Maximum Power from a Solar PV System using Fuzzy Controller Based				
SNCI	327 Performance Analysis of Solar-PV based Micro-grid with and without BESS Estimating the Expected Battery Life				
(D) :5 PM (2018) EXCELLENCE	333 Combined EMD-ELM and OS-ELM techniques based on Feed-forward Networks for PV Power Forecasting				
- 2(D) 5.45 P 03/200	339 RFID Authentication Protocol in cloud environment satisfying EPC-C1-GEN2 standard for Passive Tags				
SESSION - 2(D) 3.45 PM - 5.45 PM DAY 2 (29/03/2018) GOOGLE CENTRE OF EXCEL	344 Novel Closed Loop Speed Control of permanent magnet brushless DC motor drive				
	350 Modelling and Stability Analysis of I-TD controller for Load Frequency Control of Two-area Power System using				
	356 Induction Motor Health Identification using Wavelet Transform Technique				
	362 Hybrid power systems Frequency regulation using TID based robust controller design and Differential Evolution (DE) algorithm				
	368 Understanding the Control of 12-Pulse Thyristor Converters in VSC-Based HVDC System with Passive Filters				
	374 GSA based TCSC Controller design for improvement of power system stability				

	PAGE NAME OF THE PAPER				
	380 Low Latency and Energy Efficient Sensor Selection for IoT Services				
	385 Design of dual optimal UPFC based PI controller to damp low frequency oscillation in power system				
- 3(A) 1.00 PM 03/2018 ITORIUN	390 Security and Privacy Solution for I-RFID based Smart Infrastructure Health Monitoring				
	395 Current control of a PV integrated CHB- Multilevel inverter using PR Controller				
1-1 1-1 100/03	401 Spider Monkey Based Improve P&O MPPT Controller for Photovoltaic Generation System				
SESSION - 3(A) 11.00 AM -1.00 PM DAY 3 (30/03/2018) BOSCH AUDITORIUM	407 High Power High Gain Non-Isolated Interleaved Quadratic Boost Converter with Voltage Multiplier Cell				
	413 Analysis of Energy Management System for Photovoltaic System with Battery and Supercapacitor using Fuzzy Logic Controller				
	417 A Study & Analysis of Fuzzy Based P&O MPPT Scheme in PMSG Based Wind Turbine				
	421 Analysis of transient behaviour of PMSG model with sudden load variations				
	426 High Impedance Fault Detection using Wavelet Transform				
	PAGE NAME OF THE PAPER				
F-3	432 Load Flow Analysis And Optimal Allocation of SVC In Nine Bus Power System				
(B) 0 PM; 2018) EXCELLENCE	437 Automatic Generation Control of an interconnected power system using energy storage units in the presence of PIDF controller				
t) PM; 018) (CELI	441 Spider Monkey Optimization Based Fuzzy-2D-PID Controller for Load Frequency Control in Two-Area Multi Source Interconnected Power System				
SESSION - 3(B) 11.00 AM -1.00 PM; AY 3 (30/03/2018) E CENTRE OF EXCEL	447 Active Power Management of Isolated Renewable Microgrid generating Power from Rooftop Solar Arrays, Sewage Waters and Solid Urban Wastes of a Smart City using Salp Swarm Algorithm				
110N NM 30/	453 Robust Automatic Generation Control in Two Area Thermal-Hydro-Nuclear Plant with 2DOFPID Controller				
SESSION .00 AM -: Y 3 (30/C	458 Design of Adaptive IIR Filter with Modified Firefly Algorithm for Parameter Estimation				
SES 11.00 DAY 3 (LE CEN'	463 Solving Economic Load Dispatch Using Space Reduction Based PSO				
SESSION - 3 11.00 AM -1.0 DAY 3 (30/03/ GOOGLE CENTRE OF	467 Application of MOL algorithm for SSSC based damping controller design with modified local input signal				
300	473 Design and Performance Analysis of ZVS Interleaved Boost Converter in Standalone PV System				
	479 A New Control Algorithm for Super capacitor based SAPF Topology				