

# **2018 7th International Symposium on Next Generation Electronics (ISNE 2018)**

**Taipei, Taiwan  
7 – 9 May 2018**



**IEEE Catalog Number: CFP1860J-POD  
ISBN: 978-1-5386-1446-4**

**Copyright © 2018 by the Institute of Electrical and Electronics Engineers, Inc.  
All Rights Reserved**

*Copyright and Reprint Permissions:* Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

***\*\*\* This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

|                         |                   |
|-------------------------|-------------------|
| IEEE Catalog Number:    | CFP1860J-POD      |
| ISBN (Print-On-Demand): | 978-1-5386-1446-4 |
| ISBN (Online):          | 978-1-5386-1445-7 |
| ISSN:                   | 2378-8593         |

**Additional Copies of This Publication Are Available From:**

Curran Associates, Inc  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: (845) 758-0400  
Fax: (845) 758-2633  
E-mail: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

CURRAN ASSOCIATES INC.  
**proceedings**  
.com



The 7<sup>th</sup> IEEE International Symposium  
on Next-Generation Electronics  
*Next-Generation Electronics for AI and 5G Communications*

## 2018 7<sup>th</sup> International Symposium on Next-Generation Electronics (ISNE)

### Table of Contents

|    |  |
|----|--|
| 1  | General Chair's Welcome Message  |
| 2  | Organizing Committee   |
|    | Program at a Glance  |
|    | Scientific Program   |
|    | Papers   |
|    | S1 - Renewable and Sustainable Energy Device and Materials   |
| 29 | S1-1<br>Monolayer-Like MAPbI <sub>3</sub> Film with High Charge Mobility for Solar Cells               |
| 31 | S1-2<br>Radio-Frequency Energy Harvesting Chip for ISM 915 MHz Antenna                                 |
| 34 | S1-3<br>High Transparent MAPbBr <sub>3</sub> Perovskite Quantum Dots Solar Cells                       |
|    | S2 - Microelectronic Devices and Materials   |
| 36 | S2-1<br>Analysis of Reconfigurable Tunnel Field Effect Transistor for Improved Current Characteristics |
| 40 | S2-2<br>Neuromorphic Behavior in Nanofloating-Gate Organic Field-Effect Transistors                    |

**May 7-9, 2018**

*GIS TAIPEI TECH Convention Center, Taipei, Taiwan*

44 S2-3  
Impact of the Gate Structure on ESD Characteristic of Tunnel Field-Effect Transistors

48 S2-5  
2×VDD-Tolerant ESD Detection Circuit in a 90-nm Low-Voltage CMOS Process

**S3 - RF and Microwave Circuits**

52 S3-1  
Integrated Antenna with Balun Design for Miracast

55 S3-2  
Measured Near Field Communication Antenna for Fintech Innovation

58 S3-3  
Wireless Charging Platform for Dual-Band Magnetic Resonance

62 S3-4  
A Single GaN HEMT Oscillator with Four-Path Inductors

64 S3-5  
Divide-by-2 Injection-Locked Frequency Divider Using Distributed Spiral Resonator

67 S3-6  
Spurs and Linearity Consideration for Aliasing-Free Pulse-Modulated Polar Transmitters Under Fewer Harmonics in Dual-Phase Operation

**S4 - Integrated Circuits and Systems**

70 S4-1  
On the RF Energy Harvesting Based on CMOS Technology

74 S4-2  
A Fast-Response Buck Converter with Load-Current-Extracted and AVDE Techniques

76 S4-3  
A 10b 160-MS/s Domino-SAR ADC in 90nm CMOS

- 78 S4-4  
A Dual-Mode Fast-Transient Average-Current-Mode Buck Converter  
Without Slope-Compensation
- 82 S4-5  
Design of a 5GS/s 200 MHz BW 74.8 dB SNDR Continuous-Time Sigma  
Delta Modulator in 28nm CMOS
- 86 S4-6  
Clustering for Reduction of Power Consumption and Area on Post-Silicon  
Delay Tuning
- S5 - Microelectronic Devices and Materials**
- 90 S5-1  
An Upgrade of ESD-Reliability in HV 60-V nLDMOS-SCR Devices by the  
Discrete Anode
- 92 S5-2  
Tunneling Leakage Current Reduction in Junctionless Transistors Using a  
Lightly Doped Region Near Drain
- 95 S5-3  
Enhancement of Optoelectronic Properties on Al-Doped ZnO Ultra-Thin  
Film by Using a Multiple Buffer Layers Process in Nitrogen Atmosphere
- S6 - Sensors, Packaging Technologies, and Novel Applications in Science  
and Technology**
- 99 S6-1  
One-Dimensional MAGFET Device with a Polysilicon Cross-Shaped Hall  
Plate
- 102 S6-2  
Study of the Process in Gallium Doped ZnO Thin Film to Apply on Plus  
Sensor
- 106 S6-3  
The Design of an Automatic Safety Valve Testing System

- 110 S6-4  
Fast Reliability Scheduling Algorithm for the Static Segment of FlexRay for Vehicle Network
- 112 S6-5  
Performance Analysis of Micro Hotplate Based Metal Oxide Nanowire Gas Sensor
- S7 - Compound Semiconductor Materials, and Optoelectronic Devices**
- 116 S7-1  
Optical Coherence Tomography - From Micron to Nanometer Resolution
- 118 S7-2  
Linear-Cavity Mode-Locked Laser Using Thulium-Doped Nanoengineered Yttrium-Alumina Silica Fiber
- 120 S7-3  
Theoretical Investigation of the Signal Gain in Heavily Ho<sup>3+</sup>-Doped Silicate Fiber
- 122 S7-4  
Droplet Epitaxy and its Possibilities in Nano-Electronics
- S8 - Novel Applications in Electrical Engineering and Photonic Devices**
- 125 S8-1  
FPGA Realization of Activation Function for Neural Network
- 127 S8-3  
The Fiber Grating Rain Gauge
- 129 S8-4  
Color Stability Enhancement of White Organic Light-Emitting Diodes
- 131 S8-6  
Performance Enhancement of Organic Phototransistors with a Hybrid Gate Dielectric

**S9 - Computer Communication and Multimedia Techniques**

- 133 S9-1  
Twofold Concatenation of Space-Time Coded Spatial Modulation
- 137 S9-2  
Source-Assisting Full-Diversity DQOSTBC in Wireless Relay Networks
- 141 S9-3  
Reducing Latency for an Android-Based VoIP Phone
- 145 S9-4  
An Energy-Saving Scheme of TWDM-PON System for NG-EPON Networks
- 147 S9-5  
Hardware Design on FPGA for Ethernet/SONET Bridge in Smart Sensor System

**S10 - Power and Control Engineering**

- 151 S10-1  
An Active Gate Driver for Improving Switching Performance of SiC MOSFET
- 155 S10-2  
A Digitally Variable on-Time Controlled PFC Flyback Converter with Primary-Side Regulation
- 159 S10-3  
Digital Compensator Design for High-Frequency Hybrid Resonant Buck Converter

**S12 - Integrated Circuits and Systems**

- 163 S12-1  
A 10-Bit 200-MS/s Switched-Current Pipelined ADC for Analog Front End of XDSL
- 166 S12-2  
CMOS Current-Reversing Circuit

- 170 S12-3  
An Improved Reference Voltage Circuit Design
- 173 S12-4  
Comparative Study of Sub-V<sub>t</sub> SRAM Bitcells Based on  
Noise-Margin-Aware Design
- 177 S12-5  
Fast Transient Buck Converter with Adaptive Threshold Voltage Control
- 181 S12-6  
Evaluation of Routability-Driven Macro Placement with Machine-Learning  
Technique
- 184 S12-7  
DRAM Refresh Improvement with Bank Reordering
- S13 - Bioelectronics**
- 187 S13-1  
Detection of Low Wall Motion and Comparison Study with Scar Tissue  
Using 4D Left Ventricle Cardiac Images
- 190 S13-2  
P16INK4a Detection Using an Ultra-Sensitive Silicon Nanowire Field  
Effect Transistor
- 192 S13-3  
On-Road Weather Detection and Analysis Based on Visual Models
- 195 S13-4  
A Vision-Based Nighttime Surrounding Vehicle Detection System
- 198 S13-5  
Application of a Minimized Wearable Device Combined with SpO<sub>2</sub> and  
ECG Sensors to Detect Stenosis or Occlusion of Arteriovenous  
Fistula/Graft, Progression of Arteriosclerosis and Arrhythmia

**S14 - Compound Semiconductor Materials, and Optoelectronic Devices /  
Microelectronic Devices and Materials**

- 202 S14-1  
Electrical Characteristics of WO<sub>3</sub>/Ag/Wo<sub>3</sub> Sandwich Structure Fabricated  
with Magnetic-Control Sputtering Metrology
- 206 S14-2  
Steep Switch-Off of In<sub>0.18</sub>Al<sub>0.82</sub>N/AlN/GaN on Si MIS-HEMT
- 208 S14-4  
Investigation of the DNA Droplet CMOS/MEMS Chip Microfluidic  
Channels Geometry
- 210 S14-5  
Study of the Silicon Photonic Integrated Circuits with Grating Coupler

**S15 - IOT and AI Techniques**

- 212 S15-1  
The Car Door Safety System with Wireless Alert Transmission
- 215 S15-2  
An Open Environment Wireless Sensing Framework Based on IEEE  
802.11ah
- 217 S15-3  
Car 2 Infrastructure Use Case Development Progress
- 220 S15-4  
Stochastic Weights Binary Neural Networks on FPGA
- 223 S15-5  
Singing Voice Detection Based on Convolutional Neural Networks
- 227 S15-6  
Ternary Sparse XNOR-Net for FPGA Implementation

**S16 - Others**

- 229 S16-1  
Analysis of Transient Pressure and Temperature Variations in a Subcooled Boiling Channel Under Forced Vertical Excitations
- 233 S16-2  
Application of Electrical Impedance on Measurement of Void Fraction in Two-Phase Flow
- 236 S16-3  
Feasibility Study for Dispersed Bubbly Flow and Other Flow Patterns Spectrum Boundary by Probability Density Function
- 239 S16-4  
Deposition of Polymer Films by Atmospheric Pressure Plasma
- 243 S16-5  
Probabilistic Reverse Nearest Neighbors on Uncertain Data Streams

**S17 - Integrated Circuits and Systems**

- 247 S17-1  
A Segmented Resistor-String DAC Based Stimulus Generator for ADC Linearity Testing
- 251 S17-2  
A Dualband Six-Phase Voltage-Control Oscillator

**S18 - Computer Communication and Multimedia Techniques**

- 254 S18-2  
Hybrid Unicast and Multicast Video Streaming Using H.264 SVC and FLUTE for Set-Top Box Users
- 258 S18-3  
The Influence of IoT Data Encapsulation on Transmission and Energy : a Case Study on Wearable Smart Shoes

260 S18-4  
2-Dimension Cluster of Multiple Correlation Coefficient with Mutual  
Information Applied to Hyperspectral Image Band Selection

264 S18-5  
A Novel Shot Detection Approach Using 8-Neighbors and Key-Colors

**S19 - Microelectronic Devices and Materials**

267 S19-2  
A Study of Negative Resistance Effect of  $\text{Cu}_x\text{O}$  RRAM Fabricated by Using  
a Sol-Gel Method

269 S19-3  
Analysis of Heterojunction  $\text{GaAs}_{1-x}\text{Sb}_x/\text{In}_{1-y}\text{Ga}_y\text{As}$  Tunnel FETs  
Considering Line Tunneling

273 S19-4  
Device Design of Vertical Nanowire III - V Heterojunction TFETs for  
Performance Enhancement

277 S19-5  
A Unified Quantum Scaling Length Model for Nanometer Multiple-Gate  
MOSFETs

281 S19-6  
Impact of Post Deposition Annealing on Resistive Switching in  
 $\text{Ga}_2\text{O}_3$ -Based Conductive-Bridge RAM Devices

**S20 - Power and Control Engineering**

283 S20-1  
Three-Level PWM for Grid-Connected PV Inverter Considering Switching  
Loss and Common-Mode Voltage

287 S20-2  
One-Comparator Sampling Design for Digital Power Converters

- 291 S20-3  
A Dimmable LED Driver Based on H-Bridge and Differential-Mode Transformer
- 294 S20-4  
Solution of the Optimal Reactive Power Dispatch for Power Systems by Using Novel Charged System Search Algorithm
- 298 S20-5  
Measurement and Analysis of Partial Discharge of High and Medium Voltage Power Equipment
- 302 S20-6  
Low Current Harmonics PWM for Tow-Level Three-Phase Grid-Connected PV Inverter
- S21 - Compound Semiconductor Materials, and Optoelectronic Devices**
- 306 S21-1  
Enhancement of Random Laser by Using Silver Nanostructre Materials
- 309 S21-2  
Fabrication and Characterization of Planar-Type Top-Illuminated High-Responsivity InP-Based Avalanche Photodetector for 10 Gbps Optical Receiver Applications
- 313 S21-3  
The Study on Cold Cathode Fluorescent Lamp As Optical Microscope Light Source
- S22 - Bioelectronics /IOT and AI Techniques**
- 316 S22-1  
Improving Operation Electric Field of Cu-Based Resistive Switching Memory by Cu Chemical Displacement Technique
- 318 S22-2  
Disposable PEDOT:PSS-Modified Graphene Electrochemical Biosensor

- 320 S22-3  
Explore Connection Fault Handling Strategies of Third-Party Libraries by AOP
- 323 S22-4  
Relative Indexed Compressed Sparse Filter Encoding Format for Hardware-Oriented Acceleration of Deep Convolutional Neural Networks
- 327 S22-5  
Program Plagiarism Detection with Dynamic Structure

**Poster Session I**

- 330 P1-01  
Drive Current Behaviors of Multi N-channel FinFETs Under Different VT Implant Energies
- 333 P1-02  
The Stand-by Current Performance Improvement by Reducing Post-Etch Cu-F Residue to Prevent Cu Extrusion for 28nm-Node Cu Interconnect and Beyond
- 336 P1-03  
Tunneling-Assisted Carrier Transfer in Pentacene-Based Thin-Film Transistors with a MoO<sub>3</sub> Buffer Layer
- 339 P1-04  
GIDL Effect Observed in FinFET Shapes and VT Implant Energy
- 343 P1-05  
Observation of Degradation and Recovery of Stacked HfO<sub>x</sub>/ZrO<sub>y</sub>/HfO<sub>x</sub> MOSFETs
- 347 P1-06  
Green Perovskite CsPbBr<sub>3</sub> Light-Emitting Diodes with an Ultrathin Hole-Transporting NiO<sub>x</sub> Film
- 350 P1-07  
Experimental Studies of PbS Quantum Dot Fiber Amplifier

- 353 P1-09  
Sputtering and Annealing Graphene Oxide Hole-Transporting Layer for Perovskite Solar Cells
- 356 P1-10  
Radio-Frequency Magnetron Sputtering Deposited ZnO-Based TFBAR for Humidity Sensor Applications
- 360 P1-12  
Anneal Effect of Er Doped Zinc Oxide by Spray Pyrolysis
- 362 P1-13  
Deposition Study of Stacked Zinc Oxide - Molybdenum Oxide Film by Spray Pyrolysis
- 364 P1-14  
Real Time Distributed Generation Monitoring at Substation Based on Feeder IED Functions and Load Profiles
- 367 P1-15  
High Mobility Tungsten-Doped Thin-Film Transistor on Polyimide Substrate with Low Temperature Process
- 369 P1-16  
Low-Temperature ZnO Films As Electron Transporting Layers for Perovskite-Based Solar Cells
- P1-17  
Observation of Hybrid Perovskite Bulk Single Crystals Grow by Multiple Crystallizations
- 375 P1-18  
Rotation Memory Neural Network Identify Elders Fall Situation
- 379 P1-19  
A Laypunov Base Fuzzy Expert Knowledge Model Identify Elders Fall Signal

- 383 P1-20  
Proximity Capacitive Gesture Recognition for a Adaptive Fuzzy Neural Network
- 387 P1-21  
A Surveillance Framework Based on Facebook and Internet of Things Techniques
- 389 P1-22  
The Voice Controlled Internet of Things System
- 392 P1-23  
Fabrication and Characterization of a Sensitivity Multi-Annular Backscattered Electron Detector for Desktop SEM
- 394 P1-24  
Off-State Current Behaviors of 28nm-Node nMOSFETs Under Negative Gate Bias
- 398 P1-25  
The  $\mu_{eq}$  Fitting for Mixed Current Model of MOSFETs Considering Horizontal Electric Field
- 402 P1-26  
Strain Relaxation Properties of InAs<sub>y</sub>P<sub>1-y</sub> Metamorphic Buffer Layers for SWIR InGaAs Photodetector
- Poster Session II**
- 405 P2-03  
Optical and Photo-Electrical Properties of Zinc Tin Oxide Thin-Film Phototransistor
- 407 P2-04  
Effect of Different Partial Pressure on Ga-Doped ZnO UV Photodetectors by RF Sputtering
- 409 P2-05  
Quasi-Yagi Antenna with PBG Structure for Dual Band RFID Applications

- 413      P2-06  
A Fully Integrated Voltage Controlled Phase Shifter with Lossless Active Inductors
- 416      P2-07  
Design and Analysis of a 3.85–5.23 GHz Linear-Tuning CMOS LC-Tank VCO
- 420      P2-09  
An Efficient Hand Detection Method Based on Convolutional Neural Network
- 422      P2-10  
A Fast Graph Based Method for Object Segmentation in Sidescan Sonar Image
- 426      P2-11  
Near-Field Flat Focusing Mirrors with an Transverse Invariance
- 428      P2-13  
The Characteristics of the Gallium-Doped Zinc Oxide Films Using Radio Frequency Magnetron Sputtering
- 431      P2-15  
Uniform Resistive Switching Properties of Sol-Gel Multilayered BaTiNiO<sub>x</sub> Memory Device
- 433      P2-17  
The Improved Performance on Organic Light Emitting Diodes Using Different Hole Transporting Layers
- 435      P2-18  
ITO/AgNW/ITO Stacked Flexible Electrodes
- 438      P2-19  
Optimization of Stacking Graphene Layers As a Saturable Absorber for Mode-Locked Lasers
- 440      P2-20  
Biometric Identification of Persons in a Vehicle



# The 7<sup>th</sup> IEEE International Symposium on Next-Generation Electronics

*Next-Generation Electronics for AI and 5G Communications*

|     |  |
|-----|--|
| 444 | P2-21<br>Luminance Compensation Design Using Modified Histogram Equalization<br>for Driving Assistance System Under Night Vision |
| 446 | P2-22<br>Reliability Study of Hybrid Wide Drain Poly-Si FinTFT   |
| 448 | P2-23<br>Multi-Stacking Hybrid P/N/P Nanosheet Layers Junctionless Field-Effect<br>Transistors                                   |
| 451 | P2-24<br>Analysis of the Passband and Stopband of Symmetrical Metal-Dielectric<br>Films  |
| 454 | <b>Author Index</b>  |

**May 7-9, 2018**

*GIS TAIPEI TECH Convention Center, Taipei, Taiwan*