

---

# **Proton Exchange Membrane Fuel Cells V, in Honor of Supramaniam Srinivasan**

---

**Editors:****T. Fuller**

Georgia Institute of Technology  
Atlanta, Georgia, USA

**C. Lamy**

Université de Poitiers  
Poitiers, France

**C. Bock**

National Research Council  
Ottawa, Ontario, Canada

**Sponsoring Divisions:**

**Energy Technology**



**Physical & Analytical Electrochemistry**



**Battery**



**Industrial Electrolysis & Electrochemical Engineering**



**New Technology Subcommittee**



Published by  
**The Electrochemical Society**

65 South Main Street, Building D  
Pennington, NJ 08534-2839, USA  
tel 609 737 1902  
fax 609 737 2743  
[www.electrochem.org](http://www.electrochem.org)

**ECS transactions**™

**Vol. 1 No. 6**

**ISBN 1-56677-496-9**

---

Copyright 2006 by The Electrochemical Society, Inc.  
All rights reserved.

This book has been registered with Copyright Clearance Center, Inc.  
For further information, please contact the Copyright Clearance Center,  
Salem, Massachusetts.

Published by:  
The Electrochemical Society, Inc.  
65 South Main Street  
Pennington, New Jersey 08534-2839, USA  
Telephone 609.737.1902  
Fax 609.737.2743  
e-mail: [ecs@electrochem.org](mailto:ecs@electrochem.org)  
Web: [www.electrochem.org](http://www.electrochem.org)

ISBN 1-56677-496-9

Printed in the United States of America

---

**ECS Transactions, Volume 1, Issue 6**  
**Proton Exchange Membrane Fuel Cells V, in Honor of Supramaniam Srinivasan**

**Table of Contents**

Preface	iii
<b>Section 1</b>	
<b>Electrode Kinetics</b>	
Time-Resolved Kinetics of Electrode Reactions <i>E. Gileadi</i>	3
Zirconium Nitride and Oxynitride for New Cathode of Polymer Electrolyte Fuel Cell <i>S. Doi, Y. Liu, A. Ishihara, S. Mitsushima, N. Kamiya, and K. Ota</i>	17
Non-Noble Metal Catalyst for Oxygen Reduction Reaction in Acidic Medium <i>B. N. Popov, S. Kumaraguru, N. P. Subramanian, and H. Colon Mercado</i>	27
Highly Active Ruthenium Based Catalysts for Oxygen Reduction Reaction <i>B. N. Popov and L. Liu</i>	41
Tantalum Nitride and Oxynitride for New Cathode of Polymer Electrolyte Fuel Cell <i>A. Ishihara, S. Doi, Q. Y. Liu, S. Mitsushima, N. Kamiya, and K. Ota</i>	51
Electrocatalyst Materials for PEM Fuel Cells Based on Substituted Heteropoly Acids <i>A. M. Herring, R. J. Stanis, J. Ferrell III, M. Kuo, J. Turner, and B. Limoges</i>	61
Synthesis and Characterization of Nanostructured PtW Alloy for Oxygen Reduction in PEMFCs <i>L. Xiong, E. Kreidler, and T. He</i>	69
Enhancing the Performance of Low Pt Loading Prepared by Dual Ion-Beam Assisted Deposition in PEM Fuel Cells <i>S. Mukerjee, M. S. Saha, A. Gulla, and R. Allen</i>	77
Performance of PEFC Formed by Using Pt-Loaded Activated Carbon with CF <sub>3</sub> SO <sub>3</sub> H in Cathode <i>J. Mariyama and I. Abe</i>	87
Leveraging Metal-Support Interactions to Improve the Activity of PEMFC Cathode Catalysts <i>K. Swider-Lyons, M. Teliska, W. Baker, P. Bouwman, and J. Pietron</i>	97
New Strategies to Activation and Assembling of Catalytic Metal Nanoparticles through Modification with Polyoxometallate Monolayers <i>P. J. Kulesza, R. Marassi, K. Karnicka, R. Włodarczyk, K. Miecznikowski, M. Chojak, and A. Kolary</i>	107
In Situ X-Ray Absorption Spectroscopy Studies of Water Activation on Novel Electrocatalysts for Oxygen Reduction Reaction in Acid Electrolyte <i>S. Mukerjee, D. Ramaker, D. Gatewood, and J. M. Ziegelbauer</i>	119

Platinum-Iridium Alloys as Oxygen Reduction Electrocatalysts for Polymer Electrolyte Fuel Cells <i>T. Ioroi and K. Yasuda</i>	129
Oxygen Reduction at the Pt/Recast-Nafion Film Interface at Different Temperatures and Relative Humidities <i>J. Chlistunoff, F. Uribe, and B. Pivovar</i>	137
<b>Section 2 Membranes</b>	
PEM Fuel Cells: Materials Issues <i>J. McBreen, M. Balasubramanian, W. Yoon, K. Chung, H. Lee, X. Yang, R. Atanasoski, A. Schmoeckel, G. Vermstrom, and M. K. Debe</i>	149
Pore Size Effect on Improvement of Surface Proton Conductivity for Three-Dimensionally Ordered Macroporous Silica Membrane <i>K. Kanamura, H. Munakata, and S. Ochiai</i>	161
New Composite, Gel-Type Proton Membranes <i>B. Scrosati, M. Navarra, A. Fericola, and S. Panero</i>	169
Fullerenes and Their Composites for Proton Conducting Membranes in Polymer Electrolyte Fuel Cells <i>R. DeSousa, A. Venkatesan, K. Tasaki, H. Wang, and J. Gasa</i>	175
Fullerene Composite Membranes for Low Humidity Operation of Polymer Electrolyte Fuel Cells : Part III <i>H. Wang, A. Venkatesan, K. Tasaki, G. Stucky, F. Wudl, R. DeSousa, and J. Gasa</i>	183
PTFE-Based High-Temperature Proton-Conducting Membrane <i>E. Peled, S. Reichman, and A. Ulus</i>	189
Investigation of the Lateral Water Distribution in a Proton Exchange Membrane in Fuel Cell Operation by 3D-MRI <i>S. Tsushima, T. Nanjo, K. Nishida, and S. Hirai</i>	199
Molecular Flexibility in the Short-Side-Chain Perfluorosulfonic Acid Membrane <i>S. J. Paddison and J. Elliott</i>	207
Surface Electrochemistry of Composite Materials for High-Temperature PEM Fuel Cells <i>S. Lvov, E. Chalkova, M. Fedkin, S. Komarneni, and D. Wesolowski</i>	215

**Section 3  
Direct Methanol Fuel Cells**

Direct Methanol Fuel Cells: What's New Since Ten Years? <i>J. Leger, C. Coutanceau, and C. Lamy</i>	229
--	-----

Electro-osmotic Pumping of Methanol/Water Mixtures for Direct Methanol Fuel Cell Applications <i>D. Kim, J. Posner, and J. Santiago</i>	241
Palladium-Alloy Catalysts as Ethanol Tolerant Cathodes for Direct Alcohol Fuel Cell (DEFC) Applications <i>O. Savadogo and F. Valera</i>	247
Spectroscopic Studies of Heteropoly Acid-doped 3M Perfluorinated Sulfonic Acid Polymer Membranes <i>A. M. Herring, F. Meng, M. Frey, S. Hamrock, J. Turner, S. Dec, and D. Williamson</i>	255
On the Passivation of 349TM Stainless Steel in Simulated PEMFC Cathode Environment <i>H. Wang and J. Turner</i>	263
Investigation of Fuel Modification to Reduce Crossover in Direct Methanol Fuel Cells <i>A. Lam, D. Wilkinson, and J. Zhang</i>	273
Influence of Ionomer Loading on the Performance of Pt-Ru and Pt-Fe Electrodes Used in DMFCs <i>A. S. Arico, V. Baglio, A. Stassi, C. D'Urso, V. Antonucci, and A. Di Blasi</i>	283
Investigation of Ruthenium Dissolution in Advanced Membrane Electrode Assemblies for Direct Methanol Based Fuel Cell Stacks <i>T. I. Valdez, S. Firdosy, B. Koel, and S. Narayanan</i>	293
Electrical Properties of Hydrous Ruthenium Dioxide in Direct Methanol Fuel Cells <i>Y. Wang and J. Zheng</i>	305
Mixed-Feed Direct Methanol Fuel Cell: Materials and Design Solutions <i>S. C. Barton, W. Deng, J. W. Gallaway, S. Levendovsky, T. Olson, P. Atanassov, M. Sorkin, A. Kaufman, and H. Gibbard</i>	315
Electrochemical Impedance Spectroscopy of Direct Methanol Fuel Cell <i>K. Hsueh, C. Lai, C. Hwang, F. Wu, L. Tsai, A. Peng, and J. Lin</i>	323
Ethanol-Tolerant Oxygen Reduction Reaction (ORR) Cathodes for Direct Ethanol Fuel Cell Applications <i>O. Savadogo and F. Valera</i>	331
<b>Section 4</b> <b>Modeling, Transport, and Cell Design</b>	
Findings of the Fuel Cell Workshop <i>T. Fuller and J. Meyers</i>	341
Verification of Generated Water in a Super-cooled State Below Freezing Point in PEFC <i>Y. Ishikawa, T. Morita, K. Nakata, K. Yoshida, and M. Shiozawa</i>	359
Low Temperature Membrane Properties <i>L. Onishi and J. Newman</i>	365

Impact of Freezing on Nafion: Protection Using Acid Electrolyte <i>J. Leddy and D. Dunwoody</i>	375
Platform for Rapid Prototyping of PEM Fuel Cell Designs with Enhanced Cold-Start Performance and Durability <i>N. Gupta, C. York, J. Needham, and P. Hagans</i>	383
Experiments Toward Fundamental Validation of PEM Fuel Cell Models <i>Q. Yan, H. Toghiani, Q. Y. Liu, and J. X. Wu</i>	389
Mathematical Analysis of Membrane Water Content Utilizing Three-Dimensional Fuel Cell Modeling <i>S. D. Fraser, M. Monsberger, and V. Hacker</i>	399
Transient Model for MEA Hydration During Fuel Cell Operation <i>R. Braidean, R. Boulian, K. Grewal, D. Ayotte, and H. Haas</i>	409
Water Management and Mass Transport Studies in Free Convection Proton-Exchange Membrane Fuel Cells <i>D. Modroukas, V. Modi, L. Frechette, and S. C. Barton</i>	419
Effects of Temperature Difference on Water Management in PEMFCs <i>R. Zaffou, J. Yi, R. Kunz, and J. Fenton</i>	429
Water Removal from Proton Exchange Membrane Fuel Cells via Electroosmotic Pumping <i>C. R. Buie, J. Posner, T. Fabian, S. Cha, D. Kim, F. Prinz, J. Eaton, and J. Santiago</i>	439
Modeling and Simulation Approach for Standardized Testing and Analysis of PEMFC CHP Systems <i>P. Konig, A. Weber, and E. Ivers-Tiffée</i>	453
Modeling the Effect of Microporous Layer in PEM Fuel Cells <i>T. V. Nguyen and R. Jain</i>	463
Capillary Pressure Properties of Gas Diffusion Materials Used in PEM Fuel Cells <i>H. Ohn, T. V. Nguyen, D. Jacobson, D. Hussey, and M. Arid</i>	481
Investigation of Carbon Nanofibers as Catalyst Support for Fuel Cell Electrodes <i>E. Wallnofer, W. Baumgartner, T. Schaffer, J. Besenhard, and V. Hacker</i>	491
Optimized Catalyst Layer Structure for PEM Fuel Cells <i>T. V. Nguyen, D. Natarajan, and R. Jain</i>	501
Synthesis of Highly Porous Catalytic Layers for Polymer Electrolyte Fuel Cell Based on Carbon Aerogels <i>J. F. Marie, S. Berthon-Fabry, P. Achard, M. Chatenet, E. Chainet, R. Pirard, and N. Cornet</i>	509
Microfabricated Fuel Cell with Composite Glass/Nafion Proton Exchange Membrane <i>P. A. Kohl, J. Li, C. Moore, D. Bhusari, and S. Prakash</i>	521

A Novel Photographic Printing Process for the Preparation of Pt Nano-Particles for Fuel Cell Applications <i>J. Jiang, T. Hall, L. Tsagalas, D. Hill, and A. Miller</i>	535
The Effect of N <sub>2</sub> Dilution on CO Poisoning in a Proton Exchange Membrane Fuel Cell <i>W. Wang, J. Van Zee, and W. Lee</i>	541
Comparison of Maxwell-Stefan and CFD Approximation Equations for PEMFC Applications <i>M. J. Martinez, S. Shimpalee, and J. Van Zee</i>	549
Molecular Dynamic Simulation of Transport Processes in Nafion Polymer Electrolyte and Experimental Validation <i>X. Zhou, Z. Chen, F. Delgado, D. Brenner, and R. Srivastava</i>	559
Measurement of Fuel Cell Flowfields Using Particle Image Velocimetry <i>K. V. Sharp, S. Yoon, J. Ross, and M. Mench</i>	571
Design and Development of a Novel Flow Field for PEM Fuel Cells to Obtain Uniform Flow Distribution <i>M. K. Debe and T. Herdtle</i>	581
Current Distribution along a Quad-Serpentine Flow Field: GDL Evaluation <i>M. Hicks, K. Kropf, A. Schmoekel, and R. Atanasoski</i>	605
Studies on Rib and Channel Characteristic of Flow Field on PEMFC Performance <i>S. Shimpalee, J. Van Zee, and S. D. Greenway</i>	613
Author Index	627