
Fuel Cell Membranes, Electrode Binders, and MEA Performance

Editors:

B. Pivovar

National Renewable Energy Laboratory
Golden, Colorado, USA

P. Pintauro

Vanderbilt University
Nashville, Tennessee, USA

J. Muldoon

Toyota Research Institute of North America
Ann Arbor, Michigan, USA

Sponsoring Divisions:



Industrial Electrochemistry and Electrochemical Engineering



Energy Technology



Published by

The Electrochemical Society

65 South Main Street, Building D
Pennington, NJ 08534-2839, USA

tel 609 737 1902

fax 609 737 2743

www.electrochem.org

ecstransactions™

Vol. 28, No. 27

Copyright 2010 by The Electrochemical Society.
All rights reserved.

This book has been registered with Copyright Clearance Center.
For further information, please contact the Copyright Clearance Center,
Salem, Massachusetts.

Published by:

The Electrochemical Society
65 South Main Street
Pennington, New Jersey 08534-2839, USA

Telephone 609.737.1902
Fax 609.737.2743
e-mail: ecs@electrochem.org
Web: www.electrochem.org

ISSN 1938-6737 (online)
ISSN 1938-5862 (print)
ISSN 2151-2051 (cd-rom)

Printed in the United States of America.

Table of Contents

<i>Preface</i>	<i>iii</i>
Surface Modification of Heteropolyacids (HPAs) for Proton Exchange Membrane Fuel Cells (PEMFCs) <i>J. Sutrisno and A. Fuchs</i>	1
Nanocomposite Ternary Acid-Base Blend Based Polymer Electrolyte Membranes for Fuel Cells <i>K. S. Stewart and H. Missan</i>	17
Nafion/Sulfonated Silica Composite Membranes for PEM Fuel Cells <i>N. E. De Almeida and E. Easton</i>	29
Proton Conductivity within Fuel Cell Electrodes Containing a Sulfonated Carbon Support <i>A. W. Pedersen, A. D. Pauric, J. I. Eastcott, and E. Easton</i>	39
Effect of Spray Parameters on Electrode Surface and Performance <i>R. P. Brooker, M. P. Rodgers, L. Bonville, H. Kunz, D. Slattery, and J. Fenton</i>	51
Investigation of the Presence of a Saturating Media during Hot Pressing of Proton Exchange Membranes to Improve Performance <i>M. P. Rodgers, B. Pearman, N. Mohajeri, L. Bonville, D. Slattery, H. Kunz, and J. Fenton</i>	61
The Analysis of Performance Loss with Low Platinum Loaded Cathode Catalyst Layers <i>Y. Ono, T. Mashio, S. Takaichi, A. Ohma, H. Kanesaka, and K. Shinohara</i>	69
Atomic Force Microscopy Investigation of Polymer Fuel Cell Gas Diffusion Layers before and after Operation <i>R. Hiesgen, I. Wehl, K. Friedrich, M. Schulze, A. Haug, A. Bauder, A. Carreras, X. Yuan, and H. Wang</i>	79
Imaging the Electrode-GDL Interface by a Modified Wood's Intrusion Process <i>F. Scheiba, U. Kunz, H. Butsch, S. Zils, H. Fuess, and C. Roth</i>	85
Multiphysics Simulation of Hydrogen PEM Fuel Cell <i>S. Mukherjee, A. Gidwani, A. Roy, J. Cole, K. Jain, C. Bapat, and R. Thoms</i>	93

Multiscale Simulation of Single-Phase Multicomponent Transport in the Cathode Gas Diffusion Layer of a Polymer Electrolyte Fuel Cell	103
<i>P. Rama, Y. Liu, R. Chen, H. Ostadi, K. Jiang, and X. Zhang</i>	

Author Index	113
--------------	-----