

22nd Association for the Advancement of Animal Breeding and Genetics Conference 2017

Townsville, Australia
2 – 5 July 2017

ISBN: 978-1-5108-6759-8

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2017) by AAABG – Association for the Advancement of Animal Breeding and Genetics
All rights reserved.

Printed by Curran Associates, Inc. (2018)

For permission requests, please contact AAABG – Association for the Advancement of Animal Breeding and Genetics at the address below.

AAABG – Association for the Advancement of Animal Breeding and Genetics
University of New England
Armidale NSW 2351
Australia

Phone: 61 2 677 320 55
Fax: 61 2 677 332 66

AGBU@une.edu.au

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

Plenary paper I	
Functional annotation of animal genomes	1
<i>E.L. Clark, S. Bush, R. Young, J.K. Baillie, L. Lefevre, P. Dutta, C. Muriuki, M. McCulloch, T.C. Freeman, D.W. Burt, L. Freem, C.B.A. Whitelaw, K.M. Summers, A.L. Archibald and D.A. Hume</i>	
Industry 1	
From breeding to market: opportunities within a disrupted food chain	9
<i>A.W. Campbell and P.R. Amer</i>	
Investigating emerging inherited diseases in Australian livestock: a collaborative approach	15
<i>S.A. Woolley, E.R. Tsimnadis, N. Nowak, R.L. Tulloch, M.R. Shariflou, T. Leeb, C.E. Willet, M.S. Khatkar, B.A. O'Rourke and I. Tammen</i>	
High genetic merit dairy cows contribute more to farm profit: case studies of 3 Australian dairy herds	19
<i>J.E. Newton, M.E. Goddard, H.N. Phuong, M.A. Axford, C.K.M. Ho, N.C. Nelson, C.F. Waterman, B.J. Hayes and J.E. Pryce</i>	
There is nothing routine about routine testing. A perspective from the University of Queensland's animal genetics laboratory	23
<i>R.E. Lyons and S. Buttsworth</i>	
Sheep and goats I	
Genetic correlation between purebred and crossbred performance of merino sheep for three weight traits using a genomic relationship matrix.	27
<i>N. Duijvesteijn and J.H.J. van der Werf</i>	
Genetic correlations between production traits and components of reproduction in Merino sheep	31
<i>D.J. Brown, K.L. Bunter and A.A. Swan</i>	
Genetic parameters and breed differences for ovine tick counts on indigenous and commercial sheep in autumn and spring	35
<i>J.J.E. Cloete, A.J. Scholtz, S. Matthee and S.W.P. Cloete</i>	
Genomic prediction using QTL regions identified from regional heritability mapping for parasite resistance in Australian sheep	39
<i>M. Al Kalaldehy, J.H.J. van der Werf and C. Gondro</i>	
Gene by birth type interaction in Merino lamb	45
<i>A. Dakhlan, N. Moghaddar, C. Gondro and J.H.J. van der Werf</i>	
Optimal and practical strategies to manage an ovulation rate mutation located on the X chromosome in a French sheep breed	49
<i>J. Raoul, L. Bodin, J.M. Else and A.A. Swan</i>	
Breeding Objectives I	
Including feed intake and greenhouse gas emissions intensity into existing selection indexes – theory and practice	53
<i>P. Amer, C. Quinton, T. Byrne, A. Cromie, C. Richardson and J. Archer</i>	
Genomic analysis of health traits using an Australian genotyped cow reference population	57
<i>M. Abdelsayed, M. Haile-Mariam and J.E. Pryce</i>	
Genetic trends in the estimated feed intake of Angus cattle	61
<i>B.J. Walmsley, A.L. Henzell and S.A. Barwick</i>	

Relationship between feed intake, energy expenditure and methane emissions: implications for genetic evaluation <i>S. Dominik, D.L. Robinson, A.J. Donaldson, M. Cameron, K.L. Austin and V.H. Oddy</i>	65
A web-based application to assist selection for heat tolerance in combination with the balanced performance index in Australian dairy cattle <i>T.T.T. Nguyen, B.J. Hayes and J.E. Pryce</i>	69
Advances in statistical & computational methods I	
Can we frame and understand cross-validation results in animal breeding? <i>A. Legarra and A. Reverter</i>	73
A comparison of relatedness estimates from SNP chip genotypes and from genotyping- by-sequencing results <i>K.G. Dodds, J.C. McEwan, T.C. Van Stijn, R. Brauning and S.M. Clarke</i>	81
Accuracy of genomic prediction when QTL effects are not normally distributed <i>M.E. Goddard and T.H.E. Meuwissen</i>	85
Approximating the accuracy of single step EBVs <i>L. Li, A.A. Swan and B. Tier</i>	89
Approximate GBLUP for efficient routine evaluations <i>T. P. Hancock</i>	93
On breed composition estimation of cross-bred animals using non-linear optimisation <i>V. Boerner</i>	97
Possibilities of binomial probabilistic principal component models to identify groups in genotyped populations <i>J.B. Holmes, K.G. Dodds and M.A. Lee</i>	101
Aquaculture	
The next wave in selective breeding: Implementing genomic selection in Aquaculture <i>K.R. Zenger, M.S. Khatkar, D.R. Jerry and H.W. Raadsma</i>	105
Understanding the transcriptional changes associated with onset of maturation in Atlantic salmon <i>A. Mohamed, A. Reverter, P. Kube, H. King, B. Evans and J. Kijas</i>	113
Development of a low-density commercial genotyping array for the white legged shrimp, <i>Litopenaeus vannamei</i> <i>D.B. Jones, K.R. Zenger, M.S. Khatkar, H.W. Raadsma, H.A.M. van der Steen, J. Prochaska, S. Forêt and D.R. Jerry</i>	117
Quantitative genomic analyses in the pacific whiteleg shrimp <i>Litopenaeus vannamei</i> <i>M.S. Khatkar, K.R. Zenger, D.B. Jones, J. Prochaska, H.A.M. van der Steen, D.R. Jerry and H.W. Raadsma</i>	121
Selection for <i>Piscirickettsia salmonis</i> (SRS) resistance in Atlantic salmon (<i>Salmo salar</i>) using genotyping by sequencing (GBS) <i>T. Kristjánsson, K. Dodds, J.C. McEwan, R. Brauning, R.M. Anderson, T.C. van Stijn and S.M. Clarke</i>	125
Breeding for disease resistance in Australian shrimp: how do we get there? <i>T.H. Noble, N. Wade, G.J. Coman and D.R. Jerry</i>	129

Dairy	
Reliabilities of Australian dairy genomic breeding values increase through the addition of genotyped females with excellent phenotypes	133
<i>J.E. Pryce, P. Douglas, C.M. Reich, A.J. Chamberlain, P.J. Bowman, T.T.T. Nguyen, B.A. Mason, C.P. Prowse-Wilkins, G.J. Nieuwhof, T. Hancock, M. Shaffer and B.J. Hayes</i>	
Does experiencing birth difficulty influence performance as an adult (later life) in Holstein cattle?	137
<i>M. Haile-Mariam and J.E. Pryce</i>	
Pitfalls of pre-selecting subsets of sequence variants for genomic prediction	141
<i>I.M. MacLeod, S. Bolormaa, C. Schrooten, M.E. Goddard and H. Daetwyler</i>	
Genome-wide uncorrelated trait analysis identifies pleiotropic markers for dairy cattle in Australia	145
<i>R. Xiang, I.M. MacLeod, S. Bolormaa and M.E. Goddard</i>	
Expression of heterosis for live weight in growth curves of New Zealand dairy heifers	149
<i>R.C. Handcock, N. Lopez-Villalobos, L.R. McNaughton, G.R. Edwards and R.E. Hickson</i>	
Increasing the accuracy of genomic prediction for residual feed intake in dairy cattle by using SNPs associated with RFI in beef cattle	153
<i>M. Khansefid, J.E. Pryce and M.E. Goddard</i>	
Correlations and genetic trends for selection indices assessed using Australian and North American bull proofs	157
<i>B.A. Scott, M. Abdelsayed and J.E. Pryce</i>	
Beef I	
The new bovine reference assembly and its value for genomic research	161
<i>J.F. Medrano</i>	
Extensive sequencing of a tropically adapted breed – the Brahman sequencing project	167
<i>L. Koufariotis, B.J. Hayes, M. Kelly, B. Burns, R. Lyons and S. Moore</i>	
Genomics can contribute to selection to improve bottle teats in tropical beef genotypes	171
<i>M.L. Wolcott, D.J. Johnston and Y.D. Zhang</i>	
Possibilities of shortening the number days on feed for calculating NFI in cattle	175
<i>S.A. Clark and J.H.J. van der Werf</i>	
Use of genomic selection in a tropically adapted composite beef program	179
<i>W.S. Pitchford, G.I. Popplewell and R. Terle</i>	
Factors affecting puberty attainment in purebred and crossbred heifers	183
<i>J.G. Alexopoulos, M.L. Hebart and W.S. Pitchford</i>	
Prediction of genomic breeding values of primal cut weights in Korean Hanwoo cattle from different growth and carcass traits	187
<i>H.A. Al-Mamun, S. Kim, B.H. Park, M.N. Park and C. Gondro</i>	
Gene editing and novel gene technologies	
Cutting and pasting: the future of genetic improvement for food animal genomes	191
<i>T.S. Sonstegard, D. Carlson, P.B. Hackett, A. Watson and S.C. Fahrenkrug</i>	
Detection and assessment of copy number variation using PacBio long read sequencing in New Zealand dairy cattle	197
<i>C. Couldrey, M. Keehan, T. Johnson, K. Tiplady, A. Winkelman, C. Thresher, M.D. Littlejohn, A. Scott, K.E. Kemper, B.J. Hayes, S.R. Davis and R.J. Spelman</i>	

1000 bull genomes and SheepGenomeDB projects: enabling cost-effective sequence level analyses globally	201
<i>H.D. Daetwyler, R. Brauning, A.J. Chamberlain, S. McWilliam, A. McCulloch, C.J. Vander Jagt, B. Sunduimijid, B.J. Hayes and J.W. Kija</i>	
Transcriptomics profiling reveals candidate genes to improve feed efficiency in dairy cattle	205
<i>M.S. Salleh, G. Mazzoni, J.K. Höglund, D.W. Olijhoek, P. Lund, P. Løvendahl and H.N. Kadarmideen</i>	
Prediction of genome-wide regulatory regions in sheep	209
<i>M. Naval-Sanchez, Q. Nguyen, B.P. Dalrymple, T. Vuocolo, R.L. Tellam, L.R. Porto-Neto, S. McWilliam, A. Reverter and J. Kijas</i>	
Depot-specific gene expression during differentiation of Hanwoo muscular satellite cells	213
<i>S. De las Heras-Saldana, K.Y. Chung, S.H. Lee and C. Gondro</i>	
Genotyping-by-sequencing for genetic improvement in honeybees	217
<i>G.E.L. Petersen, P.F. Fennessy, T.C. Van Stijn, S.M. Clarke and P.K. Dearden</i>	
Pig & Poultry	
Genetics and genomics of swine lean growth at the interface between host and commensal gut bacteria	221
<i>C. Maltecca, B. Lu and F. Tiezzi</i>	
Behavioural traits recorded in gilts and associations with reproductive performance as group-housed sows	229
<i>K.L. Bunter</i>	
Genotype by parity interactions were not found for growth in Australian pigs	233
<i>S. Hermesch and B.G. Luxford</i>	
Extension of environmental descriptors used to analyse sire by environment interaction for growth of pigs	237
<i>S.Z.Y. Guy, J. Harper, L. Li, P.C. Thomson and S. Hermesch</i>	
Estimates of effective population size and inbreeding level for three Australian pig breeds	241
<i>O. D'Augustin, V. Börner and S. Hermesch</i>	
Genetic parameters for body-weight traits of a native poultry breed in Thailand	245
<i>S. Tongsir, M.G. Jeyaruban, S. Hermesch, J. H. J. van der Werf, L. Li and T. Chormai</i>	
Deviations around kinship expectations at various SNP marker densities in a population of broiler chickens	249
<i>A. Reverter, Y. Li, A. George, J. Henshall, R. Sapp, R. Okimoto, R. Hawken and S.A. Lehnert</i>	
Plenary paper II	
Precision medicine: realistic expectations for prediction of risk to human complex disease	253
<i>N. Wray</i>	
Plenary paper III	
Beef cattle genomic selection in tropical environments	255
<i>L.G. Albuquerque, G.A. Fernandes Júnior and R. Carvalheiro</i>	
Advances in statistical and computational methods II	
A multi-trait approach to incorporating foreign phenotypes and genotypes in genomic predictions to increase accuracy and reduce bias	265
<i>B.J. Hayes, G. Nieuwhof and M. HaileMariam</i>	

Some alternative computational strategies for single-step national genomic evaluations	269
<i>D.J. Garrick, H. Cheng, B.L. Golden and R.L. Fernando</i>	
A novel numerical method to quantify the contribution of genes to the population structure	273
<i>P. Kasarapu, L.R. Porto-Neto, M.R.S. Fortes, S.A. Lehnert, M.A. Mudadu, L. Coutinho, L. Regitano, A. George and A. Reverter</i>	
Committed matings under mate selection	277
<i>B.P. Kinghorn</i>	
Using machine learning methods to identify subsets of SNP for genomic prediction	281
<i>B. Li, A. George, A. Reverter and Y. Li</i>	
Strategies to use whole genome sequence data for genomic prediction in dairy cattle	285
<i>I. van den Berg, I.M. MacLeod, P.J. Bowman, T. Wang and M.E. Goddard</i>	
A pipeline for the analysis of multi-omics data	289
<i>L.T. Nguyen, M.R.S. Fortes and A. Reverter</i>	
Beef II	
Genetics of brisket disease in beef cattle: A not so high altitude problem	293
<i>M.G. Thomas, G.M. Krafur, T.N. Holt, R.M. Enns, S.E. Speidel, F.B. Garry, A. Canovas, J.M. Medrano, R.D. Brown, K.R. Stenmark and J.M. Neary</i>	
Breeding for low methane is associated with longer days to calving in first-parity Angus females	301
<i>K.A. Donoghue, T.L. Bird-Gardiner, P.F. Arthur and R.M. Herd</i>	
Genetic association of young male traits with female reproductive performance in Brahman and Santa Gertrudis cattle	305
<i>M.G. Jeyaruban and D.J. Johnston</i>	
Weighting factors for genomic information used in Single-Step genomic selection in Australian beef	309
<i>Y.D. Zhang, A. Swan, D.J. Johnston and C.J. Girard</i>	
Genetic and phenotypic characterization of MSA Index and its association with carcass and meat quality traits in Angus and Brahman cattle	313
<i>M.G. Jeyaruban, D.J. Johnston and B.J. Walmsley</i>	
Development of the beef genomic pipeline for BREEDPLAN single step evaluation	317
<i>N.K. Connors, J. Cook, C.J. Girard, B. Tier, K.P. Gore, D.J. Johnston and M.H. Ferdosi</i>	
Effects of Irish beef indexes and breeding programs on greenhouse gas emissions	321
<i>C. Quinton, F. Hely, T. Byrne, P. Amer and A. Cromie</i>	
Sheep and goats II	
Investigating variation in the test length required to estimate the trait of residual energy intake in growing maternal lambs	325
<i>P.L. Johnson, J. Wing, K. Knowler and P. Johnstone</i>	
Inheritance of wrinkle in Merino sheep at different ages	329
<i>J.C. Greeff, L.J.E. Karlsson and A.C. Schlink</i>	
Genotyping strategies of selection candidates in sheep breeding programs	333
<i>T. Granleese, S.A. Clark and J.H.J. van der Werf</i>	
Marketing and delivery of RamSelect workshops in South Australia: a coordinated approach	337
<i>A.L. Collins, M. Cousins, B.L. Ashton, S. Milne, D. Milne, B. Hancock, P. Schulz, L. Hogan and F.D. Brien</i>	
Use of genomic data to determine breed composition of Australian sheep	341
<i>P.M. Gurman, A.A. Swan and V. Boerner</i>	

Genetic correlations between lamb survival, birth weight, and gestation length differ between birth types	345
<i>O.A. Kelly, M.L. Hebart, F.D. Brien and W.S. Pitchford</i>	
Prediction accuracies for polled and horned Merino sheep using different genetic models	349
<i>N. Duijvesteijn, S. Weerasinghe and J.H.J. van der Werf</i>	
Plenary paper IV	
Can grazing livestock in developing countries benefit from use of genomic selection?	353
<i>H.M. Burrow, M.L. Wolcott, A. Maiwashe, M.L. Makgahlela, B.J. Hayes, J.G. Rees and M.J. Bradfield</i>	
Industry II	
BREEDPLAN in a genomics world – opportunities and challenges	361
<i>H. Nivison</i>	
An update on genetic progress in the Australian sheep industry	365
<i>A.A. Swan, R.G. Banks, D.J. Brown and H.R. Chandler</i>	
Economic value of genomic selection in a vertically integrated beef cattle production system	369
<i>J.W. Buchanan, M.D. MacNeil, R.C. Raymond, A.R. McClain and A.L. Van Eenennaam</i>	
The distribution of risk and reward in extensive livestock improvement systems, their consequences and possible responses	373
<i>R.G. Banks</i>	
Beef III	
Applying new genomic technologies to accelerate genetic improvement in beef and dairy cattle	377
<i>A. Canovas, J. Casellas, M. Thomas and J. F. Medrano</i>	
The Repronomics project - enabling genetic improvement in reproduction in northern Australia	385
<i>D.J. Johnston, T.P. Grant, T.J. Schatz, B.M. Burns, G. Fordyce, R.E. Lyons</i>	
Mythbusters: non-additive genetic effects had negligible impact on wagyu carcass quality	389
<i>R.A. McEwin, M.L. Hebart, S. de Bruin and W.S. Pitchford</i>	
Factors influencing gestation length in tropically adapted beef cattle breeds in northern Australia	393
<i>D.J. Johnston and T.P. Grant</i>	
Breed composition effects and genetic parameters for productivity of tropical beef cattle	397
<i>L.R. Porto-Neto, R. McCulloch, B.E. Harrison, R.J. Bunch, W. Barendse and, A. Reverter</i>	
Breeding Objectives II	
Do plainer bodied Merino ewes have higher lifetime reproduction rates?	401
<i>S. Hatcher and S.I. Mortimer</i>	
Optimising the proportion of selection candidates measured for methane emissions in a beef cattle breeding objective that includes feed intake	405
<i>D.J. Cottle</i>	
Economic value of selection for residual feed intake in the New Zealand sheep industry	409
<i>J.A. Archer, L.E. Proctor and T.J. Byrne</i>	
Nonlinear economic value for number of lambs born in New Zealand sheep indexes	413
<i>C. Quinton, T. Byrne and P. Amer</i>	
Effect of GxE on responses to selection in recorded multi-tier sheep breeding schemes	417
<i>B.F.S. Santos, J.H.J. van der Werf, J.P. Gibson and P.R. Amer</i>	

Poster Presentations

A simple method for evaluating the genotype quality of the sire X chromosome using half-sib families	421
<i>M.H. Ferdosi, D. Johnston, H. A. Al-Mamun and C. Gondro</i>	
Agreement among GWAS results from different statistical methods as a strategy to increase the power of QTL detection	425
<i>T.P. Melo, B.F. Garcia Neto, M.R.S. Fortes, L.G. Albuquerque and R. Carneiro</i>	
A look at computations for multivariate single-step genomic evaluations fitting the 'hybrid model'	429
<i>K. Meyer</i>	
Early prediction of important adult wool traits	433
<i>S. Shahinfar, and G. Hinch, J. Van Der Werf and L. Kahn</i>	
SNP-panel design for dairy proportion estimation and parentage testing	437
<i>E.M. Strucken, C. Esquivelzeta-Rabell, H.A. Al-Mamun, C. Gondro, O.A. Mwai and J.P. Gibson</i>	
Defining environmental stress conditions that produce differential survival in black tiger shrimp, <i>Penaeus monodon</i>	441
<i>A.R. Foote, C.N. Stratford, E. Giardina, D.R. Jerry and N.W. Wade</i>	
Reconstruction of unknown donor genome from chimeric pearl sac tissue and host genotypes in <i>Pinctada maxima</i>	445
<i>M.S. Khatkar, D.B. Jones, P.B. Toole, H.W. Raadsma, D.R. Jerry and K.R. Zenger</i>	
Comparison of different breeding design options for long term genetic gain and diversity in aquaculture species	449
<i>M.S. Khatkar, G.J. Coman, P.C. Thomson and H.W. Raadsma</i>	
Evaluation of pooled whole genome sequencing (Pool-Seq) to recover known GWAS signals (gene effects)	453
<i>A. Mohamed, L. Porto-Neto, A. Reverter and J. Kijas</i>	
Preputial eversion in young, tropically adapted bulls is a useful genetic indicator trait for improving female reproduction	457
<i>M.L. Wolcott and D.J. Johnston</i>	
Genetic and phenotypic parameters for feed efficiency traits in Australian Angus beef cattle	461
<i>J.A. Torres-Vazquez, J.H.J. van der Werf and S.A. Clark</i>	
Epinetr: a forward-time simulator for epistatic network modelling in R	465
<i>D.C. Detterer, Paul Kwan and Cedric Gondro</i>	
Methodology for quantification of circulating cell-free microRNA from bovine plasma for analysis of meat quality traits	469
<i>K.J. Kochan, S.E. Forman, A.E. Hillhouse, H.R. Cross and P.K. Riggs</i>	
Breed variation in tongue colour of dairy and beef-cross-dairy calves	473
<i>L.W. Coleman, H.T. Blair, N. Lopez-Villalobos, P.J. Back and R.E. Hickson</i>	
No evidence for genes with large effect on twinning in a beef herd with unusually high fecundity	477
<i>L. Cummins, C.M. Reich and B.J. Hayes</i>	
Genetic and phenotypic correlations between various growth and carcass traits with primal cut meat yield traits in Hanwoo cattle	481
<i>H.A. Al-Mamun, B. H. Park, M. N. Park, S. Kim and C. Gondro</i>	
Linking commercial carcass data to stud herds: the power of genomics	485
<i>L.R. Porto-Neto, S. Harburg, R.J. Bunch, R. Lyons, S.A. Lehnert and A. Reverter</i>	
Genotyping of Nellore biopsied embryos	489
<i>R. Carneiro, H.H.R. Neves, T. Bresolin, D.R. Arnold, A.C. Basso and L.G. Albuquerque</i>	

Genetics and genomics of bull fertility phenotypes measured as part of the bull breeding soundness evaluation	493
<i>M.R.S. Fortes, F.S.S. Raidan, N. Satake, L.R. Porto-Neto and G.B. Boe-Hansen</i>	
Preliminary estimates of productive lifetime and lifetime efficiency in Holstein cows as affected by age at first calving	497
<i>C.J.C. Muller, H.L. de Waal and M.M. Scholtz</i>	
Genome-wide mapping of loci affecting semen volume, sperm concentration and total and progressive motilities in boars	501
<i>T.S. Gaggini, R.C. Antunes, H. Barbosa, P. Charagu and F.M. Rezende</i>	
Productive lifetime and lifetime efficiency in Holstein cows as affected by first lactation milk yield	505
<i>H.L. de Waal, C.J.C. Muller and M.M. Scholtz</i>	
Genetic parameters for alternative measures of fertility in a commercial herd of tropical cows	509
<i>F.S.S. Raidan, L.R. Porto-Neto, M.R.S. Fortes, S. Harburg and A. Reverter</i>	
Georeferenced evaluation of genetic patterns of Montana Tropical® cattle	513
<i>T.G. Sousa, C.M. McManus, J.B. Ferraz, J.P. Eler, N.S. Costa and F.M. Rezende</i>	
Development of a custom ion AgriSeq genotyping-by-sequencing panel based on the ISAG bovine core parentage markers	517
<i>P. Siddavatam, A. Burrell, R. Ferretti, A. Allred, K. Ridley</i>	
The use of mid-infrared spectrometry to predict milk fatty acid, energy balance and methane emissions for Australian dairy cows	521
<i>T. Wang, H.N. Phuong, E. Wall, S. Smith and J.E. Pryce</i>	
Somatic cell count and milk urea nitrogen levels in Holstein and Fleckvieh x Holstein cows in a total mixed ration feeding system	525
<i>C.J.C. Muller, L. Metaxas and S.W.P. Cloete</i>	
Genetic parameters of puberty estimated using two genetically divergent groups of Holstein-Friesian dairy heifers	529
<i>M.D. Price, M.D. Camara, J.R. Bryant, S. Meier and C.R. Burke</i>	
Integration of IVF technologies with genomic selection to generate high merit AI bulls: a simulation study	533
<i>F.S. Hely, P.R. Amer, B. Oback and D.N. Wells</i>	
Developing a genomic selection breeding program for complex pearl colour traits within the silver-lipped pearl oyster	537
<i>D.B. Jones, P.B. Toole, M.S. Khatkar, H.W. Raadsma, D.R. Jerry and K.R. Zenger</i>	
Multi-tissue genome wide expression of mRNA and microRNA in cattle selected for high and low residual feed intake	541
<i>Y. Chen, C. Gondro, W. Al-Husseini, S. De las Heras Saldana, R. Herd, P. Arthur</i>	
Multi-assembler pipeline for the <i>de novo</i> transcriptome assembly on non-model organisms: the case of the black tiger prawn (<i>Penaeus monodon</i>)	545
<i>R. Huerlimann, L. Gordon, J. Goodall, K. Siemering, N. Wade, M. Sellars, G.E. Maes and D.R. Jerry</i>	
Juvenile IGF-I response in INRA RFI selection lines partly reflects changes in post-weaning attributes	549
<i>H. Gilbert, I. Louveau, Y. Billon and K.L. Bunter</i>	
A genetic exploration of Australian large white pigs	553
<i>K.P. Gore, R.G. Banks, V. Boerner and S. Hermes</i>	
Weighting of genomic and pedigree relationships in single step evaluation of carcass traits in Australian sheep	557
<i>A.J. McMillan and A.A. Swan</i>	

Genetic variation of weaner survival in merino sheep and its relationships with growth and wool	561
<i>S.F. Walkom, A.N. Thompson, E. Bowen and D.J. Brown</i>	
Progesterone is an indirect indicator of reproductive outcomes for yearling ewes	565
<i>K.L. Bunter, J.E. Newton and D.J. Brown</i>	
Genetic responses in component and composite reproduction traits in Merino ewes divergently selected for number of lambs weaned	569
<i>S.W.P. Cloete, J.B. van Wyk and J.J. Olivier</i>	
Genetic parameters for dag- and cover scores of Merino ewes divergently selected for number of lambs weaned	573
<i>A.J. Scholtz, J.J.E. Cloete and S.W.P. Cloete</i>	
Genetic parameters for arena behaviour of lambs from Merinos divergently selected for lambs weaned per ewe mated	N/A
<i>J.J.E. Cloete, A.J. Scholtz and S.W.P. Cloete</i>	
Accommodating variable disease challenge on breeding value prediction for sires – using footrot as an example	N/A
<i>S.F. Walkom, M.B. Ferguson, W. Gibson, D.J. Brown and K.L. Bunter</i>	
A genome-wide scan of positive selection signature using Ovine Infinium® HD SNP BeadChip in two Romney lines, selected for resistance or resilience to nematodes	585
<i>J. Yan, V.S.R. Dukkupati, H.T. Blair, P.J. Biggs, J. C. Hamie and A. Greer</i>	
Genetic association of skin thickness with lamb survival from birth to weaning, and growth and wool traits in New Zealand Romney sheep	589
<i>M. Soltani-Ghombavani, V.S.R. Dukkupati and H.T. Blair</i>	
Accounting for population structure in genomic prediction of Australian Merino sheep	593
<i>N. Moghaddar, D.J. Brown, A.A. Swan and J.H.J. van der Werf</i>	
Preliminary results on the inheritance of early lamb growth as an indicator for milk production in Merino sheep?	597
<i>J.C. Greeff, L.J.E. Karlsson and A.C. Schlink</i>	
The effect of including immune competence in Merino sheep breeding programs	601
<i>A. Alexander, B. Hine, J. Smith and S. Dominik</i>	