## 2017 Mediterranean Microwave Symposium (MMS 2017)

Marseille, France 28 – 30 November 2017



IEEE Catalog Number: CFP1746H-POD ISBN: 978-1-5386-5576-4

## Copyright © 2017 by the Institute of Electrical and Electronics Engineers, Inc. All Rights Reserved

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

\*\*\* This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.

 IEEE Catalog Number:
 CFP1746H-POD

 ISBN (Print-On-Demand):
 978-1-5386-5576-4

 ISBN (Online):
 978-1-5386-5575-7

ISSN: 2157-9822

## Additional Copies of This Publication Are Available From:

Curran Associates, Inc 57 Morehouse Lane Red Hook, NY 12571 USA Phone: (845) 758-0400

Fax: (845) 758-2633

E-mail: curran@proceedings.com Web: www.proceedings.com



List authors\*

Name Titles

ABDEDDAIM R. Mimicking tokamak plasma with fishnet metamaterials for calibration of antennas.....N/A

ABDLENOUR A. Passive UHF RFID Bending and Absolute Force Strain Gauge Based Sensors.....N/A

ABUDABBOUSA A. Multicarrier Technique-Based Super-Resolution TDOA Estimation.....1

ACHARD J. Mimicking tokamak plasma with fishnet metamaterials for calibration of antennas.....N/A

AGUILI T. MoM-GEC Method For Electromagnetic Study: Reflector antenna Application.....N/A

ALAM M.S. A Two Stage Low Noise Amplifier (LNA) with 2.90dB Noise Figure, 34.0dB Gain, +23.27dBm

IIP3and PDC =11.5 mW for 60GHz Wireless Receiver.....N/A

ALI I. A Two Stage Low Noise Amplifier (LNA) with 2.90dB Noise Figure, 34.0dB Gain, +23.27dBm

IIP3and PDC =11.5 mW for 60GHz Wireless Receiver.....N/A

AMHARECH A. Time domain analysis of incident field coupling to a microwave circuit: FDTD approach &

PSpice validation....N/A

ANEJA A. Design of Continuously Tunable Low Noise Amplifier for Multiband Radio.....4

ANEJA A. Design of Ink-Printed RFID Tags for Electronic Article Surveillance Systems.....N/A

ASHRAFIAN A. A Broadband Transition from Microstrip to Groove Gap Waveguide For Ka-Band

Applications....N/A

AUBERT H. A Wideband and Compact Circularly-Polarized Rectenna for Low Power Application.....N/A

AVCI C. Design and Implementation of Ultra Wide Band Digital Phase Shifter Cells on a Silicon

Substrate....N/A

AZIZI M.k. modeling resonator with integrated lumped element Using Iterative Method With auxiliary

source....N/A

BELKEBIR K. Inverse scattering in the multiple scattering regime using different gradient approximations.....N/A

BELLION A. A Wideband and Compact Circularly-Polarized Rectenna for Low Power Application.....N/A

BEN AYOUB M. Dielectric measurement study of illite and kaolinite clay using capacitive technique.....N/A

BENLARBI-DELAI A. Multicarrier Technique-Based Super-Resolution TDOA Estimation.....N/A

BENMAHMOUD F. Passive UHF RFID Bending and Absolute Force Strain Gauge Based Sensors.....N/A

BERCELI T. A multiplier-type microwave FET mixer.....N/A

BERGAMASHI S. Wide-band Nanoantenna for Optical and Infrared Energy Harvesting.....N/A

BERNARD L. Antenna Weighting System for a Uniform Linear Array based on Software Defined Radio.....N/A

BISWAS M. Slotted Half Hexagonal Patch Antenna for Compact Multiband Operation.....N/A

BOEGLEN H. Antenna Weighting System for a Uniform Linear Array based on Software Defined Radio.....N/A

BOE A. IoT Predictive Application for a DC Motor Systems using Radio Frequency links.....N/A

BONOD N. Resonant State expansions of interactions between particles and electromagnetic radiation.....N/A

BOUANI F. IoT Predictive Application for a DC Motor Systems using Radio Frequency links.....N/A

BOULEIJFEN N. Conception of a Dual-band Six-port Based Reflectometer.....N/A

BOULEIJFEN N. Performance assessment of the N-port based wireless receivers.....N/A

BOUSLAMA M. Design of a compact antipodal Vivaldi antenna with band-rejected characteristic.....N/A

BOUSLAMA M. Antipodal Vivaldi Antenna Array With Triangular Dielectric Director For Radar Applications.....N/A

BOUSLAMA M. Pattern Reconfigurable Antenna Design for 5G mobile communication systems.....N/A

BOUSLAMA M. A Flexible Frequency Selective Surface for Beam-switching applications.....N/A

BOUSLAMA M. Active Antenna Based on a New Cylindrical Frequency Selective Surface.....8

BOUSLAMA M. 3D Reconfigurable Frequency Selective Surface antenna for beam-switching applications.....10

BOZZI M. MM-Waves Modulated Gaussian Pulse Radar Breast Cancer Imaging Approach Based on

Artificial Neural Network: Preliminary Assessment Study.....N/A

CAMPO C. Antenna Weighting System for a Uniform Linear Array based on Software Defined Radio.....12

CAORSI S. MM-Waves Modulated Gaussian Pulse Radar Breast Cancer Imaging Approach Based on

Artificial Neural Network: Preliminary Assessment Study.....N/A

CELI D. Design of Silicon On-Wafer Sub-THz Calibration Kit.....N/A

CHAGTMI N. Conception of a Dual-band Six-port Based Reflectometer.....16

CHAGTMI N. Performance assessment of the N-port based wireless receivers.....20

CHATERJEE S. Estimation of Ground Footprint for Airborne Antenna Systems.....N/A

CHATERJEE S. Harmonic Suppression in In-line Parallel-Coupled Microstrip Bandpass Filter by

Minkowski Fractals.....24

CHATERJEE S. Slotted Half Hexagonal Patch Antenna for Compact Multiband Operation.....N/A

CHAUMET P. Inverse scattering in the multiple scattering regime using different gradient approximations.....N/A

CHEVALIER P. Design of Silicon On-Wafer Sub-THz Calibration Kit.....32

CHMIAA M. Mimicking tokamak plasma with fishnet metamaterials for calibration of antennas.....N/A

COLOM R. Resonant State expansions of interactions between particles and electromagnetic radiation.....N/A

CORCHIA L. Electromagnetic Compatibility Analysis of a WPT Link for Rechargeable Pacemakers.....N/A

CORDEAU D. 5.9 GHz High Sensitivity Rectenna for Low Power Wireless Transmission Application.....N/A

CSEPPENTO B. A multiplier-type microwave FET mixer.....N/A

DAS T.K. Harmonic Suppression in In-line Parallel-Coupled Microstrip Bandpass Filter by Minkowski

Fractals....N/A

DALASM Z.K. Dipole Antenna Based on Forward-Coupling Multilayer Ring Resonators (MRR).....N/A

DE LEDINGHEN E. Comparison between Calibration Standards Using Straight and Bended CPW's.....N/A

DE DONCKER P. Multicarrier Technique-Based Super-Resolution TDOA Estimation.....N/A

De MATOS M. Design of Silicon On-Wafer Sub-THz Calibration Kit.....N/A

DENG M. Design of Silicon On-Wafer Sub-THz Calibration Kit.....N/A

DENIDNI T.A. A Flexible Frequency Selective Surface for Beam-switching applications.....N/A

DENIDNI T.A. #VALEUR!.....N/A

DENIDNI T.A. X-shaped Circularly Polarized Aperture Coupled Antenna for WLAN.....N/A

DENIDNI T.A. 3D Reconfigurable Frequency Selective Surface antenna for beam-switching applications.....N/A

DEPAOLIS V. Electromagnetic Compatibility Analysis of a WPT Link for Rechargeable Pacemakers.....N/A

DESCAMPS P. Comparison between Calibration Standards Using Straight and Bended CPW's.....N/A

DOBAIE A. Experimental Study of Natural Fractal Antennas based on a Tree-Leaf geometry.....N/A

EYRAUD C. Upgrading the settings of a microwave experimental setup for better accuracy in bistatic

radar cross section measurement.....N/A

ENOCH S. Mimicking tokamak plasma with fishnet metamaterials for calibration of antennas.....N/A

ERRAMSHETTY M. New Wideband T-Shaped Perforated Dielectric Resonator Antenna.....N/A

FARAHBAKHSH A. Miniaturization of Patch Antennas by Curved Edges.....N/A

FERRARI P. Slow-Wave Microstrip Lines on a Structured PCB with Bed-of-Nails: application to a Branch-

Line Coupler in PCB Technology.....N/A

FLOCH J.-M. Experimental Study of Natural Fractal Antennas based on a Tree-Leaf geometry.....N/A

FONSECA N. Passive UHF RFID Bending and Absolute Force Strain Gauge Based Sensors.....N/A

FREGONESE S. Design of Silicon On-Wafer Sub-THz Calibration Kit.....N/A

GHARSALLAH A. A Flexible Frequency Selective Surface for Beam-switching applications.....N/A

GHARSALLAH A. Design of a compact antipodal Vivaldi antenna with band-rejected characteristic.....N/A

GHARSALLAH A. Pattern Reconfigurable Antenna Design for for 5G mobile communication systems.....N/A

GHARSALLAH A. Active Antenna Based on a New Cylindrical Frequency Selective Surface.....N/A

GHARSALLAH A. A Dual-Band Frequency Reconfigurable SIW, Cavity-Backed Antenna for X-Band Applications.....N/A

GHARSALLAH A. modeling resonator with integrated lumped element Using Iterative Method With auxiliary

source.....N/A

GHARSALLAH A. 3D Reconfigurable Frequency Selective Surface antenna for beam-switching applications.....N/A

GHANNOUCHI F.M. Conception of a Dual-band Six-port Based Reflectometer.....N/A

GHANNOUCHI F.M. Performance assessment of the N-port based wireless receivers.....N/A

GHORBEL I. Sub-1mW RF Voltage Controlled Oscillator Design Optimization for IoT.....N/A

GEFFRIN J.-M. Upgrading the settings of a microwave experimental setup for better accuracy in bistatic

radar cross section measurement.....N/A

GEORGET E. Mimicking tokamak plasma with fishnet metamaterials for calibration of antennas.....N/A

GEORGIN E. Dielectric measurement study of illite and kaolinite clay using capacitive technique.....N/A

GONICHE M. Mimicking tokamak plasma with fishnet metamaterials for calibration of antennas.....N/A

GORUR A.K. Fuzzy Logic Models for Edge Coupled Coplanar Waveguides.....N/A

GRAGNANI G.L. Wide-band Nanoantenna for Optical and Infrared Energy Harvesting.....36

GRENANA D. A Wideband and Compact Circularly-Polarized Rectenna for Low Power Application.....N/A

GRUSZCZYNSKI S. Differential lumped-element Wilkinson power divider for use in MMIC systems.....N/A

GRUSZCZYNSKI S. Low -Loss Wideband Bandpass Filters Using Semi-Distributed Unit Cells.....N/A

GUNES E.O. Design and Implementation of Ultra Wide Band Digital Phase Shifter Cells on a Silicon

Substrate....N/A

GUPTA S. Estimation of Ground Footprint for Airborne Antenna Systems.....N/A

HADDAD F. Sub-1mW RF Voltage Controlled Oscillator Design Optimization for IoT.....40

HAKEM N. Outage Probability Performance Using Space Projection Algorithm in FD-MIMO Relay.....N/A

HAKEM N. Outage probability of Full duplex Relay in OLOS Underground Mine Environments.....N/A

HAKEM N. Efficient Energy and Delay Clustering Protocol for Wireless Sensor Network (WSN).....N/A

HAMANI A. A 77 GHz High Power and Gain Transformer-Coupled Amplifier in CMOS FD-SOI 28 nm.....N/A

HAMID A.K. Hexa-Band CPW Bow-Tie Aperture Antenna and its Wi-Fi (2.4 GHz) applications.....N/A

HAMID A.K. Scattering by Two PEMC Elliptic Cylinders.....44

HAMID A.K. Hexa-Band CPW Bow-Tie Aperture Antenna and its Wi-Fi (2.4 GHz) applications.....N/A

HAMMACHE B. X-shaped Circularly Polarized Aperture Coupled Antenna for WLAN.....N/A

HAMZE K. Evaluation of the Error due to Bended CPW Lines used in a Calibration Process.....49

HASHEMI S.K. Dipole Antenna Based on Forward-Coupling Multilayer Ring Resonators (MRR).....N/A

HELLOU W. Mimicking tokamak plasma with fishnet metamaterials for calibration of antennas.....N/A

HENGY S. Antenna Weighting System for a Uniform Linear Array based on Software Defined Radio.....N/A

HERZI R. Antipodal Vivaldi Antenna Array With Triangular Dielectric Director For Radar

Applications.....N/A

HERZI R. Design of a compact antipodal Vivaldi antenna with band-rejected characteristic.....52

HILLAIRET J. Mimicking tokamak plasma with fishnet metamaterials for calibration of antennas.....N/A

HINOSTROZA I. UAV detection with K band embedded FMCW radar.....56

INAN O. Fuzzy Logic Models for Edge Coupled Coplanar Waveguides.....N/A

ISSA H. Slow-Wave Microstrip Lines on a Structured PCB with Bed-of-Nails: application to a Branch-

Line Coupler in PCB Technology.....N/A

JANISZ K. Differential lumped-element Wilkinson power divider for use in MMIC systems.....60

KABBAJ H. Time domain analysis of incident field coupling to a microwave circuit: FDTD approach &

PSpice validation....N/A

KADDOUR D. Passive UHF RFID Bending and Absolute Force Strain Gauge Based Sensors.....N/A

KANDIL N. Efficient Energy and Delay Clustering Protocol for Wireless Sensor Network (WSN).....N/A

KANOUN M. 5.9 GHz High Sensitivity Rectenna for Low Power Wireless Transmission Application.....63

KARPUZ C. Fuzzy Logic Models for Edge Coupled Coplanar Waveguides.....N/A

KOUKI R. IoT Predictive Application for a DC Motor Systems using Radio Frequency links.....67

LAADHAR L. Experimental Study of Natural Fractal Antennas based on a Tree-Leaf geometry.....N/A

LAAFIF K. Pattern Reconfigurable Antenna Design for 5G mobile communication systems.....72

LADHAR L. Experimental Study of Natural Fractal Antennas based on a Tree-Leaf geometry.....N/A

LASSALLE E. Resonant State expansions of interactions between particles and electromagnetic radiation.....N/A

LATIFA M. modeling resonator with integrated lumped element Using Iterative Method With

auxiliary source.....N/A

LATRACH L. Bandpass Filter Based on New Spiral Hexagonal Split Ring Resonator.....N/A

LATRACH L. modeling resonator with integrated lumped element Using Iterative Method With auxiliary

source....N/A

LATRACH L. A Dual-Band Frequency Reconfigurable SIW, Cavity-Backed Antenna for X-Band Applications.....N/A

LENZI C. MM-Waves Modulated Gaussian Pulse Radar Breast Cancer Imaging Approach Based on

Artificial Neural Network: Preliminary Assessment Study.....75

LETERTRE T. Studies of the behavior of the permittivité in microwave region of solid materials

according to the temperature variation.....79

LETERTRE T. UAV detection with K band embedded FMCW radar....N/A

LI B.E Design of Ink-Printed RFID Tags for Electronic Article Surveillance Systems.....82

LI B.E Design of Continuously Tunable Low Noise Amplifier for Multiband Radio.....N/A

LI X.J. Design of Continuously Tunable Low Noise Amplifier for Multiband Radio.....N/A

LI X.J. Design of Ink-Printed RFID Tags for Electronic Article Surveillance Systems.....N/A

LOULOU M. 5.9 GHz High Sensitivity Rectenna for Low Power Wireless Transmission Application.....N/A

LUONG D.L. Slow-Wave Microstrip Lines on a Structured PCB with Bed-of-Nails: application to a

Branch-Line Coupler in PCB Technology.....N/A

McPHEDRAN R. Resonant State expansions of interactions between particles and electromagnetic radiation.....N/A

MALLIKARJUN E. The Behaviour of Linear Sampling Method for Limited Aperture Measurements.....N/A

MALLIKARJUN E. Regularized Inexact Newton Method for Microwave Reconstruction of Strong Scatterers.....N/A

MAZIERE V. UAV detection with K band embedded FMCW radar.....N/A

MERICHE M.A. X-shaped Circularly Polarized Aperture Coupled Antenna for WLAN.....86

MESSAI A. X-shaped Circularly Polarized Aperture Coupled Antenna for WLAN.....N/A

MISSAOUI S. Microwave Tunable SIW Filter With Liquid Crystals.....N/A

MIRMOHAMMADI S. N. Dipole Antenna Based on Forward-Coupling Multilayer Ring Resonators (MRR).....N/A

MNIF H. 5.9 GHz High Sensitivity Rectenna for Low Power Wireless Transmission Application.....N/A

MONTI G. Electromagnetic Compatibility Analysis of a WPT Link for Rechargeable Pacemakers.....89

MOUTAOUEKKIL M.A. The effect of metal braces on antenna parameters and the SAR distribution of the head

exposed to popular cellular frequencies.....93

NASRI M. Design of a Ku-band Filter Based on Groove Gap Waveguide Technology.....N/A

NEZIMOGLU T. A Wideband Fractal Antenna and Comparison of RF Rectifiers for Electromagnetic Energy

Harvesting.....N/A

NOUAINIA A. MoM-GEC Method For Electromagnetic Study: Reflector antenna Application.....97

OBAID W. Hexa-Band CPW Bow-Tie Aperture Antenna and its Wi-Fi (2.4 GHz) applications.....102

OKBA A. A Wideband and Compact Circularly-Polarized Rectenna for Low Power Application.....N/A

ORAIZI H. A Broadband Transition From Microstrip to Groove Gap Waveguide For Ka-Band

Applications....N/A

ORAIZI H. Design of a Ku-band Filter Based on Groove Gap Waveguide Technology.....N/A

ORAIZI W. Hexa-Band CPW Bow-Tie Aperture Antenna and its Wi-Fi (2.4 GHz) applications.....N/A

ORAIZI W. Miniaturization of Patch Antennas by Curved Edges.....N/A

OSMAN L. Bandpass Filter Based on New Spiral Hexagonal Split Ring Resonator.....N/A

OSMAN L. Antipodal Vivaldi Antenna Array With Triangular Dielectric Director For Radar Applications.....N/A

OSMAN L. Design of a compact antipodal Vivaldi antenna with band-rejected characteristic.....N/A

OUESLATI D. Experimental Study of Natural Fractal Antennas based on a Tree-Leaf geometry.....N/A

OZDEMIR H. A Wideband Fractal Antenna and Comparison of RF Rectifiers for Electromagnetic Energy

Harvesting.....106

PAILLOT J.-M. 5.9 GHz High Sensitivity Rectenna for Low Power Wireless Transmission Application.....N/A

PAILLOT J.-M. Antenna Weighting System for a Uniform Linear Array based on Software Defined Radio.....N/A

PASQUET Comparison between Calibration Standards Using Straight and Bended CPW's.....N/A

PATEL P. New Wideband T-Shaped Perforated Dielectric Resonator Antenna.....110

PASIAN M. MM-Waves Modulated Gaussian Pulse Radar Breast Cancer Imaging Approach Based on

Artificial Neural Network: Preliminary Assessment Study.....N/A

PASQUET D. Comparison between Calibration Standards Using Straight and Bended CPW's.....N/A

PATRA K. Slotted Half Hexagonal Patch Antenna for Compact Multiband Operation.....N/A

PERREGRINI L. MM-Waves Modulated Gaussian Pulse Radar Breast Cancer Imaging Approach Based on

Artificial Neural Network: Preliminary Assessment Study.....N/A

PICARD D. The effect of metal braces on antenna parameters and the SAR distribution of the head

exposed to popular cellular frequencie.....N/A

PIEKARZ I. Low -Loss Wideband Bandpass Filters Using Semi-Distributed Unit Cells.....N/A

PISTONO E. Slow-Wave Microstrip Lines on a Structured PCB with Bed-of-Nails: application to a Branch-

Line Coupler in PCB Technology.....N/A

PODVIN F. Slow-Wave Microstrip Lines on a Structured PCB with Bed-of-Nails: application to a Branch-

Line Coupler in PCB Technology.....N/A

POULIGUEN P. Studies of the behavior of the permittivité in microwave region of solid materials according

to the temperature variation.....N/A

PRADAN S. Estimation of Ground Footprint for Airborne Antenna Systems.....N/A

RAHAJANDRAIBE W. Sub-1mW RF Voltage Controlled Oscillator Design Optimization for IoT.....N/A

RAHMAN K.M. Outage Probability Performance Using Space Projection Algorithm in FD-MIMO Relay.....113

RAHMAN K.M.	Outage probability of Full duplex Relay in OLOS Underground Mine Environments117		
RAVIPRASAD K.J.	Regularized Inexact Newton Method for Microwave Reconstruction of Strong Scatterers121		
RENNANE A.	Passive UHF RFID Bending and Absolute Force Strain Gauge Based Sensors124		
RMILLI A.	Experimental Study of Natural Fractal Antennas based on a Tree-Leaf geometryN/A		
ROCHAS J.F.	Dielectric measurement study of illite and kaolinite clay using capacitive techniqueN/A		
RUBEL Md. S.I.	Efficient Energy and Delay Clustering Protocol for Wireless Sensor Network (WSN)128		
RUSTOMJI K.	Mimicking tokamak plasma with fishnet metamaterials for calibration of antennasN/A		
SABOUROUX P.	Studies of the behavior of the permittivité in microwave region of solid materials according to the temperature variationN/A		
SABOUROUX P.	Dielectric measurement study of illite and kaolinite clay using capacitive techniqueN/A		
SALEH H.	Upgrading the settings of a microwave experimental setup for better accuracy in bistatic radar cross section measurement132		
SARRAZIN J	Multicarrier Technique-Based Super-Resolution TDOA EstimationN/A		
SLIMANE A.	Sub-1mW RF Voltage Controlled Oscillator Design Optimization for IoTN/A		
SBOUI F.	A Dual-Band Frequency Reconfigurable SIW, Cavity-Backed Antenna for X-Band ApplicationsN/A		
SENTENAC A.	Inverse scattering in the multiple scattering regime using different gradient approximationsN/A		
SOROCKI J.	Low -Loss Wideband Bandpass Filters Using Semi-Distributed Unit Cells134		
STEFER M.	Antenna Weighting System for a Uniform Linear Array based on Software Defined RadioN/A		
STOUT B.	Resonant State expansions of interactions between particles and electromagnetic radiationN/A		
TAKACS A.	A Wideband and Compact Circularly-Polarized Rectenna for Low Power ApplicationN/A		
TARRICONE L.	Electromagnetic Compatibility Analysis of a WPT Link for Rechargeable PacemakersN/A		
TAYBI C.	The effect of metal braces on antenna parameters and the SAR distribution of the head exposed to popular cellular frequencieN/A		
TAYEB G.	Mimicking tokamak plasma with fishnet metamaterials for calibration of antennasN/A		
TEDJINI S.	Passive UHF RFID Bending and Absolute Force Strain Gauge Based SensorsN/A		
TORTEL H.	Upgrading the settings of a microwave experimental setup for better accuracy in bistatic radar cross section measurementN/A		
TOUAMI R.	Passive UHF RFID Bending and Absolute Force Strain Gauge Based SensorsN/A		
TRAICHE S.	Sub-1mW RF Voltage Controlled Oscillator Design Optimization for IoTN/A		
TRAII M.	Active Antenna Based on a New Cylindrical Frequency Selective SurfaceN/A		
TRAII M.	A Flexible Frequency Selective Surface for Beam-switching applicationsN/A		
TOUHAMI R.	Sub-1mW RF Voltage Controlled Oscillator Design Optimization for IoTN/A		
TROUDI Z.	Bandpass Filter Based on New Spiral Hexagonal Split Ring Resonator138		

UNGER K.D. Inverse scattering in the multiple scattering regime using different gradient

approximations.....142

VANTROYS T. IoT Predictive Application for a DC Motor Systems using Radio Frequency links.....N/A

VINCENT D. Slow-Wave Microstrip Lines on a Structured PCB with Bed-of-Nails: application to a Branch-

Line Coupler in PCB Technology.....N/A

VUONG T.P. A 77 GHz High Power and Gain Transformer-Coupled Amplifier in CMOS FD-SOI 28 nm....N/A

WINCZA K. Differential lumped-element Wilkinson power divider for use in MMIC systems.....N/A

WINCZA K. Low -Loss Wideband Bandpass Filters Using Semi-Distributed Unit Cells.....N/A

YAGOUB M.C.E. A 77 GHz High Power and Gain Transformer-Coupled Amplifier in CMOS FD-SOI 28 nm....N/A

YARMAN B.S. Design and Implementation of Ultra Wide Band Digital Phase Shifter Cells on a Silicon

Substrate....N/A

ZERROUK I. Time domain analysis of incident field coupling to a microwave circuit: FDTD approach &

PSpice validation.....N/A

ZARIFI D. A Broadband Transition From Microstrip to Groove Gap Waveguide For Ka-Band

Applications....N/A

ZARIFI D. Design of a Ku-band Filter Based on Groove Gap Waveguide Technology.....N/A

ZARIFI D. Miniaturization of Patch Antennas by Curved Edges.....N/A

ZHANG T. Inverse scattering in the multiple scattering regime using different gradient approximations.....N/A

ZIMMER T. Design of Silicon On-Wafer Sub-THz Calibration Kit.....N/A



## **POSTERS**

Poster 1	A. ASHRAFIAN, D. ZARIFI and H. ORAIZI	A Broadband Transition From Microstrip to Groove Gap Waveguide For Ka- Band ApplicationsN/A
Poster 2	M. BEN AYOUB, E. GEORGIN, J-F. ROCHAS and P. SABOUROUX	Dielectric measurement study of illite and kaolinite clay using capacitive techniqueN/A
Poster 3	N. CHAGTMI, N. BOULEJFEN and F. GHANNOUCHI	Conception of a Dual-band Six-port Based ReflectometerN/A
Poster 4	K. HAMZE, E. De LEDINGHEN, D. PASQUET, P. DESCAMPS	Comparison between Calibration Standards Using Straight and Bended CPW'sN/A
Poster 5	R. HERZI, M. BOUSLAMA, L. OSMAN and A. GHARSALLAH	Design of a compact antipodal Vivaldi antenna with band-rejected characteristicN/A
Poster 6	K. JANISZ, K. WINCZA and S. GRUSZCZYNSKI	Differential lumped-element Wilkinson power divider for use in MMIC systemsN/A
Poster 7	M. KANOUN, D. CORDEAU, J-M. PAILLOT, H. MNIF and M. LOULOU	5.9 GHz High Sensitivity Rectenna for Low Power Wireless Transmission ApplicationN/A
Poster 8	K. LAAFIF, M. BOUSLAMA and A. GHARSALLAH	Pattern Reconfigurable Antenna Design for 5G mobile communication systemsN/A
Poster 9	C. LENZI, M. PASIAN, M. BOZZI, L. PERREGRINI and S. CAORSI	MM-Waves Modulated Gaussian Pulse Radar Breast Cancer Imaging Approach Based on Artificial Neural Network: Preliminary Assessment StudyN/A
Poster 10	B. E. LI, X. LIN, X. J. LI and A. ANEJA	Design of Ink-Printed RFID Tags for Electronic Article Surveillance SystemsN/A

Poster 11	M.A. MERICHE, A.MESSAI, B. HAMMACHE and T.A. DENIDNI	X-shaped Circularly Polarized Aperture Coupled Antenna for WLANN/A
Poster 12	Sihem. MISSAOUI and Sayed. MISSAOUI	Microwave Tunable SIW Filter With Liquid CrystalsN/A
Poster 13	M.A. MOUTAOUEKKIL, C. TAYBI, A.ZIYYAT and D. PICARD	The effect of metal braces on antenna parameters and the SAR distribution of the head exposed to popular cellular frequencieN/A
Poster 14	M. NASRI, D. ZARIFI and H. ORAIZI	Design of a Ku-band Filter Based on Groove Gap Waveguide TechnologyN/A
Poster 15	A. NOUAINIA and T. AGUILI	MoM-GEC Method For Electromagnetic Study: Reflector antenna ApplicationN/A
Poster 16	W. OBAID and A-K. HAMID	Hexa-Band CPW Bow-Tie Aperture Antenna and its Wi-Fi (2.4 GHz) applicationsN/A
Poster 17	P. PATEL and M. ERRAMSHETTY	New Wideband T-Shaped Perforated Dielectric Resonator AntennaN/A
Poster 18	K. J. RAVI PRASAD and E. MALLIKARJUN	Regularized Inexact Newton Method for Microwave Reconstruction of Strong ScatterersN/A
Poster 19	Md. S.I. RUBEL, N. KANDIL and N. HAKEM	Efficient Energy and Delay Clustering Protocol for Wireless Sensor Network (WSN)N/A
Poster 20	J. SOROCKI, I. PERKARZ, S. GRUSZCZYNSKI and K. WINCZA	Low -Loss Wideband Bandpass Filters Using Semi-Distributed Unit CellsN/A
Poster 21	R. WALI, L. OSMAN, T. RAZBAN and Y. MAHE	Tunable Power Divider With Varactors Based Schiffman Phase Shifters for Antenna Arrays Beam Steering145
Poster 22	I. ZERROUK, H. KABBAJ, A. AMHARECH	Time domain analysis of incident field coupling to a microwave circuit: FDTD approach & PSpice validation149