

2018 IEEE-APS Topical Conference on Antennas and Propagation in Wireless Communications (APWC 2018)

**Cartagena des Indias, Colombia
10-14 September 2018**



**IEEE Catalog Number: CFP1874N-POD
ISBN: 978-1-5386-6766-8**

**Copyright © 2018 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP1874N-POD
ISBN (Print-On-Demand):	978-1-5386-6766-8
ISBN (Online):	978-1-5386-6765-1

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

TABLE OF CONTENTS - IEEE APWC

		Pages	
	SESSION 2:DOA estimation		
Groth M., Leszkowska L., Kulas L.	Efficient RSS-Based DoA Estimation for ESPAR Antennas Using Multiplane SDR Calibration Approach	850	853
Diaz D., Vargas L., Castellanos G.	Training model for localization of interfering and illegal transmission for military forces in UHF bands	842	845
	SESSION 3:Wireless communications and sensors		
Brönnér A., Sakalas P., Ellinger F.	24 GHz BiCMOS Single-Stage Rectifier	870	872
Ramos B., Savazzi S., Winter J.M., Ojeda V., Chalen M., Del Rosario E., Alvarez M.	A Performance Comparison of WirelessHART and ZigBee in Oil Refinery	846	849
Seidel A., Kreißig M., Ellinger F.	An Ultra-Compact 0.17 mm² 2.4 GHz Low-Voltage Class-E Power Amplifier in 28 nm CMOS	743	745
Klein B., Hahnel R., Plettemeier D.	Dual-Polarized Integrated mmWave Antenna for High-Speed Wireless Communication	826	829
Castellanos G., Giraldo T.	Model definition for interference protection between DTT and TVWS	838	841
Alberto J., Puccetti G., Reggiani U., Sandrolini L., Tacchini A.	Multilayer Flat Spiral Resonators for Low Frequency Wireless Power Transfer	873	876
Brito J., D'Amico M., Ramos B., Núñez A., Nolivos I.	Performance of Equatorial Time Diversity Systems Evaluated from Rain Rate Time Series	V °	
Medina E.E.A., Barbin S.E.	Performance of spectrum sensing based on energy detection for cognitive radios	948	951
Ellinger F., Tzschoppe C., Fritsche D., Staerke P., Ishida K., Meister T.	Review of Fast, Efficient and Bendable Radio-Frequency Integrated Receivers for the Wireless Communication Systems of the Future	766	768
Nogueira de Sousa M., Correa E.F.S., Barboza I., Thomà R.	TDoA Emitter Location Enhancement in NLoS Scenario using Multi-path Ray Tracing Fingerprint and Machine Learning	V °	
	SESSION 6:Antennas APWC		
Andrade B.O., Mendonca L.M.	A Quadri-band PBG Antenna Cross-shaped For Wireless Communications	V °	
Tran T.M.D., Piette M.	An Optimized and Integrated Antenna Design for the Future Jamming System against RCIEDs	862	865
Tran T.M.D., Piette M.	Broadband Antenna Selection for Vehicle-mounted Jamming System against RCIEDs	866	869
Ripoll-Solano L., Torres-Herrera L., Sierra-Perez M.	Design, Simulation and Optimization of a Slotted Waveguide Array with Central Feed and Low Sidelobes	886	889
Poveda-Garcia M., Gomez-Tornero J.L., Rotenberg S., Mateo-Segura C.	Dual-band Ku-band Scanning Leaky-Wave Antenna For Satellite Communications	810	813
Piekarz I., Sorocki J., Slomian I., Wincza K., Gruszczynski S.	Experimental verification of 3D printed low-conductivity graphene-enhanced PLA absorbers for back lobe suppression in aperture-coupled antennas	780	782
Tianang E., Elmansouri M., Filipovic D.	High Isolation Diplexer-Free Dual-Polarized Array for Geostationary Satellites	737	740
Cabrera-Hernández E.A., Parrón-Granados J., Tennant A.	Influence of Non-ideal Components in a Dynamic Directional Modulation System	882	885
Sanchez T., Hincapie R.C., Gomez C.	Performance study of localization techniques: hybrid vs. Non hybrid TDOA/DOA	957	960
Raad H., Hammoodi A., Issac A.	Reconfigurable Printed Yagi-Uda Star Array for RF Power Transmission and Harvesting Systems	731	733
	SESSION 7:RFID technologies		
Brönnér A., Schwarze F., Ellinger F.	60 GHz On-Chip BiCMOS Bow-Tie Antenna	769	772

Demir M.A., Mutlu F., Ergul O.	Design of Highly Distinguishable Letters for Inkjet-Printed Chipless RFID Tags	783	786
Longhi M., Taylor Z., Popovic M., Nieto J., Siegwart R., Marrocco G.	RFID-Based Localization for Monitoring in Greenhouses Using MAVs	905	908
SESSION 21:Channel modelling and MIMO systems			
Eisenbeis J., Ramos López P., Mahler T., Zwick T.	Analysis of Spatial Overlap Constellations in Hybrid Beamforming Communication Systems	909	912
Glazunov A.A., Amani N., Uz Zaman A., Ivashina M.V., Maaskant R.	Capacity Gains of (3x3) x (3x3) MIMO Fixed Links with Planar Aperiodic Sparse Arrays in Pure-LOS Channels	734	736
Zoechmann E., Hofer M., Lerch M., Blumenstein J., Sangodoyin S., Groll H., Pratschner S., Caban S., Löschenbrand D., Bernado L., Zemen T., Prokes A., Rupp M., Mecklenbrauker C.F., Mallach A.F.	Statistical Evaluation of Delay and Doppler Spread in 60 GHz Vehicle-to-Vehicle Channels During Overtaking	806	809
Carreno E., Anglès A., Schkolnik D., Ahumada L.	Studying the dynamics of outdoor-indoor wireless links at 60 GHz	834	837
Molina Silva M., da Silva Mello L., Rodríguez Ron C., Gonzalez Castellanos P.	Wideband Channel Sounding Using Modulated OFDM Signals	920	923
SESSION 25:Emerging antenna technologies and wideband/multiband antennas, organized by H. Nakano			
Kawano T., Nakano H.	A bent umbrella-shaped transmission line antenna with parasitic monopoles	756	757
Koga Y., Kai M.	A Transparent Double Folded Loop Antenna for IoT Applications	762	765
Zhang R., Chu Q.X.	A Wideband Compressed Slot Antenna with Enhancing Directivity	816	817
Ngamjanyaporn P., Phongcharoenpanich C., Krairiksh M.	A Wideband Phase-Shifterless Switched-Beam Array Antenna	716	717
Fujimoto T., Kawamoto T., Shimizu K., Urushizaki Y.	Compact and Wideband Printed Monopole Antenna for Circular Polarization	V °	
Li T., Chen Z.N.	Design of Dual-Band Metasurface Antenna Array Using Characteristic Mode Analysis (CMA) for 5G Millimeter-Wave Applications	721	724
Liu J., Uz Zaman A., Yang J.	Design of Wideband Slot Array Antenna by Groove Gap Waveguide in Millimeter Waves	725	728
Fukusako T., Furuya K., Kuse R.	Design Strategies on Broadband Circular Polarization Generation using Metasurface Structures	V °	
Makino S., Hirano K., Itoh K., Noguchi K., Hirota T.	Dual band MACEY type T composed of three radiating grids for WiFi 2/5 GHz application	718	720
Wong H., Lin Q.W.	Low-Profile Magnetoelectric Dipole Antenna with Dual Complementary Sources	799	801
Yahya Alqurashi K., Crean C., Filgueiras H.R.D., da Costa I.F., Cerqueira S. Jr. A., Xiao P., Chen Z., Wong H., Kelly J.P.	Millimeter Wave Beam Steerable/Reconfigurable Liquid Metal Array Antenna	814	815
Kaushal S., Hasegawa Y., Hosono R., Yamamoto R., Guan N.	Millimeter-wave array antennas based on liquid crystal	758	761
Nakano H., Abe T., Yamauchi J.	Short circularly polarized metaline antenna	708	710
Tanabe M.	Wideband Antenna Characteristics of a Spiral Antenna with Double Layer HIS Reflector	V °	
SESSION 26:Low-profile and UWB antennas and systems			
Shi W., Chu Q.-X.	A Broadband Dual Polarized Antenna with L shaped Slots	952	953

Emami M., Rahmani M.H., Deslandes D.	A LTCC ultra-wideband periodic leaky-wave antenna with wide scanning range at 60 GHz	916	919
Zhou J., He X., Nie J., You B., Li W., Zhang K.	A Monopole Antenna with Butterfly-like Coupling Slot for MIMO Applications	V °	
You B., Lin B., Zhou J., Xu H.	A Multi-band Antenna Loaded with G-like Nested-Ring Meta-elements for WLAN/WIMAX Applications	V °	
Benavides J., Lituma R., Chasi P., Guerrero-Vásquez L.F.	A Novel Modified Hexagonal Shaped Fractal Antenna with Multi Band Notch Characteristics for UBW Applications	830	833
Devarapalli N.R.K., Hinostroza Saenz I.D., Guinvarc'h R., Haupt R.J.	Resonances in receiving two-arm spiral antennas	741	742



SESSION 29:Spectrum management evolution, organized by A. Navarro

Navarro A., Aristizabal J., Pineda M.D.	Antenna pattern verification for Digital TV Broadcast systems in Andean countries based on UAV's	858	861
Perez M., Jaramillo D., Pinzon D., Herrera F.	Spectrum forecasting model for IoT services	877	881
Navarro A., Aristizabal J., Vargas L.	Spectrum Occupancy Measurements Using Cyclostationary Detection in GNU Radio	773	776



SESSION 30:Cognitive radio

Abularach Arnez J.J., da Silva Mello L., Medina C.	A Time-Frequency Signal Analysis and Processing Application for Cooperative Spectrum Sensing	787	790
Ramirez G.A., Saavedra M.A., Araque J.L.	Analysis of an Energy Detection Algorithm for Spectrum Sensing	924	927
Patino M., Vega F.	Model for Measurement of Radio Environment Maps and location of White Spaces for Cognitive Radio Deployment	913	915
Pérez M., Losada S., Paéz C., Quiceno R.	Opportunistic Communication System for the FM Band	890	896
Abularach Arnez J.J., da Silva Mello L., Rodriguez Ron C., Medina C., Gonzalez Castellanos P.	Real Time SDR Cognitive Radio System for Cooperative Spectrum Sensing in the 700 MHz Brazilian Digital TV Band	791	794
Saavedra M.A., Ramirez G.A., Araque J.L.	Spectrum Occupation Assessment in Bogotá and opportunities for cognitive radio systems	932	935



SESSION 39:Propagation

Reis A.L., do Rego C.G., Nunes M.L., Lopez D.C.T.	A comparative study for radioelectric coverage models applied to mobile communication systems performance analysis	746	749
Montero O.R., Araque L.	Approximate modeling of Electromagnetic Propagation through Vegetation	928	931
Montero O., Pantoja J.J., Patiño M., Pineda E., Martinez D., Angel G., Cruz J., Suarez M., Vega F.	Attenuation of Radiofrequency Waves due to Vegetation in Colombia	940	943
Triana H., Navarro A.	High Frequency Methods Based in Parabolic Equation and Ray Launching in Electromagnetic Waves Propagation Predictions	777	779
Orihueta Vargas C.E., Silva M.M., Abularach Arnez J.J., Da Silva Mello L.	Initial Results of Millimeter Wave Outdoor Propagation Measurements in a Campus Environment	901	904
Orihueta Vargas C.E., Da Silva Mello L.	Measurements of Reflection and Penetration Loss of Construction Materials at 28 GHz and 38 GHz	897	900
Guevara D., Medina B., Navarro A.	Scattering Model for Ray Launching Tool, and Validation in 5.4GHz Indoor	854	857
Pardo J.M., Ramirez G.A., Rodriguez-Duarte D.O.	Site Specific Indoor Propagation Assessment in a 802.11ac WLAN by Site Survey and RayTracing Simulation	936	939
Cadette P.E., Jones W.L.	Site Specific Urban Propagation Unsing the Variable Terrain Radiowave Parabolic Equation Model	944	947
Silveira A., Barbin S.E., Kretly L.C.	Using TDR-Time Domain Reflectometry Measurements to comparing ribbon busbar versus wire busbar connections in polycrystalline solar cells: the Signature Approach	954	956