

2018 IEEE International Magnetic Conference (INTERMAG 2018)

**Singapore
23-27 April 2018**



**IEEE Catalog Number: CFP18INM-POD
ISBN: 978-1-5386-6426-1**

**Copyright © 2018 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP18INM-POD
ISBN (Print-On-Demand):	978-1-5386-6426-1
ISBN (Online):	978-1-5386-6425-4
ISSN:	2150-4598

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

TABLE OF CONTENTS

SPIN REORIENTATION, MAGNETIC VISCOSITY AND EXCHANGE COUPLING EFFECTS OF THE ND-CE-FE-B SINTERED MAGNETS PREPARED BY SINGLEMAIN-PHASE AND DUAL-MAIN-PHASE ALLOY METHODS	1
<i>Yikun Fang ; Zhiyu Jiang ; Rui Han ; Tao Liu ; Minggang Zhu ; Wei Li</i>	
SYSTEMATIC EXPERIMENTAL AND SIMULATION STUDIES OF DIMENSIONAL RESONANCE IN MN-ZN FERRITE TOROIDAL CORES.....	5
<i>Hiroyasu Kawano ; Hirotaka Oshima ; Koichi Shimizu ; Atsushi Furuya ; Yuji Uehara ; Juji Kato ; Mikio Kitaoka ; Kazuyoshi Hakamata</i>	
TRAFFIC FLOW AND VEHICLE SPEED MEASUREMENTS USING ANISOTROPIC MAGNETORESISTIVE (AMR) SENSORS	10
<i>Budi Santoso ; Bo Yang ; Chun Lian Ong ; Zhimin Yuan</i>	
TUNING OF SINGLE SIDEBAND GENERATION BY IN-PLANE FIELD ANGLE IN SPIN TORQUE NANO-OSCILLATORS	14
<i>Raghav Sharma ; Naveen Sisodia ; P K. Muduli</i>	
HYSTERESIS MODEL OF 3D PRINTED MAGNETIC PARTICLES BASED POLYMER COMPOSITE MATERIALS	19
<i>Z. Xiang ; B. Gupta ; M. Q. Le ; P. J. Cottinet ; B. Ducharne</i>	
INFLUENCES OF SINTERING TEMPERATURE ON THE MICROSTRUCTURE AND MAGNETOCALORIC EFFECT OF $MN_{1.15}FE_{0.85}P_{0.65}SI_{0.13}GE_{0.2}B_{0.02}$ PREPARED BY SPARK PLASMA SINTERING	24
<i>Z. R. Zhao ; T. Jing ; G. F. Wang ; B. Y. Yang ; X. F. Zhang</i>	
MAGNETICALLY CONTROLLED LIGHT MANIPULATING PROPERTIES OF BIOGENIC AND SYNTHETIC GUANINE CRYSTALS	29
<i>Hiroharu Kashiwagi ; Masakazu Iwasaka ; Hironori Asada ; Tsuyoshi Koyanagi ; Kengo Kishimoto</i>	
MAGNETOCALORIC EFFECT IN A DILUTED FERROELECTRIC: $BA_{0.6}EU_{0.4}TiO_3$.....	34
<i>Km Rubi ; R. Mahendiran</i>	
MAGNETIC PROPERTIES AND MICROSTRUCTURES OF NEWLY DEVELOPED IRON-BASED SOFT MAGNETIC POWDERS	38
<i>N. Imaoka ; S. Yamamoto ; K. Ozaki</i>	
OPTICAL BEHAVIOR OF GUANINE MICROCRYSTALS FROM AQUATIC SPECIES UPON EXPOSURE TO A MAGNETIC FIELD.....	45
<i>Hiroharu Kashiwagi ; Hironori Asada ; Masakazu Iwasaka</i>	
STRUCTURAL HEALTH MONITORING USING MAGNETOSTRICTIVE SENSORS.....	50
<i>Leong Zhaoyuan ; Louise Chan ; Nicholas Walters ; James Clarke ; William Holmes ; Simon Hayes</i>	
A CONTINUOUS PARAMETER-BASED APPROACH TO MODEL THE EFFECT OF MECHANICAL STRESS ON THE ELECTROMAGNETIC HYSTERESIS CHARACTERISTIC.....	55
<i>Benedikt Schauerte ; Simon Steentjes ; Nora Leuning ; Kay Hameyer</i>	
BASIC MAGNETIC FORMULATION FOR POWER GRID PLANNING.....	60
<i>Vincent Mazauric ; Nadia Maïzi</i>	
ABOUT ACCURACY AND INFLUENCE OF THE POLE COVERAGE FOR EDDY CURRENT LOSSES WITHIN PERMANENT MAGNETS OF ELECTRICAL MACHINES.....	65
<i>Manfred Kaltenbacher ; Anton Wolfschluckner</i>	
ANALYTICAL AND FEM CALCULATION OF ELECTRICAL PARAMETERS OF CARBON STEEL PIPE IN DEH SYSTEMS.....	69
<i>Anyuan Chen ; Arne Nysveen ; Martin Høyer-Hansen ; Jens Lervik</i>	
A SENSITIVE AC MAGNETOMETER USING A RESONANT EXCITATION COIL FOR MAGNETIC FLUID CHARACTERIZATION IN NONLINEAR MAGNETIZATION REGION.....	74
<i>Mohd Mawardi Saari ; Nazatul Sharreena Suhaimi ; Nurul Akmal Che Lah ; Kenji Sakai ; Toshihiko Kiwa ; Keiji Tsukada</i>	
INVESTIGATION OF AN AXIAL-GAP ELECTROMAGNET-ASSISTED FERRITE MAGNET MOTOR	78
<i>Kazuki Motoki ; Yuta Kobayashi ; Naoya Jike ; Tadashi Fukami ; Masato Koyama ; Takeshi Mori ; Masaki Yamada ; Masatsugu Nakano</i>	
2D ANALYTICAL SUBDOMAIN MODEL OF SURFACE-MOUNTED PM MACHINES ACCOUNTING FOR STEP-SKEWED MAGNETS.....	83
<i>Shoushou Zhang ; Siyuan Guo</i>	

DEVELOPMENT OF A NEW STATOR MODULE TYPE VERNIER MOTOR UTILIZING AMORPHOUS CUT CORE	87
<i>Hiroki Nakagawa ; Takeru Sato ; Takashi Todaka</i>	
EXPERIMENTAL RESULTS AND PARAMETER IDENTIFICATION OF A PERMANENT MAGNET ASSISTED SYNCHRONOUS RELUCTANCE MACHINE WITH A RIBLESS ROTOR	92
<i>Marco Zimmermann ; Alexander Lange ; Bernhard Piepenbreier</i>	
IMPROVEMENT OF EFFICIENCY AND VIBRATION NOISE CHARACTERISTICS DEPENDING ON EXCITATION WAVEFORM OF A BRUSHLESS DC MOTOR	97
<i>Shunsuke Noguchi ; Hideo Dohmeki</i>	
IMPROVEMENT OF TORQUE RIPPLE CHARACTERISTICS OF DOUBLE WINDING PMSM WITH USING TWIN INVERTERS	102
<i>Shunsuke Noguchi ; Hideo Dohmeki</i>	
IMPROVING PASSIVE STABILITY OF A PLANAR QUASI-ZERO STIFFNESS MAGNETIC LEVITATION SYSTEM VIA LEVER ARM	107
<i>Nur Afifah Kamaruzaman ; William S. P. Robertson ; Mergen H. Ghayesh ; Benjamin S. Cazzolato ; Anthony C. Zander</i>	
INFLUENCE OF SLEEVE MATERIAL ON ELECTROMAGNETIC FIELD BASED ON MULTI-PHYSICAL FIELD FOR PERMANENT MAGNET SYNCHRONOUS MOTOR	112
<i>Li Weili ; Li Lin ; Li Jinyang ; Shen Jiafeng ; Cao Junci ; Li Dong</i>	
INDUCTANCE ANALYSIS FOR THE MULTI-UNIT PERMANENT MAGNET SYNCHRONOUS MACHINES IN DIFFERENT OPERATING SITUATIONS	118
<i>Depeng Zeng</i>	
LCL FILTER DESIGN WITH THE INDUCTOR NONLINEAR BEHAVIOR CONSIDERATION IN THE THREE PHASE GRID-CONNECTED INVERTER	123
<i>Yitao Liu ; Shiqi Jiang ; Huaizhi Wang ; Guibin Wang ; Jianchun Peng ; Yong Liu</i>	
COMPARISON OF THE POWER FACTOR OF SMPM AND SM VERNIER OUTER RUNNER MACHINES FOR TRACTION APPLICATIONS	128
<i>Dominik Thyroff ; Christoph Hittinger ; Ingo Hahn</i>	
DESIGN AND REDUCTION OF THRUST RIPPLE IN TRANSVERSE FLUX PERMANENT MAGNET LINEAR MACHINE	132
<i>Yu Shuail ; Mei Zhao ; Hongyong Yang ; Ningjun Feng ; Dianli Ho ; Jibin Zou</i>	
SIMULATION AND IMPACT ANALYSIS OF REMANENT FLUX ON POWER TRANSFORMER INRUSH CURRENT	136
<i>Wenqi Ge ; Youhua Wang</i>	
3-D MAGNETIC FIELD ANALYSIS OF A PERMANENT MAGNET SPHERICAL ACTUATOR USING SPHERICAL HARMONICS	141
<i>Xuerong Li ; Jingmeng Liu ; Weihai Chen</i>	
VARIOUS NEW MAGNET ARRANGEMENTS USED IN DUAL-STATOR PERMANENT-MAGNET VERNIER MACHINE FOR LARGE TELESCOPE DRIVE	146
<i>Haitao Wang ; Shuhua Fang ; Thomas M. Jahns ; Hui Yang ; Heyun Lin</i>	
COMPARATIVE ANALYSIS OF AN AIR-CORE PMLSM WITH NEW DOUBLE-LAYER WINDINGS	151
<i>Weihu Mei ; Qinfen Lu ; Qian Jiang</i>	
RING-SHAPED SURFACE-MOUNTED PERMANENT MAGNET GENERATORS WITH MODULAR STATOR FOR SMALL WIND TURBINES	156
<i>Jefferson A. Oliveira ; Aly F. Flores Filho ; David G. Dorrell</i>	
SIMULATION STUDY OF MAGNETIC RESPONSE OF MAGNETIC NANOPARTICLES FOR TEMPERATURE MEASUREMENT UNDER DIFFERENT SELECTION MAGNETIC FIELD	161
<i>Xing Lu ; Jianjian Zhu ; Zheng Wang ; Shufeng Wei ; Huixian Wang ; Wenhui Yang</i>	
TUNING OF SINGLE SIDEBAND GENERATION BY IN-PLANE FIELD ANGLE IN SPIN TORQUE NANO-OSCILLATORS	165
<i>Raghav Sharma ; Naveen Sisodia ; P. K. Muduli</i>	
CHARACTERISTIC ANALYSIS AND DESIGN OF A NOVEL IRONLESS HALBACHMAGNETIZED PERMANENT MAGNET LINEAR SYNCHRONOUS MOTOR	170
<i>Lu Zhang ; Baoquan Kou ; Yanjie Liu</i>	
SUPPRESSION OF CHARGE ORDERING AND EVOLUTION OF FERROMAGNETISM IN RU SUBSTITUTED $\text{Bi}_{0.5}\text{Ca}_{0.5}\text{MnO}_3$	175
<i>Mukesh Kumari ; Amit Chanda ; Ramanathan Mahendiran</i>	
RELUCTANCE NETWORK MODEL OF PERMANENT MAGNET SYNCHRONOUS MOTOR CONSIDERING MAGNETIC HYSTERESIS BEHAVIOR	181
<i>Yoshiki Hane</i>	

SIMULATION AND IMPACT ANALYSIS OF REMANENT FLUX ON POWER TRANSFORMER INRUSH CURRENT	186
<i>Wenqi Ge ; Youhua Wang</i>	
STATIC CHARACTERISTICS OF SPLIT HYBRID EXCITATION MACHINE WITH PARALLEL MAGNETIC PATH.....	191
<i>Zheng Xu ; Yongjiang Jiang</i>	
STUDY ON STATIC MAGNETIC CHARACTERISTICS OF A SWITCHED RELUCTANCE MOTOR WITH 12/10 POLES UNDER DIFFERENT OPERATION MODES	196
<i>Yanfang Hu ; Wen Ding</i>	
THE EFFECT OF DIFFERENT CORE MATERIALS ON TRANSFORMER INRUSH CURRENTS.....	201
<i>Wenxia Sima ; Yonglai Liu ; Potao Sun ; Yuan Zhou ; Daixiao Peng ; Ming Yang</i>	
VALIDATION OF EFFICIENCY MAPS OF AN OUTER ROTOR SURFACE MOUNTED PERMANENT MAGNET MACHINE FOR EVALUATION OF RECYCLABILITY OF MAGNETS	205
<i>Adolfo Garcia Gonzalez ; Amit Kumar Jha ; Ziwei Li ; Pranshu Upadhayay ; Peter Rasmussen</i>	
ULTRAFAST SPIN DYNAMICS IN ANTIFERROMAGNETS	211
<i>O. Gomonay ; T. Jungwirth ; J. Sinova</i>	
ELECTRONIC STATES AND MAGNETIC PROPERTIES AROUND THE GRAIN BOUNDARY IN ND-FE-B SINTERED MAGNETS STUDIED BY FIRST-PRINCIPLES CALCULATIONS.....	212
<i>Y. Tatetsu ; Y. Gohda</i>	
ND-FE-B FILMS WITH PERPENDICULAR MAGNETIC ANISOTROPY AND EXTREMELY LARGE ROOM TEMPERATURE COERCIVITY	213
<i>C. Ma ; S. Wang ; A. Morisako ; S. Piramanayagam ; X. Liu</i>	
DEVELOPMENT OF NON-RARE EARTH GRAIN BOUNDARY DIFFUSION PROCESS FOR ND-FE-B PERMANENT MAGNETS.	214
<i>Z. Liu ; Q. Zhou ; H. Zeng ; H. Yu ; X. Zhong ; X. Che</i>	
LOW SPIN REORIENTATION TRANSITION TEMPERATURE, HIGH COERCIVITY, ND₂(FE,CO,CR)₁₄B BASED HARD MAGNETIC NANOPARTICLES.	215
<i>V. Chaudhary ; Y. Zhong ; H. Parmar ; X. Tan ; R.V. Ramanujan</i>	
MAGNETIC PROPERTIES OF NDFEB ALLOYS OBTAINED BY GAS ATOMIZATION TECHNIQUE.....	216
<i>G. Sarriegui ; J.M. Martín ; M. Ipatov ; A.P. Zhukov ; J. Gonzalez</i>	
DIRECTLY OBSERVED DYNAMICS OF DISTORTED VORTEX CORES INCLUDING ASYMMETRIC BLOCH WALLS UTILIZING SOFT X-RAY MICROSCOPY.....	217
<i>M. Im ; H. Han ; M. Jung ; P. Fischer ; J. Hong ; K. Lee</i>	
OFF-AXIS ELECTRON HOLOGRAPHY FOR THE QUANTITATIVE STUDY OF MAGNETIC PROPERTIES OF NANOSTRUCTURES: FROM THE SINGLE NANOMAGNET TO THE COMPLEX DEVICE.	218
<i>C. Gatel ; B. Warot-Fonrose ; M. Casanove ; A. Masseboeuf ; N. Biziere ; F.B. Bonilla ; L. Lacroix ; A. Meffre ; T. Blon</i>	
SPATIALLY RESOLVED INVESTIGATION OF ALL OPTICAL MAGNETIZATION SWITCHING IN TBFE ALLOYS.	219
<i>M. Mawass ; A. Arora ; O. Sandig ; C. Luo ; A.A. Ünal ; F. Radu ; S. Valencia ; F. Kronast</i>	
A MAGNETIC FIELD CAMERA FOR REAL-TIME SUBSURFACE IMAGING APPLICATIONS.	220
<i>A.B. Suksmono ; D. Danudirdjo ; R.P. Prastio ; A.D. Setiawan ; D. Rahmawati</i>	
A COMPARATIVE STUDY ON SPIN-ORBIT TORQUE EFFICIENCIES FROM W/FERROMAGNETIC AND W/FERRIMAGNETIC HETEROSTRUCTURES.....	221
<i>T. Wang ; C. Pai ; H. Yen ; T. Chen ; C. Wu</i>	
CHIRAL MAGNETIZATION SWITCHING INDUCED BY SPIN ORBIT TORQUE IN PT/CO/TA STRUCTURE.	222
<i>S. Li ; W. Lew</i>	
DEVELOPMENT OF THE NEW MEASUREMENT TECHNIQUE FOR SPIN DYNAMICS OF MAGNETIC THIN FILMS	223
<i>Y. Endo ; O. Mori ; S. Yabukami ; R. Utsumi ; Y. Shimada</i>	
PROBE-BASED SPIN TORQUE TRANSFER DEVICE FOR WRITING HARD DISKS	224
<i>J. Hong ; O. Lee ; K. Dong ; S. Khizroev ; L. You ; J. Bokor</i>	
LARGE MAGNETORESISTIVE OUTPUTS IN HEUSLER ALLOY-BASED CPP-GMR SENSORS USING WITH AGINZNO SPACERS	225
<i>T. Nakatani ; T. Sasaki ; Y. Sakuraba ; K. Hono</i>	
DATA TEMPERATURE AND FUTURE DATA STORAGE ARCHITECTURE.....	226
<i>K. Gao</i>	

TWO-CONVERTERS BASED SYNCHRONOUS OPERATION AND CONTROL OF A BRUSHLESS DOUBLY-FED RELUCTANCE MACHINE	228
<i>R. Rebeiro ; A. Knight</i>	
A NOVEL TWO-PHASE EXCITATION SWITCHED RELUCTANCE MOTOR WITH SYMETRICAL WINDING DISTRIBUTION	230
<i>Y. Zhu ; C. Yang ; Y. Zhang</i>	
MANUFACTURING CONDITION AND VARIATIONS OF SOFT MAGNETIC COMPOSITE CORES FOR APPLICATION IN PM MOTORS BASED ON TAGUCHI METHOD.	231
<i>G. Lei ; Y. Guo ; J. Zhu</i>	
STUDY ON OPTIMAL CURRENT ALLOCATION STRATEGY FOR DOUBLY SALIENT ELECTROMAGNETIC MACHINE BASED ON PARTICLE SWARM OPTIMIZATION.	233
<i>A. Wang ; Z. Chen ; H. Li ; C. Zhang</i>	
A NOVEL COUPLED AUTO-TRANSFORMER AND MAGNETIC CONTROL SOFT STARTER FOR SUPER LARGE CAPACITY HIGH VOLTAGE MOTOR.	235
<i>J. Yuan ; C. Wang ; Y. Zhu ; H. Zhou ; L. Wei ; C. Tian ; Y. Gao ; K. Muramatsu ; B. Chen</i>	
A NOVEL DUAL-SIDED PM VARIABLE FLUX MEMORY MACHINE.	237
<i>H. Yang ; H. Lin ; Z. Zhu ; S. Lyu ; K. Wang</i>	
IMPROVED ANALYTICAL EDDY CURRENT LOSS MODELLING CONSIDERING CARRIER HARMONICS TOWARDS MAXIMUM EFFICIENCY CONTROL OF PMSM-DRIVE SYSTEMS.	238
<i>A. Balamurali ; C. Lai ; H. Dhulipati ; V. Loukanov ; N. C. Kar</i>	
INTEGRATED NEMS MAGNETOELECTRIC SENSORS AND ANTENNAS.	239
<i>N. Sun</i>	
GIANT PHOTO-HALL EFFECT IN METALS.....	240
<i>A. Ruotolo ; D. Li</i>	
ENHANCED ANNEALING STABILITY OF EXCHANGE BIASED PINNED LAYER IN MAGNETIC TUNNEL JUNCTIONS USING A THIN TA/RU/TA/RU UNDERLAYER FOR ANALOG SENSOR APPLICATIONS.....	241
<i>K. Okamoto ; Y. Fuji ; Y. Higashi ; S. Kaji ; T. Nagata ; S. Baba ; A. Yuzawa ; M. Hara</i>	
MODIFICATION OF CE VALENCE STATES BY Y/DY CO-DOPING OF CeO_2 NANOPARTICLES FOR EFFECTIVE ELECTRICAL AND SENSING PROPERTIES.....	242
<i>C. Madhusudan</i>	
AN ELECTROMAGNETIC FIELD REDUCTION METHOD FOR INDUCTIVE POWER TRANSFER IN TRANSPORTATION SYSTEM.....	244
<i>J. Kim ; K. Kim ; S. Ahn</i>	
OPTIMAL DESIGN OF QUADRATURE-SHAPED PICKUP FOR OMNIDIRECTIONAL WIRELESS POWER TRANSFER.	246
<i>Z. Zhang ; B. Zhang ; R. Tong ; W. Ai ; S. Chang ; J. Wang</i>	
FABRICATION TECHNOLOGY OF LOW-PROPAGATION-LOSS PLASMONIC WAVEGUIDE CONTAINING A FERROMAGNETIC METAL.	247
<i>V. Zayets ; H. Saito ; S. Yuasa</i>	
AREA EFFICIENT MULTI LEVEL CELL SOT-MRAM WITH SHARED DIODE FOR HIGH DENSITY MEMORIES APPLICATIONS.	248
<i>K. A. Ahmed ; L. Fei ; S. Y. Lua ; C. Heng</i>	
ROWHAMMER FOR SPIN TORQUE BASED MEMORY: PROBLEM OR NOT?	250
<i>S. Agarwal ; H. Dixit ; D. Datta ; M. Tran ; D. Houssameddine ; D. Shum ; F. Benistant</i>	
A NOVEL 1H/ 3HE DUAL-TUNED TRANSMIT COIL AT ULTRA-LOW FIELD MRI DESIGNED BY USING ELECTROMAGNETIC FIELD AND RADIO FREQUENCY CIRCUIT CO-SIMULATION METHOD.	251
<i>Y. Dou ; Y. Li ; J. Xu ; Q. Chen ; L. Wang ; X. Zhang ; N. Li ; C. Luo ; F. Du</i>	
A THEORITICAL AND SIMULATIONAL STUDY ON THE CHEMICAL SHIFT EFFECTS ON THE MAGNETIC SUSCEPTIBILITY OF IRON AT ULTRA-SHORT ECHO TIMES.....	253
<i>X. Lu ; J. Zhu ; Z. Wang ; S. Wei ; H. Wang ; W. Yang</i>	
MAGNETIC-FLUORESCENT Fe_3O_4@CHITOSAN-GRAPHENE QUANTUM DOTS NANOCOMPOSITES FOR DUAL-MODAL NANOPROBES OF FLUORESCENCE AND MAGNETIC RESONANCE IMAGING.	254
<i>Y. Li ; K. Wang ; X. Xu ; Y. Jiang</i>	
ASYMMETRIC GRADIOMETER SYSTEM FOR MAGNETOCARDIOGRAMS MEASURING WITHOUT MAGNETIC SHIELDING.....	255
<i>Q. Wang ; J. Du ; T. Song</i>	
NOISE REDUCTION IN MAGNETOCARDIOGRAPH BASED ON TIME-SHIFT PCA JUST USING MEASUREMENT DATA.....	257
<i>M. Iwai ; K. Kobayashi</i>	

QUANTITATIVE COMPONENT SELECTION METHOD USING ATTRACTOR ANALYSIS FOR NOISE REDUCTION BY ICA OF MAGNETOCARDIOGRAM.....	258
<i>K. Kobayashi ; M. Iwai</i>	
ELECTROMAGNETIC FIELD AND RADIO FREQUENCY CIRCUIT CO-SIMULATION APPROACH FOR STRONGLY COUPLED COIL ARRAY IN MAGNETIC RESONANCE IMAGING.	259
<i>N. Li ; S. Liu ; F. Du ; Q. Chen ; C. Luo ; Y. Dou ; X. Zhang ; Y. Li</i>	
IMPROVING TIP POSITION ESTIMATION ACCURACY OF GASTRIC TUBE BY COMPENSATING GEOMAGNETIC FIELD WITH OFFSET COILS.	261
<i>T. Sasayama ; Y. Gotoh ; K. Enpuku</i>	
EFFECT OF GD5SI4 FERROMAGNETIC NANOPARTICLE SIZES ON T₁, T₂ AND T₂* RELAXATION IN MRI.....	262
<i>S. Hunagund ; J. Rosenberg ; S. M. Harstad ; A. A. El-Gendy ; S. Gupta ; V. Pecharsky ; R. L. Hadimani</i>	
INFLUENCE OF THE PHASE STRUCTURE ON THE ACOUSTIC AND OPTICAL MODE FERROMAGNETIC RESONANCE OF FENI STRIPE DOMAIN FILMS.....	263
<i>D. Cao ; L. Pan ; Y. Song ; X. Cheng ; H. Feng ; C. Zhao ; Q. Li ; J. Xu ; S. Li ; Q. Liu ; J. Wang</i>	
HIGH FREQUENCY MAGNETIC LOSS IN NANOGRANULAR FECOTIO FILMS WITH DIFFERENT HISTORY OF INDUCED UNIAXIAL ANISOTROPY.....	264
<i>Y. He ; Y. Wang ; Z. Zhong ; H. Zhang ; F. Bai</i>	
FOLDOVER EFFECT IN SPIN-WAVE OPTOELECTRONIC ACTIVE RING RESONATORS.	265
<i>V. Vitko ; A. Nikitin ; A. B. Ustinov ; B. A. Kalinikos</i>	
EFFECT OF ANNEALING ON THE STRUCTURAL AND FMR PROPERTIES OF EPITAXIAL YIG THIN FILMS GROWN BY RF MAGNETRON SPUTTERING	266
<i>B. Bhoi ; N. Venkataramani ; R. Aiyar ; S. Prasad ; M. Kostylev</i>	
ELECTROMAGNETIC NOISE SUPPRESSION COMPOSITE SHEET MADE OF HEXAGONAL FERRITE PARTICLES.....	267
<i>M. Sato ; R. Sai ; Y. Miyazawa ; A. Takahashi ; M. Yamaguchi</i>	
ENHANCEMENT OF PHASE-SHIFTING NONRECIPROCITY IN METAMATERIAL LINES LOADED WITH COMB-SHAPED STUBS SUPPORTING SLOW WAVE PROPAGATION OF EDGE GUIDED MODES	268
<i>T. Ueda ; K. Okamoto ; J. Yamauchi ; T. Itoh</i>	
NEW MEASUREMENT METHOD OF BROADBAND PERMITTIVITY AND PERMEABILITY OF NON-SOLID MATERIALS IN SMALL QUANTITY	269
<i>K. Miura ; Y. Odagiri ; T. Umesaka ; D. Suzue ; H. Osada</i>	
RADIATION HARDENING TECHNIQUES FOR SOT-MRAM PERIPHERAL CIRCUITRY.....	270
<i>B. Wang ; Z. Wang ; C. Hu ; Y. Zhao ; Y. Zhang ; W. Zhao</i>	
MAGNETIZATION UNIFORMITY AND THRESHOLD CURRENT OF OUT-OF-PLANE PRECESSION IN SPIN-TORQUE OSCILLATOR WITH SYNTHETIC FERRIMAGNET FREE LAYER UNDER PERPENDICULAR MAGNETIC FIELD: MICROMAGNETIC SIMULATION STUDY.	272
<i>T. Kanao ; T. Nagasawa ; H. Suto ; K. Mizushima</i>	
FABRICATION OF L₁₀-MNAL THIN FILMS WITH HIGH PERPENDICULAR MAGNETIC ANISOTROPY FOR STT-MRAM.	274
<i>M. Parvin ; M. Kubota ; M. Oogane ; M. Tsunoda ; Y. Ando</i>	
HYBRID MEMORY LAYER WITH LOW CURIE TEMPERATURE COPD/PD MULTILAYER FOR HIGH-DENSITY MAGNETIC RANDOM ACCESS MEMORY CELLS.	275
<i>W. Zhao ; T. Kimura ; T. Kato ; D. Oshima ; Y. Sonobe ; Y. Kawato ; S. Iwata</i>	
MAGNETIC PROPERTIES OF MN-BASED HEUSLER ALLOY FILMS WITH RU DOPING.....	276
<i>L. Ren ; Y. Zheng ; Y. Liu ; K. Teo</i>	
PROPOSAL OF AN ULTRA-FAST ALL SPIN LOGIC DEVICE BASED ON RE-TM FERRIMAGNETIC MATERIAL.....	277
<i>Z. Zheng ; Y. Zhang ; Z. Zhang ; J. Nan ; K. Zhang ; J. Klein ; D. Ravelosona ; Y. Zhang ; W. Zhao</i>	
EXCHANGE BIAS IN CO/COO CORE-SHELL NANOWIRES: ROLES OF ANTIFERROMAGNETIC GRAIN SIZE DISTRIBUTION AND INTERFACIAL SPIN GLASS.....	278
<i>X. Wen ; K. Gandha ; P. Liu ; J. Yang</i>	
STRUCTURE AND MAGNETIC PROPERTIES OF MNBI NANOPARTICLES PREPARED BY LASER ABLATION AND ARC DISCHARGE METHOD.....	279
<i>X. Wang ; H. Qian ; P. Si ; Y. Yang ; C. Choi ; J. Park ; X. Wang ; H. Ge ; K. Shinde ; K. Chung</i>	
ORGANIZATION AND MAGNETIC PROPERTIES OF FEPT NANOPARTICLES DEPOSITED ON GRAPHENE/IR MOIRÉ PATTERN	280
<i>F. Tournus ; P. Capiod ; L. Bardotti ; A. Tamion ; O. Boisson ; C. Albin ; V. Dupuis ; G. Renaud ; P. Ohresser</i>	

RESEARCH ON EDDY CURRENT TESTING OF FUNCTIONAL POLYMER COMPOSITE MATERIAL	281
<i>Z. Cai ; C. Liu</i>	
ANALYSIS OF FLUX REVERSAL PERMANENT MAGNET MACHINES WITH DIFFERENT CONSEQUENT-POLE PM TOPOLOGIES.....	282
<i>H. Li ; Z. Zhu</i>	
INFLUENCE OF ALUMINUM DIE-CAST ROTOR POROSITY ON THE EFFICIENCY OF INDUCTION MACHINES.	283
<i>J. Yun ; S. Lee</i>	
THE METHOD FOR REDUCING INTRINSIC SHAFT VOLTAGE BY SUITABLE SELECTION OF POLE-ARC COEFFICIENT IN FRACTIONAL SLOT PERMANENT MAGNET SYNCHRONOUS MACHINES	284
<i>B. Peng ; X. Wang ; W. Zhao</i>	
COMPARISON OF ROTOR EDDY CURRENT LOSSES IN FRACTIONAL-SLOT CONCENTRATED-WINDING IPM MACHINES WITH DIFFERENT ROTOR TOPOLOGY	285
<i>L. Cong ; X. Li ; L. Wu</i>	
DESIGN AND ANALYSIS OF A MECHANICAL FLUX-VARYING PM MACHINE WITH AUTO-ROTARY PMS.	286
<i>X. Liu ; Z. Zhang ; H. Xu ; J. Xiao ; Z. Liu</i>	
DEVELOPMENT OF VARIABLE STRESS APPLYING SYSTEM FOR SHRINK FITTING OF STATOR HOUSING IN IPM MOTOR.....	287
<i>J. Kitao ; J. Aizawa ; M. Nakano ; M. Yamada ; A. Daikoku</i>	
STUDY ON STRUCTURE AIMED AT LOW VIBRATION OF 16-POLE 18-SLOT IPM MOTOR FOR MILD-HEV.....	288
<i>Y. Hirai</i>	
TORQUE IMPROVEMENT IN PARTITIONED STATOR WOUND FIELD SWITCHED FLUX MACHINE BY USING ASSISTED FERRITES.....	289
<i>Z. Wu ; Z. Zhu</i>	
ROTOR SHAPE OPTIMIZATION FOR IMPROVING TORQUE PERFORMANCE OF PM-ASSISTED WOUND FIELD SYNCHRONOUS MACHINE.....	290
<i>W. Chai ; B. Kwon ; T. A. Lipo</i>	
TORQUE RIPPLE IMPROVEMENT FOR FERRITE-ASSISTED SYNCHRONOUS RELUCTANCE MOTOR BY USING ASYMMETRIC FLUX-BARRIER ARRANGEMENT.....	291
<i>M. Xu ; G. Liu ; W. Zhao</i>	
INFLUENCE OF MAGNETIC SATURATION AND ROTOR ECCENTRICITY ON BACK-EMF OF NOVEL HYBRID-EXCITED STATOR SLOT OPENING PERMANENT MAGNET MACHINE.	292
<i>M. Zheng ; Z. Zhu ; S. Cai ; H. Li ; Y. Liu</i>	
ELECTROMAGNETIC PERFORMANCE ANALYSIS OF HYBRID EXCITED SEGMENTAL ROTOR FLUX SWITCHING MACHINE.	293
<i>Y. Yang ; J. Chen ; B. Yan ; X. Wang ; C. Zhu</i>	
PERFORMANCE ANALYSIS OF SUSPENSION FORCE AND TORQUE IN AN IBPMSM WITH V-SHAPE PMS FOR FLYWHEEL BATTERIES.....	294
<i>B. Su ; X. Sun ; G. Lei ; Z. Yang ; J. Zhu ; Y. Guo ; K. Diao</i>	
CHARACTERISTIC ANALYSIS OF A CONSEQUENT-POLE MOTOR WITH VERNIER STRUCTURE USING FERRITE MAGNETS.....	295
<i>M. Choi ; B. Han ; B. Kim</i>	
STATIC CHARACTERISTICS OF HYBRID EXCITATION MACHINE WITH PARALLEL MAGNETIC PATH.....	296
<i>J. Zhang ; Z. Xu ; Y. Jiang ; W. Hua</i>	
PARAMETRIC OPTIMIZATION OF FLUX FOCUSING TYPE DOUBLE STATOR AND SINGLE ROTOR AXIAL FLUX PERMANENT MAGNET MOTOR.	297
<i>Q. Syed ; I. Hahn</i>	
ANALYSIS AND IMPROVEMENT OF A VARIABLE FLUX HYBRID-PERMANENT MAGNET SYNCHRONOUS MACHINE.....	298
<i>Y. Hu ; B. Chen ; B. Zhou ; Y. Xiao ; M. Wang</i>	
DESIGN FOR AN SIX-PHASE SYNCHRONOUS RELUCTANCE MOTOR MOUNTED WITH CENTRIFUGAL COMPRESSOR USING MULTIOBJECTIVE OPTIMIZATION METHODS.....	299
<i>C. Lin ; C. Hwang</i>	
Fe₃O₄ NANO-HOLLOW SPHERES WITH IMPROVED MAGNETIC AND DIELECTRIC PROPERTIES.....	300
<i>D. Mandal ; K. Mandal</i>	

MAGNETIC PROPERTIES AND CRYSTAL STRUCTURE OF HIGH-PURITY FE-(6, 6.5, 7) MASS%SI ALLOYS	301
<i>K. Matsuyama ; I. Sasaki ; S. Nakagawa ; H. Era ; M. Takezawa ; Y. Horibe ; S. Hata ; C. Kaidou ; T. Ogawa ; S. Kubo</i>	
EFFECT OF MAGNETIC ANNEALING ON MAGNETIC CHARACTERISTIC OF AMORPHOUS WOUND CORE	302
<i>T. Sato ; T. Todaka</i>	
INSULATION MATERIALS TEST AND ELECTRIC FIELD ANALYSIS FOR 330 KV IOCT USED IN TRACTION NETWORK.....	303
<i>B. Bai ; Q. Wang ; D. Chen ; X. He ; T. Fu ; Q. Ma</i>	
POLARIZED NEUTRON REFLECTOMETRY OF EPITAXIAL FE[0.25 + X] PT[0.75 – X] LAYERS.....	304
<i>G. J. Mankey ; G. L. Causer ; D. L. Cortie ; X. Wang ; H. Zhu ; M. Ionescu ; F. Klose</i>	
NANOSTRUCTURED SOFT MAGNETIC MULTILAYERS WITH TUNABLE PROPERTIES FOR ON-CHIP MICRO-MAGNETIC DEVICES.....	305
<i>C. Falub ; R. Hida ; M. Meduna ; M. Bless ; J. Richter ; H. Rohrmann ; T. Nadig ; M. Padrun</i>	
MAGNETIC PROPERTIES OF ANNEALED AMORPHOUS ALLOYS (FE-RICH) OBTAINED BY GAS ATOMIZATION TECHNIQUE.	306
<i>K. L. Alvarez ; J. M. Martín ; M. Ipatov ; L. Dominguez ; J. Gonzalez</i>	
COMPARISON OF MAGNETOSTATIC AND MAGNETOIMPEDANCE PROPERTIES FOR AMORPHOUS RIBBONS, WIRES AND GLASS-COATED MICROWIRES	307
<i>N.S. Perov ; Y.A. Alekhina ; L.A. Makarova ; M.F. Khajrullin ; I.A. Baraban ; V.V. Rodionova</i>	
TUNABLE STRUCTURAL AND MAGNETIC PROPERTIES OF SINGLE- AND MULTIPHASE GLASS-COATED MICROWIRES.....	308
<i>V. Rodionova ; I.A. Baraban ; N.S. Perov</i>	
COMPARISON BETWEEN TWO METHODS TO MEASURING THE MAGNETIC FULX DENSITY IN SOFT MAGNETIC MATERIALS AT HIGH FREQUENCIES	309
<i>Y. Wang ; X. Zhang ; L. Chen ; C. Liu ; Z. Wang</i>	
COLLECTIVE BEHAVIOR OF NANOGRAINS IN CO-SUBSTITUTED FE-BASED NANOCRYSTALLINE ALLOYS	310
<i>G. Manginas ; G. Ababei ; A. Damian ; G. Stoian ; M. Grigoras ; M. Tibu ; H. Chiriac ; T. A. Ovari ; N. Lupu</i>	
MAGNETIC MICRO/NANO STRUCTURES FOR BIOLOGICAL DETECTION AND MANIPULATIONS. (INVITED)	311
<i>C. Li ; B. Chen ; Y. He ; C. Hou ; H. Huang ; Z. Wei</i>	
NOVEL ELECTROMAGNET FOR MRI APPLICATIONS.....	312
<i>J. Alonso-Valdesueiro ; B. Sisniega ; J. Collantes</i>	
MARRYING NANOMAGNETICS WITH RNA SEQUENCING OF SINGLE CANCER CELLS.....	313
<i>S. X. Wang ; C. Ooi</i>	
EDDY CURRENT-TMR SENSOR FOR MICRO-MOTION DETECTION OF ORTHOPAEDIC IMPLANTS.....	314
<i>R. P. Khokle ; S. Cardoso de Freitas ; K. Esselle ; M. Heimlich ; F. Franco ; D. Bokor</i>	
ON-CHIP MAGNETOPHORETIC CONCENTRATION OF MALARIA-INFECTED RED BLOOD CELLS AND HEMOZOIN NANOCRYSTALS	315
<i>M. Giacometti ; L.B. Callegari ; A. Collovini ; M. Monticelli ; C. Rinaldi ; D. Petti ; G. Ferrari ; M. Sampietro ; A. Dimasi ; M. Piola ; G.B. Fiore ; R. Bertacco</i>	
VOLTAGE CONTROLLED MAGNETIC TUNNEL JUNCTION BASED 3DCROSSPOINT MEMORY WITH STEP SHAPED PULSE FOR RELIABLE WRITE OPERATION	316
<i>K. Ikegami ; S. Fujita ; T. Nozaki ; T. Yamamoto ; S. Yuasa ; Y. Suzuki</i>	
NOVEL APPROACH FOR NANO-PATTERNING MAGNETIC TUNNEL JUNCTIONS STACKS: A ROUTE TOWARDS HIGH DENSITY STT-RAM APPLICATION.....	318
<i>I. L. Prejbeanu ; V. Nguyen ; P. Sabon ; J. Chatterjee ; N. Perrissin ; S. Lequeux ; L. Tillie ; S. Auffret ; R. C. Sousa ; E. Gautier ; L. Vila ; B. Dieny</i>	
ULTRA LOW POWER COMPOSITE FREE LAYER SPIN-ORBIT TORQUE MRAM.....	319
<i>W. Hsu ; R. Bell ; R. H. Victora</i>	
LOW FREQUENCY NOISE IN VORTEX SPIN TORQUE NANO-OSCILLATORS	320
<i>S. Wittrock ; S. Tsunegi ; K. Yakushiji ; A. Fukushima ; H. Kubota ; P. Bortolotti ; U. Ebels ; S. Yuasa ; G. Cibiel ; E. Rubiola ; V. Cros</i>	
A THERMALLY ROBUST PERPENDICULAR MAGNETIC TUNNEL JUNCTION WITH THE FETA DECOUPLING LAYER.....	321
<i>J. Yu ; X. Wang ; H. Fukuzawa</i>	
EFFECTS OF SPIN-ORBIT TORQUE ON THE MAGNON GAS.....	322
<i>V. E. Demidov ; S. Urazhdin ; B. Divinskiy ; S. O. Demokritov</i>	

INFLUENCE OF MGO TUNNEL BARRIER THICKNESS IN 3-TERMINAL SPIN HALL NANO-OSCILLATORS	323
<i>M. Tarequzzaman ; T. Boehnert ; A. Jenkins ; J. Borne ; E. Paz ; R. Ferreira ; P. Freitas</i>	
SPIN TORQUE DIODE WITH PERPENDICULAR ANISOTROPY USED FOR PASSIVE DEMODULATION OF FM DIGITAL SIGNALS	324
<i>S. Louis ; V.S. Tiberkevich ; J. Li ; O. Prokopenko ; A.N. Slavin</i>	
THE REVERSIBLE SPIN TEXTURE OF FERROELECTRIC GETE FOR A TUNABLE SOURCE OF SPIN CURRENTS.....	326
<i>C. Rinaldi ; S. Varotto ; M. Asa ; J. Slawinska ; J. Fujii ; G. Vinai ; S. Cecchi ; D. Di Sante ; R. Calarco ; I. Vobornik ; G. Panaccione ; S. Picozzi ; R. Bertacco</i>	
THE EFFECT OF SURFACE SPIN DISORDER ON MAGNETIC PROPERTIES OF FE/FE_xO_y CORE-SHELL NANOPARTICLES.....	327
<i>M. Lostun ; D. Herea ; M. Grigoras ; G. Ababei ; I. Ghemes ; N. Lupu</i>	
FROM VANISHING INTERACTION TO SUPERFERROMAGNETIC DIMERIZATION: EXPERIMENTAL DETERMINATION OF INTERACTION LENGTHS FOR EMBEDDED CO CLUSTERS.....	328
<i>F. Tournus ; A. Hillion ; A. Tamion ; C. Albin ; V. Dupuis</i>	
DESIGN OPTIMIZATION AND PERFORMANCE COMPARISON OF TWO LINEAR MOTOR TOPOLOGIES WITH PM-LESS TRACKS. (INVITED)	329
<i>S. Aleksandrov ; T. Overboom ; E. Lomonova</i>	
TORQUE CHARACTERISTICS OF INTERIOR PERMANENT MAGNET SPHERICAL ACTUATORS	331
<i>K. Takahara ; K. Hirata ; N. Niguchi</i>	
PERFORMANCE INVESTIGATION OF A FIVE-PHASE MULTI-SEGMENT PRIMARY PMLSM FOR ROPELESS ELEVATOR.....	333
<i>Q. Jiang ; Q. Lu</i>	
QUANTITATIVE COMPARISON OF NOVEL DUAL-PM LINEAR MOTORS FOR ROPELESS ELEVATOR SYSTEM.	334
<i>H. Fan ; K. Chau ; C. Liu ; T. Ching</i>	
DESIGN, CONTROL, AND COMPARISON OF LOW-ENERGY SOLENOID VALVE ACTUATORS	336
<i>J. van Dam ; B. Gysen ; M. Dhaens ; E. Lomonova</i>	
BUSBAR CURRENT TRANSDUCER WITH SUPPRESSION OF EXTERNAL FIELDS AND GRADIENTS	338
<i>P. Ripka ; A. Chirtsov ; J. Vyhnanek</i>	
SMALL EDDY CURRENT TESTING SENSOR PROBE USING TUNNELING MAGNETORESISTANCE SENSORS FOR DETECTION OF CRACKS IN STEEL STRUCTURES	339
<i>K. Tsukada ; M. Hayashi ; Y. Nakamura ; K. Sakai ; T. Kiwa</i>	
NONDESTRUCTIVE TESTING OF WIRE ROPE BASED ON SHOVING MAGNETIC FIELD STRUCTURE	340
<i>X. Yan ; D. Zhang</i>	
MAGNETIC DETECTION OF STEEL CORROSION AT A BURIED POSITION NEAR THE GROUND LEVEL USING A MAGNETIC RESISTANCE SENSOR	341
<i>K. Tsukada ; T. Tomioka ; S. Wakabayashi ; K. Sakai ; T. Kiwa</i>	
HIGH-PERFORMANCE MICRO MAGNETIC SENSORS INSTALLED IN WEARABLE ELECTRONIC COMPASSES AND I-O-T MAGNETIC SENSORS PROMOTING NEW INFORMATION SOCIETY - AMORPHOUS WIRE CMOS IC MAGNETO- IMPEDANCE SENSORS -.....	342
<i>K. Mohri</i>	
ACCURATE POSITION DETECTION IN WIRELESS POWER TRANSFER USING MAGNETORESISTIVE SENSORS FOR IMPLANT APPLICATIONS	343
<i>W. Han ; K. Chau ; C. Jiang ; W. Liu</i>	
EVALUATION OF THERMAL STABILITY OF SPIN-TRANSFER TORQUE BASED MAGNORESISTIVE RANDOM-ACCESS MEMORY FOR CACHE APPLICATIONS IN ADVANCED TECHNOLOGY NODES	344
<i>H. Dixit ; S. Agarwal ; D. Datta ; A. Jacob ; D. Shum ; F. Benistant</i>	
THE EFFECT OF ANTISITE DISORDER ON MAGNETIC AND MAGNETOCALORIC PROPERTIES OF NI-CO-MN-IN ALLOYS: AB INITIO AND MONTE CARLO STUDIES	345
<i>V. Sokolovskiy ; V. Buchelnikov ; P. Entel</i>	
ANALYSIS OF SWITCHING TIMES DISTRIBUTIONS FOR UNIAXIAL MAGNETIC PARTICLES.	346
<i>M. D'Aquino ; C. Serpico ; V. Scalera</i>	

AB INITIO PREDICTION OF GIANT PERPENDICULAR MAGNETIC ANISOTROPY AT FE/ CUIN_{1-x}GA_xSE₂INTERFACE.	347
<i>K. Masuda ; S. Kasai ; Y. Miura ; K. Hono</i>	
COEXISTENCE OF LARGE VOLTAGE CONTROLLED MAGNETIC ANISOTROPY, LARGE SURFACE ANISOTROPY, AND LARGE TMR BY A NEW MTJ STRUCTURE HAVING MGO/COFEB/IR/COFEB.	348
<i>S. Oikawa ; Y. Saito ; H. Yoda ; Y. Kato ; A. Tiwari ; M. Ishikawa ; N. Shimomura ; K. Koi ; T. Inokuchi ; H. Sugiyama ; M. Shimizu ; S. Shirotori ; A. Buyandalai ; Y. Ohsawa ; A. Kurobe</i>	
IONIC LIQUID GATING MODULATION OF DILUTED MAGNETIC SEMICON-DUCTOR (ZN, MNO) THIN FILMS.	349
<i>H. Wong ; S. Ng ; Y. Liu ; K. Lam ; K. Chan ; W. Cheng ; D. von Nordheim ; C. Mak ; B. Ploss ; C. Leung</i>	
GIANT ZERO-BIASED MAGNETOELECTRIC COUPLING CHARACTERISTICS IN FLEXIBLE METGLAS/POLY(VINYLIDENE FLUORIDE) HETEROSTRUCTURES.	350
<i>Y. Long ; J. Qiu ; X. He ; Q. Chang ; Z. Hu ; H. Liu</i>	
STUDY OF MAGNETIC AND ELECTRICAL PROPERTIES OF ZN_{0.9}MN_{0.1}FE₂O₄-BATIO₃ MULTIFERROIC COMPOSITES.	351
<i>A. Farheen ; R. Singh</i>	
THEORY OF ELECTRICALLY TUNABLE THIN-FILM ELECTROMAGNETIC CRYSTALS BASED ON A COPLANAR WAVEGUIDE	352
<i>A. A. Nikitin ; A. Nikitin ; A. B. Ustinov ; E. Lähderanta ; B. A. Kalinikos</i>	
ROOM-TEMPERATURE MULTIFERROIC PROPERTIES OF 0.5LAFE_{0.5}CO_{0.5}O₃-BI₄TI₃O₁₂ THIN FILMS.	354
<i>J. Su</i>	
MICROMAGNETIC MODEL ANALYSIS OF SPIN-TORQUE OSCILLATOR (STO) INTEGRATED INTO RECORDING WRITE HEAD FOR MICROWAVE-ASSISTED MAGNETIC RECORDING-OSCILLATION OF STO VS. RISE TIME OF IN-GAP FIELD-.	355
<i>Y. Kanai ; R. Itagaki ; S. Greaves ; H. Muraoka</i>	
EFFECT OF SIL MAGNETIC DESIGN ON STO OPTIMIZATION IN MAMR.	356
<i>I. Tagawa</i>	
MAGNETIC RECORDING USING A SPIN TORQUE OSCILLATOR.	357
<i>S. Greaves</i>	
STUDY OF ERASE BAND AND WRITE PERFORMANCE IN SHINGLED MAG-NETIC RECORDING WITH EXCHANGED COUPLED COMPOSITE MEDIA.	358
<i>J. Chen ; G. Xie ; K. Luo ; W. Cheng ; P. Lu ; Y. Wang</i>	
REDUCTION OF INTERGRANULAR EXCHANGE COUPLING FOR COPT-B₂O₃ GRANULAR MEDIA BY EMPLOYING A RUCOCR-OXIDE BUFFER LAYER WITH OXIDE OF VARIOUS MELTING POINTS.	359
<i>K. Tham ; R. Kushibiki ; T. Kamada ; S. Hinata ; S. Saito</i>	
LARGE MAGNETORESISTANCE IN DIODE ASSISTED ZNCOO DEVICE.	360
<i>K. Zhang ; Y. Zhang ; Z. Zhang ; Z. Zheng ; J. Nan ; G. Wang ; Y. Wang ; W. Yun ; W. Zhao</i>	
TORQUE ANALYSIS AND IMPROVEMENT OF SINGLE-PHASE ASYMMET-RIC- STATOR- POLE DOUBLY SALIENT PERMANENT MAGNET MACHINE.	361
<i>M. He ; W. Xu ; C. Ye</i>	
DESIGN AND ANALYSIS OF A TWO-PHASE BLDC MOTOR WITH HYBRID PERMANENT MAGNET MATERIAL FOR ONLY-PULL DRIVE TECHNIQUE.	362
<i>T. Yazdan ; B. Kwon</i>	
COMPARATIVE STUDIES OF MODULAR PMSMS WITH SYMMETRICAL OR ASYMMETRICAL SIX-PHASE WINDINGS.	363
<i>L. Cheng ; Y. Sui ; P. Zheng ; Z. Yin ; R. Ma</i>	
OPTIMAL DESIGN OF A SWITCHED RELUCTANCE MOTOR WITH MAGNETICALLY DISCONNECTED ROTOR MODULES USING A DESIGN OF EXPERIMENTS – DIFFERENTIAL EVOLUTION (DOE-DE) FINITE ELEMENT ANALYSIS (FEA) BASED METHOD.	364
<i>V. Rallabandi ; J. Wu ; D. G. Dorrell ; P. Zhou ; D. Ionel</i>	
A NOVEL VARIABLE FLUX PERMANENT MAGNET SYNCHRONOUS MACHINE WITH QUASI-SERIES MAGNET CONFIGURATION AND PASSIVE FLUX BARRIER.	366
<i>S. Zhang ; P. Zheng ; Y. Liu ; M. Wang ; G. Qiao ; F. Liu</i>	
TORQUE IMPROVEMENT OF EXTERNAL-ROTOR PERMANENT MAGNET MACHINE USING FLUX CONCENTRATED ROTOR.	367
<i>Q. Li ; T. Fan</i>	

A HIGH CONTINUOUS TORQUE DENSITY EXTERNAL ROTOR SURFACE PERMANENT MAGNET MACHINE FOR IN-WHEEL APPLICATION	368
<i>Y. Li ; T. Fan ; Q. Li ; X. Wen ; X. Zhuang</i>	
ANALYSIS ON THE STARTING AND SYNCHRONIZATION CAPABILITIES FOR A NOVEL 6/8 POLE CHANGING LINE-START PERMANENT MAGNET SYNCHRONOUS MOTOR.....	369
<i>M. Tian ; X. Wang ; W. Zhao ; C. Li</i>	
A HIGH POWER FACTOR VERNIER MACHINE WITH COIL-PITCH OF TWO SLOT PITCHES.....	371
<i>Y. Liu ; H. Li ; Z. Zhu</i>	
MULTI-SENSOR FUSION BASED PERMANENT MAGNET DEMAGNETIZATION DETECTION IN PERMANENT MAGNET SYNCHRONOUS MACHINES	372
<i>M. Zhu ; W. Hu ; S. Mukundan ; N. C. Kar</i>	
INVESTIGATION ON TEXTURE, MAGNETIC PROPERTIES AND INHOMOGENEITIES OF HOT DEFORMED ND-FE-B MAGNET.....	374
<i>H. Li ; Q. Wu ; M. Yue ; J. Liang ; J. Zhang</i>	
ENHANCED COERCIVITY OF ND-CE-Y-FE-B SINTERED MAGNETS BY ADDING (PR, ND)-H POWDERS.....	375
<i>B. Peng ; Y. Liu ; J. Jin ; M. Yan</i>	
EFFECTS OF TA DOPING AND CE REDUCTION ON THE MAGNETIC PROPERTIES AND THERMAL STABILITY OF CE-FE-B ALLOYS.	376
<i>J. Zhang ; L. Zhao ; X. Liao ; H. Zeng ; Z. Liu</i>	
EFFECTS OF LA SUBSTITUTION ON THE CRYSTAL STRUCTURE AND INTRINSIC MAGNETIC PROPERTIES OF MM-FE-B ALLOY (MM = LA, CE, PR, ND).....	377
<i>W. Liu ; Z. Zhang ; Z. Li ; D. Zhang ; H. Zhang ; M. Yue ; Q. Lu ; Q. Wu ; Y. Li</i>	
EFFECTS OF (ND,PR)HX INTERGRANULAR ADDITION ON THE MECHANICAL PROPERTIES OF ND-PR-CE-FE-B SINTERED MAGNETS.....	378
<i>J. Jin ; Q. Qian ; G. Bai ; B. Peng ; Y. Liu ; M. Yan</i>	
SPIN-ORBIT TORQUE INDUCED MAGNETIZATION SWITCHING IN CO/PT MULTILAYER-BASED SYNTHETIC ANTIFERROMAGNETS.....	379
<i>L. Zhu ; X. Xu ; K. Meng ; Y. Wu ; J. Miao ; Y. Jiang</i>	
THE EFFECT OF INSERTING A PT LAYER IN PT/CO/TA STRUCTURE ON SPIN ORBIT TORQUE.....	380
<i>S. Li ; G. J. Lim ; W. Lew</i>	
VOLTAGE CONTROL OF PERPENDICULAR EXCHANGE BIAS IN PT/IRMN/CO/(CO/PT)2/TA/PMN-PT(011) MULTIFERROIC HETEROSTRUCTURES.	381
<i>Q. Yang ; Z. Hu ; Z. Zhou ; S. Zhao ; M. Liu</i>	
HIGH ISOTROPIC TERFENOL-D/PZT MAGNETOELECTRIC SENSOR BASED ON RING NESTED STRUCTURE.....	382
<i>X. Wu ; J. Ouyang ; W. Wang ; Y. Ren ; S. Chen ; X. Yang</i>	
RESISTIVE SWITCHING IN PT/BiFeO₃/SRRUO₃/SRTIO₃ HETEROSTRUCTURES.....	383
<i>T. Wang ; W. Cheng ; C. Wang ; H. Wang ; Y. Hao ; X. Miao</i>	
INTEGRATED THIN-FILM MAGNETOELECTRIC WAVEGUIDE WITH TUNABLE RESONANCE FREQUENCY	384
<i>A. El-Ghazaly ; J. Evans ; N. Sato ; N. Montross ; R. M. White ; S. X. Wang</i>	
MAGNETOELECTRIC CHARACTERISTICS IN THREE-PHASE MAGNETOSTRICTIVE/PIEZOELECTRIC COMPOSITES WITH DIFFERENT HIGH PERMEABILITY MATERIALS.....	386
<i>L. Chen ; Y. Wang</i>	
SKYRMION DYNAMICS – FROM THERMAL DIFFUSION TO ULTRA-FAST MOTION.	387
<i>M. Kläui</i>	
ANOMALOUS NERNST EFFECT RELATED TO MAGNETIC DOMAINS IN A MICROFABRICATED THERMOELECTRIC ELEMENT MADE OF NONCOLLINEAR ANTIFERROMAGNET MN₃SN.	388
<i>H. Narita ; M. Ikhlās ; M. Kimata ; A.A. Nugroho ; S. Nakatsuji ; Y. Otani</i>	
TAILORING THE CURRENT DRIVEN DOMAIN WALL MOTION BY ENGINEERING TWO HEAVY METAL UNDERLAYERS.	389
<i>Y. Liu ; X. Liu ; J. Zhu</i>	
ACTION OF CURRENT ON FERRIMAGNETIC DOMAIN WALL: 2 PROPAGATION REGIMES IN CREEP AND INFLUENCE OF DOMAIN WALL STRUCTURE.....	390
<i>E. Haltz ; J. Sampaio ; R. Weil ; Y. Dumont ; A. Mougin</i>	
DISPERSION ENGINEERING OF NONRECIPROCAL COMPOSITE RIGHT/LEFT HANDED METAMATERIALS USING FERRITE MATERIALS IN MICROWAVE REGION.	392
<i>T. Ueda ; T. Itoh</i>	

ALN INTERLAYERS ALLOW ROBUST HEXAGONAL BARIUM FERRITE HETEROEPITAXY ON 6H-SiC.....	393
<i>A. S. Sokolov ; C. Yu ; E. Beam ; X. Gu ; Y. Obi ; V. Harris</i>	
THIN-FILM MAGNETIC INDUCTORS FOR GIGAHERTZ INTEGRATED APPLICATIONS.	394
<i>A. El-Ghazaly ; R. M. White ; S. X. Wang</i>	
ULTRA-WIDE BAND (10 MHZ- 26 GHZ) PERMEABILITY MEASUREMENTS OF MAGNETIC FILMS.	396
<i>Y. Chen ; X. Wang ; H. Chen ; Y. Gao ; N. Sun</i>	
SKIN EFFECT SUPPRESSED NIFE/CU ELECTROPLATED MULTILAYER WIRING FOR HIGH DATA-RATE AND LOW DELAY-TIME I/O INTERFACE BOARD.....	398
<i>M. Yamaguchi ; T. Yanai ; H. Nakayama ; R. Sai ; H. Fujiwara ; Y. Kitai ; M. Sato ; U. Sangawa</i>	
INTRINSIC PERMEABILITY OF COMPOSITES FILLED WITH NICKEL POWDERS	399
<i>S. N. Starostenko ; K.N. Rozanov ; A.O. Shiryaev</i>	
MANIPULATION OF GILBERT DAMPING PARAMETER BY ANNEALING SPUTTERED DEPOSITED CO/PT BILAYER THIN FILMS.	400
<i>A. Kumar ; N. Pandey ; D.K. Gupta ; M. Gupta ; S. Chaudhary ; P.K. Muduli</i>	
AN IMPROVED CORE-LOSS CALCULATION METHOD WITH VARIABLE COEFFICIENTS BASED ON EQUIVALENT FREQUENCY.	401
<i>W. Jia ; X. Lan</i>	
DESIGN OF A HIGH POWER DENSITY HALBACH BLDC MOTOR FOR ELECTRIC VEHICLE PROPULSION.	402
<i>V.R. Bommadevara</i>	
HIGH FREQUENCY CHARACTERIZATION OF MAGNETIC ROD CORES WITH ANISOTROPIC POWER LOSS.	403
<i>B. A. Reese ; C. R. Sullivan</i>	
FREEZE-CAST MAGNETIC COMPOSITES FOR HIGH FREQUENCY POWER CONVERSION.	404
<i>B. A. Reese ; C. R. Sullivan ; U. G. Wegst</i>	
PERFORMANCE OPTIMIZATION OF A NOVEL DC FAULT CURRENT LIMITER COMBINING DIFFERENT MAGNETIC MATERIALS AND TOPOLOGIES.	405
<i>H. Zhou ; J. Yuan ; L. Wei ; P. Gan ; F. Chen ; Y. Zhong ; C. Tian ; B. Chen ; Y. Gao ; K. Muramatsu</i>	
HIGH TRANSMISSION CAPACITY P.U.A. WIRELESS POWER TRANSFER FOR AUV USING AN OPTIMIZED MAGNETIC COUPLER.....	406
<i>C. Cai ; Z. Yang ; M. Qin ; s. Wu</i>	
AN ECONOMICAL THREE-PHASE FAULT CURRENT LIMITER CONSIDERING DIFFERENT TYPES OF FAULT.	408
<i>J. Yuan ; P. Gan ; L. Wei ; H. Zhou ; Y. Zhong ; Z. Zhang ; C. Tian ; Y. Gao ; K. Muramatsu ; B. Chen</i>	
ELECTROMAGNETIC VIBRATION ANALYSIS OF SURFACE-MOUNTED PERMANENT MAGNET SYNCHRONOUS MACHINE.....	410
<i>Z. Xing ; X. Wang ; W. Zhao</i>	
REDUCED EMI NOISE WITH THE CONSIDERATION OF MAGNETIC MATERIAL DESIGN IN THE GRID-CONNECTED INVERTER FOR MORE ELECTRIC AIRCRAFT.....	412
<i>Y. Liu ; Y. Liu ; H. Wang ; G. Wang ; J. Peng</i>	
ALL-METAL DOMESTIC INDUCTION HEATING USING SINGLE-FREQUENCY DOUBLE-LAYER COILS.....	414
<i>W. Han ; K. Chau ; C. Jiang ; W. Liu</i>	
ANALYTIC COMPUTATION OF POWER-LINE VOLTAGE DROP PRODUCED BY MAGNETIC ENERGY HARVESTING DEVICE.....	415
<i>K. Kim ; B. Park ; J. Kim ; J. Koo ; S. Ahn</i>	
MATRIX FORMULATION OF CAUER LADDER NETWORK METHOD FOR EFFICIENT EDDY-CURRENT ANALYSIS.....	416
<i>T. Matsuo ; A. Kameari ; K. Sugahara ; Y. Shindo</i>	
DESIGN OF ROTARY TRANSFORMER BASED ON TRANSIENT FIELD-CIRCUIT COUPLED MODEL.....	417
<i>H. Zhong ; Y. Wang ; B. Peng ; Y. Yang</i>	
WINDING LOSSES ANALYSIS OF A 4 KVA HIGH FREQUENCY COAXIAL TRANSFORMER USED IN THE BI-DIRECTIONAL DC-DC CONVERTER.....	418
<i>W. Water ; J. Lu</i>	
LEAKAGE FLUX BASED TURN-TO-TURN FAULT DETECTION FOR SHUNT INDUCTOR	419
<i>B. Chen ; J. Dong ; C. Tian ; Q. Chen</i>	

AUTO-TRANSFORMER AND MAGNETIC CONTROL SOFT START METHOD OF SUPER LARGE CAPACITY AND HIGH VOLTAGE MOTOR CONSIDERING THE COST AND PERFORMANCE OPTIMIZATION	421
<i>J. Yuan ; C. Wang ; Y. Zhu ; H. Zhou ; L. Wei ; C. Tian ; Y. Gao ; K. Muramatsu ; B. Chen</i>	
FAST THREE-DIMENSIONAL OPTIMIZATION OF MAGNETIC CORES FOR LOSS AND VOLUME REDUCTION.....	423
<i>S. Shimokawa ; H. Oshima ; K. Shimizu ; Y. Uehara ; J. Fujisaki ; A. Furuya ; H. Igarashi</i>	
ALTERATION IN MOTOR CORTICAL EXCITABILITY INDUCED BY PERIPHERAL STIMULATION WITH MAGNETIC STIMULATION.....	424
<i>A. Sato ; T. Torii ; M. Iwahashi ; K. Iramina</i>	
TRANSCRANIAL MAGNETIC STIMULATION: DESIGN OF A HIGH CURRENT MAGNETIC PULSE GENERATOR WITH CUSTOM COIL FOR THE APPLICATION ON SMALL ANIMALS.	425
<i>J. Selvaraj ; P. Rastogi ; N. Prabhu Gaunkar ; R. L. Hadimani ; M. Mina</i>	
EFFECTS OF PULSED MAGNETIC FIELD ON THE FLOWING RED BLOOD CELLS USING MICROVASCULAR MODEL.....	426
<i>Y. Jo ; H. Ahn ; K. Shin ; H. Lee</i>	
TRANSCRANIAL MAGNETIC STIMULATION: COMPARISON OF 15 COILS WITH 50 MRI DERIVED HEAD MODELS.....	427
<i>P. Rastogi ; Y. Tang ; B. Zhang ; E. G. Lee ; R. L. Hadimani ; D. C. Jiles</i>	
MAGNETOHYDRODYNAMIC APPROACH TO EFFECTIVE BLOOD-FLOW CON-TROL UTILIZING ELF FIELDS.....	428
<i>H. Nakagawa ; M. Ohuchi</i>	
GRADIENT/ELF MAGNETIC FIELD AFFECTS METAMORPHIC BEHAVIORS IN T₄-ADMINISTRATED AXOLOTLs: REGULATION OF AMPHIBIAN METAMORPHO-SIS DEPENDING ON FIELD STRENGTH AND EXPOSURE TIMING	429
<i>H. Nakagawa ; M. Ohuchi</i>	
NUMERICAL INVESTIGATION OF BICONICAL TRANSCRANIAL MAGNETIC STIMULATION COIL	430
<i>Y. Wu ; Z. Liu</i>	
PINNING SITES WITH TILTED MAGNETIZATION FOR DOMAIN WALL MOTION CONTROL IN RACETRACK MEMORY	431
<i>T. Jin ; F. Tan ; C. C. Ang ; W. Gan ; J. Cao ; W. Lew ; S. Piramanayagam</i>	
DOMAIN WALL CONFIGURATIONS IN AMORPHOUS FERROMAGNETIC NANOWIRES WITH CYLINDRICAL SYMMETRY.....	432
<i>C. Rotarescu ; H. Chiriac ; N. Lupu ; T. A. Ovari</i>	
CURRENT-INDUCED SKYRMION DYNAMICS IN A FRUSTRATED MAGNETIC FILM.	433
<i>X. Zhang ; J. Xia ; Y. Zhou ; X. Liu ; H. Zhang ; M. Ezawa</i>	
STUDY OF SPIN POLARIZED TUNNELING IN MAGNETORESISTANCE AND LOW TEMPERATURE ANOMALY IN NANOPARTICLES OF LA_{0.5}CA_{0.5}MNO₃.....	434
<i>A. K. Saw ; G. Channagoudra ; H. Fu ; R. L. Hadimani ; V. Dayal</i>	
FIRST-PRINCIPLES STUDY OF SPIN-WAVE DISPERSION IN SM(FECO)₁₂.....	435
<i>T. Fukazawa ; H. Akai ; Y. Harashima ; T. Miyake</i>	
MAGNETIC PROPERTIES OF (SM,ZR)₅(FE,CO)_{17-X}TI_XMELT-SPUN RIB-BONS.	436
<i>T. Saito ; T. Horita ; D. Nishio-Hamane</i>	
ELECTRONIC STRUCTURE AND MAGNETIC PROPERTY OF BA_{1-X}SRX-COFE₁₁O₁₉ HEXAFERRITES.....	437
<i>N. Tran ; D. Kim ; H. Kim ; S. Lee ; T. Phan ; B. Lee</i>	
ALGORITHM OF LINEAR INDUCTION MOTOR CONTROL CONSIDERING ENDEFFECT OF MAGNETIC LEVITATION TRAIN PROPULSION SYSTEM.....	438
<i>H. Seo ; J. Jeong ; G. Choe ; J. Lim</i>	
PROPOSAL AND DESIGN OF PRIMARY-PM TRANSVERSE-FLUX LINEAR MOTOR WITH ENHANCED SECONDARY-PM STRUCTURE FOR HIGH POWER DENSITY.	439
<i>J. Luo ; B. Kou ; X. Yang ; L. Zhang ; H. Zhang</i>	
IMPROVEMENT OF THE SELF-PROPELLED ROTARY ACTUATOR IN CONSIDERATION OF SHAPE AND ROLLING DIRECTION OF STEEL SHEETS.	440
<i>N. Soda ; T. Kawano ; M. Enokizono</i>	
DESIGN AND ANALYSIS OF LINEAR HYBRID-EXCITED SLOT PERMANENT MAGNET MACHINES.	442
<i>Y. Shen ; Q. Lu</i>	
INVESTIGATION OF NOVEL LINEAR MULTI-TOOTH VARIABLE FLUX RELUC-TANCE MACHINES.	444
<i>Y. Shen ; Q. Lu</i>	

DESIGN AND ANALYSIS OF A NOVEL ROTARY-LINEAR MOTOR WITH VOICE COIL STRUCTURE.	446
<i>F. Xing ; B. Kwon</i>	
A NOVEL SWITCHED HALBACH ELECTRO-MAGNETIC LINEAR ACTUATING VALVE FOR AEROSPACE VEHICLE.	447
<i>V. R. Bommadevara</i>	
NONDESTRUCTIVE TESTING FOR SHALLOW DEFECT OF FERROMAGNETIC OBJECTS BASED ON MAGNETIC PROBE STRUCTURE.	448
<i>S. Pan ; D. Zhang ; E. Zhang</i>	
DC-ARCING DETECTION BY NOISE MEASUREMENT WITH MAGNETIC SENSING BY TMR SENSORS.	449
<i>W. Miao ; X. Liu ; S.K. Lam ; P. Pong</i>	
DETECTION OF SLIT DEFECTS ON BACKSIDE OF STEEL PLATE USING LOW-FREQUENCY EDDY-CURRENT-TESTING.	451
<i>W. Yoshimura ; R. Tanaka ; T. Sasayama ; K. Enpuku</i>	
FAULT LINE IDENTIFICATION OF HVDC TRANSMISSION LINE BY FREQUENCY SPECTRUM CORRELATION BASED ON CAPACITIVE-COUPLING AND MAGNETIC-FIELD-SENSING.	452
<i>K. Zhu ; W. Lee ; P. Pong</i>	
SEARCHING AN AVALANCHE VICTIM USING A TRANSMITTER WITH A ROTATING MAGNETIC DIPOLE.	453
<i>A. Chiba ; T. Nara</i>	
DETECTING METHOD OF HARDENED DEPTH IN SURFACE HARDENED STEEL BY MAGNETIC FIELD ON STEEL.	454
<i>Y. Gotoh ; S. Onita ; T. Horino ; Y. Misaka</i>	
ELECTROMAGNETIC INSPECTION FOR DETECTING DEFECT OF UNDERGROUND PART IN ROAD SIGN PILLAR.	455
<i>Y. Gotoh ; M. Tohara ; R. Nakamura</i>	
A HIGH-FIELD TUNNELING MAGNETORESISTIVE ANGLE SENSOR	456
<i>J. Deak ; I. Jin</i>	
CURRENT ANNEALING OF GLASS-COATED AMORPHOUS WIRE FOR NOISE REDUCTION OF LOW-OFFSET FUNDAMENTAL MODE ORTHOGONAL FLUXGATE.	457
<i>N. Murata ; R. Nomura</i>	
HIGH FREQUENCY AND SENSITIVITY MAGNETIC CORE WITH AMORPHOUS HB1-M OPERATE AT ELECTROMAGNETIC INTERFACE CHARACTERISTIC.	459
<i>C. Hsu ; C. Chang ; C. Tseng</i>	
TUNING ANTIPARALLEL PINNED SPIN VALVES WITH MODIFIED ARTIFICIAL ANTIFERROMAGNETIC LAYER FOR FULL-BRIDGE MAGNETIC SENSORS.	460
<i>V. Luong ; A. Nguyen ; H. Tran Thi</i>	
A SELF-BIASED ANISOTROPIC MAGNETORESISTIVE (AMR) MAGNETIC FIELD SENSOR ON FLEXIBLE KAPTON.	462
<i>C. Wang ; W. Su ; J. Pu ; Z. Hu ; M. Liu</i>	
A FLEXIBLE MAGNETOELECTRIC TRANSDUCER BASED ON FECUNBSIB/POLY (VINYLIDENE FLUORIDE) (PVDF) LAMINATE COMPOSITES FOR WEARABLE MAGNETIC SENSORS.	463
<i>X. He ; J. Qiu ; Y. Long ; Q. Chang ; Z. Hu ; H. Liu</i>	
FLAT BANDWIDTH EXPANSION FOR SPIN-VALVE GMR MAGNETIC FIELD SENSORS.	464
<i>Y. Chiang ; X. Trinh ; J. Jeng</i>	
HIGH ISOTROPIC MAGNETIC SENSOR BASED ON RING TERFENOL-D / PZT COMPOSITES.	465
<i>W. Wang ; J. Ouyang ; X. Wu ; Y. Ren ; J. Liang ; S. Chen ; X. Yang</i>	
INCIDENT POWER DEPENDENCE ON MAGNETOIMPEDANCE ELEMENT WITH DOMAIN WALL RESONANCE	466
<i>C. Sumida ; H. Kikuchi</i>	
FABRICATION OF FERROMAGNETIC CO-MGF₂ GRANULAR FILM WITH HIGH TRANSMITTANCE AND LARGE FARADAY-EFFECT FOR OPTICAL MAGNETIC FIELD SENSOR	467
<i>M. Miyamoto ; T. Kubo ; Y. Fujishiro ; K. Shiota ; M. Sonehara ; T. Sato</i>	
EFFECT OF AMORPHOUS WIRE CORE DIAMETER ON THE NOISE OF AN ORTHOGONAL FLUXGATE.	468
<i>M. Butta ; M. Janosek ; B. Schutte ; M. Vázquez ; R. Perez del Real ; E. Calle ; A. Jimenez</i>	

DESIGN AND MEDICAL APPLICATIONS OF A PLATFORM FOR IMAGE-GUIDED NON-INVASIVE BRAIN DELIVERY OF MAGNETIC PARTICLES.....	469
<i>J. Benlloch ; I. Weinberg</i>	
EVALUATION OF LOCAL ANISOTROPY OF MAGNETIC RESPONSE FROM NONORIENTED ELECTRICAL STEEL BY MAGNETIC BARKHAUSEN NOISE.	470
<i>Y. He ; M. Mehdi ; E. J. Hilinski ; A. Edrisy ; S. Mukundan ; A. Mollaeian ; N. C. Kar</i>	
HIGHLY EFFICIENT SPIN-TO-CHARGE CURRENT CONVERSION AT ROOM TEMPERATURE IN STRAINED HGTE SURFACE STATES. (INVITED).....	471
<i>P. Noel ; C. Thomas ; L. Vila ; T. Meunier ; P. Ballet ; J. Attané</i>	
LOW ENERGY IMPLEMENTATION OF FEEDFORWARD NEURAL NETWORK WITH BACKPROPAGATION ALGORITHM USING A SPIN ORBIT TORQUE DRIVEN SKYRMIONIC DEVICE.	472
<i>U. Saxena ; D. Kaushik ; M. Bansal ; H. Chandel ; U. Sahu ; D. Bhowmik</i>	
CIRCUIT-LEVEL DESIGN AND EVALUATION OF STT-MRAM BASED BINARY WINNER-TAKES-ALL NETWORK FOR IMAGE RECOGNITION.....	473
<i>C. Wang ; D. Zhang ; Y. Hou ; L. Zeng ; J. Klein ; W. Zhao</i>	
SPIN-ORBIT TORQUE IN ANTIFERROMAGNETS.....	474
<i>C. Song ; X. Zhou ; X. Chen ; P. Zhang ; G. Shi ; F. Pan</i>	
MICROMAGNETIC SIMULATIONS OF SPIN-HALL DRIVEN DYNAMICS IN AN ANTIFERROMAGNET.	475
<i>V. Puliafito ; M. Carpentieri ; B. Azzerboni ; V. S. Tiberkevich ; A. N. Slavin ; G. Finocchio</i>	
TERAHERTZ-FREQUENCY AC SIGNAL SOURCE BASED ON ANTIFERROMAGNETIC TUNNEL JUNCTION.....	476
<i>O. Sulymenko ; O. Prokopenko ; A. N. Slavin ; V. S. Tiberkevich</i>	
MICROMAGNETICS AT FINITE TEMPERATURE.....	477
<i>D. Wei</i>	
IMPACT OF INTERGRAIN SPIN TRANSFER TORQUES DUE TO HUGE THERMAL GRADIENTS ON THE PERFORMANCE OF HEAT ASSISTED MAGNETIC RECORDING.....	478
<i>B. Dieny ; M. Chshiev ; B. Charles ; N. Strelkov ; A. Truong ; O. Fruchart ; A. Hallal ; J. Wang ; Y. Takahashi ; T. Mizuno ; T. Mizuno K. Hono</i>	
UNDERSTANDING OF DIFFERENT NOISES IN HAMR	479
<i>Y. Jiao ; R.H. Victora</i>	
DESIGN AND ANALYSIS OF AN INTEGRATED ELECTROMAGNETIC ENERGY HARVESTER FROM WATER FLOW.	480
<i>T. Wang ; Y. Zhang ; S. Zhu</i>	
INVESTIGATION OF A NOVEL DUAL-PM PARTITIONED-PRIMARY HYBRID-EXCITED FLUX-SWITCHING LINEAR MACHINE.	481
<i>Z. Zeng ; Q. Lu</i>	
ULTRA SMALL AND THIN ENERGY-HARVESTING DEVICE BASED ON ELECTROMAGNETIC INDUCTION	482
<i>K. Morii ; S. Koganezawa</i>	
PERFORMANCE ANALYSIS OF A NOVEL FALL-BACK TRANSVERSE-FLUX PERMANENT-MAGNET GENERATOR WITH OUTER ROTOR DESIGN SUITABLE FOR DIRECT- COUPLING WIND TURBINE.	483
<i>M.A. Patel ; S.C. Vora</i>	
MAGNETIC FIELD MODELLING OF AN IRONLESS WIND POWER MICROGENERATOR.....	485
<i>V. Verdum ; R. P. Homrich ; A. F. Flores Filho ; M. A. Silveira ; D. G. Dorrell</i>	
MULTIPLE-OBJECTIVE-BASED OPTIMAL ENERGY DISTRIBUTION FOR WIRELESS POWER TRANSFER.....	486
<i>Z. Zhang ; H. Pang ; R. Tong ; W. Ai ; S. Chang ; J. Wang</i>	
DESIGN AND ANALYSIS FOR TORQUE RIPPLE REDUCTION IN SYNCHRONOUS RELUCTANCE MACHINE.....	487
<i>D. Yan ; C. Xia ; L. Guo ; H. Wang ; T. Shi</i>	
PRINTED CIRCUIT AXIAL-FLUX PERMANENT MAGNET MACHINES: A COMPARATIVE ANALYSIS OF THEIR PCB TOPOLOGIES AND PERFORMANCE CHARACTERISTICS.	488
<i>S. Paul ; M. Farshadnia ; A. Pouramin ; J. Fletcher ; J. Chang</i>	
A NEW VARIABLE STEP SKEW APPROACH FOR MINIMIZING TORQUE PULSATIONS IN PERMANENT MAGNET SYNCHRONOUS MOTORS.	489
<i>O. Ocak ; M. Aydin</i>	

A UNIFIED DESIGN APPROACH OF A DIRECT DRIVE EXTERNAL-ROTOR SWITCHED RELUCTANCE MOTOR (EX-R SRM) AND ITS IMPLEMENTATION FOR A LOW-SPEED DOMESTIC APPLIANCE WITH R-DUMP CONVERTER.	490
<i>R. Azhagar ; A. Kavitha</i>	
DESIGN AND PERFORMANCE ASSESSMENTS OF A SURFACE-MOUNTED PERMANENT-MAGNET VERNIER MOTOR FOR EXOSKELETON SYSTEM APPLICATION.	491
<i>C. Liu ; K. Yang ; Z. Cai ; P. Shih ; C. Hwang</i>	
HEAVY RARE EARTH FREE, FREE RARE EARTH AND RARE EARTH FREE MAGNETS - VISION AND REALITY.	492
<i>O. Gutfleisch ; K. Skokov</i>	
FE₁₆N₂: FROM A 40-YEAR MYSTERY OF MAGNETIC MATERIALS TO ONE OF PROMISES FOR RARE-EARTH-FREE MAGNETS.	493
<i>J. Wang ; Y. Jiang ; M.A. Mehedi ; J. Liu ; Y. Wu ; B. Ma</i>	
EFFECTS OF CERIUM ON MAGNETIC PROPERTIES OF SINTERED R-FE-B PERMANENT MAGNETS.	494
<i>X. Rao ; E. Niu ; F. Du ; B. Hu</i>	
EFFECT OF SUBSTRATE TEMPERATURE DRIVEN MAGNETIC ANISOTROPIES ON THE MAGNETOSTRICTIVE BEHAVIOUR OF TB-FE-CO THIN FILMS.	495
<i>U. K ; A. Talapatra ; A. Chelvane ; J. Mohanty ; J. V</i>	
FDTD SIMULATION OF ENHANCED FARADAY EFFECT IN PLASMONIC COMPOSITE STRUCTURES WITH RECTANGULARLY ARRANGED AU PARTICLES.	497
<i>J. Schlipf ; Y. Itabashi ; T. Goto ; H. Takagi ; P.B. Lim ; Y. Nakamura ; I.A. Fischer ; J. Schulze ; H. Uchida ; M. Inoue</i>	
BROADBAND MAGNETO-OPTICAL RESPONSE OF MAGNETOPLASMONIC QUASICRYSTALS.	499
<i>A. Kalish ; R. Komarov ; M. Kozhaev ; V. Achanta ; S. Dagesyan ; A. Shaposhnikov ; V. Berzhansky ; A. Zvezdin ; V. Belotelov</i>	
INVESTIGATION OF AMORPHOUS SMFE₂ THIN FILMS WITH GIANT NEGATIVE MAGNETOSTRICTION AND PERPENDICULAR MAGNETIC ANISOTROPY	500
<i>M. Tomita ; Y. Ishitani ; S. Ishiyama ; Y. Takamura ; S. Nakagawa</i>	
SMART SHAPE MEMORY ACTUATOR BASED ON MONOCRYSTALLINE NI₂FE GA GLASS-CODED MICROWIRE	501
<i>L. Frolova ; T. Ryba ; P. Diko ; V. Kavecansky ; J. Kravcak ; Z. Vargova ; R. Varga</i>	
FLEXIBLE MGO-BASED MAGNETIC TUNNEL JUNCTIONS ON SILICON SUBSTRATE	502
<i>S. Amara ; G. A. Torres Sevilla ; I. Ivanov ; J. Gerhard ; S. Jaiswal ; H. Muhammad Mustafa ; M. Kläui ; J. Kosel</i>	
SWITCHING OF EXCHANGE-COUPLED PERPENDICULAR MAGNETIZED LAYERS DRIVEN BY SPIN ORBITAL TORQUE WITH LOW POWER CONSUMPTION	503
<i>S. Wang ; J. Luo</i>	
RELIABLE ESTIMATION OF TAB SPIN HALL ANGLE BY INCORPORATING THE INTERFACIAL TRANSPARENCY AND ISOLATING INVERSE SPIN HALL EFFECT IN ST-FMR ANALYSIS.	504
<i>A. Tiwari ; H. Yoda ; Y. Kato ; K. Koi ; M. Ishikawa ; S. Oikawa ; Y. Saito ; T. Inokuchi ; N. Shimomura ; M. Shimizu ; S. Shirotori ; A. Buyandalai ; H. Sugiyama ; Y. Ohsawa ; A. Kurobe</i>	
ENHANCEMENT OF SPIN-ORBIT TORQUES THROUGH MATERIAL ENGINEERING: THE ROLE OF BORON.	505
<i>Y. Du ; P. Chen ; B. Yang ; P. Lin ; G. Guo ; C. Lai</i>	
STEADY STATE SOLUTION OF PERIODICALLY EXCITED NONLINEAR EDDY CURRENT PROBLEMS.	506
<i>O. Biro ; G. Koczka</i>	
ADVANCED SOFT- AND HARD-MAGNETIC MATERIAL MODELS FOR THE NUMERICAL SIMULATION OF ELECTRICAL MACHINES.	507
<i>K. Hameyer ; S. Steentjes ; N. Leuning ; G. Bravendiek ; S. Elfgen</i>	
ADVANCED CONSTITUTIVE LAWS FOR COMPUTATIONAL MAGNETICS: THE CASE OF MAGNETO-MECHANICAL BEHAVIOUR.	508
<i>L. Daniel</i>	
HIGH RESOLUTION MODELING OF MAGNETIC FIELD EXPOSURE SCENARIOS IN THE VICINITY OF INDUCTIVE WIRELESS POWER TRANSFER SYSTEMS.	510
<i>M. Clemens ; M. Zang ; M. Alsayegh ; B. Schmuelling</i>	
MICROMAGNETICS OF FEPT-L1₀ MEDIA WITH THERMALLY INSULATING MAGNETIC GRAIN BOUNDARIES.	511
<i>J. Zhu ; Y. Qin</i>	

HEAT ASSISTED MAGNETIC RECORDING – NEXT GENERATION MASS STORAGE TECHNOLOGY.	512
<i>G. Ju ; J. Thiele ; Y. Peng ; T. Klemmer ; Y. Ding ; Y. Kubota ; A.Q. Wu ; X. Zhu ; E.K. Chang ; L. Gao ; F. Zavaliche ; P. Huang ; H. Amini ; S.D. Granz ; C.J. Rea ; J. Qiu ; H. Yin ; M.A. Seigler ; T. Rausch ; Y. Chen ; E. Gage ; S. Hwang ; M.E. Re</i>	
SYSTEMIC EVALUATION OF MICROWAVE ASSISTED MAGNETIC RECORDING.	513
<i>Z. Liu ; P. Huang ; S. Hernandez ; G. Ju ; T. Rausch ; E. Gage</i>	
FAST SURROGATE-ASSISTED DESIGN OF MULTILAYERED MAGNETIC SHIELDS.	514
<i>H. Chen ; Y. Du ; Q. Cheng</i>	
DUAL MODE DUAL STATOR WOUND ROTOR SYNCHRONOUS MACHINE FOR VARIABLE SPEED APPLICATIONS.	515
<i>A. Hussain ; M. Ayub ; T. Yazdan ; B. Kwon</i>	
CHARACTERISTICS VERIFICATION OF A NOVEL MOTOR WITH TWO CONTROLLABLE ROTORS.	516
<i>H. Suzuki ; K. Hirata ; N. Niguchi ; A. Kohara</i>	
A NEW STRUCTURE OF STATOR POLE TO REDUCE TORQUE RIPPLE AND ACOUSTIC NOISE IN SWITCHED RELUCTANCE MOTOR.	517
<i>M. Babaei ; A. Ahmarinejad</i>	
EFFECT OF CaCO_3 AND V_2O_5 ON THE MICROSTRUCTURE AND MAGNETIC PROPERTY OF MNZN FERRITES.	518
<i>G. Wu ; Z. Yu ; Z. Tang ; K. Sun ; R. Guo ; X. Zou ; X. Jiang ; Z. Lan</i>	
VALLEY POLARIZED TUNNELING THROUGH MAGNETIC AND ELECTRICAL BARRIERS IN WEYL SEMIMETALS.	519
<i>C. Yesilyurt ; Z. Siu ; S. Tan ; G. Liang ; M.B. Jalil</i>	
MAGNETIC NANOPARTICLES FOR THERANOSTICS. (INVITED)	520
<i>Y. Ichihyanagi ; H. Takeuchi ; T. Ide ; A. Oshima</i>	
PROPERTIES OF PERMALLOY NANODISCS IN MAGNETIC VORTEX STATE AND MAGNETO-MECHANICAL TREATMENT OF CANCER CELLS.	521
<i>M. Góiriena-Goikoetxea ; I. Orue ; K. Guslienko ; E. Berganza ; M. Jaafar ; A. Asenjo ; D. Muñoz ; A. Muela ; A. García-Arribas</i>	
FLEXIBILITY OF MICRO-MAGNETIC FLAGELLA IN THE PRESENCE OF AN OSCILLATING FIELD.	522
<i>Y. Li ; C. Yen</i>	
NOVEL ELECTROMAGNETIC TARGETING SYSTEM FOR NAVIGATING SURGERY IN ENDOBRONCHOSCOPY.	523
<i>C. Chen ; C. Lin ; Y. Cheng ; T. Chung ; C. Chang ; S. Tsai ; J. Chen ; X. Lin</i>	
LEVITATION FORCE COMPUTATION OF HTS/PM SYSTEM BY H-FORMULATION.	524
<i>W. Chen ; J. Shi ; Y. Xu</i>	
ANOMALOUS MAGNETIC AND ELECTRICAL PROPERTIES OF $\text{Fe}_2\text{V}_{2-x}\text{Al}_x$ ($x=0-1$) ALLOYS.	525
<i>S. Hari ; V. Srinivas</i>	
OBSERVATION OF SUPERCONDUCTIVITY IN $\text{LaNiO}_3/\text{La}_{0.7}\text{Sr}_{0.3}\text{MnO}_3$ SUPERLATTICE.	527
<i>G. Zhou ; Z. Quan ; X. Xu</i>	
THE LONG-RANGE EXCHANGE BIAS IN ULTRATHIN PARAMAGNETIC LaNiO_3-BASED HETEROSTRUCTURE.	528
<i>X. Xu ; G. Zhou ; Z. Quan</i>	
COMPARATIVE MAGNETIC PROPERTIES OF AG/FE BILAYER AND NANO-DOT ARRAYS.	529
<i>B. Alkadour ; W. Chuang ; S. Ciou ; J. Wu ; P. Manna ; K. Lin ; J. van Lierop</i>	
GIANT PERPENDICULAR EXCHANGE BIAS IN A SUB-NANOMETER INVERTED (CO/PT)_N/CO/IRMN STRUCTURE.	530
<i>J. Feng ; H. Wei ; H. Liu ; X. Zhang ; Y. Ren ; X. Li ; J. Wang ; X. Han</i>	
PERPENDICULAR EXCHANGE BIAS EFFECT IN COFEB/PT/_NIR MULTI-LAYERS.	531
<i>W. Li ; J. Yan ; Y. Lu ; S. Lou ; Z. Zhang ; X. Zhang ; Q. Jin</i>	
EP-16. GRATING WITH MIRROR SYMMETRIC CAVITIES.	532
<i>Y. Qi ; H. Gong ; X. Zhang</i>	
VOLTAGE CONTROL OF TWO-MAGNON SCATTERING IN MNZN FERRITE THIN FILM.	533
<i>W. Hou ; Z. Zhou ; M. Liu</i>	
GEL-CASTING HEXAGONAL FERRITES FOR HIGH DENSITY AND LOW LOSS MICROWAVE DEVICES.	534
<i>J. Adams ; A. S. Sokolov ; V. Harris</i>	
ION DIFFUSION AND MICROWAVE ELECTROMAGNETIC CHARACTERISTICS OF LIZN/NICUZN FERRITES.	535
<i>R. Guo ; K. Sun ; X. Liu ; C. Chen ; Z. Yu ; X. Jiang ; C. Wu ; W. Wang ; G. Wu ; Y. Liu ; H. Liu ; Z. Lan</i>	

A PROPOSAL OF NONCONTACT BATON-PASS SYSTEM FOR A THIN STEEL PLATE BASED ON MAGNETIC LEVITATION TECHNIQUE.	536
<i>Y. Sudo ; Y. Arita ; M. Yamada ; T. Nakagawa</i>	
A NOVEL BEARINGLESS SWITCHED RELUCTANCE MACHINE WITH AXIAL SPLIT PHASE INNER STATOR PERMANENT MAGNET STRUCTURE.	537
<i>Z. Zhu ; Y. Jiang ; Y. Sun</i>	
NOVEL HETEROPOLAR HYBRID RADIAL MAGNETIC BEARING WITH DOUBLE-LAYER STATOR FOR FLYWHEEL ENERGY STORAGE SYSTEM.	538
<i>W. Xu ; R. Zhu ; C. Ye ; J. Zhu</i>	
EXPLORATION OF A FLOATING MAGNET ROTOR IN DIAMAGNETIC LEVITATION SYSTEM.	539
<i>K. Zhang ; Y. Su ; J. Gao ; Z. Duan ; J. Ding</i>	
DESIGN AND ANALYSIS OF A CENTRIPETAL FORCE TYPE-MAGNETIC BEARING FOR A FLYWHEEL BATTERY SYSTEM.	540
<i>W. Zhang ; L. Cheng ; H. Yang</i>	
PROPOSAL OF NEW SUPERCONDUCTING MAGNETIC BEARING USING HIGH TC SUPERCONDUCTING BULK AND COIL.	541
<i>M. Komori ; K. Yamanaka ; K. Asami ; N. Sakai</i>	
MULTI-OPTIMAL DESIGN OF NOVEL BEARINGLESS SWITCHED RELUCTANCE MOTOR BASED ON ANTI-FALCON COLONY PARTICLE SWARM OPTIMIZER.	542
<i>Y. Sun ; Z. Binbin</i>	
MODELING AND TRANSMISSION CHARACTERISTICS ANALYSIS OF DUAL-MECHANICAL-PORT MAGNET-GEARED MACHINE USING CONTROL BLOCK DIAGRAMS.	543
<i>C. Chen ; M. Tsai</i>	
EFFICIENCY IMPROVEMENT OF MAGNETIC-GEARED MOTOR BY OPEN-SLOT AND INTERIOR PERMANENT MAGNET STRUCTURE.	544
<i>K. Nakamura ; T. Kadomatsu ; Y. Hane</i>	
COMPARATIVE STUDY OF AXIAL FLUX MAGNETICALLY GEARED MACHINE WITH CONVENTIONAL AXIAL FLUX YASA MACHINE.	545
<i>M.F. Khatab ; Z. Zhu ; H. Li ; Y. Liu</i>	
ROLE OF INTERSUBLATTICE COUPLING IN CURRENT-INDUCED SPIN TORQUE IN RASHBA ANTIFERROMAGNET.	546
<i>C. Ho ; M.B. Jalil</i>	
ANGLE-DEPENDENT STATIC AND DYNAMIC MAGNETIC PROPERTIES OF B₂ ORDERED CO₂FESI FILM.	547
<i>Z. Xu ; Z. Zhang ; X. Li ; J. Tang ; F. Hu ; E. Liu ; F. Xu</i>	
PROXIMITY EFFECT INDUCED ENHANCED SPIN PUMPING IN PY/GD AT ROOM TEMPERATURE.	548
<i>R. Bansal ; N. Chowdhury ; P. K. Muduli</i>	
LOSSES MODELING BASED ON DOMAIN WALL PROCESSES AND VALIDATION CONSIDERING ROTATIONAL EXCITATION OF ELECTRICAL STEEL SHEETS.	549
<i>J. Li ; Q. Yang ; S. Wang ; Y. Li</i>	
EFFECTS OF ANISOTROPY FIELD AND EASY AXIS DISPERSIONS ON SQUARENESS RATIO FOR HDDR-PROCESSED NDFEB POWDERS.	550
<i>F. Akagi ; T. Shirai ; R. Kariya</i>	
THE EFFECT OF EASY AXIS DEVIATIONS ON THE MAGNETIC PROPERTY OF CO NANOWIRE.	551
<i>Y. Peng ; M. Yue ; H. Li ; Y. Li ; C. Li ; H. Xu ; Q. Wu</i>	
AC LOSS DATABASE BUILT WITH NUMERICAL MULTI-SCALE MODEL AND STATUS PREDICTION OF A 150 KJ SMES.	552
<i>Z. Zhang</i>	
SIZE EFFECT ON THE MAGNETIC BEHAVIOR OF RAPIDLY SOLIDIFIED CYLINDRICAL AMORPHOUS NANOWIRES.	553
<i>C. Rotarescu ; H. Chiriac ; N. Lupu ; T. A. Ovari</i>	
MACHINE-LEARNING ASSISTED X-RAY SPECTROSCOPY FOR HIGH-THROUGHPUT CHARACTERIZATION OF MAGNETIC MATERIALS.	554
<i>T. Ueno ; H. Hino ; K. Ono</i>	
IMPROVEMENT OF THE MEASUREMENT METHOD OF ROCK MAGNETIC PROPERTIES BASED ON THE SCANNING SQUID MICROSCOPE WITH AN IN-SITU MAGNETIZATION/DEMAGNETIZATION FIELD.	555
<i>J. Du ; Q. Wang ; T. Song</i>	

IMPLEMENTATION OF 16-CHANNEL AMR SENSOR ARRAY FOR QUANTITATIVE MAPPING OF TWO-DIMENSION CURRENT DISTRIBUTION.....	556
<i>G. Huang ; J. Jeng</i>	
DESIGN AND SIMULATION OF A DOUBLE TUNED RF COIL FOR ¹H AND ³¹P MR IMAGING AT 7T.....	557
<i>F. Du ; S. Liu ; N. Li ; Y. Dou ; X. Zhang ; Y. Li</i>	
HALL EFFECT SPINTRONICS FOR GAS DETECTION.....	559
<i>A. Gerber ; G. Kopnov</i>	
MAGNETIC NON-DESTRUCTIVE MATERIALS CHARACTERIZATION OF NONFERROMAGNETIC MATERIALS USING MAGNETIC SUSCEPTIBILITY.	560
<i>B. Gupta ; B. Ducharne ; G. Sebald ; T. Uchimoto</i>	
LOW NOISE FUNDAMENTAL MODE ORTHOGONAL FLUXGATE (FM-OFG) MAGNETOMETER BUILT WITH AN AMORPHOUS RIBBON CORE.	561
<i>I. Sasada</i>	
ROTATING MAGNETOELECTRIC SENSOR FOR DC MAGNETIC FIELD MEASUREMENT.	562
<i>Y. Ren ; J. Ouyang ; X. Wu ; W. Wang ; J. Liang ; S. Chen ; X. Yang</i>	
DEVELOPMENT OF THE TECHNIQUE FOR MEASURING THE MAGNETIC FLUX IN THE MOTOR CORE UNDER OPERATING CONDITIONS.....	563
<i>Y. Maeda ; S. Urata ; H. Nakai</i>	
MGO-BASED MAGNETORESISTIVE BIOSENSOR FOR MAGNETICALLY LABELED CELLS DETECTION.	564
<i>S. Amara ; R. Bu ; M. Alawein ; H. Fariborzi</i>	
MAGNONIC TOPOLOGICAL MATERIALS AND DEVICES.	565
<i>X. Wang ; X. Wang</i>	
REMANENCE ENHANCEMENT MELT-SPUN NITROQUENCH SM₂FE₁₇N₃. M.	566
<i>M. Coey ; P. S. Stamenov ; M. Venkatesan ; S. B. Porter ; T. Iriyama</i>	
PREPARATION AND CHARACTERIZATION OF PHENOL FORMALDEHYDE BONDED ND-FE-B MAGNETS WITH HIGH STRENGTH AND HEAT RESISTANCE.	567
<i>W. Xi ; W. Liu ; M. Yue ; D. Zhang ; Q. Lu ; H. Zhang ; Q. Wu ; Y. Li</i>	
EFFECTS OF INITIAL ALLOY ON MICROSTRUCTURE AND MAGNETIC PROPERTIES DURING HOT-DEFORMATION OF ND-FE-B HDDR POWDER.	568
<i>J. Lee ; J. Yoo ; Y. Baek ; D. Lee ; H. Kwon</i>	
COMPARISON OF TWO MAGNETIZING FIXTURE DESIGNS TO ACHIEVE RADIAL MAGNETIZATION PROFILE FOR ISOTROPIC BONDED NEO MAGNETS.....	569
<i>R. C. Angara ; K. W. Hsu ; P. J. Villar ; N. K. Sheth</i>	
INFLUENCE OF SOFT MAGNETIC MATERIAL TYPE IN FIXTURE COMPONENTS ON THE MAGNETIZATION OF BONDED NEO MAGNET AND MOTOR PERFORMANCE.	570
<i>R. C. Angara ; K. W. Hsu ; P. J. Villar ; N. K. Sheth</i>	
STUDY OF VOLTAGE-CONTROLLED PERPENDICULAR MAGNETIC ANISOTROPY IN TA/FEB/MGO AND W/FEB/MGO NANOWIRES BY THE HALL EFFECT MEASUREMENTS.	571
<i>V. Zayets ; T. Nozaki ; A. Fukushima ; S. Yuasa</i>	
HIGHLY (001)-TEXTURED MGAL₂O₄-BASED MAGNETIC TUNNEL JUNCTIONS WITH LARGE MAGNETORESISTANCE OVER 240%.....	572
<i>I. Tiar ; H. Sukegawa ; X. Xu ; M. Belmoubarik ; H. Lee ; S. Kasai ; K. Hono</i>	
FINDING THE SEPARATION BETWEEN FIRST-AND SECOND-ORDER PHASE TRANSITIONS IN LA(Fe,Ni,Si)₁₃ MAGNETOCALORIC MATERIALS.....	573
<i>L. M. Moreno-Ramírez ; J. Law ; C. Romero-Muñiz ; V. Franco ; A. Conde ; F. Maccari ; I. A. Radulov ; K. Skokov ; O. Gutfleisch</i>	
MAGNETOCALORIC BEHAVIOR OF FE_{75-X}MN_XAL₂₅ ALLOYS FOR NEAR ROOM TEMPERATURE COOLING.	574
<i>V.K. Sharma ; V. Chaudhary ; R.V. Ramanujan</i>	
INFLUENCE OF OVERLAPPING TRANSITIONS ON THE MCE RESPONSE OF A SERIES OF NI_{0.49-X}MN_{0.36X}IN_{0.15} HEUSLER ALLOYS.....	576
<i>J. Law ; V. Franco ; A. Conde ; A. Giri</i>	
MAGNETOCALORIC EFFECT IN MNNISI-Fe₂Ge AND MNNISI-Fe-Sn ALLOYS.	577
<i>D. Kamble ; R.V. Ramanujan</i>	
ENTROPY CHANGE AND HYSTERESIS LOSSES IN NI₄₅CO₅MN_(37-X)IN_(13+X) ALLOY FAMILY.	579
<i>M. Ghahremani ; A. Aslani ; M. Hosseinnia ; L. H. Bennett ; E. Della Torre</i>	
TABLE-LIKE MAGNETOCALORIC EFFECT IN HO₃₆CO₄₈AL₁₆MULTIPHASE ALLOY.....	580
<i>E.A. Balfour ; Y. Shang ; Y. Cao ; H. Fu ; A.A. El-Gendy ; R.L. Hadimani</i>	

PECULIARITIES OF DISORDER-INDUCED FERROMAGNETISM PHENOMENA IN $\text{Fe}_{60}\text{Al}_{40}$ FILMS ON A LOCAL SCALE.	582
<i>A. Smekhova ; E. La Torre ; T. Szyjka ; B. Eggert ; B. Cöster ; K. Ollefs ; D. Walecki ; S. Salamon ; R. Bali ; J. Lindner ; F. Wilhelm ; A. Rogalev ; E. Weschke ; D. Többens ; R. Banerjee ; B. Sanyal ; C. Schmitz-Antoniak ; H. Wende</i>	
INTERPRETING FORC DIAGRAMS BEYOND THE PREISACH MODEL: AN EXPERIMENTAL PERMALLOY MICRO ARRAY INVESTIGATION.	583
<i>F. Gross ; S. Ilse ; G. Schütz ; J. Gräfe ; E. Goering</i>	
DIRECT OBSERVATION OF SUB-100 NM SPIN WAVE PROPAGATION IN MAGNONIC WAVE-GUIDES	584
<i>N. A. Träger ; P. Gruszecki ; F. Lisiecki ; J. Förster ; M. Weigand ; P. Kuswik ; J. Dubowik ; G. Schütz ; M. Krawczyk ; J. Gräfe</i>	
THE GENERAL BOLTZMANN METHOD FOR MAGNON TRANSPORT WITH FULL SCATTERING PROCESS.	585
<i>Y. Li ; T. Liu ; W. Wang ; J. Zhang</i>	
A MAGNETO-ELASTIC CORRELATOR USING ACOUSTIC WAVE PUMPING OF SPIN WAVES	586
<i>I. Lisenkov ; M. Hansen ; J. Davies ; P. Dhagat ; A. Jander</i>	
ANALYSIS OF A COAXIAL MAGNETIC GEAR WITHOUT ROTOR IRON YOKE	587
<i>E. Göbl ; G. Jungmayr ; E. Marth ; W. Amrhein</i>	
COMPARATIVE ANALYSIS OF A COAXIAL MAGNETIC GEARBOX WITH A FLUX CONCENTRATION HALBACH ROTOR AND CONSEQUENT POLE ROTOR TYPOLOGY.	588
<i>D.H. Wong ; S. Modaresahmadi ; J.Z. Bird ; W. Williams</i>	
DESIGN AND ANALYSIS OF A DOUBLE STATOR HALBACH PERMANENT MAGNET BEARINGLESS BRUSHLESS DC MOTOR	590
<i>Y. Yuan ; Y. Sun ; F. Yang ; Y. Huang</i>	
ANALYSIS AND CONTROL OF THE PERMANENT MAGNET SYNCHRONOUS MOTOR WITH AUXILIARY MODULAR DESIGN	591
<i>H. Lin ; F. Zhao ; B. Kwon</i>	
MAGNETIC MATERIALS AND TECHNOLOGIES ENABLING AN EVEN BRIGHTER FUTURE FOR ELECTRICAL MACHINES.	592
<i>P. Upadhyay</i>	
ANALYSIS OF A NOVEL DOUBLE-SIDED DUAL-PM HYBRID-EXCITATION SWITCHED-FLUX LINEAR MACHINE.	593
<i>Z. Zeng ; Q. Lu</i>	
STUDY OF EFFICIENCY CHARACTERISTICS OF INTERIOR PERMANENT MAGNET SYNCHRONOUS MOTORS.	595
<i>S. Feng ; W. Jiang ; Z. Zhang ; J. Zhang ; Y. Li ; Y. Wang</i>	
CONSEQUENT POLE HYBRID BRUSHLESS WOUND ROTOR SYNCHRONOUS MACHINE	597
<i>A. Hussain ; B. Kwon</i>	
OPTIMAL DESIGN AND EXPERIMENTAL TEST OF SURFACE-MOUNTED PERMANENT MAGNET MOTORS WITH COST-EFFECTIVE MAGNET UTILIZATION TO SUPPRESS TORQU PULSATIONS.	598
<i>W. Zhao ; H. Shen ; W. Chai ; X. Wang ; B. Kwon</i>	
MAGNETIZATION DYNAMICS OF WEAKLY INTERACTING SUB-100 NM SQUARE ARTIFICIAL SPIN ICES	600
<i>J. Porro Azpiazu ; S. Morley ; D. Alba Venero ; R. Macêdo ; M. Rosamond ; R. L. Stamps ; C. H. Marrows ; S. Langridge</i>	
EFFECT OF ANNEALING ON MAGNETIC AND MECHANICAL BEHAVIOR OF NANOPERM-TYPE ALLOYS	601
<i>M. Hasiak ; A. Laszcz</i>	
MAGNETIC FORCE ANALYSIS IN A GAPPED-CORE REACTOR MODEL UNDER HARMONIC MAGNETIZATIONS BY EFFICIENT FREQUENCY-DOMAIN DECOMPOSITION.	602
<i>X. Zhao ; Z. Jin ; Z. Cheng ; B. Forghani ; L. Li ; H. Zhang</i>	
A SWITCHED-CAPACITORLESS ENERGY-ENCRYPTED TRANSMITTER FOR ROADWAY-CHARGING ELECTRIC VEHICLES	603
<i>W. Liu ; K. Chau ; C. Lee ; C. Jiang ; W. Han</i>	
DETERMINATION APPROACH FOR THE PARAMETERS OF EQUIVALENT CIR-CUIT MODEL OF DEEP SATURATED THREE-PHASE INTEGRATIVE TRANSFORMERS	604
<i>Y. Wang ; Y. Shangquan ; J. Yuan</i>	
RESEARCH ON SPLIT-CORE REACTOR VIBRATION REDUCTION METHOD BASED ON MAGNETOSTRICTIVE EFFECT.	605
<i>L. Zhu ; R. Sha ; X. Zhang ; B. Wang ; T. Han</i>	

RESEARCH ON TRANSFORMER INDUCTANCE PARAMETER CALCULATION MODEL FOR HIGH FREQUENCY CHARACTERISTIC ANALYSIS.	606
<i>X.M. Zi ; G. Jian ; Z. Ying</i>	
INVERSE UPDATING METHOD OF HIGH-FREQUENCY EQUIVALENT CIRCUIT MODEL IN TRANSFORMER FOR WINDING DEFORMATION DIAGNOSIS	608
<i>H. Zhang ; S. Wang ; S. Wang ; S. Wang</i>	
ANALYSIS OF A NOVEL THREE-COIL WIRELESS POWER TRANSFER SYSTEM APPLIED IN BIOMEDICAL DEVICES.	609
<i>X. Zhang ; L. Wang ; X. Zhang</i>	
THE INFLUENCE OF MAGNETIZATION ON MODULAR SPOKE-TYPE PERMANENT-MAGNET MACHINE FOR IN-WHEEL TRACTION APPLICATIONS.	610
<i>H. Zhang ; W. Hual</i>	
PROPOSAL OF MAXWELL STRESS TENSOR FOR LOCAL FORCE CALCULATION IN MAGNETIC BODY.	612
<i>M.K. Ghosh ; Y. Gao ; H. Dozono ; K. Muramatsu ; W. Guan ; J. Yuan ; C. Tian ; B. Chen</i>	
COERCIVITY ENHANCEMENT OF ND-CE-FE-B SINTERED MAGNETS BY THE GRAIN BOUNDARY DIFFUSION PROCESS USING ND-AL-CU ALLOYS.	613
<i>Q. Zhou ; R. Tang ; F. Xiao ; Z. Liu</i>	
DEMAGNETIZATION AND PERMANENT-MAGNET MINIMIZATION ANAL-YSES OF LESS-RARE-EARTH INTERIOR PERMANENT-MAGNET SYNCHRONOUS MACHINES USED FOR ELECTRIC VEHICLES.	614
<i>W. Wang ; P. Zheng ; M. Wang ; Y. Liu ; Z. Fu</i>	
EXPERIMENTAL VERIFICATION OF EFFECTIVENESS OF MAGNETORHEOLOGICAL FLUID DAMPER FIXED TO AN ELEVATOR IN CASE OF EARTHQUAKE.	615
<i>K. Kawase ; N. Kobayashi ; M. Yamada ; T. Nakagawa</i>	
CHARACTERIZATION OF OUTPUT TORQUE OF A PERMANENT MAG-NETBASED MRF CLUTCH WITH A FIELD BLOCKING MECHANISM.	616
<i>M. A. Fernández ; J. Chang ; C. Huang</i>	
FABRICATION OF BIOGENIC GUANINE CRYSTAL/FERROMAGNETIC FILM HYBRID PLATE FOR MICRO-OPTICAL MEMS.	617
<i>T. Sogame ; K. Deguchi ; M. Inoue ; T. Kimura ; E. Muneyama ; K. Kishimoto ; T. Koyanagi ; H. Asada ; M. Iwasaka</i>	
A PERMANENT MAGNET-EXCITED MAGNETO-RHEOLOGICAL FLUID BRAKE MANIPULATED BY MECHANICAL MAGNETIC SHIELD.	618
<i>P. Lee ; J. Chang</i>	
FE₃O₄@ANGELICA SINENSIS POLYSACCHARIDES NANOPARTICLES FOR MAGNETIC RESONANCE IMAGING.	620
<i>X. Xu ; K. Wang ; Y. Li ; Y. Wang ; J. Wang ; Y. Jiang</i>	
MICRO OPTICAL-INTERFERENCE-PLATE FEATURING HIGHLY EFFICIENT DIAMAGNETIC ROTATION OF BIOGENIC CRYSTALS.	621
<i>T. Sogame ; E. Muneyama ; M. Inoue ; T. Kimura ; K. Kishimoto ; T. Koyanagi ; H. Asada ; M. Iwasaka</i>	
STRUCTURAL DYNAMIC MODELING AND OPTIMIZATION FOR VIBRATION CONTROL OF A COMPOSITE CANTILEVER WITH MAGNETOSTRICTIVE SHUNT DAMP-ER.	622
<i>J. Zheng ; S. Cao ; R. Pan</i>	
BALANCING NEGATIVE AND POSITIVE EXPANSION EFFECT IN DUAL-PHASE LA(Fe,Si)₁₃/ α -FE COMPOSITE WITH IMPROVED MECHANICAL PROPERTY.	624
<i>J. Wang</i>	
MAGNETO-MECHANICAL OPTIMIZATION AND ANALYSIS OF A MAGNETOSTRICTIVE CANTILEVER BEAM FOR ENERGY HARVESTING.	625
<i>V. Apicella ; C. S. Clemente ; D. Davino ; D. Leone ; C. Visone</i>	
MÖSSBAUER INVESTIGATION OF MAGNETOSTRICTIVE FE₈₃GA₁₇ WITH TRACE RARE-EARTH DOPING.	626
<i>P. S. Stamenov ; Y. He ; C. Jiang ; M. Coey</i>	
CONCURRENT INVERSE EFFECTS OF MAGNETOSTRICTION AND ELECTROSTRIC-TIONIN MAGNETOELECTRIC LAYERED STRUCTURES.	627
<i>B. Zadov ; M. Auslender ; E. Liverts</i>	
MAGNETOELECTRIC SURFACE ACOUSTIC WAVE CHARACTERISTICS OF THE SCALN/FE₂GA HETEROSTRUCTURE WITH NEGATIVE POISSON'S RATIO.	628
<i>J. Jiang ; F. Bai</i>	
TUNING FERROMAGNETIC PROPERTIES OF LAMNO₃ THIN FILMS BY OXYGEN VACANCIES AND STRAIN.	629
<i>Y. Liu ; H. Wong ; K. Lam ; C. Mak ; C. Leung</i>	

COUPLED FINITE ELEMENT ANALYSIS OF MAGNETIC AND THERMAL FIELDS USING ADAPTIVE SINGLE-MESH METHOD.	630
<i>W. Chen ; Z. Li</i>	
THEORETICAL AND EXPERIMENTAL ANALYSIS OF TRANSVERSE FLUX LINEAR MACHINES USING MUTUALLY COUPLED WINDINGS FOR HIGH FORCE DENSITY.	631
<i>J. Du ; Q. Liu ; Y. Long ; D. Yai</i>	
ELECTROMAGNETIC ANALYSIS OF A BALANCED ARMATURE RECEIVER CONSIDERING FRINGING FLUX EFFECT BY LUMPED PARAMETER METHOD.	632
<i>D. Xu ; Y. Jiang ; S. Hwang</i>	
ANALYSIS OF VIBRATION OF A DUAL-STATOR HYBRID EXCITATION PERMANENT MAGNET MOTOR FOR ELECTRIC VEHICLES.	634
<i>Y. Fan ; Z. Wu ; C. Tan</i>	
ANALYSIS AND COMPARISON ON MOTOR CORE LOSSES WITH SI-IGBT AND SIC-MOSFET INVERTER EXCITATIONS.....	635
<i>G. Nguyen ; S. Odawara ; K. Fujisaki ; F. Iwamoto ; T. Yamada ; T. Sasaya</i>	
A NONLINEAR PERMANENT MAGNET WORKING POINT MIGRATION MODEL AND ITS APPLICATION TO SIMULATION OF A POLARIZED MAGNETIC SYS-TEM.	637
<i>J. You ; X. Liao ; R. Wang ; H. Liang ; J. Sykulski</i>	
ANALYSIS OF MULTI-PHASE AND MULTI-LAYER FACTIONAL-SLOT CONCEN-TRATED-WINDING ON PM EDDY CURRENT LOSS CONSIDERING AXIAL SEGMENTATION AND LOAD OPERATION.....	638
<i>Q. Chen ; D. Liang ; S. Jia ; X. Wan</i>	
ADAGRAD ALGORITHM BASED OPTIMAL SLOT-POLE SELECTION FOR REDUCED INDUCTANCE HARMONICS IN CONCENTRATED WOUND MULTIPHASE PMSM.	639
<i>H. Dhulipati ; E. Ghosh ; S. Mukundan ; J. Tjong ; N. C. Kar</i>	
HYBRID ANALYTICAL MODELING OF SATURATED ELECTROMAGNETIC DEVICES: INTEGRATION OF FOURIER MODELING AND MAGNETIC EQUIVALENT CIRCUITS.....	640
<i>J. Bao ; B. Gysen ; E. Lomonova</i>	
CONVERGENCE ANALYSIS OF SEM AND FEM TO AN ANALYTICAL FIELD DISTRIBUTION IN THE AIRGAP.....	642
<i>M. Curti ; J. Jansen ; E. Lomonova</i>	
IMPROVED ES MODEL FOR CORE LOSS CALCULATION OF BRUSHLESS DOUBLY FED MACHINE WITH HYBRID ROTOR.....	644
<i>F. Zhang ; Y. Wang ; S. Yu</i>	
NON-CONFORMING FINITE ELEMENT METHOD TO SIMULATE EDDY CURRENTS DUE TO MOTION USING THE T, Φ-Φ FORMULATION.....	645
<i>G. Wallinger ; O. Biro</i>	
TWO-LEVEL SURROGATE-ASSISTED DIFFERENTIAL EVOLUTION MULTI-OBJECTIVE OPTIMIZATION OF ELECTRIC MACHINES USING 3D FINITE ELEMENT ANALYSIS (FEA).....	646
<i>N. Taran ; D. Ionel ; D.G. Dorrell</i>	
FINITE-ELEMENT METHOD WITH TOPOLOGICAL DATA STRUCTURE MESH FOR OPTIMIZATION OF ELECTRICAL DEVICE.	648
<i>X. Liu ; W. Fu</i>	
SPIN WAVE COUPLING IN STRAIN-TUNED MAGNONIC WAVEGUIDE AND RECONFIGURABLE MAGNONIC CRYSTALS.	649
<i>A. V. Sadovnikov ; A. Grachev ; S. Sheshukova ; Y. Sharaevsky ; A. Serdobintsev ; S. Nikitov</i>	
SPIN WAVE PROPAGATION IN SPUTTER-DEPOSITED YIG NANOMETER FILMS.	650
<i>Y. Shiota ; S. Kasukawa ; T. Moriyama ; T. Ono</i>	
PHASE LOCKING, INTERMITTENCY AND CHAOS, OF AN ARRAY OF MAGNON-IC CRYSTAL CAVITIES DRIVEN BY SPIN TORQUE NANO OSCILLATORS.....	651
<i>N. Kumar ; A. Prabhakar</i>	
MECHANISM OF MAGNETIC ORIENTATION REVERSAL INDUCED BY ULTRAFAST LASER.....	652
<i>Y. Zou ; H. Wang ; Z. Zeng ; T. Huang ; Y. Xiao ; W. Cheng ; K. Wang ; C. Xie</i>	
HYBRID CHARACTERISTIC OF MULTI-SHOT CIRCULARLY POLARIZED LASER PULSES FOR MAGNETIZATION SWITCHING PROCESS IN L1₀-FEPT NANOPARTICLES.....	653
<i>Y. Xiao ; H. Wang ; T. Huang ; Y. Zou ; Z. Zeng ; K. Wang ; C. Xie</i>	
FEMTOSECOND LASER HEATING INDUCED ULTRAFAST MAGNETIZATION REVERSAL IN TBCO FILMS WITH DIFFERENT ELECTRON-PHONON COUPLING INTER-ACTION	654
<i>W. Cheng ; Y. Wang ; Z. Liu ; Y. Hui ; H. Wang ; J. Chen ; Y. Hao ; X. Miao</i>	
A MAGNETIC INTEGRATION STRUCTURE OF HYBRID DISTRIBUTION TRANSFORMER.....	655
<i>Y. Liu ; D. Liang ; M. Zhang ; Y. Liang ; X. Wan ; Q. Chen ; S. Wang ; S. Wang</i>	

A NOVEL MULTI-UNIT OUT-ROTOR HOMOPOLAR INDUCTOR MACHINE FOR FLYWHEEL ENERGY STORAGE SYSTEM.....	657
<i>J. Yang ; C. Ye ; X. Liang ; F. Xiong ; W. Xu</i>	
FABRICATION AND DEVELOPMENT OF MINIATURIZED EFFICIENT POWER CONVERTERS USING ULTRA-SOFT MAGNETIC RIBBONS.....	658
<i>H. Ahmadian Baghbaderani ; D. J. Cronin ; P. McCloskey ; S. Kulkarni ; Z. Pavlovic ; A. Masood ; K. Ackland ; P. Stamenov ; C. O'Mathuna</i>	
PREDICTION OF HEATING POWER IN MAGNETIC PIPE CONDUCTING LARGE AC CURRENT WITH HIGH FREQUENCIES UP TO 200HZ.	659
<i>A. Chen ; A. Nysveen ; J. Lervik ; M. Høyer-Hansen</i>	
A NOVEL THREE LIMB TOPOLOGY OF A SATURATED CORE FAULT CURRENT LIMITER IN HVDC SYSTEM.....	660
<i>H. Zhou ; J. Yuan ; L. Wei ; P. Gan ; F. Chen ; Y. Zhong ; C. Tian ; B. Chen ; Y. Gao ; K. Muramatsu</i>	
NEW EQUIVALENT CIRCUIT MODEL OF UHVDC CONVERTER TRANSFORMER WINDING FOR THE CALCULATION OF TRANSIENT POTENTIAL DISTRIBUTION.....	661
<i>s. He ; C. Li ; Y. Liu ; Z. Zhao ; J. Deng ; J. Li ; H. Qian</i>	
AC LOSS ANALYSIS OF A FLUX-COUPPLING TYPE SUPERCONDUCTING FAULT CURRENT LIMITER	662
<i>S. Yan ; Y. Tang ; L. Ren ; Z. Wang</i>	
THE PURSUIT OF SAVING ENERGY CONSUMPTION OF MEMORY SYSTEMS BY MRAMS, FROM STT-MRAM TO VOLTAGE-CONTROL SPINTRONICS MEMORY (VOCSM).....	664
<i>H. Yoda ; N. Shimomura ; Y. Ohsawa ; Y. Kato ; S. Shirotori ; m. shimizu ; K. Koi ; T. Inokuchi ; H. Sugiyama ; S. Oikawa ; B. Altansargai ; M. Ishikawa ; A. Tiwari ; A. Kurobe</i>	
MECHANOCHEMICAL SYNTHESIS OF DY SUBSTITUTED ND₂(FE,CO)₁₄B MAGNETIC NANOPARTICLES.....	665
<i>Y. Zhong ; V. Chaudhary ; H. Parmar ; X. Tan ; R. V. Ramanujan</i>	
MAGNETIC FORCE EQUATIONS BASED ON COMPUTER SIMULATION AND THE EFFECT OF LOAD LINE	666
<i>C. Chen ; H. Meng ; M. Fan</i>	
HIGH (BH)_{MAX}(ND,DY)-(FE,CO)-B HARD MAGNETIC POWDERS SYNTHESIZED BY MICROWAVE PROCESSING.....	667
<i>X. Tan ; H. Parmar ; V. Chaudhary ; Y. Zhong ; R.V. Ramanujan</i>	
STRUCTURAL AND MAGNETIC STUDY BY NONMAGNETIC (TI₄+AND GA₃+) DOPING AT RU SITE IN SRRUO₃	668
<i>R. Gupta ; A. Pramanik</i>	
SCALING OF ALL-OPTICAL SWITCHING TO NANOMETER DIMENSIONS	669
<i>A. ElGhazaly ; C. Lambert ; B. Tran ; A. Pattabi ; J. Gorchon ; S. Salahuddin ; H. Wong ; J. Bokor</i>	
MAGNONS IN PHOTONIC CAVITIES AND RESONATORS.....	671
<i>B. Rameshti ; S. Sharma ; Y. Blanter ; G. Bauer</i>	
TUNABLE MAGNON PHOTON COUPLING USING A BLIG ((LUBI)₃FE₅O₁₂) FILM AND A SPLIT RING RESONATOR	672
<i>M. M ; S. S ; G. Venkat ; K. Arunachalam ; A. Prabhakar</i>	
NONVOLATILE MEMORY DEVICES WITH MAGNETIC NANOWIRES CONTROLLED BY SPIN-TRANSFER AND SPIN-ORBIT TORQUES	673
<i>S. Fukami ; H. Ohno</i>	
ENHANCEMENT OF GILBERT DAMPING IN NIFE/PT BILAYERS WITH MGO CAPPING LAYERS.....	674
<i>T. Zhu ; F. Chang</i>	
OPTIMIZE FE/PT BILAYERS AS EFFICIENT SPINTRONIC TERAHERTZ EMITTERS BY TAILORING THE THICKNESS OF THE LAYERS AND THE INTERFACE STRUCTURAL PROPERTIES.....	675
<i>L. Scheuer ; S. Keller ; G. Torosyan ; M. Battiato ; R. Beigang ; E. Papaioannou</i>	
DIAMAGNETICALLY DILUTED IRON BORATE-BASED SINGLE CRYSTALS: EMR AND SQUID STUDIES.	676
<i>J. Kliava ; P. Rosa ; K. Seleznyova ; M. Strugatsky ; S. Yagupov</i>	
THEORY OF MN-CONTAINING HIGH-MAGNETIZATION PERMANENT MAGNETS.....	677
<i>A. Kashyap ; D. Sellmyer ; R. Skomski</i>	
ADDITIVELY MANUFACTURED FUNCTIONALLY GRADED FENI BASED HIGH ENTROPY MAGNETIC ALLOYS.	678
<i>V. Chaudhary ; T. Borkar ; C. V. Mikler ; B. Gwalani ; D. Choudhuri ; V. Soni ; T. Alam ; R. V. Ramanujan ; R. Banerjee</i>	

MAPPING SURFACE ANISOTROPIES IN FERROMAGNETIC (GA,MN)AS FILMS.....	679
<i>X. Liu ; M. Dobrowolska ; J. Furdyna ; H. Puzskarski ; P. Tomczak</i>	
3D MAGNONIC CRYSTALS.	681
<i>E. Beginin ; A. V. Sadovnikov ; A. Sharaevskaia ; A. Stognij ; S. Nikitov</i>	
INTEGRATED MAGNONIC NETWORKS BASED ON THE LATERAL MAGNONIC STRIPES AND MAGNONIC CRYSTALS.	682
<i>A. V. Sadovnikov ; Y. Sharaevsky ; S. Sheshukova ; E. Beginin ; S. Nikitov</i>	
TUNABLE MICROWAVE PROPERTIES OF RHOMBOID SHAPED NANOMAGNET PAIRS.....	683
<i>C. Tian ; A. Adeyeye</i>	
HIGH-ORDER METHODS APPLIED TO ELECTRICAL MACHINE MODELING.	684
<i>L. Friedrich ; M. Curti ; B. Gysen ; J. Jansen ; E. Lomonova</i>	
MOTOR CORE LOSSES EVALUATION WITH PWM AND PAM INVERTER EXCITATIONS IN COMPUTATIONAL ANALYSIS AND EXPERIMENTS.	685
<i>G. Nguyen ; S. Odawara ; T. Endo ; C. Taki ; K. Fujisaki ; F. Iwamoto ; T. Yamada ; T. Sasaya</i>	
COMPUTATION OF COGGING FORCE OF A LINEAR TUBULAR FLUX SWITCHING PERMANENT MAGNET MACHINE USING A HYBRID ANALYTICAL MODELING.	687
<i>D. Lo ; H. Lawali Ali ; Y. Amara ; G. Barakat ; F. Chabour</i>	
DEVELOPMENT OF A NEW APPROACH TO CORE QUALITY ASSESSMENT OF MODERN ELECTRICAL MACHINES.	688
<i>H. Bahmani</i>	
MEMORY EFFICIENT HARMONIC METHOD FOR ELECTROMAGNETIC MODELS USING SCATTERING MATRICES.	690
<i>C. Custers ; J. Jansen ; E. Lomonova</i>	
EXCITING FORCE AND VIBRATION ANALYSIS OF STATOR PERMANENT MAGNET SYNCHRONOUS MOTOR.....	691
<i>J. Hong ; S. Wang ; Y. Sun ; J. Li ; H. Cao</i>	
COMPARISON OF SLEEVE TYPES FOR ULTRA-HIGH-SPEED SURFACE-MOUNTED PM MOTORS.	693
<i>Y. Liu ; J. Ou ; M. Schiefer ; M. Doppelbauer</i>	
A NOVEL TOPOLOGY OF MAGNETIC GEAR.	694
<i>O. Molokanov ; P. Dergachev ; S. Osipkin ; E. Kuznetsova ; P. Kurbatov</i>	
CHANNEL MODELING AND MULTI-ISLAND RECORDING SCHEME ON BIT PATTERNED MEDIA WITH LONG-RANGE ISLAND ORIENTATION FLUCTUATIONS.	695
<i>Y. Wang ; V. Bhagavatula ; Y. Wen ; P. Li</i>	
A BIT-FLIPPING TECHNIQUE BASED ON 2D MODULATION CONSTRAINT IN BPMR SYSTEMS.	697
<i>W. Busyatras ; N. Jongsawat ; L. M. Myint ; C. Warisarn</i>	
UNBALANCED TRACK PITCH COMBINED WITH 2D MODULATION CODE IN TDMR SYSTEMS.	698
<i>K. Pituso ; C. Warisarn ; D. Tongsomporn</i>	
SPATIALLY-COUPLED CODES FOR CHANNELS WITH SNR VARIATION.....	699
<i>H. Esfahanizadeh ; A. Hareedy ; R. Wu ; R. Galbraith ; L. Dolecek</i>	
FLEXIBLE INTER-TRACK INTERFERENCE CANCELLATION FOR GENERALIZED INTERLACED MAGNETIC RECORDING.....	700
<i>S. Yoon ; E. Hwang</i>	
1/F THERMALLY EXCITED NOISE IN ASYMMETRIC OSCILLATORS.....	701
<i>T. Pipathanapoomprorn ; A. Stankiewicz ; A. Grier ; K. Subramanian ; A. Kaewrawang</i>	
MOLECULARLY STRUCTURAL CHANGE OF PFPE LUBRICANT ACCUMULATED ON PIN SURFACE AT LASER HEATING.....	702
<i>H. Tani ; Y. Shibahara ; R. Lu ; S. Koganezawa ; N. Tagawa</i>	
HAMR AIR BEARING, WATER MONOLAYER VAPORIZATION AND DIFFUSION.....	703
<i>O.J. Ruiz</i>	
MODIFIED MGL EQUATION CONSIDERING BOTH EFFECTS OF SURFACE ROUGHNESS AND ACCOMMODATION COEFFICIENT FOR ULTRA-THIN GAS FILM LUBRICATION.....	704
<i>B. Shi ; K. Guo ; Y. Feng</i>	
EFFECT OF PRESSURE AND TEMPERATURE ON LUBRICANT TRANSFER FROM DISK TO SLIDER IN HELIUM-FILLED HARD DISK DRIVES.	706
<i>Z. Tang ; D. Zhou ; T. Jia ; C. Zhang ; B. Shi</i>	
DYNAMIC DC LINK VOLTAGE CONTROL STRATEGY OF ELECTRIC VEHICLES CONSIDERING THE CROSS SATURATION EFFECT.	707
<i>H. Li ; J. Gao ; S. Huang ; P. Fan</i>	

BRUSHLESS WOUND ROTOR SYNCHRONOUS MACHINE WITH THIRD HARMONIC FIELD EXCITATION USING SINGLE INVERTER.	708
<i>M. Ayub ; S. Bukhari ; G. Sirewal ; B. Kwon</i>	
INVESTIGATIONS ON THE SENSORLESS POSITION ESTIMATION OF AN IPMSM WITH SHORT-CIRCUITED ROTOR WINDINGS.....	709
<i>C. Hittinger ; D. Thyroff ; I. Hahn</i>	
POSITION SENSORLESS CONTROL OF SWITCHED RELUCTANCE MOTORS ELIMINATING MUTUAL INDUCTANCE EFFECT.....	710
<i>H. Wang ; H. Cai ; M. Li ; S. Shen</i>	
A FLEXIBLE POSITION SENSORLESS CONTROL OF SWITCHED RELUCTANCE MOTORS CONSIDERING BOTH EMBRACE DESIGN AND MAGNETIC SATURATION.....	711
<i>H. Wang ; M. Li ; S. Shen</i>	
FAULT-TOLERANT DESIGN AND CONTROL OF HYBRID EXCITATION AXIAL FIELD FLUX-SWITCHING PERMANENT MAGNET MACHINES.	712
<i>W. Zhang ; X. Liang</i>	
HYBRID CONTROL OF MAGNETIC MICRO-ROBOT USING THREE-AXIS HELM-HOLTZ COIL.....	713
<i>I. Baek ; G. Jeon ; C. Yu ; S. Kim</i>	
MAGNETICALLY AXIAL-COUPLED PROPELLER-BASED PORTABLE ELECTROMAGNETIC ENERGY-HARVESTING DEVICE USING AIR AND WATER STREAM.	714
<i>J. Lee ; G. Jeon ; S. Kim</i>	
IMPROVED PERFORMANCES OF MICRO-ELECTROMAGNETIC ENERGY HARVESTING DEVICES BY MINIMIZING THE DEMAGNETIZATION FIELD.	715
<i>D. Mallick ; S. Roy</i>	
A MLC STT-MRAM BASED COMPUTING IN-MEMORY ARCHITECTURE FOR BINARY NEURAL NETWORK.....	717
<i>Y. Pan ; P. Ouyang ; Y. Zhao ; W. Kang ; S. Yin ; Y. Zhang ; W. Zhao ; S. Wei</i>	
ANISOTROPIC SMCO_5 NANOCRYSTALLINE MAGNET PREPARED BY HOT DEFORMATION WITH BULK AMORPHOUS PRECURSORS.	718
<i>J. Liang ; M. Yue ; D. Zhang ; Y. Li ; H. Li</i>	
MAGNETIC PROPERTIES OF CO-FERRITE/FECO BILAYERS.	719
<i>Y. Hara ; S. Shirsath ; D. Wang ; A. Morisako ; X. Liu</i>	
HIGH CONTENT ND-FE-B IN POLYMER COMPOSITE BY FUSED DEPOSITION MODELING.	720
<i>T. Chang ; J.K. Jyun ; W. Lee ; M. Tsai ; C. Cheng</i>	
INVESTIGATION OF OPTIMAL SPLIT RATIO FOR HIGH-SPEED PERMANENT MAGNET BRUSHLESS MACHINES.....	721
<i>Y. Wang ; S. Guo ; Y. Li ; Z. Chen ; Y. Wang ; Z. Zhu</i>	
TRIAL OF SUPERCONDUCTING MAGNETIC BEARINGS APPLIED TO HIGH SPEED TURBINE ROTOR.	722
<i>M. Komori ; K. Hara ; K. Asami ; N. Sakai</i>	
FAST CALCULATION OF PM EDDY CURRENT LOSS IN IPMSM UNDER PWM VSI SUPPLY.....	723
<i>S. Zhu ; M. Cheng ; Y. Zhu</i>	
THERMAL-LOSS COUPLED ANALYSIS OF AN ELECTRICAL MACHINE USING IMPROVED TEMPERATURE DEPENDENT IRON LOSS MODEL.....	724
<i>S. Xue ; J. Feng ; S. Guo ; Y. Li ; Z. Chen ; J. Peng ; Z. Zhu</i>	
ANALYSIS ON THE NUMBER OF AXIAL SEGMENTS OF PERMANENT MAGNET IN SPMSM FOR ULTRA-HIGH-SPEED APPLICATION.....	725
<i>H. Lee ; D. Jung ; J. Lee</i>	
ACCURATE PREDICTION OF DYNAMIC HYSTERESIS LOOPS USING THE MODIFIED JILES-ATHERTON MODEL.	726
<i>Z. Li ; X. Huang ; L. Wu ; J. Ma ; Y. Fang</i>	
CHARACTERIZATION AND LOCAL PHENOMENOLOGICAL MODEL OF BARKHAUSEN NOISE UNDER MECHANICAL AND MAGNETIC EXCITATIONS.	727
<i>B. Ducharne ; B. Gupta ; Y. Hebrard ; J. Coudert</i>	
HYSTERESIS NONLINEARITY MODELING FOR MAGNETICS SHAPE MEMORY ALLOY ACTUATOR BASED ON A NOVEL BLACK-BOX MODEL WITH LEAST SQUARES SUPPORT VECTOR MACHINES.	728
<i>R. Xu ; M. Zhou ; Y. Wang</i>	
DYNAMIC MAGNETIC SCALAR HYSTERESIS LUMP MODEL, BASED ON JILES-ATHERTON QUASI-STATIC HYSTERESIS MODEL EXTENDED WITH DYNAMIC FRACTIONAL DERIVATIVES.	729
<i>B. Ducharne ; B. Zhang ; B. Gupta ; G. Sebald ; T. Uchimoto</i>	

STUDY ON CALCULATION METHODS OF AC LOSS FOR A HTS MAGNET WITH IRON CORE.....	730
<i>Y. Zhang ; L. Ren ; S. Yan ; Z. Wang</i>	
GLOBAL QUANTITIES COMPUTATION USING MESH BASED GENERATED RELUCTANCE NETWORKS.....	731
<i>S. Asfirane ; S. Hlioui ; Y. Amara ; O. De La Barriere ; G. Barakat ; M. Gabsi</i>	
NUMERICAL ESTIMATION OF IRON LOSS WITH DUAL MODELS FOR ELECTROMAGNETIC DEVICES.....	733
<i>X. Liu ; W. Fu</i>	
A SELF-ADAPTIVE PLAY MODEL WITH INPUT-DEPENDENT SHAPE FUNCTIONS FOR HYSTERESIS LOSS OF ELECTROMAGNETIC DEVICES.....	734
<i>X. Liu ; W. Fu</i>	
SKIN EFFECT AND EDDY CURRENT LOSS IN ELECTRICAL STEEL SHEETS UNDER APPLIED EXCITATION FIELDS.....	735
<i>J. Li ; Q. Yang ; S. Wang ; Y. Li</i>	
ELECTROMAGNETIC-MECHANICAL ANALYSIS OF A BALANCED ARMATURE RECEIVER BY CONSIDERING THE NONLINEAR PARAMETERS AS THE FUNCTION OF DISPLACEMENT AND CURRENT.....	736
<i>Y. Jiang ; D. Xu ; S. Hwang</i>	
PERFORMANCE ANALYSIS OF SUPERCONDUCTING COIL IMPREGNATED WITH EPOXY RESIN.....	737
<i>Z. Chen ; G. Geng ; J. Fang</i>	
MAGNETIC PROPERTIES OF SIMULTANEOUSLY EXCITED AMORPHOUS AND SILICON STEEL HYBRID-CORES FOR HIGHER-EFFICIENCY DISTRIBUTION TRANSFORMERS.....	738
<i>N. Kurita ; A. Nishimizu ; C. Kobayashi ; Y. Tanaka ; A. Yamagishi ; M. Ogi ; K. Takahashi ; M. Kuwabara</i>	
IMPROVING THE TRANSMISSION EFFICIENCY OF WIRELESS POWER TRANSFER SYSTEMS IN ELECTRIC VEHICLES BY USING MAGNETOPLATED ALUMINUM PIPES.....	739
<i>Y. Bu ; S. Endo ; T. Mizuno</i>	
ACCURATE CALCULATION OF EDDY CURRENT LOSS IN LITZ-WIRED HIGH FREQUENCY TRANSFORMER WINDINGS.....	740
<i>Z. Liu ; L. Zhu ; J. Zhu</i>	
IMPROVEMENT OF OUTPUT STABILITY IN MAGNETIC RESONANCE WIRELESS POWER SUPPLY USING HELMHOLTZ TYPE TRANSMISSION COIL.....	741
<i>D. Sayama ; S. Suzuki ; Y. Akimoto ; Y. Iijima ; T. Kato ; M. Ishihara ; Y. Kobayashi</i>	
MAGNETOSTRICTION IMPACT NOISE AND VIBRATION ON POWER TRANSFORMER CHARACTERISTIC VIA PSO METHOD.....	742
<i>C. Hsu ; Y. Huang</i>	
ELECTROMAGNETIC CHARACTERISTICS OF BASIC STRUCTURE OF WIRELESS POWER TRANSMISSION COIL FOR ELECTRIC VEHICLES.....	743
<i>T. Chen ; J. Zhao</i>	
SEISMIC CIRCUIT BREAKER WITH ELECTROMAGNETIC CONTACTOR.....	744
<i>T. Mifune ; K. Nishimura</i>	
MARKER-FREE COIL-MISALIGNMENT DETECTION APPROACH USING TMR SENSOR ARRAY FOR DYNAMIC WIRELESS CHARGING SYSTEM OF ELECTRIC VEHICLES	745
<i>X. Liu ; W. Han ; C. Liu ; P. Pong</i>	
EFFECTS OF HEAT TREATMENT UNDER STRONG MAGNETIC FIELD OF 1T OR HIGHER ON MAGNETIC PROPERTIES OF NON-ORIENTED ELECTRICAL STEEL SHEET.....	747
<i>T. Kinoshita ; K. Kohara ; H. Shimoji ; T. Sato ; T. Todaka</i>	
ANALYTICAL MODELING OF ANGULAR MISALIGNMENT FOR AXIAL FLUX PM MACHINES: EFFECTS ON COGGING TORQUE.....	748
<i>B. Guo ; y. huang</i>	
CORE LOSS PROPERTIES OF A PERMANENT MAGNET SYNCHRONOUS MOTOR WITH NANOCRYSTALLINE STATOR AND ROTOR CORES UNDER INVERTER EXCITATION.....	749
<i>A. Yao ; T. Sugimoto ; S. Odawara ; K. Fujisaki</i>	
ANALYTICAL MODEL FOR AXIAL FLUX PM MACHINES WITH HALBACH ARRAYS: TAKING INTO ACCOUNT OF ROTOR IRON.....	750
<i>B. Guo ; y. huang</i>	
XMCD STUDY OF RU/CO/W/RU FILMS WITH STRONG DZYALOSHINSKII- MORIYA INTERACTION.....	751
<i>A. S. Samardak ; A. Kolesnikov ; A. Ognev ; M. Platonov ; A. Rogalev</i>	

INTERFACE ROUGHNESS DRIVEN MAGNETIC ANISOTROPY AND DZYALOSHINSKII-MORIYA INTERACTION IN THIN FILMS WITH BROKEN STRUCTURAL INVERSION SYMMETRY.	752
<i>A. Ognev ; A. S. Samardak ; A. Samardak ; L. Chebotkevich ; A. V. Sadovnikov ; S. Nikitov ; A. Gerasimenko ; I. Cha ; Y. J. Kim ; O. Tretiakov ; Y. K. Kim</i>	
LATTICE DISTORTION AND THERMAL STABILITY OF [Fe₂COSI/PT]_N MULTI-LAYERS WITH HIGH PERPENDICULAR MAGNETIC ANISOTROPY.	753
<i>Y. Liu ; Y. Zheng ; L. Ren ; H. Yang ; K. Teo</i>	
MAGNETO-OPTICAL PROPERTIES OF PT/TBCO HETEROSTRUCTURE FILMS.	754
<i>S. Iemoto ; S. Sumi ; H. Awano ; M. Hayashi</i>	
MICROSTRUCTURE AND MAGNETIC PROPERTIES OF ANISOTROPIC POLYCRYSTALLINE SM(Fe_{0.8}Co_{0.2})₁₂ THIN FILMS WITH THMN₁₂ STRUCTURE.	755
<i>D. Ogawa ; Y. Takahashi ; S. Hirosawa ; K. Hono</i>	
MAGNETIC AND STRUCTURAL PROPERTIES OF L10 (MNAL)-GA EPITAXIALLY GROWN THIN FILMS OF ISLANDSTRUCTURE.	756
<i>S. Zhao ; Y. Tanaka ; T. Satoh ; K. Kamiya ; G.J. Mankey ; T. Suzuki</i>	
TAILORING MAGNETIC PROPERTIES OF AL-SUBSTITUTED M-TYPE STRONTIUM HEXAFERRITES.	758
<i>Y. Dai ; Z. Lan ; K. Sun ; Z. Yu ; R. Guo ; X. Jiang</i>	
RESONANCE SPIN TRANSFER TORQUE MAGNETORESISTIVE MEMORY.	759
<i>J. Zhu ; A. Shadman</i>	
TOP-PINNED STT-MRAM DEVICES WITH HIGH THERMAL STABILITY HYBRID FREELAYERS FOR HIGH DENSITYMEMORY APPLICATIONS.	760
<i>E. Liu ; J. Swerts ; A. Vaysset ; Y. Wu ; S. Couet ; S. Mertens ; S. Rao ; W. Kim ; S. Van Elshocht ; J. De Boeck ; G.S. Kar</i>	
ETCH PROCESS TECHNOLOGY FOR HIGH DENSITY STT-MRAM.	762
<i>T. Endoh ; S. Kang ; T. Kudo ; Y. Yagi</i>	
HIGH THERMAL TOLERANCE SYNTHETIC FERRIMAGNETIC REFERENCE LAYER WITH MODIFIED BUFFER LAYER BY ION IRRADIATION FOR PERPENDICULAR ANISOTROPY MAGNETIC TUNNEL JUNCTIONS.	763
<i>H. Honjo ; S. Ikeda ; H. Sato ; K. Nishioka ; T. Watanabe ; S. Miura ; T. Nasuno ; Y. Noguchi ; H. Inoue ; M. Yasuhira ; T. Tanigawa ; H. Koike ; M. Muraguchi ; M. Niwa ; H. Ohno ; T. Endoh</i>	
POLAR CODING FOR SPIN-TORQUE TRANSFER MAGNETIC RANDOM ACCESS MEMORY (STT-MRAM).	764
<i>Z. Mei ; K. Cai ; B. Dai</i>	
LARGE LOCAL MAGNETORESISTANCE AT ROOM TEMPERATURE IN SI<100> DEVICES.	765
<i>M. Ishikawa ; M. Tsukahara ; M. Yamada ; Y. Saito ; K. Hamaya</i>	
DYNAMICS OF A MAGNETIC SKYRMIONUM DRIVEN BY A SPIN WAVE.	766
<i>S. Li ; J. Xia ; X. Zhang ; W. Kang ; M. Ezawa ; X. Liu ; Y. Zhou ; W. Zhao</i>	
A THEORY ON SKYRMION SIZE AND PROFILE.	767
<i>X. Wang ; H. Yuan ; X. Wang</i>	
MAGNETIC SKYRMION DYNAMICS IN WEDGE-SHAPED NANOTRACK AND ITS POTENTIAL APPLICATIONS.	768
<i>X. Chen ; W. Kang ; D. Zhu ; X. Zhang ; Y. Zhang ; Y. Zhou ; W. Zhao</i>	
STRONG DZYALOSHINSKII-MORIYA INTERACTION IN SYMMETRIC CRYSTALLINE [CO/PD(111)]_N SUPERLATTICES.	769
<i>A. Davydenko ; A. Kozlov ; M. Stebliy ; A. Ognev ; L. Chebotkevich</i>	
IN-SITU ANNEALING STUDY OF PT/CO INTERFACE AND ITS EFFECT ON PERPENDICULAR MAGNETIC ANISOTROPY OF PT/CO/MGO.	770
<i>H. Xie ; Y. Yang ; M. Zhang ; Y. Wu</i>	
ANALYSIS AND EXPERIMENTAL VALIDATION OF PERFORMANCE FOR A SWITCHED RELUCTANCE MOTOR WITH PRE-FABRICATED SOFT MAGNETIC CORE.	771
<i>V. Krishnan ; K. Selvam ; K. Radhakrishnan</i>	
DEMAGNETIZATION UNDER NORMAL OPERATION IN VARIABLE FLUX PM-ASSISTED SYNCHRONOUS RELUCTANCE MACHINES.	772
<i>I. Manolas ; A. Kladas ; D. Svecchkarenko ; R. Chin</i>	
DESIGN OF A HIGH-EFFECTIVE FAULT-TOLERANCE DOUBLE-STATOR MAGNETLESS VERNIER MACHINE FOR DIRECT-DRIVE ROBOTICS.	774
<i>J. Yu ; C. Liu</i>	
ANALYSIS OF LOCAL DEMAGNETIZATION IN MAGNET FOR PM-ASSISTED SYNCHRONOUS RELUCTANCE MOTORS.	776
<i>H. T. Anh ; M. Hsieh</i>	

AN INTEGRATED MOTOR-DRIVE AND BATTERY-CHARGING SYSTEM UTILIZING DOUBLY SALIENT ELECTRO-MAGNET MACHINE WITH SPLIT FIELD WINDINGS.	777
<i>T. Zhang ; J. Wei ; P. Liu ; W. Tao ; B. Zhou</i>	
BROADBAND MODELING OF MAGNETIC COMPONENTS WITH SATURATION AND HYSTERESIS FOR CIRCUIT SIMULATIONS OF POWER CONVERTERS.	778
<i>B. Wunsch ; S. Skibin ; T. Christen ; V. Forsstrom</i>	
A HYBRID ALGORITHM FOR PARAMETER EXTRACTION OF ENERGETIC HYSTERESIS MODEL.	780
<i>R. Liu ; L. Li</i>	
LOSS SIMULATION BY FINITE ELEMENT MAGNETIC FIELD ANALYSIS CONSIDERING DIELECTRIC EFFECT AND MAGNETIC HYSTERESIS IN EI-SHAPED MN-ZN FERRITE CORE.	781
<i>K. Shimizu ; A. Furuya ; Y. Uehara ; J. Fujisaki ; H. Kawano ; T. Ataka ; T. Tanaka ; H. Oshima</i>	
PRANDTL-ISHLINSKII MODELING FOR GIANT MAGNETOSTRICTIVE ACTUATOR BASED ON INTERNAL TIME-DELAY RECURRENT NEURAL NETWORK. Y.	783
<i>Y. Wang ; R. Xu ; M. Zhou</i>	
VECTOR HYSTERESIS MODELING OF SOFT MAGNETIC COMPOSITE BY THE IMPROVED PREISACH MODEL CONSIDERING ANISOTROPIC CHARACTERISTIC.	784
<i>X. Zhao ; H. Zhang ; L. Li ; F. Xiao ; X. Liu ; Y. Li</i>	
NUMERICAL MODELING OF MAGNETIC CHARACTERISTICS OF FERRITE CORE TAKING ACCOUNT OF BOTH EDDY CURRENT AND DISPLACEMENT CURRENT.	785
<i>M. K. Ghosh ; Y. Gao ; H. Dozono ; K. Muramatsu ; W. Guan ; J. Yuan ; C. Tian ; B. Chen</i>	
RAPID DESIGN OF LITZ WIRE THROUGH INVERSE SURROGATE MODELING.	786
<i>H. Chen ; Y. Du ; Q. Cheng</i>	
A NOVEL STRUCTURE DESIGN OF IRON CORE FOR POWER TRANSFORMERS CONSIDERING JOINTS FORMS AND MAGNETOSTRICTION.	787
<i>J. Li ; S. Wang ; H. Gao ; M. Liu ; J. Hong</i>	
COMPREHENSIVE ANALYSIS AND CONTROL OF MAXIMUM POWER AND MAXIMUM EFFICIENCY FOR MULTIPLE-OBJECTIVE WIRELESS CHARGING SYSTEMS.	788
<i>Z. Zhang ; R. Tong ; W. Ai ; S. Chang ; J. Wang</i>	
AB INITIO STUDY OF PHASE STABILITY IN FE-PD BINARY ALLOYS.	789
<i>R. Pathak ; O. Golovnya ; A. Popov ; R. Skomski ; A. Kashyap</i>	
A NOVEL DOUBLY SALIENT FLUX MODULATION PM MACHINE WITH HALBACH MAGNETS.	790
<i>K. Xie ; D. Li ; R. Qu ; Y. Gao ; Y. Pan</i>	
ANALYSIS AND OPTIMIZATION OF COGGING TORQUE IN YOKELESS AND SEGMENTED ARMATURE AXIAL-FLUX PERMANENT-MAGNET MACHINE WITH SOFT MAGNETIC COMPOSITE CORE.	791
<i>L. Xu ; Y. Xu</i>	
COMPARISON OF MODULAR SPOKE-TYPE PERMANENT-MAGNET MACHINES USING DIFFERENT MAGNETS FOR IN-WHEEL TRACTION APPLICATIONS.	792
<i>H. Zhang ; W. Hua</i>	
INFLUENCE OF ADDITIONAL LOSS IN THE ROTOR SURFACE ON ROTOR TEMPERATURE FIELD OF 1100MW HALF-SPEED NUCLEAR POWER TURBINE GENERATOR.	794
<i>L. Hu ; Y. Su ; W. Li ; Y. Li ; P. Wang ; W. Liu</i>	
MODELING AND DESIGN OF A EFFICIENT MAGNETOSTRICTIVE ENERGY HARVESTING SYSTEM WITH LOW-VOLTAGE AND LOW-POWER UNDER LOW VIBRATION EXCITATION.	795
<i>S. Cao ; X. Wang ; J. Zheng</i>	
PERFORMANCE ANALYSIS OF A NOVEL BRUSHLESS HYBRID EXCITATION SYNCHRONOUS GENERATOR.	796
<i>C. Zhu ; Y. Yang ; Y. Zhang ; Y. Shen</i>	
DEMAGNETIZATION CHARACTERISTICS OF A PERMANENT MAGNET EMBEDDED SALIENT POLE WIND GENERATOR.	797
<i>Y. Guo ; P. Jin ; H. Yang ; Y. Zhu</i>	
STUDY OF AIR-GAP MAGNETIC FIELD OF A NOVEL INTEGRATED BRUSH-LESS EXCITATION GENERATOR.	798
<i>S. Zhu ; C. Li</i>	
RESEARCH OF AN AXIAL FLUX STATOR PARTITION HYBRID EXCITATION BRUSHLESS SYNCHRONOUS GENERATOR.	799
<i>C. Ye ; Y. Du ; J. Yang ; X. Liang ; F. Xiong ; W. Xu</i>	

ELECTROMAGNETIC ENERGY HARVESTER FOR HARVESTING ENERGY FROM LOW-FREQUENCY VIBRATION.....	800
<i>K. Zhang ; Y. Su ; J. Ding ; Z. Zhang</i>	
PARAMETER DETERMINATION OF PMSM USING COUPLED ELECTROMAGNETIC AND THERMAL MODEL INCORPORATING CURRENT HARMONICS.....	802
<i>S. Mukundan ; H. Dhulipati ; J. Tjong ; N. C. Kar</i>	
DESIGN AND ANALYSIS OF A LINEAR INTERIOR PERMANENT MAGNET VERNIER MACHINE.....	803
<i>C. Shi ; R. Qu ; Y. Gao ; D. Li ; Y. Zhou</i>	
COMPARATIVE STUDY OF AIRGAP FIELD MODULATION IN FLUX REVERSAL AND VERNIER PERMANENT MAGNET MACHINES.....	804
<i>H. Li ; Y. Liu ; Z. Zhu</i>	
LOW COST HIGH TORQUE DENSITY DUAL-STATOR PERMANENT MAGNET VERNIER MACHINE.....	805
<i>N. Baloch ; B. Kwon ; Y. Gao</i>	
A DOUBLE STATOR FLUX REVERSAL PM MACHINE WITH HALBACH CONSEQUENT POLE IN SLOT OPENING.....	806
<i>H. Huang ; D. Li ; R. Qu ; K. Xie</i>	
ANALYSIS ON A NOVEL FLUX ADJUSTABLE PERMANENT MAGNET EDDY CURRENT COUPLER WITH A DOUBLE-LAYER PERMANENT MAGNET ROTOR.....	807
<i>M. Tian ; X. Wang ; W. Zhao ; Y. Yang ; J. Diao ; X. Ma</i>	
ELECTRICAL MODELING OF DOUBLE-BARRIER MAGNETIC TUNNEL JUNCTION WITH RELIABILITY ANALYSES.....	809
<i>G. Wang ; Y. Zhang ; Z. Zhang ; Z. Zheng ; K. Zhang ; Y. Zhang ; W. Zhao</i>	
COMPARISON OF COMPUTATIONAL SPEED BETWEEN LANDAU-LIFSHITZ- GILBERT AND HYBRID-MONTE-CARLO MICROMAGNETICS.....	810
<i>J. Song ; Z. Zhao ; D. Wei</i>	
MICROMAGNETIC STUDIES OF LASER-INDUCED MAGNETIZATION DYNAMICS IN FEPT-C FILMS.....	811
<i>J. Miao ; J. Wang ; R. Mandal ; D. Wei ; Y. Takahashi ; K. Hono</i>	
MICROMAGNETIC SIMULATION FOR THE EFFECTS OF FE NANOWIRES DISTRIBUTION ON THE MAGNETIC PROPERTIES OF THE $\text{Nd}_2\text{Fe}_{14}\text{B}/\alpha$-FE NANOCOMPOSITE MAGNETS.....	812
<i>W. Li ; L. Zhao ; Z. Liu</i>	
3D STRUCTURE LINE START SYNCHRONOUS RELUCTANCE MOTOR DESIGN BASED ON SELECTIVE LASER MELTING OF 3D PRINTING.....	813
<i>P. Huang ; M. Tsai ; I. Jiang</i>	
A NOVEL DOUBLY FED WIND ENERGY POWER SPLIT SYSTEM WITH PARTIALSCALE CONVERTER AND CONTROL STRATEGY.....	814
<i>X. Liu ; M. Li ; S. Huang</i>	
DEVELOPMENT OF A NEW STATOR MODULE TYPE VERNIER MOTOR UTILIZING AMORPHOUS CUT CORE.....	815
<i>H. Nakagawa ; T. Sato ; T. Todaka</i>	
INVESTIGATION OF DUAL STATOR SPOKE TYPE VERNIER MACHINE FOR EV APPLICATION.....	816
<i>K. Jung-Woo ; B. Kwon</i>	
HYBRID RECTANGULAR BAR WAVE WINDINGS TO MINIMIZE WINDING LOSSES OF PERMANENT MAGNET MACHINES FOR EV/HEVS OVER A DRIVING CYCLE.....	817
<i>X. Fan ; D. Li ; R. Qu ; C. Wang ; J. Li</i>	
REDUCTION OF VIBRATION AND ACOUSTIC NOISE IN FRACTIONAL-SLOT CONCENTRATED-WINDINGS PERMANENT-MAGNET MACHINE.....	819
<i>S. Zhu ; W. Zhao ; J. Ji ; J. Zheng</i>	
SNR IMPROVEMENT OF ENVELOPE DEMODULATION USING TWO TEMPORAL MAGNETIZATION DYNAMICS FROM DUAL SPIN-TORQUE OSCILLATOR.....	820
<i>Y. Nakamura ; M. Nishikawa ; H. Osawa ; Y. Okamoto ; T. Kanao ; R. Sato</i>	
TWO-DIMENSIONAL SIGNAL PROCESSING SYSTEMS USING CRC-POLAR CODING AND LIST DECODING FOR BIT-PATTERNED MAGNETIC RECORDING.....	821
<i>H. Saito</i>	
PERFORMANCE OF BIT-PATTERNED MEDIA RECORDING ACCORDING TO ISLAND PATTERNS.....	822
<i>S. Jeong ; J. Kim ; J. Lee</i>	

A RATE-5/6 2D MODULATION CODE FOR SINGLE-READER/TWO-TRACK READING IN BPMR SYSTEMS.....	823
<i>K. Buahing ; W. Busyatras ; C. Warisarn</i>	
REDUCED-COMPLEXITY WINDOW DECODING OF SPATIALLY COUPLED LDPC CODES FOR MAGNETIC RECORDING SYSTEMS.	824
<i>S. Khittiwitayakul ; W. Phakphisut ; P. Supnithi</i>	
NUMERICAL STUDY OF PARTICLE REBOUND ON THE SLIDER AIR BEARING SURFACE.....	825
<i>F. Cui ; H. Li ; H. Shang ; S. Shen ; S. Wu ; S. Liu</i>	
FREQUENCY ANALYSIS OF DISTURBANCE TORQUE EXERTED ON A CARRIAGE ARM IN HARD DISK DRIVES USING HILBERT-HUANG TRANSFORM.....	826
<i>S. Koganezawa</i>	
EFFECT OF ASSEMBLY ERRORS ON POSITION ACCURACY IN A ROTARY MAGNETIC RECORDING SYSTEM.	827
<i>H. Hsiao ; L. Chen ; C. Sung ; J. Chang</i>	
OPTIMISING DUAL LAYER RECORDING USING ANTIFERROMAGNETIC EXCHANGE COUPLING.....	828
<i>S. Greaves ; T. Kikuchi ; Y. Kanai ; H. Muraoka</i>	
REDUCED COMPLEXITY MULTI-TRACK JOINT EQUALIZATION AND DETECTION OF HIGH AREAL DENSITY MAGNETIC RECORDING.	829
<i>L.M. Myint ; C. Warisarn ; P. Supnithi</i>	
DESIGN OF AN EFFICIENT MAGNETIC CIRCUIT FOR A MAGNETO-CALORIC AIR-CONDITIONING SYSTEM.....	831
<i>C. Jäschke ; P. Schegner ; J. Seifert</i>	
MAGNETIC PROPERTIES AND MAGNETOCALORIC EFFECT OF $\text{Ni}_2\text{Mn}_{1+x}\text{Sn}_{1-x}$ HEUSLER ALLOY THIN FILMS.	832
<i>H. Yako ; T. Shima ; M. Doi</i>	
CUSTOMIZING MAGNETIC AND STRUCTURAL PROPERTIES OF NANOMATERIALS.....	833
<i>A. Aslani ; M. Ghahremani ; M. Zhang ; L.H. Bennett ; E. Della Torre</i>	
INFLUENCE OF THE WINDING GEOMETRY AND ITS MATERIALS ON THE RESONANCE BEHAVIOR OF TRANSFORMER COILS.....	834
<i>M. Nilges ; P. Schegner</i>	
ANALYSIS OF A NOVEL NEAR-FIELD PLATE APPLIED IN WIRELESS POWER TRANSMISSION SYSTEM.	835
<i>X. Zhang ; Z. Zhang</i>	
CHARACTERISATION OF ANTIFERROMAGNETS.....	836
<i>K. O'Grady ; G. Vallejo-Fernandez</i>	
Author Index	