

# **SMTA International Conference 2018**

Rosemont, Illinois, USA  
14 – 18 October 2018

ISBN: 978-1-5108-7459-6

**Printed from e-media with permission by:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571



**Some format issues inherent in the e-media version may also appear in this print version.**

Copyright© (2018) by Surface Mount Technology Association (SMTA)  
All rights reserved.

Printed by Curran Associates, Inc. (2019)

For permission requests, please contact Surface Mount Technology Association (SMTA)  
at the address below.

Surface Mount Technology Association (SMTA)  
6600 City West Parkway  
Eden Prairie, MN 55344  
USA

Phone: (952) 920-7682  
Fax: (952) 926-1819

[smta@smta.org](mailto:smta@smta.org)

**Additional copies of this publication are available from:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: 845-758-0400  
Fax: 845-758-2633  
Email: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

# TABLE OF CONTENTS

<b>EVALUATION OF HIGH SPEED PLATING FOR COPPER POST WITH FLAT TOP SHAPE AND IMPROVED POST HEIGHT UNIFORMITY</b> .....	1
<i>Y. Itakura, S. Tachibana, H. Yamamoto, S. Hashimoto</i>	
<b>METALLIZATION OF GLASS INTERPOSERS</b> .....	7
<i>J. Lauffer, D. Bajkowski, M. Gaige, R. Edwards, G. Benninger, W. Wilson</i>	
<b>DEVELOPMENT OF HIGH DENSITY INTERCONNECT TECHNOLOGIES FOR PANEL LEVEL PACKAGING</b> .....	12
<i>L. Boettcher, S. Kosmider, F. Schein, A. Ostmann</i>	
<b>THE INFLUENCE OF PRINTED CIRCUIT BOARD THICKNESS ON THE THERMAL FATIGUE RELIABILITY OF QUAD FLAT NO-LEAD PACKAGES</b> .....	19
<i>R. Coyle, D. Ihms, N. Hubble, C. Johnson, J. Dewitt, J. Radhakrishnan, J. Lee, G. We, R. Aranda, G. O'Malley</i>	
<b>AS-SHIPPED VS. MOUNTED HEIGHT FOR BGA AND LGA PACKAGES</b> .....	29
<i>R. Darveaux, H. Chen, S. Branchevsky, M. Harsha</i>	
<b>RELIABILITY OF TSOP/QFN/PASSIVE ASSEMBLIES UNDER HARSH AND LN2 THERMAL CYCLES</b> .....	33
<i>R. Ghaffarian</i>	
<b>EFFECT OF PACKAGE WARPAGE AND COMPOSITE CTE ON FAILURE MODES IN BOARD-LEVEL THERMAL CYCLING</b> .....	41
<i>A. Mawer, P. Galles, M. Benson, B. Carpenter, N. Hubble</i>	
<b>WARPAGE OF FLEXIBLE-BOARD ASSEMBLIES WITH BGAS DURING REFLOW AND POST-ASSEMBLY USAGE</b> .....	51
<i>P. Lall, K. Goyal, B. Leever, J. Marsh</i>	
<b>THERMAL SHADOW MOIRÉ TO CROSS-SECTION CORRELATION STUDY</b> .....	60
<i>J. Arellano, E. Alvarez, S. Perng, N. Hubble</i>	
<b>SOLDER-JOINT RELIABILITY OF A 0.65MM PITCH MOLDED ARRAY PACKAGE FOR AUTOMOTIVE APPLICATIONS</b> .....	66
<i>B. Carpenter, M. Benson, A. Mawer</i>	
<b>CHARACTERIZATION OF SIP ASSEMBLY AND RELIABILITY UNDER THERMAL CYCLES</b> .....	75
<i>R. Ghaffarian, M. Meilunas</i>	
<b>EFFECTIVE APPROACH TO ENHANCE THE SHOCK PERFORMANCE OF ULTRA-LARGE BGA COMPONENTS</b> .....	83
<i>W. Xie, M. Ahmad, C. Guirguis, G. Ramakrishna, J. Gu</i>	
<b>NEW INTERCONNECTION FOR HIGH TEMPERATURE APPLICATION: HOTPOWCON (HPC)</b> .....	89
<i>S. Kass, S. Fritzsche, W. Schmitt, J. Trodler, D. Feil, T. Herberholz</i>	
<b>THERMALLY CONDUCTIVE LIQUID MATERIALS FOR ELECTRONICS PACKAGING</b> .....	96
<i>J. Timmerman</i>	
<b>INVESTIGATION OF COPPER SINTER MATERIAL FOR DIE ATTACH</b> .....	105
<i>C. Schwarzer, L. Chew, M. Schnepf, T. Stoll, J. Franke, M. Kaloudis</i>	
<b>COMPARISON OF RELIABILITY OF COPPER, GOLD, SILVER, AND PCC WIREBONDS UNDER SUSTAINED OPERATION AT 200°C</b> .....	113
<i>P. Lall, S. Deshpande, L. Nguyen</i>	
<b>COPPER-TIN INTERMETALLICS: THEIR IMPORTANCE, GROWTH RATE, AND NATURE</b> .....	126
<i>R. Lasky</i>	
<b>THE ROLE OF NICKEL IN SOLDER ALLOYS - PART 2. THE EFFECT OF NI ON THE INTEGRITY OF THE INTERFACIAL INTERMETALLIC IN SN-BASED/CU SUBSTRATE SOLDER JOINTS</b> .....	131
<i>K. Nogita, K. Sweatman, T. Nishimura</i>	
<b>LOW TEMPERATURE SOLDER INTERCONNECT RELIABILITY AND POTENTIAL APPLICATION IN ENTERPRISE COMPUTER AND AUTOMOTIVE ELECTRONICS</b> .....	138
<i>P. Wang, D. He, V. Cao, J. Su</i>	
<b>LOW MELTING TEMPERATURE INTERCONNECT THERMAL CYCLING PERFORMANCE ENHANCEMENT USING ELEMENTAL TUNING AND EDGE BOND ADHESIVE</b> .....	144
<i>A. Hsiao, T. Lee, I. Lee, Y. Lee, E. Ibe, K. Loh</i>	
<b>A NOVEL APPROACH TO DETERMINE MECHANICAL FATIGUE PERFORMANCE OF SOLDER MATERIAL USING SINGLE SOLDER JOINT TEST</b> .....	150
<i>S. Walwadkar, S. Guthikonda, R. Aspandiar, G. Hsieh</i>	

<b>THERMOMECHANICAL RELIABILITY OF LOW-TEMPERATURE SOLDER ALLOYS FOR MID-POWER LED PACKAGES</b> .....	157
<i>N. Nagarajan, M. Siebenhuhner, N. Herrick, R. Pandher, C. Bilgrien</i>	
<b>ROBUST SMT NO-CLEAN SOLDER PASTE FOR SIP AND 01005 ASSEMBLY</b> .....	164
<i>N. Lee</i>	
<b>THE INFLUENCE OF ASPECTS OF SOLDER PASTE FORMULATION AND SOLDERING PROCESS FACTORS ON VOIDING UNDER LARGE QFN DEVICES</b> .....	172
<i>M. Jones, T. Goas-Fernandez, B. Wenham</i>	
<b>RHEOLOGY AND WETTING CHARACTERIZATIONS OF FLUX AND SOLDER PASTE FOR BGA PACKAGES</b> .....	181
<i>J. Wang</i>	
<b>RHEOLOGY OF SOLDER PASTE: SHELF LIFE STUDY</b> .....	194
<i>F. Gao, D. Amin</i>	
<b>SOLDER POWDER CHARACTERISTICS AND THEIR IMPACT ON RHEOLOGICAL BEHAVIOR OF SOLDER PASTES</b> .....	202
<i>A. Nobari, A. Bouchemit, A. Marques, S. St-Laurent, G. L'Esperance</i>	
<b>DISSOLUTION RATE OF SPECIFIC ELEMENTS IN SAC305 SOLDER</b> .....	210
<i>D. Hillman, R. Wilcoxon, T. Pearson, P. McKenna</i>	
<b>SELECTIVE SOLDERING DESIGN FOR RELIABILITY USING A NOVEL TEST BOARD AND SIR TEST METHOD</b> .....	221
<i>M. Bixenman, D. Lober, M. McMeen, D. Jean, J. Clure</i>	
<b>DEVELOPMENT AND TESTING OF A LEAD-FREE LOW MELTING POINT ALLOY</b> .....	231
<i>S. Teliszewski</i>	
<b>NOVEL HIGH RELIABILITY LOW TEMPERATURE SOLDER ALLOYS</b> .....	238
<i>F. Mutuku, J. Geng, H. Zhang, N. Lee</i>	
<b>A STUDY ON THE MINIMUM AND MAXIMUM TEMPERATURES OF THE REFLOW PROCESS IN SMT ASSEMBLY ON PASTE CONTAINING BISMUTH ALLOYS COMBINED WITH LEAD-FREE SOLDER SPHERES</b> .....	245
<i>P. Gomez, T. Swanson, M. Anselm</i>	
<b>ENGINEERED FLUX FOR LOW TEMPERATURE SOLDERS</b> .....	252
<i>H. Ramakrishna, H. Manjivani, V. Bhaskar, R. Kumar, V. Patil, S. Sarkar, T. Cucu</i>	
<b>SECOND ROUND ROBIN EVALUATION OF INEMI CREEP CORROSION QUALIFICATION TEST</b> .....	259
<i>P. Singh, L. Palmer, H. Fu, D. Lee, J. Lee, K. Guo, J. Li, S. Lee, G. Tong, C. Xu</i>	
<b>PROCESS AND MATERIALS INTERACTION INVESTIGATION: TEST METHODS FOR ELECTROCHEMICAL CONSISTENCY IN PCB ASSEMBLY PROCESSES - REVISITED</b> .....	267
<i>B. Sandy-Smith</i>	
<b>TESTING AND MITIGATING RESISTOR SILVER SULFIDE CORROSION</b> .....	298
<i>P. Lembke, M. Cole, T. Tofil, J. Porter, J. Wertz, J. Wilcox, M. Gaynes, M. Meilunas, H. Rubin</i>	
<b>DEVELOPING HIGH RELIABILITY SOLDERS FOR HARSH ENVIRONMENT</b> .....	307
<i>M. Maalekian</i>	
<b>EFFECT OF COMPONENT DENSITY ON SN-3.0AG-0.5CU SOLDER JOINT RELIABILITY UNDER HARSH ENVIRONMENT</b> .....	314
<i>W. Hong, J. Yu, C. Oh</i>	
<b>EFFECTS OF MIXING SOLDER SPHERE ALLOYS WITH BISMUTH-BASED PASTES ON THE COMPONENT RELIABILITY IN HARSH THERMAL CYCLING</b> .....	319
<i>F. Akkara, C. Zhao, M. Abueed, S. Su, S. Hamasha, J. Suhling, P. Lall</i>	
<b>EFFECTS OF MIXING SOLDER SPHERE ALLOYS WITH BISMUTH-BASED PASTES ON THE COMPONENT RELIABILITY IN HARSH THERMAL CYCLING</b> .....	329
<i>F. Akkara, C. Zhao, M. Abueed, S. Su, S. Hamasha, J. Suhling, P. Lall</i>	
<b>HOW WET IS WET – ROBUST AUTOMOTIVE ELECTRONICS IN HUMID ENVIRONMENT</b> .....	339
<i>L. Henneken, D. Markus, D. Koenig, W. Gronbach, R. Bosch</i>	
<b>ASEP (APPLICATION SPECIFIC ELECTRONICS PACKAGE) A NEXT GENERATION ELECTRONICS MANUFACTURING TECHNOLOGY</b> .....	350
<i>V. Zaderej, R. Fitzpatrick, B. Arfaei</i>	
<b>FATIGUE AND SHEAR PROPERTIES OF HIGH RELIABLE SOLDER JOINTS FOR HARSH APPLICATIONS</b> .....	357
<i>S. Su, M. Jian, F. Akkara, S. Hamasha, J. Suhling, P. Lall</i>	
<b>REDUCING SPATTER IN FLUX CORED SOLDER WIRES FOR ROBOTIC SOLDERING APPLICATIONS</b> .....	364
<i>A. Espejo, O. Spaldon-Stewart, G. Post, K. Loomis</i>	

<b>THE EFFECTIVENESS OF 75% IPA/25% DI EXTRACTION SOLUTION ON NO-CLEAN FLUX RESIDUES .....</b>	<b>373</b>
<i>D. Lober, M. Bixenman, M. Lemieux, M. McMeen</i>	
<b>IMPROVED CONDENSATION TESTING TO EVALUATE PROTECTION PERFORMANCE OF CONFORMAL COATINGS UNDER DIFFERENT CONDENSATION LEVELS.....</b>	<b>378</b>
<i>M. Wickham, L. Zou</i>	
<b>HOW X-RAY TECHNOLOGY IS IMPROVING THE ELECTRONICS ASSEMBLY PROCESS.....</b>	<b>386</b>
<i>G. Lemaster, B. Cardoso</i>	
<b>CONTINUING TEST POINT MANAGEMENT THROUGHOUT A PCB DESIGN FLOW .....</b>	<b>392</b>
<i>M. Laing, Z. Elliott</i>	
<b>PRACTICAL IMPLEMENTATION OF ASSEMBLY PROCESSES FOR LOW-MELTING POINT SOLDER PASTES.....</b>	<b>396</b>
<i>A. Murling, M. Lazic, D. Wood, B. Sandy-Smith, M. Anselm</i>	
<b>ADVANCEMENT OF SOLDER PASTE INSPECTION (SPI) TOOLS TO SUPPORT INDUSTRY 4.0 &amp; PACKAGE SCALING .....</b>	<b>433</b>
<i>A. Prasad, L. Pymeto, S. Aravamudhan, C. Periasamy</i>	
<b>COMBINING AUTOMATED ADVANCED PROCESS CONTROL WITH FEEDBACK TO REVOLUTIONIZE THE PRINTED CIRCUIT BOARD ASSEMBLY PROCESS.....</b>	<b>438</b>
<i>J. Yuh, J. Park, D. Kang, B. Fischthal</i>	
<b>INDUSTRY 4.0 FOR INSPECTION IN THE ELECTRONICS INDUSTRY .....</b>	<b>444</b>
<i>R. Vaga</i>	
<b>EXTENDING 3D MRS SENSOR TECHNOLOGY TO ADDRESS CHALLENGING MEASUREMENT AND INSPECTION APPLICATIONS .....</b>	<b>452</b>
<i>D. Johnson, J. Hoffman</i>	
<b>X-RAY INSPECTION: NEW CAPABILITIES AND METHODOLOGY FOR PCBA ANALYSIS .....</b>	<b>458</b>
<i>J. Perraud, S. Enouz-Vedrenne, J. Clement, A. Grivon</i>	
<b>ASSESSMENT OF 2ND LEVEL INTERCONNECT QUALITY IN FLIP CHIP BALL GRID ARRAY (FCBGA) PACKAGE USING LASER ULTRASONIC INSPECTION TECHNIQUE.....</b>	<b>467</b>
<i>V. Reddy, I. Ume, A. Mebane, K. Akinade, A. Chaudhuri, B. Rogers, C. Guirguis, K. Derksen, P. Patel</i>	
<b>MEASURING THE HYGROSCOPIC CAPACITY OF INTEGRATED CIRCUIT PACKAGES AND PRINTED CIRCUIT BOARDS.....</b>	<b>476</b>
<i>S. Watson, D. Rathbone, K. Fox, M. Domanic</i>	
<b>ESSENTIAL TOOLS TO COMBAT THE INGRESS OF COUNTERFEIT MATERIALS.....</b>	<b>485</b>
<i>C. Shearon Jr.</i>	
<b>INEMI PROJECT ON PROCESS DEVELOPMENT OF BISN-BASED LOW TEMPERATURE SOLDER PASTES - PART IV: COMPREHENSIVE MECHANICAL SHOCK TESTS ON POP COMPONENTS HAVING MIXED BGA BISN-SAC SOLDER JOINTS .....</b>	<b>491</b>
<i>H. Fu, J. Radhakrishnan, M. Ribas, R. Aspandiar, B. Arfaei, K. Byrd, J. Chen, S. Cheng, Q. Chen, R. Coyle, D. Daily, S. Feng, M. Krmpotich, S. Mokler, B. Sandy-Smith, K. Tang, G. Wu, A. Zhang, W. Zhen</i>	
<b>LOW TEMPERATURE SOLDERING: REFLOW OPTIMIZATION FOR ENHANCED MECHANICAL RELIABILITY.....</b>	<b>500</b>
<i>M. Ribas, B. Vangapandu, R. Rangaraju, S. Telu, L. Pai, R. Kumar, V. Patil, H. Ramakrishna, T. Cucu, S. Sarkar</i>	
<b>THE IMPACT OF ALLOY COMPOSITION ON SHEAR STRENGTH FOR LOW TEMPERATURE LEAD FREE ALLOYS .....</b>	<b>507</b>
<i>T. Cucu, C. Bilgrien, A. Lifton, I. Lazovskaya</i>	
<b>EFFECT OF AGING ON SAC305 SOLDER JOINTS RELIABILITY IN ACCELERATED FATIGUE SHEAR TEST .....</b>	<b>512</b>
<i>R. Athamneh, M. Abueed, D. Hani, S. Hamasha</i>	
<b>REFLOW PROFILING FOR NEXT-GENERATION SOLDER ALLOYS.....</b>	<b>522</b>
<i>M. Sloan, K. Flanagan, B. Sandy-Smith</i>	
<b>ALLOY COMPOSITION AND THERMAL FATIGUE OF HIGH RELIABILITY PB-FREE SOLDER ALLOYS .....</b>	<b>535</b>
<i>R. Coyle, D. Hillman, C. Johnson, R. Parker, M. Osterman, B. Sandy-Smith, B. Arfaei, H. Zhang, J. Geng, K. Howell, J. Smetana, S. Longgood, A. Kleyner, A. Delhaise, J. Bath, J. Silk, R. Pandher, E. Lundeen, R. Aspandiar, J. Noiray</i>	
<b>EFFECT OF TIM COMPRESSION LOADS ON BGA RELIABILITY .....</b>	<b>555</b>
<i>N. Graziano, H. Schoeller, L. Bruno</i>	
<b>CRACK PROPAGATION MECHANISM STUDY ON BISMUTH CONTAINED SN BASE LEAD FREE SOLDER UNDER THERMO-MECHANICAL STRESS .....</b>	<b>566</b>
<i>I. Lee, Y. Lee, A. Vallippan, T. Lee</i>	

<b>RESTORATION OF MICROSTRUCTURE AND MECHANICAL PROPERTIES OF LEAD-FREE BISMUTH CONTAINING SOLDER JOINTS AFTER ACCELERATED RELIABILITY TESTING USING A THERMAL TREATMENT</b> .....	572
<i>A. Delhaise, M. Brillantes, I. Tan, P. Snugovsky, J. Kennedy, D. Hillman, S. Meschter, D. Adams, M. Kammer, I. Straznicky, D. Perovic</i>	
<b>LOW-TEMPERATURE SOLDERING USING ORDERED ALLOYS</b> .....	586
<i>M. Biglari, A. Das, L. Krassenburg, J. Brom, N. Veen, A. Kodentsov</i>	
<b>EFFECT ON CREEP RATE OF ALLOYING ADDITIONS TO NI-STABILISED SN-CU EUTECTIC SOLDER</b> .....	593
<i>K. Sweatman, T. Akaiwa, T. Nishimura</i>	
<b>LONG TERM ISOTHERMAL AGING OF BGA PACKAGES USING DOPED LEAD FREE SOLDER ALLOYS</b> .....	600
<i>A. Raj, S. Sridhar, S. Gordon, J. Evans, M. Bozack, W. Johnson</i>	
<b>THE EFFECT OF BISMUTH, ANTIMONY, OR INDIUM ON THE THERMAL FATIGUE OF HIGH RELIABILITY PB-FREE SOLDER ALLOYS</b> .....	609
<i>R. Coyle, D. Hillman, R. Parker, C. Johnson, M. Osterman, J. Smetana, B. Arfaei, A. Delhaise, K. Howell, S. Longgood, A. Kleyner, J. Bath, H. Zhang, J. Geng</i>	
<b>RATIONAL APPLICATION OF IMPRACTICAL STENCIL APERTURE DESIGNS TO ENABLE M0201 HETEROGENEOUS ASSEMBLY</b> .....	628
<i>J. Schake, M. Whitmore</i>	
<b>IMPACT OF STENCIL QUALITY &amp; TECHNOLOGY ON SOLDER PASTE PRINTING PERFORMANCE</b> .....	636
<i>J. Kwuan, L. Rao, E. Yip, W. Qu, J. Sjoberg</i>	
<b>CAVITY BOARD SMT ASSEMBLY CHALLENGES</b> .....	642
<i>D. Amir, B. Grossman</i>	
<b>HOW DOES PRINTED SOLDER PASTE VOLUME AFFECT SOLDER JOINT RELIABILITY?</b> .....	653
<i>T. Lentz, J. Bath, N. Pavithiran</i>	
<b>QUALITATIVE MODEL DESCRIBING HOT TEAR ABOVE VIPPO AND NUMEROUS OTHER DESIGN ELEMENTS</b> .....	663
<i>G. Gera, U. Welzel, Y. Jizhe, H. Feufel</i>	
<b>TECHNOLOGY FOR COMPONENTS WITH A HIGH POSITION ACCURACY</b> .....	669
<i>J. Trodler, H. Wohlrabe, O. Albrecht, S. Gunst, J. Ehmes, S. Merlau, J. Wertin</i>	
<b>PRACTICAL VERIFICATION OF VOID REDUCTION METHOD FOR BTC USING EXPOSED VIA IN PAD</b> .....	676
<i>A. Garcia, D. Vazquez, R. Macias, R. Ibarra, J. Smetana, M. Abteu, I. Muntele</i>	
<b>SOLDER PASTE SELECTION CHALLENGES FOR BOTTOM TERMINATION COMPONENTS (BTC) ATTACH</b> .....	686
<i>A. Lifton, W. Bent, F. Andres, I. Lazovskaya, J. Fullerton</i>	
<b>THE IMPORTANCE OF CONFORMAL COATING THICKNESS AND EDGE COVERAGE</b> .....	692
<i>C. Allen, A. Duffy, B. Turner, P. Kinner</i>	
<b>SIR CHARACTERIZATION OF NO-CLEAN FLUX RESIDUES UNDER THE QFN COMPONENT USING DIFFERENT PCB BOARD DESIGN OPTIONS</b> .....	698
<i>M. McMeen, C. Langley, M. Bixenman, D. Lober</i>	
<b>DETERMINING THE EFFECT OF FINE MESH SOLDER POWDER ON FLUX RESIDUE REMOVAL</b> .....	706
<i>T. O'Neill, T. Munson, K. Nukala, R. Parthasarathy</i>	
<b>REFLOW BLOWER AND VIBRATION CHARACTERIZATION, EFFECT ON BGA BRIDGING</b> .....	730
<i>J. Stafford</i>	
<b>OPERATION OF A VACUUM REFLOW OVEN WITH PRELIMINARY VOID REDUCTION DATA</b> .....	737
<i>F. Dimock</i>	
<b>VOID REDUCTION IN REFLOW SOLDERING PROCESSES BY SWEEP STIMULATION OF PCB SUBSTRATE – DOE TESTS</b> .....	741
<i>V. Rawinski, J. Clure, M. Buck, D. Jean</i>	
<b>REQUIREMENTSON A CLASS „0“ EPA - BASICS, STANDARDS, ESD EQUIPMENT’S ANDMEASUREMENTS</b> .....	750
<i>H. Berndt</i>	
<b>EXPERIMENTAL STUDY ON THE CAPABILITY AND PERFORMANCE OF A JET DISPENSING FEEDER IN COMPONENTS FASTENING</b> .....	757
<i>K. Bastardo, T. Swanson, M. Anselm</i>	

<b>LASER REWORK PROCESS FOR BGA A NEW METHOD FOR PCBA REWORK INSTEAD OF HOT AIR/ INFRARED HEATING .....</b>	<b>763</b>
<i>J. Burke, A. Chunsheng</i>	
<b>REWORK PRACTICES FOR MICROLEDS AND OTHER HIGHLY MINIATURIZED SMT COMPONENTS.....</b>	<b>769</b>
<i>N. O'Brien, R. Avila</i>	
<b>LASER REWORK PROCESS FOR BGA A NEW METHOD FOR PCBA REWORK INSTEAD OF HOT AIR/ INFRARED HEATING .....</b>	<b>776</b>
<i>J. Burke, A. Chunsheng</i>	
<b>COMPARISON STUDY BETWEEN LEAD FREE SOLDER AND LOW TEMPERATURE SOLDER FOR HAND SOLDERING REWORK.....</b>	<b>782</b>
<i>M. Mejias, C. Lavinger, K. Bastardo</i>	
<b>REWORK PRACTICES FOR MICROLEDS AND OTHER HIGHLY MINIATURIZED SMT COMPONENTS.....</b>	<b>785</b>
<i>N. O'Brien, R. Avila</i>	
<b>STRAIN ENERGY MODEL FOR UNDERFILL.....</b>	<b>792</b>
<i>M. Bodendorfer, R. Ghaffarian</i>	
<b>SOLDER PASTE: FUNDAMENTAL MATERIAL PROPERTY / SMT PERFORMANCE CORRELATION .....</b>	<b>801</b>
<i>N. Badwe, S. Cheng, S. Aravamudhan, M. Renavikar</i>	
<b>THE ROLE OF NICKEL IN SOLDER ALLOYS - PART 1. THE EFFECT OF NI ON THE BEHAVIOUR OF SN-0.7CU IN SOLDERING AND COATING PROCESSES.....</b>	<b>808</b>
<i>K. Nogita, K. Sweatman, T. Nishimura</i>	
<b>SILICONE SCIENCE INNOVATES UV CONFORMAL COATINGS.....</b>	<b>815</b>
<i>C. Quinn, K. Larson, T. Clark, B. Chislea</i>	
<b>PACKAGING'S IMPACT ON RELIABILITY.....</b>	<b>820</b>
<i>K. Donaldson, C. Brown</i>	
<b>A NOVEL &amp; COST-EFFECTIVE ELECTROLESS NICKEL IMMERSION GOLD (ENIG) SURFACE FINISH FOR BETTER RELIABILITY OF ELECTRONIC ASSEMBLIES.....</b>	<b>827</b>
<i>K. Shah</i>	
<b>CAN A CYANIDE FREE IMMERSION GOLD BATH BE A VIABLE OPTION IN THE EXISTING FINAL FINISH PRODUCTION ENVIRONMENTS? .....</b>	<b>834</b>
<i>R. Nichols, S. Heinemann, R. Spreemann, G. Ramos</i>	
<b>EFFECTS OF ENIG NICKEL CORROSION ON WETTING BALANCE TEST RESULTS AND INTERMETALLIC FORMATION .....</b>	<b>844</b>
<i>D. Gudeczaukas, G. Milad</i>	
<b>HIGH ELONGATION ELECTROLESS COPPER.....</b>	<b>850</b>
<i>R. Bernards, J. Ding, B. Li, R. Retallick</i>	
<b>THE USE OF INSOLUBLE ANODES IN ACID COPPER PLATING .....</b>	<b>854</b>
<i>G. Milad</i>	
<b>INNOVATIVE CU ELECTROPLATING PROCESS FOR ANY LAYER VIA FILL WITH PLANER VIA TOP AND THIN SURFACE COPPER .....</b>	<b>858</b>
<i>S. Dharmarathna, T. Clark, W. Bowerman, K. Feng, J. Watkowski, M. Enthone</i>	
<b>BGA PAD CRATERING AND PEELING DURING SMT REFLOW.....</b>	<b>864</b>
<i>J. Fuller, A. Abraham, A. Mumukutla</i>	
<b>PCB RELIABILITY: AUDITING YOUR SUPPLY CHAIN TO INSURE IT .....</b>	<b>871</b>
<i>Y. Sutariya</i>	
<b>INFLUENCE OF BONDING PARAMETERS ON RELIABILITY OF CU WIRE-BONDING TO ELECTROLESS NI/PD/AU PLATING .....</b>	<b>875</b>
<i>Y. Ejiri, T. Sakurai, Y. Arayama, Y. Tsubomatsu, K. Hasegawa</i>	
<b>COMPREHENSIVE STUDY OF VARIOUS SHORT FAILURES ON PRINTED CIRCUITED BOARD.....</b>	<b>883</b>
<i>X. He, B. Qiu, D. Luo</i>	
<b>HOW DOES SURFACE FINISH AFFECT SOLDER PASTE PERFORMANCE? .....</b>	<b>890</b>
<i>T. Lentz</i>	
<b>BLOCKCHAIN AND ITS APPLICATION IN THE HIGH TECH INDUSTRY.....</b>	<b>903</b>
<i>Q. Samuelson</i>	
<b>SYNERGY BETWEEN SMART MANUFACTURING &amp; THE SECURE SUPPLY CHAIN .....</b>	<b>910</b>
<i>M. Ford</i>	
<b>Author Index</b>	