# **2018 IEEE Conference on Electrical Insulation and Dielectric Phenomena** (CEIDP 2018)

**Cancun**, Mexico 21 – 24 October 2018



IEEE Catalog Number: CFP18CID-POD **ISBN:** 

978-1-5386-6193-2

### **Copyright © 2018 by the Institute of Electrical and Electronics Engineers, Inc. All Rights Reserved**

*Copyright and Reprint Permissions*: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

## \*\*\* This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.

| IEEE Catalog Number:    | ( |
|-------------------------|---|
| ISBN (Print-On-Demand): | 9 |
| ISBN (Online):          | 9 |
| ISSN:                   | 0 |

CFP18CID-POD 978-1-5386-6193-2 978-1-5386-6192-5 0084-9162

#### Additional Copies of This Publication Are Available From:

Curran Associates, Inc 57 Morehouse Lane Red Hook, NY 12571 USA Phone: (845) 758-0400 Fax: (845) 758-2633 E-mail: curran@proceedings.com Web: www.proceedings.com



# **Table of Contents**

#### PL-1 Dielectric Relaxation and Ferroelectric Imprint.....1

Herbert Kliem, Saarland University, Germany

#### 1-Polarization and Charge Characteristics

- 1-1 Schottky Barrier Height Quantification of Plasma Treated P(VDF-TrFE) Thin Films.....9 Vecchio, Michael Anthony1;Meddeb, Amira Barhoumi2; Lanagan, Michael T.3;Ounaies, Zoubeida2; Shallenberger, Jeff4; 1: Penn State University, Materials Science and Engineering Department, USA; 2: Penn State University, Nuclear and Mechanical Engineering Department, USA; 3: Penn State University, Engineering Science and Mechanics Department, USA; 4: Penn State University, Materials Research Institute, USA
- 1-2 Piezoelectric Nanofibers for Integration in Multifunctional Materials.....14 Fabiani, Davide<sup>1</sup>; Grolli, Filippo<sup>1</sup>; Speranza, Marco<sup>2</sup>; Suraci, Simone<sup>1</sup>; Brugo, Tommaso<sup>2</sup>; Maccaferri, Emanuele<sup>3</sup>; Zucchelli, Andrea<sup>2</sup>; 1: DEI - University of Bologna, Italy; 2: DIN - University of Bologna, Italy; 3: DIC - University of Bologna, Italy
- 1-3 Permittivity Calculation Model for Low Permittivity Characteristic of Epoxy/Hollow Silica Nanocomposites.....18 Kurimoto, Muneaki<sup>1</sup>; Yoshida, Takuma<sup>1</sup>; Kato, Chiharu<sup>1</sup>; Kato, Takeyoshi<sup>1</sup>; Suzuoki, Yasuo<sup>2</sup>; 1: Nagoya University, Japan; 2: Aichi Institute of University
- 1-4 Low Frequency Dielectric Response of Silicone/ZrO<sub>2</sub> Nanocomposites.....22 Li, Shaohua<sup>1</sup>; Liang, Xidong<sup>1</sup>; Prasad, Aditya<sup>2</sup>; Nelson, J. Keith<sup>2</sup>; Schadler, Linda S.<sup>2</sup>; Gao, Yanfeng<sup>3</sup>;1: Dept. of Electrical Engineering, Tsinghua University, China; 2: Dept. of Materials Science and Engineering, Rensselaer Polytechnic Institute, USA; 3: State Grid Jibei Electric Power Co. Ltd. Research Institute, North China Electric Power Research Institute Co. Ltd, China
- 1-5 From Polyethylene to Polystyrene: First Principles Prediction of temperature and field dependent carrier mobility.....26 Sato, Masahiro; Kumada, Akiko; Hidaka, Kunihiko; The University of Tokyo, Japan
- 1-6 Measurement of Carrier Mobility in Polyethylene Based on the Pulsed Electro-Acoustic Method.....30 *Su, Rui; Wu, Kai; Cheng, Chuanhui; Wu, Yang; Xi'an Jiaotong University, China*
- 1-7 Space Charge Analysis of Multi-Structure Polyimide Films using TSM.....34
   Akram, Shakeel<sup>1</sup>; Castellon, Jérôme<sup>1</sup>; Agnel, Serge<sup>1</sup>; Khan, M. Zeeshan<sup>2</sup>; 1: University of Montpellier, France; 2: Chongqing University, China

#### **2-Advanced Materials**

2-1 Organometallic-Organic Hybrid System as Flexible Dielectric Material.....38 Nasreen, Shamima<sup>1,2</sup>; Tefferi, Mattewos<sup>2</sup>; Baczkowski, Matthew<sup>1</sup>; Sotzing, Gregory<sup>1</sup>; Cao, Yang<sup>2,3</sup>; 1: Department of Chemistry, University of Connecticut, USA; 2: Institute of Materials Science, University of Connecticut, USA; 3: Department of Electrical and Computer Engineering, University of Connecticut, USA

- 2-2 The Correlation and Balance of Critical Material Properties for DC Cable Dielectrics.....46
  Tefferi, Mattewos<sup>1</sup>; Li, Zongze<sup>1</sup>; Uehara, Hiroaki<sup>2</sup>; Cao, Yang<sup>1</sup>; 1: University of Connecticut, United States of America;
  2: Kanto Gakuin University, Japan
- 2-3 Surface Charge Properties of SiR/SiC Composites in DC and Pulse Combined Field.....50 Yang, Zhuoran; Du, Boxue; Li, Zhonglei; Tianjin University, China
- 2-4 Effect of the Non-linear Electric Conductivity of Mineral Insulating Oil on the Dielectric Strength at High DC Voltage Stress......54
  Gabler, Tobias<sup>1</sup>; Backhaus, Karsten<sup>1</sup>; Götz, Thomas<sup>1</sup>; Fritsche, Ronny<sup>2</sup>; Großmann, Steffen<sup>1</sup>; 1: Technische

Gabler, Tobias<sup>1</sup>; Backhaus, Karsten<sup>1</sup>; Götz, Thomas<sup>1</sup>; Fritsche, Ronny<sup>2</sup>; Großmann, Steffen<sup>1</sup>; 1: Technische Universität Dresden, Germany; 2: SIEMENS AG, Nuremberg, Germany

2-5 Electrical Characterization of Dibenzyltoluene Liquid at High Temperatures up to 350°C.....58 MUSLIM, Joko<sup>1,2</sup>; LESAINT, Olivier<sup>1</sup>; HANNA, Rachelle<sup>1</sup>; REBOUD, Jean-Luc<sup>1</sup>; SINISUKA, Ngapuli Irmea<sup>3</sup>; 1: Univ. Grenoble Alpes, CNRS, Grenoble INP, Laboratoire de génie électrique - G2Elab, France; 2: PLN Indonesia; 3: Institut Teknologi Bandung (ITB), Indonesia

#### 3A – Polarization, Charge Storage and Transport

- 3A-1 Electric Response and Thermal Properties of Ethylene Vinyl Acetate/Graphene-based Composite.....62 Azizi, Sohrab<sup>1</sup>; Ouellet-Plamondon, Claudiane<sup>1</sup>; David, Eric<sup>1</sup>; Fréchette, Michel<sup>2</sup>; 1: École de technologie supérieure, Canada; 2: Xi'an Jiaotong University, China
- 3A-2 Electrical field-strength dependent space charge and charge decay characteristics at silicone rubber / silicone grease interfaces.....66 Spelzhausen, Simon; Ionian, Mario-Rafael; Plath, Ronald; TU-Berlin, Germany
- 3A-3 Dielectric Frequency Measurement of Semiconductive Layers in XLPE Cables.....70 Maier, T.; Leibfried, T.; Schmehl, K.; KIT-IEH, Germany
- 3A-4 Influence of Ion Species in Electrolyte on Capacitance of EDLC.....74 Matsubara, Shinji; Murakami, Yuichi; Muramoto, Yuji; Meijo Univercity, Japan
- 3A-5 Relative Permittivity of TiO<sub>2</sub>/Silicone Elastomer Composite Stretched in Uniaxial Direction.....78 Naya, Kento<sup>1</sup>; Kurimoto, Muneaki<sup>1</sup>; Kato, Takeyoshi<sup>1</sup>; Yasuo, Suzuoki<sup>2</sup>; 1: Nagoya University, Japan; 2: Aichi Institute of University, Japan
- 3A-6 Time-Dependent Electric Field Distribution during Load Cycle Test for HVDC MI Cable.....82 *Kwon, Ik-Soo; Kim, Sun-Jin; Koo, Jae-Hong; Lee, Bang-Wook; Hanyang University, Korea*
- 3A-7 Arrangement Strategy of Particle Trap in DC GIL.....86 Wang, Jian; Wang, Jingrui; Ni, Xiaoru; Chang, Yanan; North China Electric Power University, China
- 3A-8 Influence of Crosslinking Byproducts on DC Conductivity of HVDC XLPE Cable Insulation.....90 Ren, Haiyang; Zhong, Lisheng; Zhao, Wei; Liu, Minghao; Yang, Xiaoyu; Li, Yinge; Yu, Qinxue; Cao, Liang; Xi'an

Jiaotong University, China

- 3A-9 Ferroelectrets Filled with High Breakdown-Strength Gas.....94 Joysey, William D.; Mellinger, Axel; Central Michigan University, USA
- 3A-10 Improving the charge/discharge efficiency and dielectric breakdown in high temperature polymer dielectrics.....98 Chen, Xin; Zhang, Tian; Zhang, Qiming; Penn State University, USA
- 3A-11 Interpretation of PEA Output Signal in a Multilayer Specimen.....101 Andrade, Marcelo De Araujo<sup>1</sup>; Candela, Roberto<sup>1</sup>; De Rai, Luca<sup>1</sup>; Franchi Bononi, Stefano<sup>1</sup>; Imburgia, Antonino<sup>2</sup>; Riva Sanseverino, Eleonora<sup>2</sup>; Romano, Pietro<sup>2</sup>; Viola, Fabio<sup>2</sup>; 1: Prysmian Group, Milan, Italy; 2: University of Palermo, Italy
- 3A-12 Characteristics of Space Charge Accumulation in Polypropylene-Based Insulating Materials under DC Stress.....105 Kanai, Takehiro; Miyake, Hiroaki; Tanaka, Yasuhiro; Tokyo City Univercity, Japan
- 3A-13 Influence of moisture absorption on space charge behavior of thermosetting resin.....109 Konishi, Soichiro; Kohuji, Ryohei; Miyake, Hiroaki; Tanaka, Yasuhiro; Tokyo City University, Japan
- 3A-14 Space charge behavior and electrical breakdown strength of XLPE film sandwiched between semiconducting layers.....113

Ogura, Kotaro; Kasuga, Hiroki; Miyake, Hiroaki; Tanaka, Yasuhiro; Tokyo City University, Japan

#### 3B – Nanocomposites

- 3B-1 Mica Insulating Tape for Large Generators with High Thermal Conductivity.....117 Takahashi, Ryoh; Takezawa, Yoshitaka; Fukushima, Keiji; Saito, Koichi; Hitachi Chemical Co., Ltd., Japan
- 3B-2 Electro-mechanical and chemical strength analysis of thermally aged nanofluid impregnated kraft paper.....121 Maharana, Mrutyunjay<sup>1</sup>; Baruah, Niharika<sup>2</sup>; Nayak, Sisir Kumar<sup>2</sup>; Sahoo, Niranjan<sup>3</sup>; 1: Centre for Energy, Indian Institute of Technology Guwahati, India; 2: Department of Electronics and Electrical Engineering, Indian Institute of Technology Guwahati, India; 3: Department of Mechanical Engineering, Indian Institute of Technology Guwahati, India
- 3B-3 Breakdown characteristics of C<sub>60</sub> modified transformer oil.....125 Sima, Wenxia; Chen, Jiaqi; Sun, Potao; Zhang, Huangjing; Ye, Lian; He, Jiahui; Yin, Ze; Shao, Qianqiu; Chongqing University, China
- 3B-4 Space Charge Accumulation Characteristics of LDPE/TiO<sub>2</sub> Nanocomposites under Thermal Aging.....129 Wang, Youyuan; Li, Yudong; Zhang, Zhanxi; Chongqing University, China
- 3B-5 Improvement of Space Charge Behaviors of PP/ULDPE Blends by Nano Graphene for HVDC Cable.....132 Hou, Zhaohao<sup>1</sup>; Du, Boxue<sup>1</sup>; Li, Jin<sup>1</sup>; Li, Zhonglei<sup>1</sup>; Han, Chenlei<sup>1</sup>; Xu, Ranran<sup>1</sup>; Wang, Mingyang<sup>1</sup>; Fu, Mingli<sup>2</sup>; Hou, Shua<sup>2</sup>; Hui, Baojun<sup>2</sup>; 1: Tianjin University, China; 2: Electric Power Research Institute Co.Ltd. of CSG, China
- 3B-6 Effects of TiO<sub>2</sub> nanoparticle size on dielectric properties of transformer oil.....136 Ge, Yang; Niu, Mingkang; Wang, Lei; Huang, Meng; Lv, Yuzhen; Li, Chengrong; North China Electric Power University, China

- 3B-7 The dielectric properties of PP nanocomposites doped with mesoporous silica nanoparticles.....140 Yang, Yang; Li, Qi; He, Jinliang; Tsinghua University, China
- 3B-8 Preparation of New Acrylic-based Dielectric Elastomers based on Complexation of Ca<sub>2</sub><sup>+</sup> lons with Carboxyl Groups Displaying Excellent Performance.....144 Zhao, Yu<sup>1</sup>; Zha, Junwei<sup>1,2</sup>; Zhong, Shaolong<sup>2</sup>; Wang, Si-Jiao<sup>2</sup>; Dang, Zhi-Min<sup>1</sup>; 1: University of Science and Technology Beijing, China; 2: Tsinghua University, China
- 3B-9 Space Charge Characteristics of CB/LDPE Composites at Different Temperatures.....148 Chen, Bingying<sup>1</sup>; Wu, Jie<sup>1</sup>; Yi, Chengqian<sup>1</sup>; Fan, Linzhen<sup>1</sup>; Tu, Youping<sup>1</sup>; Ding, Lijian<sup>2</sup>; Qin, Sichen<sup>1</sup>; 1: North China Electric Power University, China; 2: Hefei University Of Technology, China
- 3B-10 Conductivity Characteristics of CB/LDPE Composites at Different Temperatures.....152 Chen, Bingying<sup>1</sup>; Wu, Jie<sup>1</sup>; Yi, Chengqian<sup>1</sup>; Fan, Linzhen<sup>1</sup>; Tu, Youping<sup>1</sup>; Ding, Lijian<sup>2</sup>; Qin, Sichen<sup>1</sup>; 1: North China Electric Power University, China; 2: Hefei University Of Technology, China
- 3B-11Electrical ageing tests on conventional and nanofilled impregnation resins.....156 Guastavino, Francesco<sup>1</sup>; Ferraris, Mattia<sup>2</sup>; Gianelli, Walter<sup>2</sup>; Torello, Eugenia<sup>1</sup>; 1: University of Genova, Italy; 2: Elantas Europe S.r.l.
- 3B-12 Partial Discharge Erosion on Gamma-Ray Irradiated Epoxy/Al<sub>2</sub>O<sub>3</sub> Nanocomposites.....159 Gao, Yu<sup>1,2</sup>; Wang, Xiaofang<sup>1</sup>; Wang, Jilong<sup>3</sup>; Xu, Bangbang<sup>1</sup>; Du, Boxue<sup>1</sup>; 1: Tianjin University, China; 2: University of Southampton, UK; 3: State Grid Tianjin Electric Power Company, China
- 3B-13 Variation of Current-Density as a Function of Electric-Field Intensity in Synthetic Nanoclay-filled Polypropylene.....163 Hiziroglu, Huseyin Recai; Shkolnik, Iosif E.; Kettering University, USA
- 3B-14 Electric Field Relaxation Effect of Micro-varistor /epoxy Composite.....167 Abe, Kazuma<sup>1</sup>; Harada, Shota<sup>1</sup>; Nakano, Yusuke<sup>1</sup>; Kozako, Masahiro<sup>1</sup>; Hikita, Masayuki<sup>1</sup>; Yamamoto, Takashi<sup>2</sup>; Okabe, Shigemitsu<sup>2</sup>; 1: Kyushu Institute of Technology, Japan; 2: Tokyo Electric Power Company Holdings, Inc, Japan
- 3B-15 Discharge Resistant Epoxy/Clay Nanocomposite for High Torque Density Electrical Propulsion.....171 Nguyen, Hiep Hoang<sup>1</sup>; Ronzello, Joanne<sup>1</sup>; Cao, Yang<sup>1</sup>; Mirza, Arshiah<sup>1</sup>; Chen, Weiqiang<sup>1</sup>; Bazzi, Ali<sup>1</sup>; Chapman, Jack<sup>2</sup>; Nasreen, Shamima<sup>1</sup>; 1: University of Connecticut, USA; 2: Electric Boat, A General Dynamic Company, Groton, CT, USA
- 3B-16 Dielectric Properties of LLDPE/MgO Nanocomposites Micro-extruded from a Masterbach.....175 Couderc, Hugues<sup>1</sup>; Griseri, Virginie<sup>2</sup>; David, Eric<sup>1</sup>; Mary, Dominique<sup>2</sup>; 1: ETS, Canada; 2: Université Paul Sabatier, Laboratoire Laplace, France
- 3B-17 Micro-nanostructured silicone surfaces for high voltage application.....179 Maghsoudi, Khosrow; Momen, Gelareh; Jafari, Reza; Farzaneh, Masoud; UQAC, Canada
- 3B-18 Discharge Resistant Nano-coatings.....183

Xia, Jing<sup>1,2</sup>; Li, Zhengyu<sup>1,2,3</sup>; Nasreen, Shamima<sup>1,2</sup>; Ronzello, JoAnne<sup>1,2</sup>; Jacobs, Linda<sup>4</sup>; Cao, Yang<sup>1,2,3</sup>; 1: NSF Industrial University Collaborative Research Center on High Voltage/Temperature Materials and Structures; 2: Electrical Insulation Research Center, Institute of Materials Science, University of Connecticut; 3: Electrical and Computer Engineering, University of Connecticut; 4: GE Industrial Solutions

#### **3C – Biodielectrics**

3C-1 Relationship between Size of Leaked Nucleic Acid of Escherichia coli and Survival ratio by High Electric Field Pulse Application.....187

Sato, Takunao; Yamashita, Ryo; Yoshikawa, Daiki; Murakami, Yuichi; Muramoto, Yuji; Meijo University, Japan

3C-2 Development of Selective Sterilization System of Bacteria in Aqueous Solution by High Electric Field Pulse Application.....191

Murakami, Yuichi; Sato, Takunao; Muramoto, Yuji; Meijo University, Japan

#### Session 4A – Outdoor Insulation and Surface Flashover

- 4A-1 Study on Electrical Field Distortion Effect by Linear Defects of Tri-post Insulator.....195
   Wu, Zehua<sup>1</sup>; Wang, Haoran<sup>1,2</sup>; Tian, Huidong<sup>1</sup>; Cui, Boyuan<sup>2</sup>; Zhou, Shiyi<sup>1</sup>; Peng, Zongren<sup>1</sup>; 1: Xi'an Jiaotong University, China; 2: China Electric Power Research Institute, China
- 4A-2 Electrical Power Dissipation on the Surface of a Ceramic Insulator Under Pollution Condition.....199 Ilomuanya, Chibuike; Farokhi, Shahab; Nekahi, Azam; Glasgow Caledonian University, United Kingdom
- 4A-3 Effects of Suspension Pattern on Operation Reliability of Anti-Icing Polymer Insulators in HVAC Transmission Lines.....203
  Kong, Xianghuan<sup>1</sup>; Liu, Yong<sup>1</sup>; Li, Longji<sup>2</sup>; Du, Boxue<sup>1</sup>; 1: School of Electrical and Information Engineering, Tianjin University, China; 2: Electric Power Research Institute, State Grid Tianjin Electric Power Company, China
- 4A-4 Dynamics of ion concentrations in air affected by applied dc electric field and humidity.....207 Schiessling, Joachim<sup>1</sup>; Mikiver, Anders<sup>2</sup>; Serdyuk, Yuriu<sup>2</sup>; 1: ABB Corporate Reserach, Västerås, Sweden; 2: Chalmers University of Technology, Gothenborg, Sweden
- 4A-5 Research on the Influence of Charge Quantity of Particles on Contamination Accumulation Characteristics.....211 Liao, Yifan<sup>1,2</sup>; Li, Mingzhe<sup>3</sup>; Cao, Bin<sup>3</sup>; Mei, Hongwei<sup>3</sup>; Wang, Liming<sup>3</sup>; 1: Institute of Science and Technology of China Southern Power Grid, China; 2: School of Electric Power, South China University of Technology, China; 3: Graduate School at Shenzhen, Tsinghua University, China
- 4A-6 Analysis Surface Flashover Characteristics of Epoxy Resin/BN Thermal Insulation Material.....215 Kan, Yuqiang<sup>1</sup>; Bian, Xingming<sup>2</sup>; 1: North China Electric Power University, Baoding, China; 2: North China Electric Power University, Beijing, China
- 4A-7 Influence of Aluminum Foil and External Conductor on the Temperature Distribution of RIP Condenser Converter Transformer Bushings.....219
  Yang, Xi<sup>1</sup>; Wang, Qingyu<sup>2</sup>; Peng, zongren<sup>2</sup>; 1: Hefei university of technology, China; 2: Xi'an Jiaotong University, China
- 4A-8 Characteristic properties of High Consistency Rubber and Liquid Silicone Rubber.....223

Guo, Jingang<sup>1</sup>; Wang, Liming<sup>2</sup>; Wang, Yanwei<sup>1</sup>; Yin, Fanghui<sup>2</sup>; Liu, Tianqi<sup>1</sup>; Lin, Ying<sup>2</sup>; 1: State Grid East Inner Mongolia Electric Power Company Research Institute, China; 2: Graduate School at Shenzhen, Tsinghua University, Shenzhen, China

- 4A-9 Transient Electric Field Computation for GIS insulator Under Switching Impulse Voltage.....227 Yang, Xi<sup>1</sup>; Zhan, Xuhai<sup>2</sup>; 1: Hefei university of technology, China; 2: State Grid Anhui Electric Power CO.,LTD., China
- 4A-10 Transient Electric Field Calculation of Zinc oxide arrester under Lightning Impulse Voltage.....231 Zhou, Shiyi<sup>1</sup>; Wang, Haoran<sup>1</sup>; Tian, Huidong<sup>1</sup>; Wu, Zehua<sup>1</sup>; Cheng, Jianwe<sup>2</sup>; Liu, Peng<sup>1</sup>; Peng, Zongren<sup>1</sup>; 1: Xi'an Jiaotong University, China; 2: China Southern Power Grid Science Research Institute Co. Ltd.
- 4A-11 Research on wetting characteristics of insulator in ultrasonic fog.....235 Cao, Bin<sup>1</sup>; Ma, Xudong<sup>2</sup>; Li, Mingze<sup>1</sup>; Wang, Liming<sup>1</sup>; Mei, Hongwei<sup>1</sup>; Kang, Jun<sup>2</sup>; 1: Tsinghua University, China; 2: Electric Power Research Institutes of State Grid Qinghai Electric Power Company, China
- 4A-12 Wetting and Self-cleaning Properties of Silicone Rubber Surfaces treated by atmospheric plasma jet.....239 *Vazirinasab, Elham; Jafari, reza; Momen, Gelareh; UQAC, Canada*
- 4A-13 Pattern Analysis of Discharge Characteristics for Condition Evaluation of Polymer Insulators in Fog-Haze Environment.....243
  Zhou, Kai<sup>1</sup>; Liu, Yong<sup>2</sup>; Ye, Kuan<sup>1</sup>; Li, Chunsheng<sup>1</sup>; Wang, Qian<sup>1</sup>; Cai, Yingmiao<sup>1</sup>; Yang, Liang<sup>1</sup>; Zhang, Ruizhe<sup>1</sup>; 1: State Grid Beijing Electric Power Research Institute, China; 2: School of Electrical and Information Engineering, Tianjin University, China
- 4A-14 Simulation of Composite Insulator Interface Defects in Partial Discharge.....247
  Huang, Zhen<sup>1</sup>; Zhang, Zhonghao<sup>2</sup>; Wang, Rui<sup>1</sup>; Huang, Xinyu<sup>2</sup>; Peng, Xiangyang<sup>1</sup>; Wang, Liming<sup>2</sup>; Nie, Zhangxiang<sup>1</sup>;
  Yang Daiming<sup>2</sup>; 1: Guangdong Electric Power Research Institute, China; 2: Graduate School at Shenzhen, Tsinghua University, China
- 4A-15 Suppression of Dry-Band Arcing Erosion by Silica Filler in Silicone Rubber Composites.....251
   Kone, Daouda<sup>1,2</sup>; Ghunem, Refat Atef<sup>2</sup>; El-Hag, Ayman H.<sup>3</sup>; Hadjadj, Yazid<sup>2</sup>; Cisse, Ladji<sup>1</sup>; Bangash, Kashif Naeem<sup>4</sup>; 1: University Felix Houphouët-Boigny, Côte d'Ivoire; 2: National Research Council Canada, Canada; 3: University of Waterloo, Canada; 4: American University of Sharjah, United Arab Emirates
- 4A-16 The Influence of Electric Field Distribution on Insulator Surface Flashover.....255 Liu, Lin; Li, Xiaoang; Zhang, Qiaogen; Xian Jiaotong University, China

#### Session 4B – Measurement Techniques

- 4B-1 Design of High Voltage Dielectric Spectroscopy Measurement System for Bushing Moisture Detection.....259 Zeng, Zipeng; Qi, Bo; Dai, Quanming; Li, Chengrong; North China Electric Power University, China
- 4B-2 Standard Evolution for the Determination of the Power Frequency Breakdown Voltages in Insulating Liquids.....263 Calcara, Luigi<sup>1</sup>; Pompili, Massimo<sup>1</sup>;Sangiovanni, Silvia<sup>1</sup>; Baur, Martin<sup>2</sup>; Knauel, Jens<sup>2</sup>; 1: University of Roma "La Sapienza", Italy; 2: BAUR GmbH, Sulz, Austria

- 4B-3 Effects of Sample Adhesives Acoustic Properties on Spatial Resolution of Pulsed Electroacoustic Measurements.....267 Gibson, Zachary<sup>1</sup>; Dennison, JR<sup>1</sup>; Pearson, Lee<sup>2</sup>; Griffiths, Erick<sup>2</sup>; Pearson, Anthony<sup>2</sup>; Griseri, Virginie<sup>3</sup>; 1: Utah State University; 2: Box Elder Innovations, LLC; 3: Université de Toulouse
- 4B-4 Frequency Response of the Transformer Winding: a Case Study based on a Laboratory Model.....271 Mohamed Youssouf, Roda<sup>1</sup>; Ferreira, Regelii S. A.<sup>1</sup>; Meghnefi, Fethi<sup>1</sup>; Ezzaidi, Hassan1; Picher, Patrick<sup>2</sup>; Fofana, Issouf<sup>1</sup>; 1: University of Quebec at Chicoutimi (UQAC), Canada; 2: Institut de recherche d'Hydro-Québec (IREQ), Varennes, QC Canada
- 4B-5 The Acoustic Wave Behavior Within the PEA Cell for Space Charge Measurement.....275 Imburgia, Antonino<sup>1</sup>; Romano, Pietro<sup>1</sup>; Chen, George<sup>2</sup>; Huang, Bo<sup>2</sup>; Ala, Guido<sup>1</sup>; Riva Sanseverino, Eleonora<sup>1</sup>; Viola, Fabio<sup>1</sup>; 1: L.E.PR.E. HV Laboratory, DEIM University of Palermo, Italy; 2: The Tony Davies High Voltage Laboratory, University of Southampton, UK
- 4B-6 Investigation of water content in power transformer oils through ultrasonic measurements.....279
  Palito, Thamyres T. C.<sup>1</sup>; Assagra, Yuri A. O.<sup>1</sup>; Altafim, Ruy A. C.<sup>1</sup>; Carneiro, Antonio A. O.<sup>2</sup>; Carmo, Joao P. P.<sup>1</sup>; Altafim, Ruy A. P.<sup>3</sup>; 1: Electrical and Computer Engineering Department, University of Sao Paulo; 2: Physics Department, University of Sao Paulo; 3: Computer Systems Department, Federal University of Paraiba
- 4B-7 Application of disruptive tests for the determination of BIL through spinterometric spheres in the high voltage laboratory of the Salesian Polytechnic University.....283 *Criollo, Diego; Tapia, Sebastian; Quizhpi, Flavio; Universidad Politécnica Salesiana, Ecuador*
- 4B-8 Effect of cable joint on Frequency Domain Analysis.....288 Norouzi, Younes<sup>1</sup>; Braun, Sebastian<sup>2</sup>; Frohne, Christian<sup>1</sup>; Gauler, Volker<sup>1</sup>; Seifi, Sahand<sup>2</sup>; Werle, Peter<sup>2</sup>; 1: Nexans Germany GmbH, Germany; 2: Leibniz university Germany, Institute of Electric Power Systems, Division of High Voltage Engineering and Asset Management, Schering-Institute
- 4B-9 Space Charge Measurements under DC and DC Periodic Waveform.....293 Romano, Pietro<sup>1</sup>; Imburgia, Antonino<sup>1</sup>; Candela, Roberto<sup>2</sup>; 1: L.E.PR.E. HV Laboratory, DEIM University of Palermo, Italy; 2: Prysmian Group, Milano, Italy
- 4B-10 Study on Detection of Insulator Defects in Time Domain Terahertz Wave.....297
  Wang, Rui<sup>1</sup>; zhang, zhonghao<sup>2</sup>; Yang, Cuiru<sup>1</sup>; Nie, Zhangxiang<sup>1</sup>; Wang, Liming<sup>2</sup>; Peng, Xiangyang<sup>1</sup>; Huang, Zhen<sup>1</sup>; Yang Daiming<sup>2</sup>; 1: Guangdong Electric Power Research Institute, China; 2: Graduate School at Shenzhen, Tsinghua University, China

#### 5 - Outdoor insulation, Surface Flashover and GIS

- 5-1 Comparison of Different Residual Resistance Calculation Methods used in Predictive Insulator Flashover Models.....301 Jabbari, Marouane; Volat, Christophe; Fofana, Issouf; Université du Québec à Chicoutimi, Canada
- 5-2 Evidencing of the Capacitive Effects on the Development of Creeping Discharges at Solid/Fluid Interfaces.....305 Beroual, Abderrahmane<sup>1</sup>; Khaled, Usama<sup>2</sup>; 1: Ampere Lab CNRS UMR 5005, Ecole Centrale de Lyon, University of Lyon, France; 2: College of Engineering, King Saud University
- 5-3 Electric Field Grading by Functionally Graded Materials (FGM) for HVDC Gas Insulated Power Apparatus.....309

Hayakawa, Naoki<sup>1</sup>; Oishi, Ryota<sup>1</sup>; Kojima, Hiroki<sup>1</sup>; Kato, Katsumi<sup>2</sup>; Zebouchi, Nabila<sup>3</sup>; 1: Nagoya Ulniversity, Japan; 2: National Institute of Technology, Niihama College, Japan; 3: Cardiff University, UK

- 5-4 On the Electrical Characteristic and Heat Dissipation of High Voltage Surface Arcs.....313
  Kuehnel, Stefan<sup>1</sup>; Kornhuber, Stefan<sup>1</sup>; Lambrecht, Jens<sup>2</sup>; 1: University of Applied Sciences Zittau/Goerlitz, Germany;
  2: Wacker Chemie AG, Germany
- 5-5 Low-Voltage Arc Interruption Computation: the Effect of Stefan Flow.....318 Huo, Jindong<sup>1</sup>; Selezneva, Svetlana<sup>2</sup>; Jacobs, Linda<sup>3</sup>; Cao, Yang<sup>1,4</sup>; 1: Institute of Materials Science, University of Connecticut, USA; 2: GE Global Research Center, USA; 3: ABB Industrial Connections & Solutions LLC, USA; 4: Electrical and Computer Engineering, University of Connecticut, USA

#### 6A – Aging and Treeing

- 6A-1 Estimation of a Stress-Strength Insulation Reliability Model By Means of a New Bayes Method.....322 Chiodo, Elio<sup>1</sup>; Di Noia, Luigi<sup>2</sup>; Mazzanti, Giovanni<sup>3</sup>; Mottola, Fabio<sup>4</sup>; 1: Department of Industrial Engineering, University of Naples Federico II, Italy; 2: Department of Electrical Engineering and Information Technology, University of Naples Federico II, Italy; 3: Department of Electrical, Electronic and Information Engineering, University of Bologna, Italy; 4: Department of Engineering, University of Naples Parthenope, Naples, Italy
- 6A-2 Acquiring Polarization and Depolarization Current with less Interference by Translating Dielectric Response from Frequency to Time Domain.....326 *Li, Hua; Xu, Qingchuan; Lin, Fuchang; Tao, Xiantao; School of Electrical and Electronic Engineering, Huazhong University of Science and Technology, China*
- 6A-3 Effectiveness of Stress Grading System Builds on the Heat Production in a Form-Wound Coil of an Inverter-fed Rotating Machine.....330 Naeini, Alireza; Cherney, Edward A.; Jayaram, Shesha; University of Waterloo, Canada
- 6A-4 Influence of Silica Filler Particle Size in Epoxy Resins on the Electrical Treeing Characteristic.....334 Yamada, Daichi; Kawashima, Tomohiro; Hozumi, Naohiro; Murakami, Yoshinobu; Toyohashi University of Technology, Japan
- 6A-5 Electrical tree growth under very low frequency (VLF) voltage excitation.....338 Schurch, Roger; Donoso, Pablo; Ardila-Rey, Jorge; Montana, Johny; Angulo, Alejandro; Universidad Tecnica Federico Santa Maria, Chile
- 6A-6 Effect of sheath plastic deformation on Electric field in three core submarine cables.....342 Hamdan, Mohammad; Pilgrim, Dr. James; Lewin, Prof. Paul; University of Southampton, United Kingdom
- 6A-7 Determination of the Effects of Accelerated Ageing on the Dielectric Properties of LLDPE and LLDPE/HNT Composites.....346 *Kadlec, Petr*<sup>1</sup>; *Polanský, Radek*<sup>2</sup>; *Prosr, Pave*<sup>P</sup>; 1: UWB in Pilsen, Czech; 2: UWB/RICE in Pilsen, Czech
- 6A-8 The effect of the method of transport to the processing of PVC granules.....350 *Prosr, Pavel*<sup>1</sup>; *Chudoba, Vít*<sup>2</sup>; *Polanský, Radek*<sup>1</sup>; *Pihera, Josef*<sup>1</sup>; 1: *UWB/RICE in Pilsen, Czech*; 2: *Kablo Vrchlabí s.r.o, Czech*

6A-9 Chemical Structure and Breakdown Behaviors of a New AC 500kV XLPE Submarine Cable Insulation with Different Thermal Aging Conditions.....354

Wang, Xiaojian<sup>1</sup>; Gao, Zhen<sup>2</sup>; Zhu, Zhigang<sup>1</sup>; Li, Shiqiang<sup>2</sup>; Liu, Zhiqian<sup>3</sup>; Hao, Jian<sup>3</sup>; 1: State Grid Zhejiang Electric Power Supply Company, China; 2: Zhoushan Power Supply Company of State Grid Zhejiang Electric Power Supply Company, China; 3: State Key Laboratory of Power Transmission Equipment & System Security and New Technology, Chongqing University, China

6A-10 The influence of bending stress on the sulfur corrosion of copper winding.....358 Wei, Chao<sup>1</sup>; lu, Yuncai<sup>1</sup>; Yuan, Yuan<sup>2</sup>; Zhou, Jiang<sup>3</sup>; Jiang, Youdong<sup>2</sup>; 1: Electric Power Research Institute of State Grid Jiangsu Power Grid Co., Ltd., Nanjing, China; 2: School of Materials Science and Engineering, Chongqing University, in China; 3: School of Electrical Engineering, Chongqing University, in China

- 6A-11 Discharge-induced ignition of combustibles on ac power-supply cords.....362
  Ishikawa, Yusuke<sup>1</sup>; Takenaka, Kiyoto<sup>1</sup>; Mizuno, Yukio<sup>1</sup>; Yoshida, Atsushi<sup>2</sup>; 1: Nagoya Institute of Technology, Japan;
  2: Kawamura Electric Inc., Japan
- 6A-12 Molecular Dynamics Simulation and Density-Functional Analysis on Suppression Effect of Electrical Tree in Antioxidant-added Polyethylene.....366 Uehara, Hiroaki<sup>1</sup>; Iwata, Shinya<sup>2</sup>; Wang, Weiwang<sup>3</sup>; Sekii, Yasuo<sup>4</sup>; Takada, Tatsuo<sup>5</sup>; Cao, Yang<sup>6</sup>; 1: Kanto Gakuin University, Japan; 2: Osaka Research Institute of Industrial Science and Technology, Japan; 3: Xi'an Jiaotong University, China; 4: Sekii PE Laboratory, Japan; 5: Tokyo City University, Japan; 6: University of Connecticut, USA
- 6A-13 Genesis, Identification and Bayes Estimation of the Inverse Power Model for Insulation Reliability Assessment.....370 Chiodo, Elio<sup>1</sup>; Di Noia, Luigi Pio<sup>2</sup>; Mazzanti, Giovanni<sup>3</sup>; Mottola, Fabio<sup>4</sup>; 1: Department of Industrial Engineering, University of Naples Federico II, Italy; 2: Dept. Electr. Engineering and Information Technology, University of Naples Federico II, Italy; 3: Department of Electrical, Electronic and Information Engineering, University of Bologna, Italy; 4: Department of Engineering, University of Naples Parthenope, Naples, Italy
- 6A-14 Effects of heat and radiation aging and burning on the surface physical properties of polymer-insulated cables.....374 Ito, Seitaro; Hirai, Naoshi; Minakawa, Takefumi; Kuroda, Chiaki; Ohki, Yoshimichi; Waseda University, Japan
- 6A-15 Trap Characteristic and Potential Trap Model of Water Trees in XLPE.....378 Tao, Xiantao; Li, Hua; Rao, Jiandong; Zhang, Qin; Tu, Jingyun; Yan, Gen; Xu, Qingchuan; Liu, Yi; Lin, Fuchang; Huazhong University of Science and Technology, China
- 6A-16 Effect of electric field on methanol generation in transformer.....382 Li, Chong<sup>1</sup>; Wu, Kai<sup>1</sup>; Li, Zhi<sup>1</sup>; Yang, Yong<sup>2</sup>; Qian, Kang<sup>2</sup>; Kang, Xiaohua<sup>2</sup>; 1: Xi'an Jiaotong University, China; 2: Electric Power Research Institute, Gansu Power Grid Co., Ltd., China
- 6A-17 The Impact of Crevice Corrosion on Copper Winding in Insulating Oil with Corrosive Sulfur.....386 Yuan, Yuan; Jiang, Youdong; Zhou, Jiang; Liu, Guoyong; Liao, Ruijing; Chongqing University, China
- 6A-18 Monitoring cable current and laying environment parameters for assessing the aging rate of MV cable joint insulation.....390

Peretto, Lorenzo<sup>1</sup>; Tinarelli, Roberto<sup>1</sup>; Ghaderi, Abbas<sup>1</sup>; Mingotti, Alessandro<sup>1</sup>; Mazzanti, Giovanni<sup>1</sup>; Valtorta, Giovanni<sup>2</sup>; Amoroso, Giuseppe<sup>2</sup>; Danesi, Stefano<sup>2</sup>; 1: Department of Electrical, Electronic and Information Engineering - Alma Mater Studiorum - University of Bologna, Italy; 2: e-distribuzione S.p.A., Roma, Italy

- 6A-19 Study on Gaseous Products in the Aging Process of Silicone Oil in Cable Terminals.....394 Zhang, Ruobing; Qiu, Zhichun; Wu, Jun; Graduate School at Shenzhen, Tsinghua University, China
- 6A-20 Sulfur Corrosion in Bushing and Its Effect on The Property of Oil.....398 Liu, Guoyong; Yuan, Yuan; Zhou, Jiang; Jiang, Youdong; Liao, Ruijin; Chongqing University, China
- 6A-21 Validity Evaluation Method of DGA Monitoring Sensor in Power Transformer Based on Chaos Theory.....402 Zhou, Zhengqin<sup>1</sup>; Xiao, Li<sup>1</sup>; Nie, Dexin<sup>1</sup>; Qi, Bo<sup>2</sup>; Zhang, Peng<sup>2</sup>; Gao, Chunjia<sup>2</sup>; Li, Chengrong<sup>2</sup>; 1: Wuhan NARI Limited Liability Company of State Grid Electric Power Research Institute; 2: North China Electric Power University, China
- 6A-22 Combination Prediction Method of Power Transformers Based on Feature Gas Arrangement Diagram and Grey Model.....406

Xu, Xiaolu<sup>1</sup>; Cheng, Lin<sup>1</sup>; Nie, Dexin<sup>1</sup>; Wang, Yiming<sup>2</sup>; Qi, Bo<sup>2</sup>; Zhang, Peng<sup>2</sup>; Gao, Chunjia<sup>2</sup>; Li, Chengrong<sup>2</sup>; 1: Wuhan NARI Limited Liability Company of State Grid Electric Power Research Institute, China; 2: North China Electric Power University, China

- 6A-23 State Prediction Method of Power Transformer Based on the Grey Differential Threshold.....410 Feng, Zhenxin<sup>1</sup>; Jiang, Yi<sup>1</sup>; Nie, Dexin<sup>1</sup>; Wang, Yiming<sup>2</sup>; Qi, Bo<sup>2</sup>; Zhang, Peng<sup>2</sup>; Gao, Chunjia<sup>2</sup>; Li, Chengrong<sup>2</sup>; 1: Wuhan NARI Limited Liability Company of State Grid Electric Power Research Institute, China; 2: North China Electric Power University, China
- 6A-24 Effect of Short Circuit Currents on thermo-mechanical properties of insulated cables.....414 Hamdan, Mohammad Anan; Pilgrim, James; Lewin, Paul; University of Southampton, United Kingdom
- 6A-25 Uphill Diffusion of Antioxidant in Cross-Linked Polyethylene.....418 Chang, Yuan-Shang; Mosleh, Ali; University of California, Los Angeles (UCLA), USA
- 6A-26 Moisture Ingress of Metallized Film Capacitor under High Temperature and Different Humidity Condition.....422 Chen, Qiren<sup>1</sup>; Li, Hua<sup>1,2,3</sup>; Li, Liwei<sup>2</sup>; Li, Lu<sup>2</sup>; Jiang, Haoyu<sup>2</sup>; Liu, Yi<sup>1</sup>; Zhang, Qin<sup>1</sup>; Lin, Fuchang<sup>1,2,3</sup>; 1: School of Electrical and Electronic Engineering, Huazhong University of Science & Technology, China.; 2: State Key Laboratory of Advanced Electromagnetic Engineering and Technology, Huazhong University of Science & Technology, China.; 3: Key Laboratory of Pulsed Power Technology, Huazhong University of Science and Technology, China
- 6A-27 Comparison of mineral oil behavior with and without the presence of catalysts during accelerated thermal aging.....426 Hahn, Pavel; Polanský, Radek; Faculty of Electrical Engineering, Czech
- 6A-28 Analysis of gamma irradiation effect on PTFE films by FTIR and DSC.....430 Saidi, Nadia<sup>1</sup>; GRISERI, Virginie<sup>2</sup>; Mouaci, sarah<sup>1</sup>; Mezouar, Ali<sup>1</sup>; Teyssedre, Gilbert<sup>2</sup>; Saidi, Mohamed<sup>1</sup>; 1: University USTHB, Algeria; 2: University UPS, France

6A-29 Investigation on thermal degradation phenomena on low density polyethylene(LDPE) through dielectric spectroscopy.....434 Suraci, Simone<sup>1</sup>; Fabiani, Davide<sup>1</sup>; Mazzocchetti, Laura<sup>2</sup>; MaceratesiVittorio<sup>2</sup>; MerighiStefano<sup>2</sup>; 1: DEI - University of Bologna, Italy; 2: Dept. of Industrial Chemistry, University of Bologna, Italy  6A-30 How Far are Furan Compounds Reliable Indicators for Thermal Aging of Oil Impregnated Cellulose Insulation?.....438
 Imani, Mohammad Taghi<sup>1</sup>; Homeier, Kristin<sup>1</sup>; Werle, Peter<sup>1</sup>; Dräger, Gerald<sup>2</sup>; 1: Leibniz Universität Hannover, Institute of Electric Power Systems, Division of High Voltage Engineering and Asset Management, Schering-Institute;
 2: Leibniz Universität Hannover, Institute of Organic Chemistry

#### 6B – High Field Effects and Field Mapping

- 6B-1 Time and Space Dependent Characteristics of HVDC Electric Field Stress in Oil-pressboard Composite Insulation Systems.....442
  Nakane, Ryuichi<sup>1</sup>; Kato, Katsum<sup>2</sup>; Okubo, Hitoshi<sup>1</sup>; 1: Aichi Institute of technology, Japan; 2: National Institute of Technology, Niihama Collage, Niihama, Japan
- 6B-2 Calculation of 3-D ion flow field near the ±500kV HVDC transmission tower.....446 Zhang, Qian; Li, Yinfei; Li, Xuebao; Lu, Tiebing; North China Electric Power University, China
- 6B-3 Insulation system design and insulating material requirement analysis of a novel rolling-ring electric rotary joint.....450 *Liu, Zili<sup>1</sup>; Hou, Xinbin<sup>1</sup>; Min, Daomin<sup>2</sup>; Li, Shengtao<sup>2</sup>; Liu, Wenfeng<sup>2</sup>; 1: China Academy of space technology, China;*2: Xi'an jiaotong university, China
- 6B-4 DC Conductivity and Joule Heat Effect in the 320kV XLPE Cables.....453 *Zhang, Chong*<sup>1,2</sup>; *Li, Wenpeng*<sup>2,3</sup>; *Li, Weikang*<sup>2</sup>; *Zhao, Weijia*<sup>2</sup>; *Yan, Hongda*<sup>2</sup>; *Shi, Xiaoning*<sup>2</sup>; *Chen, Xin*<sup>2</sup>; *Cao, Liang*<sup>3</sup>; *1: University of Science and Technology Beijing, China; 2: State Grid, China; 3: Xi'an Jiaotong University, China*
- 6B-5 Experimental investigation on the influence of AC voltage on the positive corona current pulses from DC conductor parallel with AC conductor.....457 LI, Yinfei; LI, Xuebao; Zhang, Qian; LU, Tiebing; North China Electric Power University, China
- 6B-6 Comparison of the Volume and Surface approaches to compute Temperature and Electric Field along the Stress-Grading on Stators Bars.....461 Kone, Gbah; Volat, Christophe; Université du Québec à Chicoutimi, Canada
- 6B-7 Study on High Temperature Heating Characteristics of Degraded Composite Insulators.....465
  Peng, Xiangyang<sup>1</sup>; Huang, Xinyu<sup>2</sup>; Zhang, zhonghao<sup>2</sup>; Nie, zhangxiang<sup>1</sup>; Yang, Cuiru<sup>1</sup>; Huang, Zhen<sup>1</sup>; Wang, Liming<sup>1</sup>;
  1: Guangdong Electric Power Research Institute, China; 2: Graduate School at Shenzhen, Tsinghua University, China

#### 7 - Partial Discharge and Measurement Techniques

- 7-1 Dependence of the Field and Charge Distribution at Semicon/Polyethylene Interface on the Press-molding Process Derived from Kelvin Probe Force Microscopy.....469 Gullo, F<sup>1</sup>; Christen, T<sup>2</sup>; Villeneuve Faure, C<sup>1</sup>; Hillborg, H<sup>3</sup>; Laurent, C<sup>1</sup>; Le Roy, S<sup>1</sup>; Teyssedre, G<sup>1</sup>; 1: LAPLACE, Université de Toulouse, CNRS, France; 2: ABB Corporate Research, Baden, Switzerland; 3: ABB Corporate Research, Vasteras, Sweden
- 7-2 Issues in Space Charge Measurements with the PEA Technique in HVDC Cables: Applicative Case Studies.....473 Albertini, Marco<sup>1</sup>; Franchi Bononi, Stefano<sup>1</sup>; Giannini, Simone<sup>1</sup>; Troia, Ivan<sup>1</sup>; Sica, Gerardo<sup>1</sup>; Mazzanti, Giovanni<sup>2</sup>; Pini, Dario<sup>2</sup>; 1: Prysmian Cables & Systems, R&D Headquarters, Milano, Italy; 2: Department of Electrical, Electronic

and Information Engineering, University of Bologna, Italy

- 7-3 Surface Discharge Behaviour of Coated Electrodes in Gas-Insulated systems under DC Voltage Stress.....477 Götz, Thomas<sup>1</sup>; Esmaeil Moghadam, Davoud<sup>1</sup>; Simka, Philipp<sup>2</sup>; Riechert, Uwe<sup>2</sup>; Speck, Joachim<sup>1</sup>; Backhaus, Karsten<sup>2</sup>; Gabler, Tobias<sup>1</sup>; Großmann, Steffen<sup>1</sup>;1: Technische Universität Dresden, Germany; 2: ABB Switzerland Ltd., Switzerland
- 7-4 Partial Discharge Inception Characteristics in Air with Solid Dielectrics under HVDC and Polarity Reversal Conditions.....481
  Okubo, Hitoshi<sup>1</sup>; Nakane, Ryuichi<sup>1</sup>; Okamoto, Kenji<sup>2</sup>; 1: Aichi Institute of Technology, Japan; 2: Fuji Electric Co. Ltd., Japan
- 7-5 Tree Propagation and Partial Discharge Phenomena of Nanocomposite Epoxy.....486
  Nakamura, Takahiro<sup>1</sup>; Yokoi, Takaki<sup>2</sup>; Kumada, Akiko<sup>2</sup>; Hidaka, Kunihiko<sup>2</sup>; Hirai, Hiromitsu<sup>3</sup>; Imai, Takahiro<sup>3</sup>; Yoshimitsu, Tetsuo<sup>1</sup>; 1: Toshiba Mitsubishi-Electric Industry Corporation, Japan; 2: The University of Tokyo, Japan; 3: Toshiba Corporation, Japan
- 7-6 Effect of Temperature Changes on Thin Film Sacrificial Copper Strips due to Sulfur Corrosion.....490
  Ahmad Khiar, Mohd Shahril Bin<sup>1,2</sup>; Lewin, Paul L.<sup>1</sup>; Brown, Richard C.D.<sup>3</sup>; 1: The Tony Davies High Voltage Laboratory, University of Southampton, United Kingdom; 2: Universiti Teknikal Malaysia Melaka (UTeM), Malaysia; 3: Department of Chemistry, University of Southampton, United Kingdom

#### 8A – Partial Discharge

- 8A-1 Methods of Characterization of DC Partial Discharge in Polymeric Cable Insulation.....494
  Morris, Euan Andrew<sup>1,2</sup>; Siew, W H<sup>2</sup>; Given, Martin J<sup>2</sup>; 1: EPSRC CDT in Future Power Networks and Smart Grids;
  2: University of Strathclyde, United Kingdom
- 8A-2 A Novel Wavelet Selection Scheme for Partial Discharge Signal Detection under Low SNR Condition.....498 Liu, Jiajia; Morris, Euan; Siew, Wah Hoon; Soraghan, John; University of Strathclyde, United Kingdom
- 8A-3 A Novel Archimedes Spiral Antenna Used for PD Measurement at Repetitive Square Wave Voltages.....502 Gong, Yuanquan<sup>1</sup>; Wang, Peng<sup>2</sup>; Zhou, Wanya<sup>2</sup>; Zhang, Jiawei<sup>3</sup>; Cavallini, Andrea<sup>4</sup>; 1: Shanghai Electric Wind Power Group Co., Ltd, China; 2: Sichuan University, China; 3: Northeast Electric Power University, China; 4: University of Bologna, Italy
- 8A-4 The Influence of Relative Humidity on Partial Discharge and Endurance Features under ShortRepetitive Impulsive Voltages.....506

Wang, Peng<sup>1</sup>; Li, Ying<sup>1</sup>; Cavallini, Andrea<sup>2</sup>; Zhang, Jiawei<sup>3</sup>; Xiang, Enxin<sup>4</sup>; Wang, Ke<sup>4</sup>; 1: Sichuan University, China; 2: University of Bologna, Italy; 3: Northeast Electric Power University, China; 4: Yunnan Electric Power Research Institute, Yunnan Power Co., Ltd, China

8A-5 Feature Parameters Extraction of GIS Partial Discharge Signals Based on Multiple Scale Higher-order Cumulants Matrix Singular Value Decomposition.....510 Liu, Yushun<sup>1</sup>; Cheng, Dengfeng<sup>1</sup>; Yin, Qiaoling<sup>2</sup>; Xie, Qian<sup>3</sup>; 1: Anhui Grid Co., Anhui Electric Power Research Institute, China; 2: Anhui Grid Co., Hefei Power Company, China; 3: Sichuan Grid Co., Sichuan Electric Power Research Institute, China

- 8A-6 Multiple Partial Discharge Signal Decomposition using Mathematical Morphology.....514 Nik Ali, Nik Hakimi<sup>1</sup>; Rapisarda, Paolo<sup>2</sup>; Lewin, Paul<sup>1</sup>; 1: The Tony Davies High Voltage Laboratory, University of Southampton, UK.; 2: Communications, Signal Processing and Control, University of Southampton, UK.
- 8A-7 Correlation between Partial Discharge Inception Voltage and Breakdown Voltage Characteristics of Butt-gap in HVDC Mass Impregnated PPLP Cable.....518 Oh, DongHun; Lee, HoYoung; Kim, SunJin; Lee, BangWook; Hanyang University, Korea
- 8A-8 Optimized Arrival Time Determination of UHF Pulses for Localization of Partial Discharge in Power Transformers.....522 Akbari Azirani, Mohammad<sup>1</sup>; Ariannik, Mohamadreza<sup>1</sup>; Werle, Peter<sup>1</sup>; Akbari, Asghar<sup>2</sup>; 1: Leibniz Universität Hannover, Germany; 2: K. N. Toosi University of Thechnology, Tehran, Iran
- 8A-9 Research on Familial Defect Recognition Method of Transformer Based on Correlation Analysis.....527 Li, Jinzhong<sup>1</sup>; Wang, Jianyi<sup>1</sup>; Zhu, Shuangjing<sup>2</sup>; Qi, Bo<sup>2</sup>; Zhang, Peng<sup>2</sup>; Gao, Chunjia<sup>2</sup>; Li, Chengrong<sup>2</sup>; 1: China Electric Power Research Institute, China; 2: State Key Laboratory of Alternate Electrical Power System with Renewable Energy Sources, North China Electric Power University, China
- 8A-10 Feasibility of Partial Discharge Localization in Power Transformers based on a novel Curve Fitting Method.....531 Rahimbakhsh, Mahdi; Mostoofi, Milad; Werle, Peter; Gockenbach, Ernst; Leibniz Universität Hannover, Institute of Electric Power Systems, Division of High Voltage Engineering and Asset Management, Schering-Institute, Germany
- 8A-11 Influence of DC component on Partial Discharge activity.....535 Guastavino, Francesco; Bruzzone, Andrea; Gianoglio, Christian; Torello, Eugenia; University of Genova, Italy
- 8A-12 Hardware friendly Neural Network for the PD classification.....538 Guastavino, Francesco; Bruzzone, Andrea; Gianoglio, Christian; Ragusa, Edoardo; Torello, Eugenia; University of Genova, Italy
- 8A-13 Quantitative Comparison of Partial Discharge Localization Algorithms on Power transformers based on acoustic method......542
   Wang, Van hel: Oin, Shao, rule: Wang, Liu fange: Ding, Cup shange: Li, Jian Jine: Zhu, Tai, yune: Zhang, Cup juni:

Wang, Yan-bo<sup>1</sup>; Qin, Shao-ru<sup>2</sup>; Wang, Liu-fang<sup>2</sup>; Ding, Guo-cheng<sup>2</sup>; Li, Jian-lin<sup>2</sup>; Zhu, Tai-yun<sup>2</sup>; Zhang, Guan-jun<sup>1</sup>; 1: Xi'an Jiaotong University, China; 2: State Grid Anhui Electric Power Research Institute, China

- 8A-14 Research on Feature Reduction Method for Partial Discharge Pattern Recognition of Converter Transformer.....546 Zhu, Shuangjing; Qi, Bo; Zhang, Peng; Gao, Chunjia; Li, Chengrong; North China Electric Power University, China
- 8A-15 Estimation of Partial Discharge Inception Voltage under Repetitive Inverter Surge Voltage by Volume-Time Theory.....550
   Hayakawa, Naoki; Daicho, Yuki; Kaji, Takefumi; Kojima, Hiroki; Nagoya University, Japan
- 8A-16 Combined Effect of Temperature and Humidity of Magnet-Wires on Partial Discharge Inception Voltage under Inverter-Surge Voltage.....554
   *Kaji, Takefumi<sup>1,2</sup>; Asai, Hiromitsu<sup>1</sup>; Kojima, Hiroki<sup>2</sup>; Hayakawa, Naoki<sup>2</sup>; 1: Denso Corporation, Japan; 2: Nagoya* University, Japan
- 8A-17 Partial Discharge Measurements under DC Voltages Containing Harmonics Produced by Power Electronic Devices.....558

Romano, Pietro<sup>1</sup>; Parastar, Amir<sup>2</sup>; Blennow, Jörgen<sup>2</sup>; Bongiorno, Massimo<sup>2</sup>; Di Tommaso, Antonino Oscar<sup>1</sup>;

Hammarström, Thomas<sup>2</sup>; Imburgia, Antonino<sup>1</sup>; Serdyuk, Yuriy<sup>2</sup>; 1: L.E.PR.E. HV Laboratory, DEIM University of Palermo, Italy; 2: Chalmers University of Technology, Sweden

#### 8B – Pre-breakdown and Breakdown

- 8B-1 Electron and Ion Swarm Parameters in Gas Mixtures of Ar, He with Dry Air by Pulsed Laser-Induced Plasma Method.....562 Sasamoto, Ryo; Nomiyama, Ryoji; Tanaka, Naoto; Izawa, Yasuji; Nishijima, Kiyoto; Fukuoka University, Japan
- 8B-2 Difference of Discharge Phenomena under GFRP and CFRP Insulation Barrier with Steep Impulse Voltage.....566 Tanaka, Naoto; Aoyagi, Daichi; Sasamoto, Ryo; Izawa, Yasuji; Nishijima, Kiyoto; Fukuoka University, Japan
- 8B-3 Negative Lightning Impulse Breakdown Characteristics of Pure Water with and without N<sub>2</sub> Fine Bubbles.....570 *Takamura, Norimitsu; Araoka, Nobutaka; Kamohara, Seiya; Hino, Yuta; Beppu, Takuya; Otsubo, Takuya; Mizusaki, Masayuki; Hanai, Masahiro; Fukuoka University, Japan*
- 8B-4 AC Breakdown Characteristics of Mineral Oil with and without N<sub>2</sub> Fine Bubbles.....574 *Kamohara, Seiya; Takamura, Norimitsu; Araoka, Nobutaka; Hanai, Masahiro; Fukuoka University, Japan*
- 8B-5 Fabrication of Permittivity Graded Materials (ε-FGM) by Flexible Mixture Casting Method.....578 Ochiai, Kenta<sup>1</sup>; Izu, Atsuhiro<sup>1</sup>; Oishi, Ryota<sup>1</sup>; Kojima, Hiroki<sup>1</sup>; Mitsudome, Hiroshi<sup>2</sup>; Yanase, Hironori<sup>2</sup>; Okamoto, Kenji<sup>2</sup>; Kato, Katsumi<sup>3</sup>; Hayakawa, Naoki<sup>1</sup>; 1: Nagoya University, Japan; 2: Fuji Electric Co., Ltd., Japan; 3: National Institute of Technology, Niihama College, Japan
- 8B-6 Influence of Dicumyl Peroxide Content on DC Performance of Polyethylene for DC Cables.....582 Cao, Liang<sup>1</sup>; Zhong, Lisheng<sup>1</sup>; Li, Yinge<sup>1</sup>; Ren, Haiyang<sup>1</sup>; Gao, Jinghui<sup>1</sup>; Chen, Guanghui<sup>1</sup>; Li, Wenpeng<sup>2</sup>; Li, Weikang<sup>2</sup>; Zhang, Chong<sup>2</sup>; 1: Xi'an Jiaotong University, China; 2: Global Energy Interconnection Research Institute Co., Ltd, China
- 8B-7 Electrical Breakdown Characteristics of Epoxy/Hollow Silica Composite Materials.....586 Matsubara, Takayuki; Kawashima, Tomohiro; Hozumi, Naohiro; Murakami, Yoshinobu; Toyohashi University of Technology, Japan
- 8B-8 Influence of gas pressure on ionization coefficient of nitrogen at 0.5-2.0 kPa.....590 Wang, Yihang<sup>1</sup>; Cheng, Yi<sup>1</sup>; Wu, Jie<sup>1</sup>; Tu, Youping<sup>1</sup>; Ding, Lijian<sup>2</sup>; Qin, Sichen<sup>1</sup>; 1: North China Electric Power University, China; 2: Hefeil University of Technology, China
- 8B-9 Evaluation of Dielectric Strength of Tricyclopentadiene / Silica Microcomposites.....594 Ookubo, Yusuke<sup>1</sup>; Kozako, Masahiro<sup>1</sup>; Hikita, Masayuki<sup>1</sup>; Kamei, Nobuhito<sup>2</sup>; 1: Kyushu Institute of Technology, Japan; 2: RIMTEC corporation

#### 9 - Aging, Pre-breakdown and Breakdown Phenomena

9-1 Dielectric and Mechanical Behavior of Thermally Aged EPR/CPE Cable Materials.....598 Sriraman, Aishwarya<sup>1</sup>; Bowler, Nicola<sup>1</sup>; Glass, S. W. {Bill}<sup>2</sup>; Fifield, Leonard S.<sup>2</sup>; 1: Iowa State University, USA; 2: Pacific Northwest National Laboratory, USA

- 9-2 Aging State Analysis of Safety-related Cables for Nuclear Power Plants Exposed to Simulated Accident Conditions.....602 Minakawa, Takefumi<sup>1,2</sup>; Ikeda, Masaaki<sup>1</sup>; Hirai, Naoshi<sup>2</sup>; Ohki, Yoshimichi<sup>2</sup>; 1: Regulatory Standard and Research Department, Secretariat of Nuclear Regulation Authority (S/NRA/R), Japan; 2: Faculty of Science and Engineering, Waseda University, Japan
- 9-3 A Study of Breakdown Properties of HFO Gas under DC and Impulse Voltage.....606 Lesaint, Olivier<sup>1</sup>; Bonifaci, Nelly<sup>1</sup>; Merini, Hocine<sup>1</sup>; Maladen, Romain<sup>2</sup>; Gentils, François<sup>2</sup>; 1: Grenoble University and CNRS, France; 2: Schneider Electric Company, Grenoble, France
- 9-4 Study on the Preparation and Scratch Repairing of Self-repairing Epoxy Resin.....610 Wang, Youyuan; Zhang, Zhanxi; Li, Yudong; Chongqing University, China
- 9-5 Correlation between Aging Status and Space Charge Behaviors in Samples Consisting of Oil Immersed Paper and Oil.....614 Cheng, Chuanhui; Wu, Kai; Wu, Yang; Xi'an Jiaotong University, China
- 9-6 Experimental study on the evolution of the insulation properties of impregnatingvarnishes with thermal aging.....618 Fetouhi, Louiza<sup>1,2</sup>; Martinez Vega, Juan<sup>1</sup>; Manfé, Philippe<sup>2</sup>; Malec, david<sup>1</sup>; 1: LAPLACE, University of Toulouse, CNRS, INPT, UPS, France; 2: Moteurs Leroy-Somer, Boulevard Marcelin Leroy, France