Vol. 8, No. 6

# Coherence Domain Optical Methods and Optical Coherence Tomography in Biomedicine XI

James G. Fujimoto Joseph A. Izatt Valery V. Tuchin Editors

22–24 January 2007 San Jose, California, USA

Sponsored and Published by SPIE—The International Society for Optical Engineering

Volume 6429



The International Society for Optical Engineering

Proceedings of SPIE—The International Society for Optical Engineering, 9780819465429, v. 6429

SPIE is an international technical society dedicated to advancing engineering and scientific applications of optical, photonic, imaging, electronic, and optoelectronic technologies.

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in Coherence Domain Optical Methods and Optical Coherence Tomography in Biomedicine XI, edited by James G. Fujimoto, Joseph A. Izatt, Valery V. Tuchin, Proceedings of SPIE Vol. 6429 (SPIE, Bellingham, WA, 2007) Article CID Number.

ISSN 1605-7422 ISBN 9780819465429

Published by **SPIE—The International Society for Optical Engineering** P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone 1 360/676-3290 (Pacific Time)· Fax 1 360/647-1445 http://www.spie.org

Copyright © 2007, The Society of Photo-Optical Instrumentation Engineers

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at http://www.copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 1605-7422/07/\$18.00.

Printed in the United States of America Vm7 i ffUb 5ggc WUHY gž = Wži bXYf "WybgY Zfca GD-9.

# Contents

- xi Conference Committee
- xiii Introduction

#### **RETINAL IMAGING I**

- 642902 Swept source at 1060 nm for Fourier domain optical coherence tomography [6429-01] J. Zhang, Q. Wang, B. Rao, Z. Chen, Beckman Laser Institute (USA) and Univ. of California, Irvine (USA); K. Hsu, Micron Optics, Inc. (USA)
- 642903 Combined confocal/en face optical coherence tomography imaging of the human eye fundus in vivo in the 1050-nm spectral region [6429-02]
   R. G. Cucu, Univ. of Kent (United Kingdom); J. A. Rogers, M. W. Hathaway, J. Pedro, Ophthalmic Technologies Inc. (Canada); A. Gh. Podoleanu, Univ. of Kent (United Kingdom); R. B. Rosen, New York Eye and Ear Infirmary (USA)
- 642905 Phase-insensitive optical coherence angiography of the choroid by 1-micrometer band swept-source optical coherence tomography [6429-04]
   Y. Yasuno, Univ. of Tsukuba (Japan); Y. Hong, Univ. of Tsukuba (Japan) and Korea Advanced Institute of Science and Technology (South Korea); S. Makita, Univ. of Tsukuba (Japan); M. Miura, University of Tsukuba (Japan) and Tokyo Medical Univ. (Japan); T. Yatagai, Univ. of Tsukuba (Japan)
- Fourier domain mode-locked (FDML) lasers at 1050 nm and 202,000 sweeps per second for OCT retinal imaging [6429-06]
   R. A. Huber, Ludwig-Maximilians-Univ. München (Germany) and Massachusetts Institute of Technology (USA); D. C. Adler, V. J. Srinivasan, I. M. Gorczynska, J. G. Fujimoto, Massachusetts Institute of Technology (USA)

**Pagination:** Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon they are published online, and connects the same identifier to all online, print, and electronic versions of the publication.

SPIE uses a six-digit CID article numbering system in which:

• The first four digits correspond to the SPIE volume number.

• The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages.

#### **RETINAL IMAGING II**

- 642909 Ultrahigh-resolution adaptive optics optical coherence tomography: toward isotropic 3-μm resolution for in vivo retinal imaging [6429-08]
  R. J. Zawadzki, Univ. of California, Davis (USA); Y. Zhang, Indiana Univ. (USA); S. M. Jones, Lawrence Livermore National Lab. (USA); R. D. Ferguson, Physical Sciences Inc. (USA);
  S. S. Choi, Univ. of California, Davis (USA); B. Cense, Indiana Univ. (USA); J. W. Evans, D. Chen, Lawrence Livermore National Lab. (USA); D. T. Miller, Indiana Univ. (USA);
  S. S. Olivier, Lawrence Livermore National Lab. (USA); J. S. Werner, Univ. of California, Davis (USA);
- 64290C **Optical coherence angiography for the human eye** [6429-11] S. Makita, Univ. of Tsukuba (Japan); Y. Hong, Univ. of Tsukuba (Japan) and Korea Advanced Institute of Science and Technology (South Korea); M. Yamanari, T. Yatagai, Y. Yasuno, Univ. of Tsukuba (Japan)
- 64290D Automatic retinal blood vessel parameters calculation in spectral domain optical coherence tomography [6429-12]
   H. Wehbe, M. Ruggeri, S. Jiao, G. Gregori, C. A. Puliafito, Univ. of Miami Miller School of Medicine (USA)

# DOPPLER AND POLARIZATION-SENSITIVE OCT

- 64290K Polarization memory effect in the polarization-sensitive optical coherence tomography system [6429-19]
   Y. Chen, Univ. of Connecticut (USA); L. Otis, Univ. of Maryland (USA); Q. Zhu, Univ. of Connecticut (USA)
- 64290L New approach to cross-polarized optical coherence tomography based on orthogonal arbitrarily polarized modes [6429-20] G. V. Gelikonov, V. M. Gelikonov, Institute of Applied Physics (Russia)
- 64290M One-camera spectral-domain polarization-sensitive optical coherence tomography
  [6429-21]
   B. Baumann, M. Pircher, E. Götzinger, C. K. Hitzenberger, Medical Univ. of Vienna (Austria)
- 64290P Imaging vasculature independent of direction of flow using spectral domain optical coherence tomography [6429-24] J. Fingler, J. Williams, C. Yang, S. E. Fraser, California Institute of Technology (USA)
- 64290R SDOCT Doppler velocimetry for investigating the morphological influences on blood flow in the developing chick embryo heart [6429-26]
  A. M. Davis, Duke Univ. (USA); F. G. Rothenberg, Duke Univ. Medical Ctr. (USA); T. H. Law, Duke Univ. (USA); L. A. Taber, Washington Univ. (USA); J. A. Izatt, Duke Univ. (USA)

#### **RETINAL IMAGING III**

64290S Spectral domain optical coherence tomography for in-vivo three-dimensional retinal imaging of small animals [6429-27]
 M. Ruggeri, H. Wehbe, S. Jiao, G. Gregori, M. E. Jockovich, A. Hackam, Y. Duan, C. A. Puliafito, Univ. of Miami Miller School of Medicine (USA)

- 64290T **Imaging the human retina and cone mosaic in vivo with PS-OCT** [6429-28] M. Pircher, B. Baumann, E. Götzinger, C. K. Hitzenberger, Medical Univ. of Vienna (Austria)
- 64290W Complex-conjugate-resolved retinal SDOCT using integrating buckets [6429-31] Y. K. Tao, M. Zhao, J. A. Izatt, Duke Univ. (USA)

# **RETINAL AND OTHER OPHTHALMIC APPLICATIONS**

- 64290Y Cornea curvature measurement using single shot C-scan OCT [6429-33] L. Plesea, M. Gomez, A. Gh. Podoleanu, Univ. of Kent (United Kingdom)
- 642910 Imaging subsurface photodisruption in human sclera with FD-OCT [6429-35]
   B. Rao, J. Su, Univ. of California, Irvine (USA) and Beckman Laser Institute (USA); D. Chai,
   G. Chaudhary, Univ. of California, Irvine (USA); Z. Chen, Univ. of California, Irvine (USA) and
   Beckman Laser Institute (USA); T. Juhasz, Univ. of California, Irvine (USA)
- Endoscopic optical coherence tomography of the retina at 1310 nm using paired-anglerotating scanning [6429-36]
   M. V. Sarunic, Simon Fraser Univ. (Canada); S. Han, J. Wu, Z. Yaqoob, California Institute of Technology (USA); M. Humayun, Univ. of Southern California (USA); C. Yang, California

Institute of Technology (USA)

642912 In-vivo human retinal imaging with pulsed illumination spectral-domain optical coherence tomography [6429-37]

> J.-W. You, Korea Advanced Institute of Science and Technology (South Korea); T. C. Chen, Massachusetts Eye and Ear Infirmary, Harvard Medical School (USA); M. Mujat, B. H. Park, J. F. de Boer, Wellman Ctr. for Photomedicine, Massachusetts General Hospital, Harvard Medical School (USA)

642913 **Three-dimensional tracker for spectral domain optical coherence tomography** [6429-38] D. X. Hammer, N. V. Iftimia, C. E. Bigelow, T. E. Ustun, B. Bloom, R. D. Ferguson, Physical Sciences Inc. (USA); T. E. Milner, Univ. of Texas at Austin (USA)

#### NOVEL TECHNIQUES

642915 Linear OCT system with increased measurement depth for biomedical applications
[6429-40]
G. Hüttmann, V. Hellemanns, Institute of Biomedical Optics, Univ. of Lübeck (Germany);
P. Koch, Thorlabs-HL AG (Germany)
 642918 Depth-resolved monitoring of analytes diffusion in ocular tissues [6429-43]
K. V. Larin, Univ. of Houston (USA) and Saratov State Univ. (Russia); M. G. Ghosn, Univ. of
Houston (USA); V. V. Tuchin, Saratov State Univ. (Russia)

#### FOURIER DOMAIN OCT

64291A **Complex-conjugate-resolved imaging using two-harmonic FD-OCT** [6429-45] A. B. Vakhtin, K. A. Peterson, D. J. Kane, Southwest Sciences, Inc. (USA)

- 64291C Inherent media dispersion compensation by FD-OCT [6429-47]
   A. R. Tumlinson, The Univ. of Arizona (USA); B. Hofer, B. Považay, Cardiff Univ. (United Kingdom); A. Winkler, The Univ. of Arizona (USA); W. Drexler, Cardiff Univ. (United Kingdom); J. K. Barton, The Univ. of Arizona (USA)
- 64291E High-speed Fourier-domain optical coherence tomography using a chirped supercontinuum pulse source [6429-49]
   S. Moon, D. Lee, D. Y. Kim, Gwangju Institute of Science and Technology (South Korea)
- 64291F **Fourier domain optical coherence tomography using optical frequency comb** [6429-50] T. Bajraszewski, M. Wojtkowski, A. Szkulmowska, W. Fojt, M. Szkulmowski, A. Kowalczyk, Nicolaus Copernicus Univ. (Poland)

# FOURIER DOMAIN SWEPT SOURCE OCT

- 64291G Discretely swept optical-frequency domain imaging toward high-resolution, high-speed, high-sensitivity, and long-depth-range [6429-51]
   K. Ohbayashi, T. Amano, H. Hiro-oka, H. Furukawa, D. Choi, P. Jayavel, Kitasato Univ. (Japan); R. Yoshimura, K. Asaka, N. Fujiwara, H. Ishii, NTT Corp. (Japan); M. Suzuki, M. Nakanishi, K. Shimizu, Kitasato Univ. (Japan)
- 642911 **Enhancement of OFDR-OCT sensitivity using semiconductor optical amplifier** [6429-53] K. Ohbayashi, P. Jayavel, T. Amano, Kitasato Univ. (Japan); K. Asaka, NTT Corp. (Japan)
- 64291J Semiconductor optical amplifier based swept wavelength source at 1060 nm using a scanning Fabry-Perot filter and an YDFA-based booster amplifier [6429-54]
  F. D. Nielsen, L. Thrane, Risø National Lab. (Denmark); K. Hsu, Micron Optics, Inc. (USA); A. Bjarklev, Technical Univ. of Denmark (Denmark); P. E. Andersen, Risø National Lab. (Denmark)
- 64291L Phase-sensitive optical coherence tomography using buffered Fourier domain modelocked lasers at up to 370,000 scans per second [6429-56]
   D. C. Adler, Massachusetts Institute of Technology (USA); R. Huber, Ludwig Maximilians Univ. Muenchen (Germany); J. G. Fujimoto, Massachusetts Institute of Technology (USA)

# FULL-FIELD IMAGING TECHNIQUES

- 64291N Real-time ultrahigh-resolution imaging by dual-channel full-field optical coherence tomography [6429-58]
   M. Akiba, K. P. Chan, Yamagata Promotional Organization for Industrial Technology (Japan)
- 64291P Optimization of line-field spectral domain optical coherence tomography for in vivo high-speed 3D retinal imaging [6429-60]
   Y. Nakamura, S. Makita, M. Yamanari, Y. Yasuno, M. Itoh, T. Yatagai, Univ. of Tsukuba (Japan)
- 642910 Measurement of topographic phase image of living cells by white-light phase-shifting microscope with active stabilization of optical path difference [6429-61] T. Yamauchi, H. Iwai, M. Miwa, Y. Yamashita, Hamamatsu Photonics K.K. (Japan)

64291R High-numerical-aperture full-field optical coherence tomography with space-invariant resolution without scanning the focus [6429-62]
 D. L. Marks, T. S. Ralston, P. S. Carney, Univ. of Illinois at Urbana-Champaign (USA);
 S. A. Boppart, Beckman Institute for Advanced Science and Technology (USA) and Univ. of Illinois at Urbana-Champaign (USA)

#### **NOVEL CONTRAST MECHANISMS**

64291S Experimental investigation of circular light depolarization using polarization sensitive OCT [6429-63]
I. Charalambous, R. Cucu, Univ. of Kent at Canterbury (United Kingdom); A. Dogariu, College of Optics & Photonics/Univ. of Central Florida (USA); A. Podoleanu, Univ. of Kent at Canterbury (United Kingdom)
64291T Scatterer-size-based analysis of optical coherence tomography images [6429-64]
C. Pitris, P. Ioannides, A. Kartakoulis, Univ. of Cyprus (Cyprus)
64291V Functional imaging by dynamic speckle in digital holographic optical coherence imaging [6429-66]

K. Jeong, J. J. Turek, D. D. Nolte, Purdue Univ. (USA)

- 64291X Phase-resolved spectral-domain magnetomotive optical coherence tomography [6429-68]
   V. Crecea, A. L. Oldenburg, T. S. Ralston, S. A. Boppart, Univ. of Illinois at Urbana-Champaign (USA)
- 64291Y Molecular imaging of hemoglobin using ground state recovery pump-probe optical coherence tomography [6429-69] B. E. Applegate, J. A. Izatt, Duke Univ. (USA)
- 64291Z **Backscattering albedo contrast in OCT using plasmon-resonant gold nanorods** [6429-70] A. L. Oldenburg, Univ. of Illinois at Urbana-Champaign (USA); M. N. Hansen, A. Wei, Purdue Univ. (USA); S. A. Boppart, Univ. of Illinois at Urbana-Champaign (USA)

#### POSTER SESSION

- 642921 High-resolution frequency domain second harmonic optical coherence tomography [6429-72] J. Su, I. V. Tomov, Y. Jiang, Z. Chen, Beckman Laser Institute (USA)
- 642922 Ultrahigh-speed axial-lateral parallel time domain optical coherence tomography [6429-73]

Y. Watanabe, K. Yamada, M. Sato, Yamagata Univ. (Japan)

642924 Investigation of coherent amplification with a semiconductor optical amplifier employed in a swept source OCT system [6429-75]
 B. Rao, Beckman Laser Institute (USA) and Univ. of California, Irvine (USA); J. Zhang, Q. Wang, Beckman Laser Institute (USA); Z. Chen, Beckman Laser Institute (USA) and Univ. of California, Irvine (USA)

- 642925 **Optimum design of spectrometer in FD-OCT** [6429-76] Z. Hu, A. M. Rollins, Case Western Reserve Univ. (USA)
- 642926 **Dispersion compensation in OFDI-OCT by using dispersion shifted fiber** [6429-77] K. Asaka, NTT Corp. (Japan); K. Ohbayashi, Kitasato Univ. (Japan)
- 64292B Wavelength tunable broadband source based on Ti:Sapphire femtosecond laser applicable to FD-OCT system [6429-82]
   T. J. Eom, H.-G. Choi, J. H. Sung, C.-S. Kee, D.-K. Ko, J. Lee, Gwangju Institute of Science and Technology (South Korea); E. S. Choi, Chosun Univ. (South Korea)
- 64292D High-speed optical-frequency domain imaging by one frame imaging within one single frequency sweep [6429-84]
   H. Furukawa, T. Amano, D. Choi, H. Hiro-Oka, K. Ohbayashi, Kitasato Univ. (Japan)
- A method of improving scanning speed and resolution of OFDR-OCT using multiple SSG-DBR lasers simultaneously [6429-85]
   D. Choi, H. Hiro-Oka, T. Amano, H. Furukawa, Kitasato Univ. (Japan); N. Fujiwara, H. Ishii, NTT Corp. (Japan); K. Ohbayashi, Kitasato Univ. (Japan)
- 64292F **Two-dimensional velocity estimation for Doppler optical coherence tomography** [6429-86] D. Morofke, Ryerson Univ. (Canada) and Univ. of Oxford (United Kingdom); M. C. Kolios, Ryerson Univ. (Canada); V. X. D. Yang, Ryerson Univ. (Canada) and Sunnybrook Health Sciences Ctr. (Canada)
- 64292G **Optical delay line using rotating rhombic prisms** [6429-87] G. Lamouche, M. Dufour, B. Gauthier, National Research Council (Canada); V. Bartulovic, Novacam Technologies Inc. (Canada); M. Hewko, J.-P. Monchalin, National Research Council (Canada)
- 64292H
   10-channel fiber array fabrication technique for a parallel optical coherence tomography system [6429-88]
   L. J. Arauz, Y. Luo, J. E. Castillo, R. K. Kostuk, J. Barton, Univ. of Arizona (USA)
- 642921 Visualization of PDD sensitizer's concentration using Fourier domain optical coherence tomography [6429-89]
   Y. Nakamichi, S. Saeki, T. Saito, T. Hiro, M. Matsuzaki, Yamaguchi Univ. (Japan)
- 64292K Reduced coherence and calibration optimization for transillumination interferometry [6429-91]
   P. Vacas-Jacques, M. Strojnik, G. Paez, Ctr. de Investigaciones en Optica (Mexico)
- 64292M Birefringence measurement of retinal nerve fiber layer using polarization-sensitive spectral domain optical coherence tomography with Jones-matrix-based analysis [6429-93]
  - M. Yamanari, Univ. of Tsukuba (Japan); M. Miura, Univ. of Tsukuba (Japan) and Tokyo Medical Univ. (Japan); S. Makita, T. Yatagai, Y. Yasuno, Univ. of Tsukuba (Japan)
- 64292O Regional polarization sensitivity of articular cartilage by using polarization sensitive optical coherence tomography [6429-95]
   T. Xie, S. Guo, Z. Chen, G. M. Peavy, Beckman Laser Institute (USA)

- 64292P Determination of 3D optic axis orientation in cartilage by polarization-sensitive optical coherence tomography [6429-96] N. Ugryumova, S. J. Matcher, Univ. of Sheffield (United Kingdom)
- 64292R Study on diagnosis of micro-biomechanical structure using optical coherence tomography [6429-98]

S. Saeki, Y. Hashimoto, T. Saito, T. Hiro, M. Matsuzaki, Yamaguchi Univ. (Japan)

64292S Dynamic OCT of mentally stress-induced sweating in sweat glands of the human finger tip [6429-99]

M. Ohmi, Y. Ueda, M. Haruna, Osaka Univ. (Japan)

- 64292T Motion-sensitive 3D optical coherence microscope operating at 1300 nm for the visualization of early frog development [6429-100]
  B. M. Hoeling, Pomona College (USA); S. S. Feldman, D. T. Strenge, A. Bernard, E. R. Hogan, D. C. Petersen, Harvey Mudd College (USA); S. E. Fraser, Y. Kee, J. M. Tyszka, Biological Imaging Ctr., California Institute of Technology (USA); R. C. Haskell, Harvey Mudd College
- Full-field optical coherence tomography image restoration based on Hilbert transformation [6429-101]
   J. Na, W. J. Choi, Gwangju Institute of Science and Technology (South Korea); E. S. Choi, Chosun Univ. (South Korea); S. Y. Ryu, B. H. Lee, Gwangju Institute of Science and Technology (South Korea)
- 64292V From medical to art diagnostics OCT: a novel tool for varnish ablation control [6429-102] M. Góra, Nicolaus Copernicus Univ. (Poland); A. Rycyk, J. Marczak, Military Univ. of Technology (Poland); P. Targowski, A. Kowalczyk, Nicolaus Copernicus Univ. (Poland)
- 64292W Rapid two-dimensional transversal scanning fiber probe for optical coherence tomography [6429-103] G. Huang, Z. Ding, Zhejiang Univ. (China)
- 64292X Spectral-domain optical coherence tomography for endoscopic imaging [6429-104] X. Chen, Q. Li, W. Li, Y. Wang, D. Yu, Tianjin Univ. (China)

Author Index

(USA)