PROCEEDINGS OF SPIE

Detection and Sensing of Mines, Explosive Objects, and Obscured Targets XVIII

J. Thomas Broach Jason C. Isaacs Editors

29 April–2 May 2013 Baltimore, Maryland, United States

Sponsored and Published by SPIE

Volume 8709

Proceedings of SPIE 0277-786X, V. 8709

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in Detection and Sensing of Mines, Explosive Objects, and Obscured Targets XVIII, edited by J. Thomas Broach, Jason C. Isaacs, Proceedings of SPIE Vol. 8709 (SPIE, Bellingham, WA, 2013) Article CID Number.

ISSN: 0277-786X ISBN: 9780819495006

Published by **SPIE** P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445 SPIE.org

Copyright © 2013, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/13/\$18.00.

Printed in the United States of America Vm7 i ffUb 5 ggc WJUhY gž ₺ Wži bXYf "JW bgY Zfca 'GD-9.

Publication of record for individual papers is online in the SPIE Digital Library.



SPIEDigitalLibrary.org

Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering
- system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID Number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID Number.

Contents

xi Conference Committee

SESSION 1 ELECTROMAGNETIC INDUCTION I

- 8709 02 Toward a real-time positioning system for a portable EMI sensor [8709-1]
 J. P. Fernández, Thayer School of Engineering at Dartmouth (United States); B. Barrowes,
 K. O'Neill, and Thayer School of Engineering at Dartmouth (United States) and U.S. Army
 Engineer Research and Development Ctr. (United States); I. Shamatava, F. Shubitidze,
 Thayer School of Engineering at Dartmouth (United States)
- 8709 03 The Pedemis Instrument: operation and APG field results [8709-2]
 B. E. Barrowes, Thayer School of Engineering at Dartmouth (United States), and U.S. Army Engineer Research and Development Ctr. (United States); T. M. Grzegorczyk, Delpsi, LLC (United States); F. Shibitidze, P. Fernández, Thayer School of Engineering at Dartmouth (United States); K. O'Neill, Thayer School of Engineering at Dartmouth (United States), and U.S. Army Engineer Research and Development Ctr. (United States)
- Automatic classification of unexploded ordnance applied to Spencer Range live site for 5x5 TEMTADS sensor [8709-3]
 J. B. Sigman, B. E. Barrowes, K. O'Neill, F. Shubitidze, Thayer School of Engineering at Dartmouth (United States)
- Spencer Range live-site portable EMI sensors target classification [8709-4]
 I. Shamatava, White River Technologies, Inc. (United States), and Thayer School of Engineering at Dartmouth (United States); J. P. Fernández, Thayer School of Engineering at Dartmouth (United States); B. E. Barrowes, K. O'Neill, Thayer School of Engineering at Dartmouth (United States), and U.S. Army Engineer Research and Development Ctr. (United States); F. Shubitidze, White River Technologies, Inc. (United States), and Thayer School of Engineering at Dartmouth (United States)
- A new EMI system for detection and classification of challenging targets [8709-5]
 F. Shubitidze, Thayer School of Engineering at Dartmouth (United States) and White River Technologies, Inc. (United States); J. P. Fernández, Thayer School of Engineering at Dartmouth (United States); B. E. Barrowes, Thayer School of Engineering at Dartmouth (United States) and U.S. Army Engineer Research and Development Ctr. (United States); K. O'Neill, Thayer School of Engineering at Dartmouth (United States)

SESSION 2 ELECTROMAGNETIC INDUCTION II

- 8709 07 Target-classification approach applied to active UXO sites [8709-6]
 F. Shubitidze, Thayer School of Engineering at Dartmouth and White River Technologies, Inc. (Unites States); J. P. Fernández, Thayer School of Engineering at Dartmouth (United States); I. Shamatava, Thayer School of Engineering at Dartmouth and White River Technologies, Inc. (Unites States); B. E. Barrowes, Thayer School of Engineering at Dartmouth (United States), and U.S. Army Engineer Research and Development Ctr. (United States); K. O'Neill, Thayer School of Engineering at Dartmouth (United States)
- 8709 08 Transmitter power efficiency of broadband CW electromagnetic induction sensors [8709-7] W. R. Scott Jr., Georgia Institute of Technology (United States)
- Buried explosive hazard characterization using advanced magnetic and electromagnetic induction sensors [8709-8]
 J. S. Miller, G. Schultz, White River Technologies, Inc. (United States); V. Shah, QuSpin, Inc. (United States)
- 8709 0A In-field quality control of advanced electromagnetic induction data for munitions remediation projects [8709-9]
 J. S. Miller, White River Technologies, Inc. (United States); B. Zelt, D. Lutes, Black Tusk Geophysics (Canada)

SESSION 3 ELECTROMAGNETIC INDUCTION III

- 8709 OB **Optimized coils for electromagnetic induction systems** [8709-11] M. A. Reed, W. R. Scott Jr., Georgia Institute of Technology (United States)
- 8709 0C Location and continuous orientation estimation of buried targets using tensor extraction [8709-12]
 K. Krueger, W. R. Scott Jr., J. H. McClellan, Georgia Institute of Technology (United States)
- 8709 0D **Operational field evaluation of the PAC-MAG man-portable magnetometer array** [8709-10] J. Keranen, White River Technologies, Inc. (United States); Z. Topolosky, U.S. Army Night Vision & Electronic Sensors Directorate (United States); G. Schultz, J. Miller, White River Technologies, Inc. (United States)
- 8709 OE Constant phase uniform current loop for detection of metallic objects using longitudinal magnetic field projection [8709-13]
 D. C. Heinz, A. W. Melber, U.S. Army CERDEC Intelligence and Information Warfare Directorate (United States); M. L. Brennan, CACI International Inc. (United States)
- 8709 OF Computational analysis of detectability metrics from an EMI sensor for target detection and discrimination [8709-67]
 I. Chappell II, R. Kraig, H. Last, Institute for Defense Analyses (United States)

SESSION 4 SONAR PROCESSING AND ATR

- 8709 0G Unsupervised domain transfer of latent Dirichlet allocation derived representations from synthetic aperture sonar imagery [8709-14] J. C. Isaacs, Naval Surface Warfare Ctr., Panama City Div. (United States)
- 8709 0H Multi-image texton selection for sonar image seabed co-segmentation [8709-15]
 J. T. Cobb, Naval Surface Warfare Ctr., Panama City Div. (United States); A. Zare, Univ. of Missouri-Columbia (United States)

SESSION 5 MAN PORTABLE SYSTEMS

- 8709 0K Electromagnetic packable technology (EMPACT) for detection and characterization of ordnance in post-conflict areas [8709-20]
 G. Schultz, J. Miller, J. Keranen, White River Technologies, Inc. (United States)
- 8709 0M **Deployment of dual-sensor ALIS for humanitarian demining in Cambodia** [8709-22] M. Sato, K. Takahashi, Tohoku Univ. (Japan)

SESSION 6 EXPLOSIVE DETECTION I

- 8709 0N Stand-off detection of explosives vapors by resonance-enhanced Raman spectroscopy [8709-24]
 I. Johansson, E. Ceco, A. Ehlerding, H. Östmark, Swedish Defence Research Agency (Sweden)
- 8709 00 Infrared photothermal imaging of trace explosives on relevant substrates [8709-25]
 C. A. Kendziora, R. Furstenberg, M. Papantonakis, V. Nguyen, J. Borchert, J. Byers,
 R. A. McGill, U.S. Naval Research Lab. (United States)
- 8709 0Q
 Low-power stimulated emission nuclear quadrupole resonance detection system utilizing Rabi transitions [8709-66]
 J. Apostolos, W. Mouyos, J. Feng, W. Chase, AMI Research and Development, LLC (United States)

SESSION 7 EXPLOSIVE DETECTION II

- 8709 OR Fast and sensitive recognition of various explosive compounds using Raman spectroscopy and principal component analysis [8709-27]
 J. Hwang, Hanyang Univ. (Korea, Republic of); A. Park, Chonnam National Univ. (Korea, Republic of); J. H. Chung, Agency for Defense Development (Korea, Republic of); N. Choi, Hanyang Univ. (Korea, Republic of); J.-Q. Park, Chonnam National Univ. (Korea, Republic of); S. G. Cho, Agency for Defense Development (Korea, Republic of); S.-J. Baek, Chonnam National Univ. (Korea, Republic of); J. Choo, Hanyang Univ. (Korea, Republic of); J. Choo, Hanyang Univ. (Korea, Republic of)
- 8709 0S Standoff detection of explosive molecules using nanosecond gated Raman spectroscopy [8709-28]

J. H. Chung, S. G. Cho, Agency for Defense Development (Korea, Republic of)

SESSION 8 A MELANGE OF INTERESTING TECHNIQUES

8709 OU	Construction of a ultrananocrystalline diamond-based cold cathode arrays for a flat-panel x-ray source [8709-31] E. J. Grant, C. M. Posada, Missouri Univ. of Science and Technology (United States); R. Divan, A. V. Sumant, D. Rosenmann, L. Stan, Argonne National Lab. (United States); A. Avachat, C. H. Castano, H. K. Lee, Missouri Univ. of Science and Technology (United States)
8709 OV	A vehicle threat detection system using correlation analysis and synthesized x-ray images [8709-32] Y. Zheng, Alcorn State Univ. (United States); A. Elmaghraby, Univ. of Louisville (United States)
8709 OW	Quasi-static high-resolution magnetic-field detection based on dielectric optical resonators [8709-33] T. loppolo, E. Rubino, Southern Methodist Univ. (United States)
8709 OX	Detection of tunnel excavation using fiber optic reflectometry: experimental validation [8709-34]

R. Linker, A. Klar, Technion-Israel Institute of Technology (Israel)

8709 0Z The development of an 'on-belt tomosynthesis' system for cost-effective (3D) baggage screening [8709-69]
 S. Kolokytha, R. Speller, S. Robson, Univ. College London (United Kingdom)

SESSION 9 RADAR I

8709 10	Modeling of currents induced in linear conducting objects located at a dielectric interface [8709-36] S. E. Irvine, Defence Research and Development Canada, Suffield (Canada); P. Sooriyadevan, Quality Engineering Test Establishment (Canada)
8709 12	Polarimetric antenna for ground penetrating radar based on the resistive-vee dipole [8709-38] J. W. Sustman, W. R. Scott Jr., Georgia Institute of Technology (United States)
SESSION 10	RADAR II
8709 13	Millimeter-wave detection of landmines [8709-39] H. Öztürk, H. Nazli, TÜBITAK (Turkey); K. Yeğin, TÜBİTAK (Turkey) and Yeditepe Univ. (Turkey); E. Biçak, M. Sezgin, M. Dağ, B. Turetken, TÜBİTAK (Turkey)

A parametric analysis of time and frequency domain GPR scattering signatures from buried landmine-like targets [8709-40]
 F. Giovanneschi, M. A. Gonzalez-Huici, U. Uschkerat, Fraunhofer-Institut for High Frequency Physics and Radar Techniques (Germany)

SESSION 11 INFRARED AND ELECTRO-OPTICS

8709 15 Optical detection of buried explosive hazards: a longitudinal comparison of three types of imagery [8709-42]

J. J. Staszewski, Carnegie Mellon Univ. (United States); C. H. Hibbitts, Johns Hopkins Univ. Applied Physics Lab. (United States); L. Davis, J. Bursley, Carnegie Mellon Univ. (United States)

8709 16 Comparison of broadband and hyperspectral thermal infrared imaging of buried threat objects [8709-43]

J. E. McFee, Defence Research and Development Canada Suffield (Canada); S. B. Achal, A. U. Diaz, Itres Research Ltd. (Canada); A. A. Faust, Defence Research and Development Canada Suffield (Canada)

- A broadband field portable reflectometer to characterize soils and chemical samples
 [8709-44]
 E. Puckrin, Defence Research and Development Canada, Valcartier (Canada); L. Moreau,
 H. Bourque, R. Ouellet, F. Prel, C. Roy, C. Vallières, G. Thériault, ABB Bomem Inc. (Canada)
- 8709 18 Thermal inertia mapping of below ground objects and voids [8709-45]
 N. K. Del Grande, B. M. Ascough, Geo-Temp Corp. (United States); R. L. Rumpf, Rumpf Associates International (United States)

SESSION 12 SIGNAL PROCESSING: IR

- Buried target detection in FLIR images using Shearlet features [8709-46]
 B. Tuomanen, K. Stone, T. Madison, M. Popescu, J. Keller, Univ. of Missouri-Columbia (United States)
- 8709 1A Using evolutionary computation to optimize an SVM used in detecting buried objects in FLIR imagery [8709-47]
 A. Paino, M. Popescu, J. M. Keller, K. Stone, Univ. of Missouri-Columbia (United States)
- 8709 1B Automatic detection system for buried explosive hazards in FL-LWIR based on soft feature extraction using a bank of Gabor energy filters [8709-48]
 S. R. Price, D. T. Anderson, Mississippi State Univ. (United States); R. H. Luke, U.S. Army RDECOM CERDEC Night Vision & Electronic Sensors Directorate (United States); K. Stone, J. M. Keller, Univ. of Missouri-Columbia (United States)
- 8709 1C Moving beyond flat earth: dense 3D scene reconstruction from a single FL-LWIR camera [8709-49]
 K. Stone, J. M. Keller, Univ. of Missouri-Columbia (United States); D. T. Anderson, Mississippi State Univ. (United States)
- A novel framework for processing forward looking infrared imagery with application to buried threat detection [8709-51]
 J. M. Malof, K. D. Morton Jr., L. M. Collins, P. A. Torrione, Duke Univ. (United States)

SESSION 13 SIGNAL PROCESSING: EM SENSORS

- 8709 1E Sparse model inversion and processing of spatial frequency-domain electromagnetic induction sensor array data for improved landmine discrimination [8709-52]
 S. L. Tantum, K. A. Colwell, Duke Univ. (United States); W. R. Scott Jr., Georgia Institute of Technology (United States); P. A. Torrione, L. M. Collins, K. D. Morton Jr., Duke Univ. (United States)
- 8709 1F Landmine classification using possibilistic K-nearest neighbors with wideband electromagnetic induction data [8709-53]
 J. Dula, A. Zare, D. Ho, Univ. of Missouri-Columbia (United States); P. Gader, Univ. of Florida (United States)
- 8709 1G Sweep detection and alignment in handheld GPR detection devices [8709-54] P. J. Dobbins, J. N. Wilson, J. Bolton, Univ. of Florida (United States)

SESSION 14 SIGNAL PROCESSING FOR GPR I

- Betection of shallow buried objects using an autoregressive model on the ground penetrating radar signal [8709-56]
 D. P. Nabelek, K. C. Ho, Univ. of Missouri-Columbia (United States)
- 8709 1J Evaluation of landmine detection performance applying two different algorithms to GPR field data [8709-57]
 R. Mendez-Rial, U. Uschkerat, F. I. Rial, M. A. Gonzalez-Huici, Fraunhofer-Institut for High Frequency Physics and Radar Techniques (Germany)
- 8709 1K **A run packing technique for multiple sensor fusion** [8709-59] T. Glenn, B. Smock, J. Wilson, P. Gader, Univ. of Florida (United States)
- 8709 1L **Multiple instance hidden Markov models for GPR-based landmine detection** [8709-60] A. Manandhar, K. D. Morton Jr., L. M. Collins, P. A. Torrione, Duke Univ. (United States)
- 8709 1M Multiple instance learning for hidden Markov models: application to landmine detection [8709-61]
 J. Bolton, S. E. Yuksel, P. Gader, Univ. of Florida (United States)

SESSION 15 SIGNAL PROCESSING FOR GPR II

- 8709 1N **Robust entropy-guided image segmentation for ground detection in GPR** [8709-62] J. Roberts, Y. Shkolnikov, J. Varsanik, T. Chevalier, Exponent, Inc. (United States)
- 8709 10 GPR preprocessing optimization with signal-to-clutter metrics [8709-63] J. S. Varsanik, J. W. Roberts, T. W. Chevalier, A. D. Mulliken, Exponent, Inc. (United States)
- 8709 1P Application of image categorization methods for buried threat detection in GPR data [8709-64]
 R. T. Sakaguchi, K. D. Morton Jr., L. M. Collins, P. A. Torrione, Duke Univ. (United States)

8709 1Q
 Embedding the multiple instance problem: applications to landmine detection with ground penetrating radar [8709-65]
 J. Bolton, P. Gader, Univ. of Florida (United States); H. Frigui, Univ. of Louisville (United States)

Author Index