

PROCEEDINGS OF SPIE

Nonlinear Frequency Generation and Conversion: Materials and Devices XVI

Konstantin L. Vodopyanov
Kenneth L. Schepler
Editors

30 January–1 February 2017
San Francisco, California, United States

Sponsored and Published by
SPIE

Volume 10088

Proceedings of SPIE 0277-786X, V. 10088

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Nonlinear Frequency Generation and Conversion: Materials and Devices XVI*, edited by Konstantin L. Vodopyanov, Kenneth L. Schepler, Proceedings of SPIE Vol. 10088 (SPIE, Bellingham, WA, 2017) Seven-digit Article CID Number.

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510606173

ISBN: 9781510606180 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time)- Fax +1 360 647 1445

SPIE.org

Copyright © 2017, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/17/\$18.00.

Printed in the United States of America

Publication of record for individual papers is online in the SPIE Digital Library.

SPIE. DIGITAL LIBRARY

SPIDigitalLibrary.org

Paper Numbering: *Proceedings of SPIE* follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

vii	<i>Authors</i>
ix	<i>Conference Committee</i>

VISIBLE-UV GENERATION

10088 02	1.9 W yellow, CW, high-brightness light from a high efficiency semiconductor laser-based system [10088-1]
10088 03	3.5 W of diffraction-limited green light at 515 nm from SHG of a single-frequency tapered diode laser [10088-2]
10088 04	149.8 nm, the shortest wavelength generated by phase matching in nonlinear crystals [10088-3]
10088 05	Compact, integrable, and long life time Raman multiline UV-Vis source based on hypocycloid core Kagome HC-PCF [10088-4]
10088 08	Picosecond pulsed micro-module emitting near 560 nm using a frequency doubled gain-switched DBR ridge waveguide semiconductor laser [10088-7]

FREQUENCY COMBS WITH OPTICAL RESONATORS II: JOINT SESSION WITH CONFERENCES 10088 AND 10090

10088 09	Instantaneous spectral span of 2.85 - 8.40 μm achieved in a Cr:ZnS laser pumped subharmonic OPO (Invited Paper) [10088-8]
----------	--

SUPERCONTINUUM AND RAMAN GENERATION

10088 0B	Experimental investigation of mid-infrared supercontinuum generation in chalcogenide step-index optical fibers (Invited Paper) [10088-10]
10088 0C	Supercontinuum comb sources for broadband communications based on AlGaAs-on-insulator (Invited Paper) [10088-11]
10088 0E	All-fiber supercontinuum source with flat, high power spectral density in the range between 1.1 μm to 1.4 μm based on an Yb³⁺ doped nonlinear photonic crystal fiber [10088-13]
10088 0G	Exploring nonlinear pulse propagation, Raman frequency conversion and near octave spanning supercontinuum generation in atmospheric air-filled hollow-core Kagomé fiber [10088-15]
10088 0H	High power Raman-converter based on H₂-filled inhibited coupling HC-PCF [10088-16]

NONLINEAR OPTICAL DEVICES AND TECHNIQUES I

- 10088 0I **Upconversion based spectral imaging in 6 to 8 μm spectral regime** [10088-17]
- 10088 0J **Broadband upconversion imaging around 4 μm using an all-fiber supercontinuum source** [10088-18]
- 10088 0L **Investigation of mid-IR picosecond image upconversion** [10088-20]
- 10088 0N **Cross-propagating beam-deflection measurements of third-order nonlinear optical susceptibility** [10088-21]

NONLINEAR OPTICAL DEVICES AND TECHNIQUES II

- 10088 0Q **Quantum superradiant amplification in rubidium vapors: gain assessment†** [10088-24]

NEW NONLINEAR MATERIALS

- 10088 0U **Development of orientation-patterned GaP grown on foreign substrates for QPM frequency conversion devices** [10088-28]
- 10088 0V **Broadband midinfrared from fiber laser difference frequency generation in OP-GaP** [10088-29]
- 10088 0W **Continuous-wave difference frequency generation in the mid-infrared with orientation-patterned gallium phosphide (OP-GaP) crystals** [10088-30]

OPTICAL PARAMETRIC DEVICES AND APPLICATIONS I

- 10088 0Y **Molecular spectroscopy from 5-12 μm using an OP-GaP OPO (Invited Paper)** [10088-32]
- 10088 0Z **Single-frequency tunable long-wave infrared OP-GaAs OPO for gas sensing (Invited Paper)** [10088-33]
- 10088 10 **Frequency down-conversion of 1 μm laser radiation to the mid-IR using non-oxide nonlinear crystals in a cascaded intracavity configuration (Invited Paper)** [10088-34]

OPTICAL PARAMETRIC DEVICES AND APPLICATIONS II

- 10088 12 **Large-scale artificial spin network based on time-multiplexed degenerate optical parametric oscillators for coherent Ising machine (Invited Paper)** [10088-36]
- 10088 13 **Nonlinear frequency conversion of structured beams and Airy beam optical parametric oscillator (Invited Paper)** [10088-37]
- 10088 14 **Dispersion tuning of a narrow-linewidth picosecond OPO based on chirped quasi-phase matching with a volume Bragg grating** [10088-38]

10088 15 **Combined visible and near-infrared OPA for wavelength scaling experiments in strong-field physics** [10088-39]

POSTER SESSION

10088 17 **Nonlinear mode conversion for intermodal four-wave mixing Stokes and anti-Stokes in a multimode fiber** [10088-41]

10088 1A **Modulation of frequency doubled DFB-tapered diode lasers for medical treatment** [10088-44]