PROCEEDINGS OF SPIE

AOPC 2017: 3D Measurement Technology for Intelligent Manufacturing

Anand Krishna Asundi Huijie Zhao Wolfgang Osten Editors

4–6 June 2017 Beijing China

Sponsored by SPIE Chinese Society for Optical Engineering (China)

Organized by Chinese Society for Optical Engineering (China) Photoelectronic Technology Committee, Chinese Society of Astronautics (China) Department of Cooperation and Coordination for Industry, Academe and Research, CHIA (China) Science and Technology on Low-light-level Night Vision Laboratory (China) Science and Technology on Electro-Optical Information Security Control Laboratory (China)

Published by SPIE

Volume 10458

Proceedings of SPIE 0277-786X, V. 10458

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in AOPC 2017: 3D Measurement Technology for Intelligent Manufacturing, edited by Anand Krishna Asundi, Huijie Zhao, Wolfgang Osten, Proceedings of SPIE Vol. 10458 (SPIE, Bellingham, WA, 2017) Seven-digit Article CID Number.

ISSN: 0277-786X ISSN: 1996-756X (electronic)

ISBN: 9781510613973 ISBN: 9781510613980 (electronic)

Published by **SPIE** P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time)· Fax +1 360 647 1445 SPIE.org Copyright © 2017, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/17/\$18.00.

Printed in the United States of America Vm7 i ffUb 5ggc WUHY gz & Wži bXYf"]WY bgY Zfca GD-9.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: Proceedings of SPIE follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

• The first five digits correspond to the SPIE volume number.

• The last two digits indicate publication order within the volume using a Base 36 numbering

system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

- vii Authors
- xi Conference Committee
- xiii Introduction

3D MEASUREMENT TECHNOLOGY FOR INTELLIGENT MANUFACTURING

- 10458 02Error analysis and correction of lever-type stylus profilometer based on Nelder-Mead
Simplex method [10458-4]
- 10458 03 Efficient phase extraction from three random interferograms based on Lissajous figure and ellipse fitting method [10458-5]
- 10458 04 Method of surface error visualization using laser 3D projection technology [10458-6]
- 10458 05 **Research on calibration algorithm in laser scanning projection system** [10458-7]
- 10458 06 Eddy current testing for blade edge micro cracks of aircraft engine [10458-8]
- 10458 07 Integrated real-time measurement method of filament lamp dimension based on machine vision [10458-57]
- 10458 08 Matching between the light spots and lenslets of an artificial compound eye system [10458-12]
- 10458 09 Selection method of terrain matching area for TERCOM algorithm [10458-14]
- 10458 0A A general design for coherent transponders with multiple turn-around ratios [10458-16]
- 10458 0B **Pose estimation of industrial objects towards robot operation** [10458-18]
- 10458 0C Study on close-range photogrammetry without traditional self-calibration measurement model [10458-19]
- 10458 0D A whole process quality control system for energy measuring instruments inspection based on IOT technology [10458-20]
- 10458 0E Target region location method applied in single-pixel imaging [10458-21]
- 10458 OF Radar clutter statistical characteristics and modeling [10458-22]
- 10458 0G Fragility analysis and weak point identification of power system [10458-23]
- 10458 0H A reflection TIE system for 3D inspection of wafer structures [10458-24]

10458 OI	Multi-exposure high dynamic range image synthesis with camera shake correction [10458-25]
10458 OJ	Study of multi-functional precision optical measuring system for large scale equipment [10458-26]
10458 OK	Optimal design for three-dimensional autocollimator [10458-28]
10458 OL	Research and application of measuring system for disconnector for surge arresters [10458-29]
10458 OM	A method of general simulation model designing [10458-30]
10458 ON	Fast 3D shape measurements with reduced motion artifacts [10458-31]
10458 0O	Computational diffraction tomographic microscopy with transport of intensity equation using a light-emitting diode array [10458-32]
10458 OP	Fringe-reflection photogrammetry based on poses calibration with planar mirror reflection [10458-33]
10458 0Q	A robust recognition and accurate locating method for circular coded diagonal target [10458-34]
10458 OR	Study on measurement of leading and trailing edges of blades based on optical scanning system [10458-35]
10458 OS	A real-time standard parts inspection based on deep learning [10458-37]
10458 OT	Pixel-resolution and image quality improvement in lensfree holographic microscopy using adaptive relaxation and positional error correction [10458-38]
10458 OU	Modeling and calibration of a 4-line-camera system for precise coordinate measurement [10458-39]
10458 0V	Design of temperature monitoring system based on CAN bus [10458-40]
10458 OW	A dynamical strategy of multi-channel MAC protocol based on QoS [10458-41]
10458 OX	Research on signal processing of shock absorber test bench based on zero-phase filter [10458-42]
10458 OY	Improved bi-frequency scheme to realize high-precision 3D shape measurement [10458-43]
10458 OZ	Measurement of steep aspheric surfaces using improved two-wavelength phase-shifting interferometer [10458-44]
10458 10	Flexible calibration method for line-structured light based on binocular vision [10458-45]
10458 11	High frequency signal acquisition and control system based on DSP+FPGA [10458-46]

10458 12	Study on precision optimization method for laser displacement sensors [10458-48]
10458 13	Microscopic 3D measurement of dynamic scene using optimized pulse-width-modulation binary fringe [10458-49]
10458 14	Construction and analysis of three-dimensional scanning system based on Kinect sensor [10458-50]
10458 15	Optimization of compressive 4D-spatio-spectral snapshot imaging [10458-51]
10458 16	Research on precise pneumatic-electric displacement sensor with large measurement range [10458-52]
10458 17	Using a photograph containing the sun to measure the rotation and slope of terrain [10458-53]
10458 18	Research and design on orthogonal diffraction grating-based 3D nanometer displacement sensor [10458-54]
10458 19	An automatic 3D reconstruction system based on binocular vision measurement [10458-55]
10458 1A	Using adaptive regional projection to measure parts with strong reflection [10458-56]
10458 1B	Subcellular analysis of interaction between breast cancer cells and drug by digital holography [10458-58]
10458 1C	Laser triangulation method for measuring the size of parking claw [10458-59]
10458 1D	Power amplifier automatic test system based on LXI bus technology [10458-60]
10458 1E	Digital Moiré based transient interferometry and its application in optical surface measurement [10458-61]
10458 1F	A survey on bearing only tracking problem for point motion measurement based on monocular camera [10458-62]
10458 1G	A study on stimulation of DC high voltage power of LCC series parallel resonant in projectile velocity measurement system [10458-63]
10458 1H	A new linear structured light module based on the MEMS micromirror [10458-64]
10458 11	Optical design of fiber digital holographic interferometry system based on field-tracing [10458-65]
10458 1J	Development of 3D online contact measurement system for intelligent manufacturing based on stereo vision [10458-66]
10458 1K	Study on the high-frequency laser measurement of slot surface difference [10458-67]
10458 1L	Systematic construction and control of stereo nerve vision network in intelligent manufacturing [10458-70]

- 10458 1M Calibration of misalignment errors in the non-null interferometry based on reverse iteration optimization algorithm [10458-71]
- 10458 1N Hard constrained sparse bundle adjustment of multi-camera with block matrix [10458-72]
- 10458 10 An accurate surface topography restoration algorithm for white light interferometry [10458-73]
- 10458 1P Optimal design of high performance linear guideway based on orifice restriction [10458-74]
- 10458 10 Research on online 3D laser scanner dimensional measurement system for heavy hightemperature forgings [10458-77]
- 10458 1R Hardware implement of high resolution light field microscopy [10458-79]
- 10458 1S Latency estimation and optimization for DSP blocks in high level synthesis stage [10458-80]
- 10458 1T Integrated fringe projection 3D scanning system for large-scale metrology based on laser tracker [10458-82]
- 10458 1U Estimating the circuit delay of FPGA with a transfer learning method [10458-83]
- 10458 1V Sub-aperture stitching of aspheric surfaces in precision in-situ measurement [10458-84]
- 10458 1W The analysis and compensation of errors of precise simple harmonic motion control under high speed and large load conditions based on servo electric cylinder [10458-86]
- 10458 1X Research on intelligent power distribution system for spacecraft [10458-400]
- 10458 1Y Design of high precision temperature control system for TO packaged LD [10458-710]
- 10458 1Z A DBN based anomaly targets detector for HSI [10458-2850]