PROCEEDINGS OF SPIE

Active and Passive Smart Structures and Integrated Systems XII

Alper Erturk Jae-Hung Han Editors

5–8 March 2018 Denver, Colorado, United States

Sponsored by SPIE

Cosponsored by OZ Optics, Ltd. (United States) Polytec, Inc. (United States)

Cooperating Organizations Jet Propulsion Laboratory (United States) Colorado Photonics Industry Association (United States)

Published by SPIE

> Volume 10595 Part One of Two Parts

Proceedings of SPIE 0277-786X, V. 10595

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in Active and Passive Smart Structures and Integrated Systems XII, edited by Alper Erturk, Jae-Hung Han, Proceedings of SPIE Vol. 10595 (SPIE, Bellingham, WA, 2018) Seven-digit Article CID Number.

ISSN: 0277-786X ISSN: 1996-756X (electronic)

ISBN: 9781510616868 ISBN: 9781510616875 (electronic)

Published by **SPIE** P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time)· Fax +1 360 647 1445 SPIE.org Copyright © 2018, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/18/\$18.00.

Printed in the United States of America Vm7 i ffUb 5ggc WUHY gž & Wži bXYf "]WY bgY Zfca GD-9.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: Proceedings of SPIE follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

• The first five digits correspond to the SPIE volume number.

• The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

|--|

xv Conference Committee

Part One

SESSION 1	ENERGY HARVESTING I: NONLINEAR
10595 03	Efficiency and effectiveness of stabilization control of high-energy orbit for wideband piezoelectric vibration energy harvesting [10595-1]
10595 05	Investigating a magnetically coupled vibration energy harvesting system under impulsive excitations [10595-3]
SESSION 2	PASSIVE AND ACTIVE VIBRATION ISOLATION/ATTENUATION I
10595 07	Mechanical responses of a magnetorheological damper [10595-119]
10595 08	A modified Shunted Switch Architecture (SSSA) for active vibration control [10595-6]
10595 09	Effects of a piezoelectric based nonlinear energy sink on the behavior of an electromechanically coupled beam [10595-7]
10595 0A	A synthetic shunt for piezoelectric-based state switching [10595-8]
10595 OB	Performance evaluation of a semi-active cladding connection for multi-hazard mitigation [10595-9]
SESSION 3	ENERGY HARVESTING II: PIEZOELECTRIC
10595 0D	Electrically rectified piezoelectric energy harvester excited by rotary magnetic plucking [10595-11]
10595 OE	On the circuit solutions towards broadband and high-capability piezoelectric energy harvesting systems [10595-13]
10595 OF	Energy harvesting from torsions of patterned piezoelectrics [10595-14]
10559 OI	Exploiting dynamic interaction of magnets to enhance off-resonance energy harvesting performance [10595-17]

SESSION 4 MORPHING AND DEPLOYABLE STRUCTURES

- 10595 0J Conceptual design and dynamic analysis of bistable deployable structure [10595-18]
- 10595 0K Control strategy of an electrically actuated morphing flap for the next generation green regional aircraft [10595-19]
- 10595 0L Aeroelastic stability analysis of a large civil aircraft equipped with morphing winglets and adaptive flap tabs [10595-20]
- 10595 0M Feasibility studies for the installation of Plasma Synthetic Jet Actuators on the skin of a morphing wing flap [10595-21]

SESSION 5 FLUID-STRUCTURE INTERACTION

- 10595 00 Fluidic harvester under Train of Frozen Boxcars (TFB) loading: a parametric study [10595-23]
- 10595 OP **Piezoelectric flow harvesting for in-pipe metering systems** [10595-24]
- 10595 00 Feasibility study of interacting side-by-side piezoelectric harvesters in low-intensity gridgenerated turbulence [10595-25]
- 10595 OR On the coupling of nonlinear macro-fiber composite piezoelectric cantilever dynamics with hydrodynamic loads [10595-26]

SESSION 6 BISTABLE STRUCTURES AND ENERGY HARVESTERS

- 10595 0S Triggering the high-energy orbit oscillation of bistable energy harvesters using electrical coupling [10595-27]
- 10595 0T Synchronized switch technique based on dynamical state of bi-stable energy harvesters [10595-28]
- 10595 0U Self-tuning stochastic resonance energy harvester for smart tires [10595-29]
- 10595 0V Buckled bistable beam actuation with twisted strings [10595-30]
- 10595 0W Dynamics of a bistable coupled dual-beam energy harvester and its experimental validation [10595-31]
- 10595 0X **Response invariance in a lattice of bistable elements with elastic interactions** [10595-32]
- 10595 0Y A tunable nonlinear vibration energy harvester based on a magnetically-sprung resonator using ring magnets [10595-33]

SESSION 7A BIO-INSPIRED STRUCTURES AND SYSTEMS

- 10595 10 Energy release for the actuation and deployment of muscle-inspired asymmetrically multistable chains [10595-35]
- 10595 11 **Bio-inspired hybrid vibration control methodology for intelligent isolated bridge structures** [10595-36]
- 10595 12 Energy transfer between multiple vibrating bimorphs through flow interactions in an otherwise quiescent fluid domain [10595-37]

SESSION 7B METAMATERIALS AND METASTRUCTURES I

- 10595 14 Supratransmission in a metastable modular metastructure for tunable non-reciprocal wave transmission [10595-39]
- 10595 15 **Dispersion tailoring in varying-inductance piezoelectric metamaterials** [10595-136]
- 10595 16 Internally coupled piezoelectric metamaterial beam with multi-functionalities [10595-41]
- 10595 17 Locally resonant metamaterials with shape-memory alloy springs [10595-42]
- 10595 18 **Passive metamaterial-based acoustic holograms in ultrasound energy transfer systems** [10595-43]

SESSION 8A ENERGY HARVESTING III: PIEZOELECTRIC

- 10595 1A Nonlinear thermally buckled piezoelectric energy harvester [10595-45]
- 10595 1B Multiple piezo-patch energy harvesters on a thin plate with respective AC-DC conversion [10595-46]
- 10595 1C Varying cross-section and axial strain-gradient effects in flexoelectric cantilevers at submicron thickness levels [10595-47]

SESSION 8B ACOUSTIC/FLUID-STRUCTURE INTERACTION

- 10595 1D Investigation of bubble dynamics in nonlinear acoustic field [10595-48]
- 10595 1E Interaction of side-by-side fluidic harvesters in fractal grid-generated turbulence [10595-49]
- 10595 1F **Piezoelectric gas flow controller based on dual-bimorph actuators** [10595-50]
- 10595 1G Modeling electroelastic nonlinearities in ultrasound acoustic energy transfer systems [10595-51]

SESSION 9A MAGNETIC AND MAGNETO/ELECTRORHEOLOGICAL SYSTEMS

- Semi-active inerters using magnetorheological fluid: a feasibility study [10595-52]
 The effect of magnetic field on surface roughness of magnetorheological elastomers: a theoretical simulation [10595-54]
 Design and analysis of a magnetorheological damper for airplane landing gear [10595-55]
- 10595 1M Experimental evaluation of a miniature haptic actuator based on electrorheological fluids [10595-57]

SESSION 9B PIEZOELECTRIC MATERIALS AND SYSTEMS I

- 10595 1P On the consideration of operational deformation shapes in bi-stable energy harvesters [10595-60]
- 10595 10 Detection of compartmental forces and location of contact areas with piezoelectric transducers in total knee arthroplasty [10595-61]

Part Two

- 10595 1R Multiphysics modeling of mesh piezoelectric atomizers [10595-62] 10595 1S Experimental study of an adaptive CFRC reflector for high order wave-front error correction [10595-63] 10595 1T Flywheel piezoelectric actuator for active vibration control applications [10595-64] **SESSION 10A** ENERGY HARVESTING IV: DESIGN AND OPTIMIZATION 10595 1V Experimental verification of tire energy harvester designed via reliability based design optimization method [10595-66] 10595 1W Modeling and design of electromagnetic and piezoelectric chest strain energy harvesters including soft tissue effects [10595-67] 10595 1Z Design and characterization of an ocean wave powered lifejacket using 2DOF floating boards [10595-70]
 - 10595 20 Design, modeling and testing of a one-way energy harvesting backpack [10595-71]

SESSION 10B PASSIVE AND ACTIVE VIBRATION ISOLATION ATTENUATION II

- 10595 21 Experimental study on electromagnetic damper with cable vibration control and energy harvesting function [10595-72]
- 10595 22 Active mass damper system for high-rise buildings using neural oscillator and position controller: generation method for desired stroke of auxiliary mass using synchronous detection [10595-73]
- 10595 25 Research on seismic performance of a new type energy dissipating coupling beam damper [10595-76]

SESSION 11A SMART SENSING AND SIGNAL PROCESSING FOR DIAGNOSTICS

- 10595 27 New control strategies with inertial monolithic sensors: advantages and limitations in the control of benches and platforms for seismic isolation [10595-79]
- 10595 29 A rotational energy harvester for wireless health condition monitoring by utilizing intrinsic structure of bearing [10595-81]
- 10595 2A Exploiting self-sensing features of carbon nanotubes composite structures for active vibration control [10595-115]

SESSION 11B PIEZOELECTRIC MATERIALS AND SYSTEMS II

- 10595 2B Modeling of a multi-electrodes traveling-wave piezoelectric transformer [10595-82]
- 10595 2C Nonlinear modeling and preliminary stabilization results for a class of piezoelectric smart composite beams [10595-83]
- 10595 2D Optimization of a two-frequency-two-mode piezoelectric linear motor [10595-84]
- 10595 2E Internal resonance of T-shaped structure for energy harvesting with magnetic nonlinearity [10595-85]

SESSION 12A SHAPE MEMORY MATERIALS AND SYSTEMS

- 10595 2G Constitutive response of precipitation hardened Ni-Ti-Hf shape memory alloys through micromechanical modeling [10595-88]
- 10595 2H Ultrasound actuated shape-memory polymer based drug delivery containers [10595-89]
- 10595 21 Demonstration of a shape memory alloy torque tube-based morphing radiator [10595-90]
- 10595 2J A two-way architectural actuator using NiTi SE wire and SME spring [10595-134]

SESSION 12B METAMATERIALS AND METASTRUCTURES II

- 10595 2KAdaptive elastic metasurfaces for wave front manipulation [10595-91]
- 10595 2L Tailoring vibration mode of a uniform beam by acoustic metamaterial synthesis [10595-92]
- 10595 2N Observations on the behavior of discretely modulated spatiotemporal periodic structures [10595-94]
- 10595 20 **Tunable bandgaps in a deployable metamaterial** [10595-95]

SESSION 13A ENERGY HARVESTING V: GENERAL

- 10595 20 Simultaneous vibration control and energy harvesting using actor-critic based reinforcement learning [10595-96]
- 10595 2R **Exact dynamics of an angle-shaped resonator for energy scavenging applications** [10595-97]
- 10595 28 Active tuned mass damper to generate power from the propagating ocean waves [10595-98]
- 10595 2T Systematic study of dual resonant rectilinear-to-rotary motion converter for low frequency vibrational energy harvesting [10595-100]
- 10595 2U Modeling of a 3D acoustoelastic metamaterial energy harvester [10595-101]
- 10595 2V Parametric resonance of a magnetically coupled harvester [10595-102]
- 10595 2W Parametric studies of the passive hydroelastic responses and stability boundaries of flexible hydrodynamic lifting bodies [10595-131]

SESSION 13B MAGNETORHEOLOGICAL SYSTEMS

- 10595 22 Design of new prosthetic leg damper for above knee amputees using a magnetorheological damper activated permanent magnet only [10595-107]
- 10595 31 Torque enhancement possibilities for energy-efficient MRF-based coupling elements [10595-109]
- 10595 32 Design of MR cabin mount for heavy duty vehicles subjected to severe vibrations [10595-110]

POSTER SESSION

10595 33 A parameter tuning method of negative capacitor circuit for piezoelectric shunt damping [10595-5]

- 10595 34 Structural vibration-based damage classification of delaminated smart composite laminates [10595-78]
- 10595 37 Control of a 1/4 MR semi-active suspension system using a RC hysteresis model for MR damper [10595-103]
- 10595 38 Impact analysis of fiber-reinforced composites by means of carbon nanotubes [10595-111]
- 10595 39 Numerical study of the of ultrasonic vibration in deep drawing process of circular sections with rubber die [10595-112]
- 10595 3A Decentralized control of vibration with active smart dampers [10595-113]
- 10595 3B **Preliminary studies on SMA embedded wind turbine blades for passive control of vibration** [10595-114]
- 10595 3C **Design and testing of a novel audio transducer to train string musical instruments** [10595-116]
- 10595 3D Towards the development of a triple SMA actuated vertical tube [10595-117]
- 10595 3E **Design and development of active bimorph structure for deployable space application** [10595-118]
- 10595 3G Theoretical modeling of a 2D nano-energy harvester [10595-121]
- 10595 31 **Phosphor-free III-nitride nanowire white-light-emitting diodes for visible light communication** [10595-123]
- 10595 3L Experimental verification of a tuned inertial mass electromagnetic transducer [10595-127]
- 10595 3Q A modified control plan to improve performance of tuned vibration absorber [10595-135]
- 10595 3R Design analysis of a magnetorheological elastomer based bush mechanism [10595-137]