PROCEEDINGS OF SPIE

Behavior and Mechanics of Multifunctional Materials and Composites XII

Hani E. Naguib Editors

5–8 March 2018 Denver, Colorado, United States

Sponsored by SPIE

Co-sponsored by OZ Optics, Ltd. (United States) Polytec, Inc. (United States)

Cooperating Organizations Jet Propulsion Laboratory (United States) Colorado Photonics Industry Association (United States)

Published by SPIE

Volume 10596

Proceedings of SPIE 0277-786X, V. 10596

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), 'Title of Paper," in Behavior and Mechanics of Multifunctional Materials and Composites XII, edited by Hani E. Naguib, Proceedings of SPIE Vol. 10596 (SPIE, Bellingham, WA, 2018) Seven-digit Article CID Number.

ISSN: 0277-786X ISSN: 1996-756X (electronic)

ISBN: 9781510616882 ISBN: 9781510616899 (electronic)

Published by **SPIE** P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445 SPIE.org Copyright © 2018, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/18/\$18.00.

Printed in the United States of America Vm7 i ffUb 5 ggc WJUhY gž ₺Wži bXYf ``JW bgY Zfca 'GD-9.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: Proceedings of SPIE follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

- vii Authors
- ix Conference Committee

TUESDAY PLENARY SESSION

10596 03 Current and future needs and research for composite materials NDE (Plenary Paper) [10596-500]

SESSION 1 AUXETIC AND METAMATERIALS

- 10596 04 Fractional viscoelasticity of soft elastomers and auxetic foams [10596-1]
- 10596 06 Boundary modes in quasiperiodic elastic structures [10596-4]

SESSION 2 SHAPE MEMORY MATERIALS I

- 10596 08 Damage evolution during actuation fatigue in shape memory alloys (SPIE Best Student Paper Award) [10596-5]
- 10596 09 Shape memory alloy-actuated bistable composites for morphing structures [10596-7]
- 10596 0A Analytical model for a laminated shape memory alloy beam with piezoelectric layers [10596-9]

SESSION 3 ADDITIVE MANUFACTURING I

- 10596 0HInfluence of SLM on compressive response of NiTi scaffolds [10596-13]
- 10596 0J Electrical conductivity and piezoresistive response of 3D printed thermoplastic polyurethane/multiwalled carbon nanotube composites [10596-15]

SESSION 4 ORIGAMI MATERIALS

10596 0O Buckling behavior of origami unit cell facets under compressive loads [10596-19]

SESSION 5 DIELECTRICS AND PIEZOLECTRICS

10596 OR Phenomenological model for coupled multi-axial piezoelectricity [10596-23]

10596 0S Uncertainty quantification for PZT bimorph actuators [10596-24]

10596 0T Active subspace uncertainty quantification for a polydomain ferroelectric phase-field model [10596-25]

SESSION 6 ADDITIVE MANUFACTURING II

- 10596 0V Solvent sensitivity of smart 3D-printed nanocomposite liquid sensors [10596-26]
- 10596 0W Selective laser melting of Ni-rich NiTi: selection of process parameters and the superelastic response [10596-27]
- 10596 0X Ultrasonic alignment of microparticles in nozzle-like geometries [10596-28]
- 10596 0Z Electromechanical modeling and experimental verification of a directly printed nanocomposite [10596-30]
- 10596 10 Mechanical evaluation of the SLM fabricated, stiffness-matched, mandibular bone fixation plates [10596-31]
- 10596 11 Materials challenges for repeatable RF wireless device reconfiguration with microfluidic channels [10596-32]

SESSION 7 SHAPE MEMORY MATERIALS II

- 10596 12 Experimental and numerical investigation of the stable crack growth regime under pseudoelastic loading in shape memory alloys [10596-33]
- 10596 13 Modeling of NiTiHf using finite difference method [10596-34]
- 10596 16 Corrosion monitoring of NiTi alloy with small-amplitude potential intermodulation technique [10596-37]

SESSION 8 NANOCOMPOSITES APPLICATIONS

- 10596 18 Development and characterization of reduced graphene oxide films for transient electronics [10596-40]
- 10596 1A Anisotropic thermal conductivity of aligned GNPs/polymer composites: a finite element approach [10596-41]

SESSION 9 MAGNETOSTRICTIVE MATERIALS

10596 1C Analysis of the mechanical behavior of single wall carbon nanotubes by a modified molecular structural mechanics model incorporating an advanced chemical force field [10596-43]

10596 1D Uncertainty-enabled design of electromagnetic reflectors with integrated shape control [10596-44]

- 10596 1E Inverse magnetostrictive characteristics of Fe-Co composite materials using gas-nitriding process [10596-45]
- 10596 1G Performance prediction for a magnetostrictive actuator using a simplified model [10596-47]
- 10596 1H "Shape function + memory mechanism"-based hysteresis modeling of magnetorheological fluid actuators [10596-48]

SESSION 10 MECHANICS OF MULTIFUNCTIONAL MATERIALS

- 10596 11 Synchronous separation, seaming, sealing, and sterilization (S4) using brazing for sample containerization and planetary protection [10596-49]
- 10596 1J The effects of surface topography control using liquid crystal elastomers on bodies in flow [10596-50]
- 10596 1K Strength and failure analysis of composite-to-composite adhesive bonds with different surface treatments [10596-51]
- 10596 1L Isolation of aramid nanofibers for strong nanocomposites and multiscale fiber reinforcements [10596-52]
- 10596 1M Influence of material anisotropy on the hydroelastic response of composite plates in water [10596-53]
- 10596 1N Evaluation of thermally aged carbon fiber/epoxy composites using acoustic emission, electrical resistance, contact angle, and thermogram [10596-54]

SESSION 11 PHYSICALLY RESPONSIVE MATERIALS

- 10596 10 Various design approaches to achieve electric field-driven segmented folding actuation of electroactive polymer (EAP) sheets [10596-71]
- 10596 1P **Time-dependent chemo-electro-mechanical behavior of hydrogel-based structures** [10596-55]

SESSION 12 MULTIFUNCTIONAL MATERIALS APPLICATIONS

- 10596 1S Optimal power, power limit, and damping of piezoelectric vibration energy harvesters [10596-72]
- 10596 11 Interfacial characterization of flexible hybrid electronics [10596-73]

	POSTER SESSION
10596 1U	Evaluation of oil-leakage of multi-layered resin-hose clamped with metal nipple and sleeve [10596-59]
10596 1W	Effect of the carbonyl iron particles on acoustic absorption properties of magnetic polyurethane foam [10596-61]
10596 1X	The electrical resistivity and percolation threshold of MWCNTs/polymer composites filled with a few aligned carbonyl iron particles [10596-62]
10596 1Y	Numerical model for an epoxy beam reinforced with superelastic shape memory alloy wires [10596-63]
10596 1Z	Characteristics of energy harvesting using BaTiO ₃ /Cu laminates with changes in temperature [10596-64]
10596 22	Modeling the effects of strain profiles and defects on precessional magnetic switching in multiferroic heterostructures [10596-67]
10596 23	Safety concerns in composite manufacturing and machining [10596-68]
10596 24	Sustainability of fiber reinforced laminate and honeycomb composites in manufacturing industries [10596-69]