PROCEEDINGS OF SPIE

Optical Sensing and Detection V

Francis Berghmans Anna G. Mignani Editors

23–26 April 2018 Strasbourg, France

Sponsored by SPIE

Cosponsored by Strasbourg the Europtimist (France) CNRS (France) Investissements d'Avenvir (France) iCube (France) Université de Strasbourg (France)

Cooperating Organisations
Photonics 21 (Germany)
EOS—European Optical Society (Germany)
Photonics Public Private Partnership (Belgium)
Comité National d'Optique et de Photonique (France)

Published by SPIE

Volume 10680

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Optical Sensing and Detection V*, edited by Francis Berghmans, Anna G. Mignani, Proceedings of SPIE Vol. 10680 (SPIE, Bellingham, WA, 2018) Seven-digit Article CID Number.

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510618862

ISBN: 9781510618879 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445

Copyright © 2018, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/18/\$18.00.

Printed in the United States of America Vm7 i ffUb 5 qqc WJUHY qq & Wzi bXYf WybqY Zfca CD-9.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: Proceedings of SPIE follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

ix xiii	Authors Conference Committee
SESSION 1	DETECTOR AND IMAGER TECHNOLOGY AND PHYSICS I
10680 02	On-ground calibration of DESIS: DLR's Earth Sensing Imaging Spectrometer for the International Space Station (ISS) (Invited Paper) [10680-1]
10680 03	Classification of biological colonization on concrete surfaces using false colour HSV images, including near-infrared information $[10680-2]$
10680 04	Kernel-based crosstalk quantification and analysis of a CMOS image sensor [10680-3]
SESSION 2	DETECTOR AND IMAGER TECHNOLOGY AND PHYSICS II
10680 05	Temperature imaging in the MWIR range independent of emissivity (Invited Paper) [10680-4]
10680 07	Graphene-based lateral Schottky diodes for detecting terahertz radiation [10680-6]
SESSION 3	DETECTOR AND IMAGER TECHNOLOGY AND PHYSICS III
10680 09	Fast fluorescence lifetime determination with an ASIC detector unit [10680-8]
10680 OB	Design and development of portable fluorescence reader using silicon photomultiplier (SiPM) sensor [10680-12]
SESSION 4	OPTICAL SPECTROSCOPY AND DEVICES
10680 OC	In-situ pathlength calibration of integrating spheres used in measurement of absorbance (Invited Paper) [10680-13]
10680 0G	Filter design for dynamic frequency calibration of an external cavity diode tunable laser using frequency comb [10680-17]

SESSION 5	DETECTION FOR VISIBLE LIGHT COMMUNICATIONS
10680 OH	Fine-grained indoor localization: optical sensing and detection [10680-18]
10680 01	Design of a transmission system for indoors navigation based on VLC [10680-19]
10680 OJ	Vehicular Visible Light Communication: a road-to-vehicle proof of concept [10680-20]
SESSION 6	GRATING-BASED SENSORS
10680 OK	Coating influence on the refractometric sensitivity of plasmonic optical fiber grating spectral combs [10680-21]
10680 OL	Micro-structured fiber Bragg grating based pressure sensors in a downhole-like hydrogen rich environment $[10680-22]$
10680 OM	Integrated interrogator circuits for fiber optic sensor network in generic InP photonic integrated circuit technology [10680-23]
10680 ON	Fibre Bragg gratings in the visible: towards low-cost detection [10680-24]
10680 00	Analysis of FBG reflection spectra under anti-symmetrical strain distributions using the approximated transfer matrix model (Best Student Paper Award) [10680-25]
10680 OP	Flexible thin film bending sensor based on Bragg gratings in hybrid polymers [10680-26]
10680 OQ	Temperature corrected lab-on-a-chip platform with integrated epoxy polymer Bragg gratings [10680-27]
10680 OR	Temperature sensor through surface plasmon resonance [10680-28]
SESSION 7	OPTICAL SENSORS FOR MEDICAL APPLICATIONS I
10680 OS	Laser-based remote measurement of vital parameters of the heart (Invited Paper) [10680-29]
10680 OU	Performance evaluation of a TDLAS system for carbon dioxide isotopic ratio measurement in human breath [10680-31]
SESSION 8	OPTICAL SENSORS FOR MEDICAL APPLICATIONS II
10680 0X	Expanding luminescence thermometry detection range to the SWIR for biomedical applications [10680-34]

10680 OY	LYSO-based optical fibre luminescence sensor for real-time LDR brachytherapy dosimetry [10680-35]
10680 OZ	Novel optical fibre sensors and their applications in radiotherapy [10680-36]
10680 11	Cost effective LED-based multi-spot projection system for medical 3D volume measurement systems [10680-38]
SESSION 9	OPTICAL BIOSENSORS
10680 13	DNA analysis with UV-LEDs [10680-40]
10680 14	An imprinted polymer-based guided mode resonance grating sensor [10680-41]
10680 15	SNORW biosensor for measuring glucose level in blood samples [10680-42]
10680 16	Analysis of phase error and cross talk for a multimode interference based multichannel biosensor [10680-43]
SESSION 10	OPTICAL SENSORS FOR ENVIRONMENTAL APPLICATIONS
10680 17	Measurement of the main compounds present in the diesel particulate matter exhaust emissions generated from the real diesel combustion engine passenger vehicles (Invited Paper) [10680-44]
10680 18	Cost-effective optical fiber gas leakage detector around buried pipelines [10680-45]
10680 1A	Conducting polymer-based optical sensor for heavy metal detection in drinking water [10680-47]
SESSION 11	OPTICAL FIBRE-BASED SENSORS I
10680 1B	Sensitivity of high Rayleigh scattering fiber in acoustic/vibration sensing using phase-OTDR [10680-48]
10680 1C	Fabry-Perot cavity based on air bubble in multimode fiber for sensing applications [10680-49]
10680 1D	In-situ fibre-based surface profile measurement system using low coherence interferometer [10680-50]

POSTER SESSION 10680 1P Accurate estimation of mercury level concentration in water using smartphone [10680-60] 10680 1Q Sensing of liquid analytes via the phase shift induced by surface plasmon resonance [10680-62] 10680 1R Measurement of the dispersion of a liquid analyte using surface plasmon resonance: a theoretical approach [10680-63] 10680 1S Sensing capabilities of higher order cladding modes [10680-64]	SESSION 12	OPTICAL FIBRE-BASED SENSORS II
Refractive index and dispersion measurement using low-coherence interferometry with broadband confocal scanning [10680-55] The study of the cross-sensitivity to rotation of bottle resonators [10680-56] Increase of the free-spectral range by composing a structure from wavelength tunable wedged interferometers [10680-57] Numerical simulations and experimental study of terahertz photoconductive antennas base on GaAs and its ternary compounds [10680-59] POSTER SESSION Accurate estimation of mercury level concentration in water using smartphone [10680-60] Sensing of liquid analytes via the phase shift induced by surface plasmon resonance [10680-62] Measurement of the dispersion of a liquid analyte using surface plasmon resonance: a theoretical approach [10680-63] Sensing capabilities of higher order cladding modes [10680-64] An efficient and selective sensing of creatinine based on fiber optic SPR technique exploitin the advantages of molecular imprinting technique [10680-65] Dual-wavelength one-directional multimode fiber interferometer with impact localization ability [10680-67] Requirements for surface plasmon resonance excitation in air with slightly filled fiber Bragg gratings [10680-68]	10680 1G	
broadband confocal scanning [10680-55] 10680 1J The study of the cross-sensitivity to rotation of bottle resonators [10680-56] 10680 1K Increase of the free-spectral range by composing a structure from wavelength tunable wedged interferometers [10680-57] 10680 1M Numerical simulations and experimental study of terahertz photoconductive antennas base on GaAs and its ternary compounds [10680-59] POSTER SESSION 10680 1P Accurate estimation of mercury level concentration in water using smartphone [10680-60] 10680 1Q Sensing of liquid analytes via the phase shift induced by surface plasmon resonance [10680-62] 10680 1R Measurement of the dispersion of a liquid analyte using surface plasmon resonance: a theoretical approach [10680-63] 10680 1S Sensing capabilities of higher order cladding modes [10680-64] 10680 1T An efficient and selective sensing of creatinine based on fiber optic SPR technique exploitin the advantages of molecular imprinting technique [10680-65] 10680 1V Dual-wavelength one-directional multimode fiber interferometer with impact localization ability [10680-67] 10680 1W Requirements for surface plasmon resonance excitation in air with slightly tilted fiber Bragg gratings [10680-68] Polydimethylsiloxane Fabry-Perot interferometer and its sensing application [10680-69]	SESSION 13	INTERFEROMETRIC AND RESONANCE-BASED SENSORS
Increase of the free-spectral range by composing a structure from wavelength tunable wedged interferometers [10680-57] Numerical simulations and experimental study of terahertz photoconductive antennas base on GaAs and its ternary compounds [10680-59] POSTER SESSION Accurate estimation of mercury level concentration in water using smartphone [10680-60] Sensing of liquid analytes via the phase shift induced by surface plasmon resonance [10680-62] Measurement of the dispersion of a liquid analyte using surface plasmon resonance: a theoretical approach [10680-63] Sensing capabilities of higher order cladding modes [10680-64] An efficient and selective sensing of creatinine based on fiber optic SPR technique exploitin the advantages of molecular imprinting technique [10680-65] Dual-wavelength one-directional multimode fiber interferometer with impact localization ability [10680-67] Requirements for surface plasmon resonance excitation in air with slightly tilted fiber Bragg gratings [10680-68] Polydimethylsiloxane Fabry-Perot interferometer and its sensing application [10680-69]	10680 11	
wedged interferometers [10680-57] Numerical simulations and experimental study of terahertz photoconductive antennas base on GaAs and its ternary compounds [10680-59] POSTER SESSION Accurate estimation of mercury level concentration in water using smartphone [10680-60] Sensing of liquid analytes via the phase shift induced by surface plasmon resonance [10680-62] Measurement of the dispersion of a liquid analyte using surface plasmon resonance: a theoretical approach [10680-63] Sensing capabilities of higher order cladding modes [10680-64] An efficient and selective sensing of creatinine based on fiber optic SPR technique exploitin the advantages of molecular imprinting technique [10680-65] Dual-wavelength one-directional multimode fiber interferometer with impact localization ability [10680-67] Requirements for surface plasmon resonance excitation in air with slightly tilted fiber Bragg gratings [10680-68] Polydimethylsiloxane Fabry-Perot interferometer and its sensing application [10680-69]	10680 1J	The study of the cross-sensitivity to rotation of bottle resonators [10680-56]
poster session Accurate estimation of mercury level concentration in water using smartphone [10680-60] Sensing of liquid analytes via the phase shift induced by surface plasmon resonance [10680-62] Measurement of the dispersion of a liquid analyte using surface plasmon resonance: a theoretical approach [10680-63] Sensing capabilities of higher order cladding modes [10680-64] An efficient and selective sensing of creatinine based on fiber optic SPR technique exploitin the advantages of molecular imprinting technique [10680-65] Dual-wavelength one-directional multimode fiber interferometer with impact localization ability [10680-67] Requirements for surface plasmon resonance excitation in air with slightly tilted fiber Bragg gratings [10680-68] Polydimethylsiloxane Fabry-Perot interferometer and its sensing application [10680-69]	10680 1K	
Accurate estimation of mercury level concentration in water using smartphone [10680-60] Sensing of liquid analytes via the phase shift induced by surface plasmon resonance [10680-62] Measurement of the dispersion of a liquid analyte using surface plasmon resonance: a theoretical approach [10680-63] Sensing capabilities of higher order cladding modes [10680-64] An efficient and selective sensing of creatinine based on fiber optic SPR technique exploitin the advantages of molecular imprinting technique [10680-65] Dual-wavelength one-directional multimode fiber interferometer with impact localization ability [10680-67] Requirements for surface plasmon resonance excitation in air with slightly tilted fiber Bragg gratings [10680-68] Polydimethylsiloxane Fabry-Perot interferometer and its sensing application [10680-69]	10680 1M	Numerical simulations and experimental study of terahertz photoconductive antennas based on GaAs and its ternary compounds [10680-59]
Sensing of liquid analytes via the phase shift induced by surface plasmon resonance [10680-62] Measurement of the dispersion of a liquid analyte using surface plasmon resonance: a theoretical approach [10680-63] Sensing capabilities of higher order cladding modes [10680-64] An efficient and selective sensing of creatinine based on fiber optic SPR technique exploitin the advantages of molecular imprinting technique [10680-65] Dual-wavelength one-directional multimode fiber interferometer with impact localization ability [10680-67] Requirements for surface plasmon resonance excitation in air with slightly tilted fiber Bragg gratings [10680-68] Polydimethylsiloxane Fabry-Perot interferometer and its sensing application [10680-69]		POSTER SESSION
[10680-62] Measurement of the dispersion of a liquid analyte using surface plasmon resonance: a theoretical approach [10680-63] Sensing capabilities of higher order cladding modes [10680-64] An efficient and selective sensing of creatinine based on fiber optic SPR technique exploitin the advantages of molecular imprinting technique [10680-65] Dual-wavelength one-directional multimode fiber interferometer with impact localization ability [10680-67] Requirements for surface plasmon resonance excitation in air with slightly tilted fiber Bragg gratings [10680-68] Polydimethylsiloxane Fabry-Perot interferometer and its sensing application [10680-69]	10680 1P	Accurate estimation of mercury level concentration in water using smartphone [10680-60]
theoretical approach [10680-63] Sensing capabilities of higher order cladding modes [10680-64] An efficient and selective sensing of creatinine based on fiber optic SPR technique exploitin the advantages of molecular imprinting technique [10680-65] Dual-wavelength one-directional multimode fiber interferometer with impact localization ability [10680-67] Requirements for surface plasmon resonance excitation in air with slightly tilted fiber Bragg gratings [10680-68] Polydimethylsiloxane Fabry-Perot interferometer and its sensing application [10680-69]	10680 1Q	
An efficient and selective sensing of creatinine based on fiber optic SPR technique exploiting the advantages of molecular imprinting technique [10680-65] Dual-wavelength one-directional multimode fiber interferometer with impact localization ability [10680-67] Requirements for surface plasmon resonance excitation in air with slightly tilted fiber Bragg gratings [10680-68] Polydimethylsiloxane Fabry-Perot interferometer and its sensing application [10680-69]	10680 1R	
the advantages of molecular imprinting technique [10680-65] 10680 1V Dual-wavelength one-directional multimode fiber interferometer with impact localization ability [10680-67] Requirements for surface plasmon resonance excitation in air with slightly tilted fiber Bragg gratings [10680-68] Polydimethylsiloxane Fabry-Perot interferometer and its sensing application [10680-69]	10680 1S	Sensing capabilities of higher order cladding modes [10680-64]
ability [10680-67] Requirements for surface plasmon resonance excitation in air with slightly tilted fiber Bragg gratings [10680-68] Polydimethylsiloxane Fabry-Perot interferometer and its sensing application [10680-69]	10680 1T	An efficient and selective sensing of creatinine based on fiber optic SPR technique exploiting the advantages of molecular imprinting technique [10680-65]
gratings [10680-68] Polydimethylsiloxane Fabry-Perot interferometer and its sensing application [10680-69]	10680 1V	·
	10680 1W	
Opto-mechanical frequency analyzer using polymeric optical resonators [10680-70]	10680 1X	Polydimethylsiloxane Fabry-Perot interferometer and its sensing application [10680-69]
	10680 1Y	Opto-mechanical frequency analyzer using polymeric optical resonators [10680-70]
Fabrication techniques for micro-optical hollow resonator used in high-bandwidth sensing applications [10680-71]	10680 1Z	·

10680 21	Optical fiber tip with deep seated negative axicon as plasmonic sensor for monitoring protein binding [10680-73]
10680 24	Transformation of a harmonized random process by spectral devices that perform instantaneous spectrum analysis [10680-76]
10680 25	Instantaneous spectra in spectral and correlation processing of dynamic signal devices of radio and optical ranges and their linear and nonlinear transformations [10680-77]
10680 26	Analysis of the spectrum of optical pulses: time-dispersion and diffraction methods [10680-78]
10680 27	Investigation of wavenumber calibration for Raman spectroscopy using a polymer reference [10680-79]
10680 28	Doppler velocity measurement with self-mixing effect of direct modulated laser diode enabling velocity direction [10680-80]
10680 29	Design and development of a detection chain for an atmospheric lidar system [10680-81]
10680 2A	Testing of optical choppers using laser lines [10680-82]
10680 2B	Investigation of optical radiation losses and heating of passive copper-coated silica fibers [10680-83]
10680 2C	Autocollimating system for precise measuring of three angular coordinates [10680-84]
10680 2D	Dome diagnostics system of optical parameters and characteristics of LEDs [10680-85]
10680 2E	Analysis of the Gaussian beam properties in the problem of optical control of small amplitude mechanical oscillations [10680-86]
10680 2H	Double junction photodiodes for multiwavelength photoplethysmography [10680-89]
10680 21	Plasmonic magneto-optical structure for visualization of magnetic information holders [10680-90]
10680 2J	Angular orientation effects on electric field optical sensor [10680-91]
10680 2K	Optical position encoder based on structured head diffraction grating [10680-92]
10680 2N	The optical-electronic autoreflection sensor for measurement an angle of rotation [10680-95]
10680 20	Approaches to cross-talk noise reduction in modal holographic wavefront sensors [10680-96]
10680 2Q	Optical fuel pump pressure sensor [10680-98]
10680 2R	Biaxial optical fiber sensor based in two multiplexed Bragg gratings for simultaneous shear stress and vertical pressure monitoring [10680-99]

10680 25	Cost-effective laser source for phase-OTDR vibration sensing [10680-100]
10680 2T	Infrared (IR) photoresistors based on recrystallized amorphous germanium films on silicon using liquid phase epitaxy [10680-102]