PROCEEDINGS OF SPIE

Space Telescopes and Instrumentation 2018: Optical, Infrared, and Millimeter Wave

Makenzie Lystrup Howard A. MacEwen Giovanni G. Fazio Editors

10–15 June 2018 Austin, Texas, United States

Sponsored by

4D Technology (United States) • Andor Technology, Ltd. (United Kingdom) • Astronomical Consultants & Equipment, Inc. (United States) • Giant Magellan Telescope (Chile) • GPixel, Inc. (China) • Harris Corporation (United States) • Materion Corporation (United States) • Optimax Systems, Inc. (United States) • Princeton Infrared Technologies (United States) • Symétrie (France) Teledyne Technologies, Inc. (United States) • Thirty Meter Telescope (United States) • SPIE

Cooperating Organizations

European Space Organisation • National Radio Astronomy Observatory (United States) • Science & Technology Facilities Council (United Kingdom) • Canadian Astronomical Society (Canada) Canadian Space Association ASC (Canada) • Royal Astronomical Society (United Kingdom) Association of Universities for Research in Astronomy (United States) • American Astronomical Society (United States) • Australian Astronomical Observatory (Australia) • European Astronomical Society (Switzerland)

Published by SPIE

Volume 10698

Part One of Three Parts

Proceedings of SPIE 0277-786X, V. 10698

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in Space Telescopes and Instrumentation 2018: Optical, Infrared, and Millimeter Wave, edited by Makenzie Lystrup, Howard A. MacEwen, Giovanni G. Fazio, Proceedings of SPIE Vol. 10698 (SPIE, Bellingham, WA, 2018) Seven-digit Article CID Number.

ISSN: 0277-786X ISSN: 1996-756X (electronic)

ISBN: 9781510619494 ISBN: 9781510619500 (electronic)

Published by **SPIE** P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time)· Fax +1 360 647 1445 SPIE.org Copyright © 2018, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/18/\$18.00.

Printed in the United States of America Vm7 i ffUb 5ggc WUHY gž & Wži bXYf "]WY bgY Zfca GD-9.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: Proceedings of SPIE follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

xiii Authors

xxv Conference Committee

Part One

	I TSWL
10698 03	Performance of the center of curvature optical assembly during cryogenic testing of the James Webb Space Telescope [10698-2]
10698 04	James Webb Space Telescope optical performance predictions post cryogenic vacuum tests [10698-3]
	JWST II
10698 06	Optomechanical modeling of the optical telescope element and integrated science instrument module (OTIS) cryo-vacuum test for the James Webb Space Telescope (JWST) [10698-5]
10698 07	JWST's near infrared spectrograph status and first OTIS test results [10698-6]
10698 08	JWST mirror and actuator performance at cryo-vacuum [10698-7]
	MISSIONS
10698 OC	SPICA mid-infrared instrument (SMI): conceptual design and feasibility studies [10698-11]
10698 OE	Stray light analysis and testing of the SoloHI (solar orbiter heliospheric imager) and WISPR (wide field imager for solar probe) heliospheric imagers [10698-13]
10698 OF	A submm-wave comet explorer for water isotopic composition measurements [10698-14]

	PROBE STUDY OVERVIEWS
10698 OH	The ARIEL space mission [10698-16]
10698 OJ	The NASA probe-class mission concept: CETUS [10698-18]
10698 OK	CHEOPS: the ESA mission for exo-planets characterization [10698-19]
10698 OL	The Galaxy Evolution Probe: a concept for a mid and far-infrared space observatory [10698-2
	DECADAL STUDY OVERVIEWS: JOINT SESSION WITH CONFERENCES 10698 AND 10699
10698 00	The large UV/optical/infrared surveyor (LUVOIR): decadal mission study update [10698-23]
	ΗΑΒΕΧΙ
10698 OS	Technology maturity for the habitable-zone exoplanet imaging observatory (HabEx) concept [10698-27]
10698 OT	HabEx space telescope exoplanet instruments [10698-28]
	HABEX II
10698 OU	HabEx: A high-precision pointing architecture using microthrusters and a fine steering mirror
10698 OW	
10698 OW 10698 OX	[10698-29] Overview and performance prediction of the baseline 4-meter telescope concept design for
	[10698-29] Overview and performance prediction of the baseline 4-meter telescope concept design for the habitable-zone exoplanet observatory [10698-31]
	 [10698-29] Overview and performance prediction of the baseline 4-meter telescope concept design for the habitable-zone exoplanet observatory [10698-31] HabEx Lite: a starshade-only habitable exoplanet imager alternative [10698-32]
10698 OX	 [10698-29] Overview and performance prediction of the baseline 4-meter telescope concept design for the habitable-zone exoplanet observatory [10698-31] HabEx Lite: a starshade-only habitable exoplanet imager alternative [10698-32] LUVOIR I

	OSTI
10698 15	The Origins Space Telescope: mission concept overview [10698-40]
	OST II
10698 17	The mid-infrared imager, spectrometer, coronagraph (MISC) for the Origins Space telescope (OST) [10698-42]
10698 1A	Origins Space Telescope: the far infrared imager and polarimeter FIP [10698-45]
10698 1B	Heterodyn receiver for the Origins Space Telescope concept 2 [10698-46]
10698 1C	Architecture for space-based exoplanet spectroscopy in the mid-infrared [10698-47]
	TECHNOLOGY I
10698 1D	Terrestrial exoplanet coronagraph image quality polarization aberrations in Habex [•] , [#] [10698-48]
	TECHNOLOGY II
10698 1K	Membrane mirror evaluation of APERTURE: a precise extremely large reflective telescope using re-configurable elements [10698-55]
10698 1L	Wide field of view wavefront sensor for active optics correction chain for future space telescopes [10698-56]
10698 1M	Sparse wavefront control: A new approach to high-contrast imaging [10698-57]
	TECHNOLOGY III
10698 1N	Material selection for far Infrared telescope mirrors [10698-58]
10698 1P	Exoplanet telescope diffracted light minimized: the pinwheel-pupil solution [10698-61]
10698 1Q	Diffraction analysis of large segmented mirror concepts for exoplanet exploration [10698-60]

10698 1R Neural network control of the high-contrast imaging system [10698-62]

10698 1S Impact of ionizing radiations on ZERODUR [10698-253]

SMALL SATS I

- 10698 1TCubeSats for infrared astronomy [10698-63]
- 10698 1U SPHEREx: an all-sky NIR spectral survey [10698-64]
- 10698 1V The HOSTS survey for exo-zodiacal dust: preliminary results and future prospects [10698-65]
- 10698 1X Design of the Didymos Reconnaissance and Asteroid Camera for OpNav (DRACO) on the double asteroid redirection test (DART) [10698-67]

SMALL SATS II

10698 17 Two-stage attitude control for direct imaging of exoplanets with a CubeSat telescope [10698-69]
10698 20 PSF photometry for BRITE nano-satellite mission [10698-70]
10698 21 Short life and abrupt death of PicSat, a small 3U CubeSat dreaming of exoplanet detection [10698-71]
10698 22 Development of near-infrared imaging spectrometer (NISS) onboard NEXTSat-1 [10698-72]

IN: SPACE ASSEMBLY

- 10698 23
 Breaking the cost curve: applying lessons learned from the James Webb space telescope development [10698-73]
- 10698 26In-space assembly application and technology for NASA's future science observatory and
platform missions [10698-76]

Part Two

	EUCLID
10698 28	VIS: the visible imager for <i>Euclid</i> [10698-78]
10698 2B	The EUCLID NISP grisms flight models performance [10698-81]
	WFIRST I
10698 2F	Multi-star wavefront control for the wide-field infrared survey telescope [10698-85]
10698 2G	Wide-field infrared survey telescope (WFIRST): composite structure verification for operational temperatures [10698-86]
	WFIRST II
10698 2K	WFIRST coronagraph flight performance modeling [10698-90]
	WFIRST III
10698 2M	WFIRST III High accuracy coronagraph flight WFC model for WFIRST-CGI raw contrast sensitivity analysis [10698-92]
10698 2M 10698 2O	High accuracy coronagraph flight WFC model for WFIRST-CGI raw contrast sensitivity analysis
	High accuracy coronagraph flight WFC model for WFIRST-CGI raw contrast sensitivity analysis [10698-92] WFIRST low order wavefront sensing and control dynamic testbed performance under the flight
10698 20	High accuracy coronagraph flight WFC model for WFIRST-CGI raw contrast sensitivity analysis [10698-92] WFIRST low order wavefront sensing and control dynamic testbed performance under the flight like photon flux [10698-94]
10698 20	High accuracy coronagraph flight WFC model for WFIRST-CGI raw contrast sensitivity analysis [10698-92] WFIRST low order wavefront sensing and control dynamic testbed performance under the flight like photon flux [10698-94] Superpolished OAPs for WFIRST CGI [10698-96]
10698 2O 10698 2Q	High accuracy coronagraph flight WFC model for WFIRST-CGI raw contrast sensitivity analysis [10698-92] WFIRST low order wavefront sensing and control dynamic testbed performance under the flight like photon flux [10698-94] Superpolished OAPs for WFIRST CGI [10698-96] POSTERS: CORONAGRAPH
10698 2O 10698 2Q 10698 2T	High accuracy coronagraph flight WFC model for WFIRST-CGI raw contrast sensitivity analysis [10698-92] WFIRST low order wavefront sensing and control dynamic testbed performance under the flight like photon flux [10698-94] Superpolished OAPs for WFIRST CGI [10698-96] POSTERS: CORONAGRAPH Straylight analysis for the externally occulted Lyot solar coronagraph ASPIICS [10698-99] Accelerated modeling of near and far-field diffraction for coronagraphic optical systems

	POSTERS: CUBESATS
10698 32	SmallSat interferometry for THz astrophysics [10698-105]
	POSTERS: EUCLID
10698 34	The application software of the instrument control unit of Euclid-NISP: ready for qualification tests [10698-107]
10698 35	EUCLID: design, analysis, fabrication, and test of a 1.3 m collimator for the on-ground characterization of the EUCLID payload module [10698-108]
10698 37	The Euclid STM VIS focal plane assembly metrology: description of the method to measure the CCDs position and the flatness of the full camera [10698-110]
10698 3A	Snowballs in Euclid and WFIRST detectors [10698-113]
	POSTERS: EXOPLANETS
10698 3B	A comparison between the opto-thermo-mechanical model and lab measurements for CHEOPS [10698-115]
	POSTERS: HABEX
10698 3E	HabEx space telescope optical system overview: general astrophysics instruments [10698-117]
10698 3H	HabEx polarization ray trace and aberration analysis [10698-120]
10698 31	Mirror design study for a segmented HabEx system [10698-121]
	POSTERS: JWST
10698 3L	Spectrum extraction from detector plane images for the medium-resolution spectrometer of the mid-Infrared Instrument on-board the James Webb Space Telescope. [10698-124]
10698 3M	JWST optical telescope element center of curvature test [10698-125]
10698 30	Fringing solution for the mid-infrared instrument on-board the James Webb Space Telescope [10698-127]
10698 3P	Wavefront sensing and controls demo during the cryo-vac testing of JWST [10698-128]

10698 3Q	Operability assessment concept for the JWST/NIRSpec micro-shutter array (MSA) [10698-129]
10698 3R	JWST cryo fine guidance closed loop test results [10698-130]
10698 3S	Characterization and calibration of the James Webb space telescope mirror actuators fine stage motion [10698-131]
10698 3U	Time series observations with the mid-infrared instrument (MIRI) on JWST [10698-133]

POSTERS: LUVOIR

- 10698 3YTelescope line-of-sight slew control and agility with non-contact vibration isolation for the large
ultraviolet/optical/infrared (LUVOIR) surveyor concept [10698-137]
- 10698 40 LUVOIR primary mirror segment alignment control with joint laser metrology and segment edge sensing [10698-139]
- 10698 41 Picometer differential wavefront metrology by nonlinear Zernike wavefront sensing for LUVOIR [10698-140]
- 10698 42 Preliminary jitter stability results for the large UV/optical/infrared (LUVOIR) surveyor concept using a non-contact vibration isolation and precision pointing system [10698-141]

POSTERS: ORIGINS

10698 45 Stray light overview for the Origins Space telescope [10698-201]

POSTERS: MISSIONS

- 10698 47 Current design of the electrical architecture for the payload module of LiteBIRD [10698-144]
- 10698 48 Development of optical system for the NISS onboard NEXTSat-1 [10698-145]
- 10698 49 Development of data storage system and GSE for cosmic infrared background experiment 2 (CIBER-2) [10698-146]
- 10698 4A The telescope optical unit prototype AIV in the framework of the PLATO ESA mission [10698-147]
- 10698 4C A Mercury surface radiometric model for SIMBIO-SYS instrument suite on board of BepiColombo mission [10698-149]

10698 4D Europa imaging system wide angle camera: the effect of gamma radiation on the refractive index and transmission of radiation resistant glasses [10698-150]

10698 4F PICO: the probe of inflation and cosmic origins [10698-152]

Part Three

10698 4G	The design of the instrument control unit and its role within the data processing system of the ESA PLATO Mission [10698-153]
10698 4H	Thermal architecture of the ESA ARIEL payload [10698-154]
10698 4J	Integration and instrument characterization of the cosmic infrared background experiment 2 (CIBER-2) [10698-156]
10698 4K	The optical design and physical optics analysis of a cross-Dragonian telescope for LiteBIRD [10698-157]
10698 4M	Optimal starshade observation scheduling [10698-159]
10698 4N	The High Resolution Telescope (HRT) of the Polarimetric and Helioseismic Imager (PHI) onboard Solar Orbiter [10698-160]
10698 4P	Design of the instrument and telescope control units integrated subsystem of the ESA-ARIEL payload [10698-162]
10698 4Q	Performance overview of the near infrared detectors in Korean space missions NISS and LIRS [10698-163]
10698 4R	Development of optomechanical structure for the NISS onboard NEXTSat-1 [10698-164]
10698 4S	Fast linearized coronagraph optimizer (FALCO) II: optical model validation and time savings over other methods [10698-165]
10698 4V	Modeling the JANUS stray-light behavior [10698-168]
10698 4X	PLATO: the ESA mission for exo-planets discovery [10698-170]
10698 4Y	Characterisation of the analogue read-out chain for the CCDs onboard the mesospheric airglow/aerosol tomography and spectroscopy (MATS) [10698-171]
10698 50	The pre-launch distortion definition of SIMBIO-SYS/STC stereo camera by rational function models [10698-173]

- 10698 52 The far-infrared space interferometer study IRASSI: motivation, principle design, and technical aspects [10698-175]
- 10698 54 From a demonstration model to the flight model: AIV procedures and results for CHEOPS telescope [10698-177]

POSTERS: OBSERVING TOOLS

- Correcting distortions in the infrared array camera during the cryogenic mission of the Spitzer 10698 5D Space Telescope [10698-186] 10698 5F The role of narrow-angle forward surface scatter and particulate scatter in exoplanet exploration [10698-188] 10698 51 Scheduling and target selection optimization for exoplanet imaging spacecraft [10698-191] 10698 5J Direct measurement of the intra-pixel response function of the Kepler Space Telescope's CCDs [10698-193] 10698 5K Image processing methods for exoplanets detection and characterization in starshade observations [10698-194] The contrast performance of the NIRSpec micro shutters and its impact on NIRSpec integral 10698 5N field observations [10698-197] 10698 5O Compressive sampling for multispectral imaging in the vis-NIR-TIR: optical design of space telescopes [10698-198] POSTERS: SMALLSATS 10698 5R CUBESPEC: low-cost space-based astronomical spectroscopy [10698-205] 10698 5T VAMOS: a SmallSat mission concept for remote sensing of Venusian seismic activity from orbit
- 10698 50 **Testing and calibrating an advanced cubesat attitude determination and control system** [10698-208]

POSTERS: TECHNOLOGY

[10698-207]

- 10698 5W Smart starting guesses from machine learning for phase retrieval [10698-210]
- 10698 5X Characterization of microdot apodizers for imaging exoplanets with next-generation space telescopes [10698-211]

- 10698 5Y Using the Spitzer IRAC science archive for instrument trending [10698-213]
- 10698 5Z Hexapod actuated focal plane for high-resolution suborbital and ground-based exploration [10698-214]
- 10698 61 Development of an alignment platform for ESO's mid-infrared E-ELT imager and spectrograph (METIS) [10698-216]
- 10698 63 A new pulse shape description for a particle pulses in a highly-sensitive sub-Kelvin bolometer [10698-218]
- 10698 64 Thermal design utilizing radiative cooling for the payload module of LiteBIRD [10698-219]
- 10698 65 Modeling non-scalar diffraction in the Princeton starshade testbed [10698-220]
- 10698 69 Edge sensor concept for segment stabilization [10698-225]
- 10698 6C An active optics system for large UVOIR space telescopes [10698-228]
- 10698 6D Raman laser spectrometer optical head: flight model performance verification [10698-229]
- 10698 6E TRL-5 EMCCD controller for space applications [10698-230]
- 10698 6G Current limitation of the THD2 bench: the scatter issue [10698-232]
- 10698 6H Sensitivity analysis for high-contrast imaging with segmented space telescopes [10698-233]
- 10698 6l Phase-retrieval-based wavefront metrology for high contrast coronagraphy [10698-235]
- 10698 6J NASA's physics of the cosmos and cosmic origins programs manage strategic astrophysics technology development in preparation for the next decadal survey [10698-236]
- 10698 6K Using energy consistency to improve phase retrievals with discrete Fourier transform cropping [10698-237]
- 10698 6M The segmented aperture interferometric nulling testbed (SAINT) III: control systems analysis and preliminary results [10698-239]

POSTERS: WFIRST

10698 6W WFIRST coronagraph: digging dark-holes with partially corrected pupil phase [10698-248]