# PROCEEDINGS OF SPIE

# Advances in Optical and Mechanical Technologies for Telescopes and Instrumentation III

Ramón Navarro Roland Geyl Editors

10–15 June 2018 Austin, Texas, United States

Sponsored by SPIE

#### Cosponsored by

4D Technology (United States) • Andor Technology, Ltd. (United Kingdom) • Astronomical Consultants & Equipment, Inc. (United States) • Giant Magellan Telescope (Chile) • GPixel, Inc. (China) • Harris Corporation (United States) • Materion Corporation (United States) Optimax Systems, Inc. (United States) • Princeton Infrared Technologies (United States) Symétrie (France) • Teledyne Technologies, Inc. (United States) • Thirty Meter Telescope (United States)

#### Cooperating Organizations

European Space Organisation • National Radio Astronomy Observatory (United States) Science & Technology Facilities Council (United Kingdom) • Canadian Astronomical Society (Canada) • Canadian Space Association ASC (Canada) • Royal Astronomical Society (United Kingdom) • Association of Universities for Research in Astronomy (United States) American Astronomical Society (United States) • Australian Astronomical Observatory (Australia) • European Astronomical Society (Switzerland)

Published by SPIE

**Volume 10706** 

Part One of Three Parts

Proceedings of SPIE 0277-786X, V. 10706

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in Advances in Optical and Mechanical Technologies for Telescopes and Instrumentation III, edited by Ramón Navarro, Roland Geyl, Proceedings of SPIE Vol. 10706 (SPIE, Bellingham, WA, 2018) Seven-digit Article CID Number.

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510619654

ISBN: 9781510619661 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time)· Fax +1 360 647 1445

SPIE.org

Copyright © 2018, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/18/\$18.00

Printed in the United States of America Vm7i ffUb  $^{1}5$  ggc  $WJUhY g ilde{z}$   $^{1}$  bXYf  $^{1}$  JWY bgY  $^{2}$  Ica  $^{1}$  GD-9.

Publication of record for individual papers is online in the SPIE Digital Library.



**Paper Numbering:** Proceedings of SPIE follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

# Contents

xv Authors xxv Conference Committee

## Part One

	ATMOSPHERIC COMPENSATION
10706 03	Advanced technologies and instrumentation and the National Science Foundation [10706-1]
10706 04	Innovative aspects to shrink the volume of the future laser guide star facility for the Gran Telescopio Canarias adaptive optics system [10706-2]
10706 06	The WEAVE prime focus correction: from design to integration [10706-4]
	MIRROR TECHNOLOGY
10706 07	Design of the fast steering secondary mirror assembly for the Giant Magellan Telescope [10706-5]
10706 08	Advanced mirror construction: ULE replication [10706-6]
10706 0A	A summary and analysis of NASA's strategic astrophysics technology PCOS/COR investments since program inception [10706-8]
10706 0C	Application of the topography optimization technique to the design of a lightweight primary mirror for the GCT, a dual-mirror telescope proposed for the Cherenkov Telescope Array [10706-10]
	OPTICAL FABRICATION I
10706 0D	Process optimization for efficient convergence in large optics fabrication [10706-11]
10706 0E	A new mirror manufacturing technology for free space optical communication [10706-12]
10706 OF	A novel hyper-crossing tool path generation algorithm for sub-aperture polishing [10706-13]

10706 0G	From today's optical programs to tomorrow's dreams through optics manufacturing [10706-14]
10706 OH	A novel approach for the realization of thin glass substrates for optical mirrors [10706-16]
10706 OI	Topological design of lightweight additively manufactured mirrors for space [10706-15]
	OPTICAL FABRICATION II
10706 OJ	The polishing of WEAVE spectrograph collimator mirror [10706-18]
10706 OL	NAIR: novel astronomical instrumentation through photonic reformatting [10706-20]
10706 OM	Primary and secondary mirror manufacturing for COLIBRI ground follow-up telescope of the SVOM mission [10706-21]
	MATERIALS
10706 00	Development of ultra-lightweight and thermally stable cordierite ceramic mirrors [10706-23]
10706 0Q	Advances in ZERODUR manufacturing for space and ground based telescopes [10706-25]
10706 OR	Negative thermal expansion ALLVAR alloys for telescopes [10706-26]
10706 OS	<b>3D-printed optical instrumentation: practical starter designs and initial experiences</b> [10706-27]
	LARGE OPTICS MANUFACTURING
	LARGE OF IICS MANUFACTURING
10706 OT	Enabling technologies for future large optical missions: current perspectives for astronomy and Earth observation at ESA [10706-28]
10706 0V	Manufacture of primary mirror segments for the Giant Magellan Telescope [10706-30]
10706 OW	ELT optics polishing: year 1 report [10706-31]
10706 0X	Fabrication of the DESI corrector lenses [10706-32]
	TELESCOPE STRUCTURES AND DOMES
<u>,                                      </u>	TELESCOTE STRUCTURES AIRD DOMES
10706 OZ	ELT dome and telescope: a unique prototype in a highly seismic context [10706-33]

10706 11	Fabrication completion and commissioning of a deployable tertiary mirror for the Keck I Telescope [10706-34]
	ACTIVE INSTRUMENTS (ACTIVE STRUCTURES, ACTIVE OPTICS)
10706 15	Active mirrors for future space telescopes [10706-38]
10706 16	Development challenges of a focus mechanism for EXOMARS mission submitted to the harsh Martian environment [10706-39]
10706 17	Characterization of an f/2 freeform active mirror [10706-40]
10706 18	The ELT M2 and M3 cells: key design aspects [10706-41]
10706 19	Advances of TNO's electromagnetic deformable mirror development [10706-42]
	TECHNOLOGIES FOR CRYOGENIC INSTRUMENTS
10706 1A	The MATISSE photometric slider: achieving sub-micrometer reproducibility under cryogenic conditions [10706-43]
10706 1B	Qualification and performances of a highly repeatable cryogenic actuator [10706-44]
10706 1C	A novel design for a cryogenic angle-scanned Fabry-Pérot interferometer [10706-46]
10706 1D	Cryogenic cooling systems for the ELT instruments [10706-47]
	TEST AND METROLOGY I
10706 1E	Measurement of large on-axis and off-axis mirrors using software configurable optical test system (SCOTS) [10706-48]
10706 1F	Meter-class mirror figure metrology using a 24-channel fiber interferometer [10706-49]
10706 1H	PHAST: plano holographic aspheric stitching technique [10706-52]
	TEST AND METROLOGY II
10706 1K	Efficient high-precision CCD-field lens alignment and integration process of mass-produced fast astronomical spectrograph cameras with VIRUS as an example [10706-55]

10706 1L	DESI commissioning instrument metrology [10706-56]
10706 1M	VUV test of a new polarimeter for spectropolarimetric measurements on board space missions [10706-57]
	TEST AND METROLOGY III
10706 1N	Can the European ELT detect super-Earths? Measuring the contrast limit of an image-slicer spectrograph in a laboratory experiment: an update on progress [10706-58]
10706 10	Data analysis methods for laser frequency comb line position measurements with a Fourier transform spectrograph [10706-59]
10706 1P	3D metrology with a laser tracker inside a vacuum chamber for NISP test campaign [10706-60]
10706 1Q	Optical assessment of the James Webb Space telescope primary and secondary mirror cryogenic alignment with a Hartmann test [10706-247]
	COATINGS, FILTERS AND GRATINGS I
10706 1R	High uniformity IBS coatings for the world's largest Fabry-Perot etalon of the VTF instrument [10706-61]
10706 1S	Broadband anti-reflection coating for the meter class Dark Energy Spectroscopic Instrument lenses [10706-62]
10706 1U	In-situ measurement of the Subaru Telescope primary mirror reflectivity [10706-64]
	COATINGS, FILTERS AND GRATINGS II
10706 1Y	ELT-HIRES the high resolution spectrograph for the ELT: phase-A design of its polarimetric unit [10706-67]
10706 20	Dense black absorbing coatings for parasitic light reduction [10706-69]
	COATINGS, FILTERS AND GRATINGS III
10706 24	Manufacturing silicon immersion gratings on 150-mm material [10706-73]
10706 26	New opportunities of freeform gratings using diamond machining [10706-75]

## **OPTICAL FIBERS AND POSITIONERS** 10706 28 Merging light beams from the 4 VLT telescopes [10706-78] 10706 29 Micro-lens arrays as tip-tilt sensor for single mode fiber coupling [10706-77] 10706 2B Hoverboards: focal plane positioner for large-sized payloads [10706-81] **Part Two MULTI OBJECT SPECTROSCOPY** 10706 2C MEGARA MOS: Where are my positioners and fibers pointing to? [10706-82] 10706 2D A new photolithography based technique to mass produce microlens+fibre based integral field units (IFUs) for 2D spectroscopy [10706-84] 10706 2E Digital micromirror control electronics for visible and near-infrared spectroscopy [10706-85] 10706 2F Development of digital micromirror devices (DMDs) for far-UV applications [10706-211] SLIT SPECTROSCOPY AND IMAGE SLICERS 10706 2G The reformatting advantage: photonics vs. conventional optics! [10706-86] 10706 2H Optimizing astrophotonic spatial reformatters using simulated on-sky performance [10706-87] 10706 21 Design and proto-typing of integral field units for the ELT-PCS test bench spectrograph [10706-88] CORONOGRAPHY AND HIGH CONTRAST IMAGING Review of high-contrast imaging systems for current and future ground-based and space-10706 2L based telescopes III: technology opportunities and pathways [10706-91] 10706 2M Experimental test of a micro-mirror array as an adaptive apodizer for high-contrast imaging [10706-92] 10706 2N SLM-based digital adaptive coronagraphy: current status and capabilities [10706-93] 10706 20 Optimization and performance of multi-deformable mirror correction on the THD2 bench [10706-94]

10706 2P	The evanescent wave coronagraph project: setup results and demonstrator preliminary design [10706-95]
	POSTER SESSION: ACTIVE INSTRUMENTS (ACTIVE STRUCTURES, ACTIVE OPTICS)
10706 2R	Design and analysis of active vibration damper for telescope by linear motor [10706-99]
10706 2S	Comparison of pose error compensation for focal plane pose test platform using GRNN and CART [10706-102]
10706 2T	Compliant mechanisms and space grade product redesign based on additive manufacturing [10706-101]
10706 2U	Parametric analysis of optomechanical mountings based on hexapodal kinematics [10706-100]
10706 2W	Highly integrated versatile motion control units [10706-105]
10706 2Y	Centralized or distributed control configuration [10706-103]
	POSTER SESSION: LARGE OPTICS MANUFACTURING
10706 30	POSTER SESSION: LARGE OPTICS MANUFACTURING  Fabricating and testing of the trim plate for the Zwicky Transient Facility [10706-109]
10706 30 10706 31	
	Fabricating and testing of the trim plate for the Zwicky Transient Facility [10706-109]
10706 31	Fabricating and testing of the trim plate for the Zwicky Transient Facility [10706-109]  Production of M1, M2 and M3 for DAG project (Belgium, Russia): current status [10706-108]  A prototype for the primary mirror of the ESA ARIEL mission: design and development of an offaxis 1-m diameter aluminum mirror for infrared space applications [10706-110]
10706 31	Fabricating and testing of the trim plate for the Zwicky Transient Facility [10706-109]  Production of M1, M2 and M3 for DAG project (Belgium, Russia): current status [10706-108]  A prototype for the primary mirror of the ESA ARIEL mission: design and development of an off-
10706 31	Fabricating and testing of the trim plate for the Zwicky Transient Facility [10706-109]  Production of M1, M2 and M3 for DAG project (Belgium, Russia): current status [10706-108]  A prototype for the primary mirror of the ESA ARIEL mission: design and development of an offaxis 1-m diameter aluminum mirror for infrared space applications [10706-110]
10706 31 10706 32	Fabricating and testing of the trim plate for the Zwicky Transient Facility [10706-109]  Production of M1, M2 and M3 for DAG project (Belgium, Russia): current status [10706-108]  A prototype for the primary mirror of the ESA ARIEL mission: design and development of an offaxis 1-m diameter aluminum mirror for infrared space applications [10706-110]  POSTER SESSION: MATERIALS  Radioactive emission from high-index optical glasses and atypical effects on CCDs
10706 31 10706 32 10706 33	Fabricating and testing of the trim plate for the Zwicky Transient Facility [10706-109]  Production of M1, M2 and M3 for DAG project (Belgium, Russia): current status [10706-108]  A prototype for the primary mirror of the ESA ARIEL mission: design and development of an offaxis 1-m diameter aluminum mirror for infrared space applications [10706-110]  POSTER SESSION: MATERIALS  Radioactive emission from high-index optical glasses and atypical effects on CCDs [10706-114]

	POSTER SESSION: MIRROR TECHNOLOGY
10706 38	Delivery of 20-micron surface segments for the 50-meter LMT primary reflector [10706-117]
	POSTER SESSION: OPTICAL FABRICATION
10706 39	Spectral multiplexed VPHG based on photopolymers: the first application on a spectrograph [10706-125]
10706 3A	High resolution and wideband integrated optics infrared stationary-wave spectrometer fabricated by ultrafast laser inscription [10706-122]
10706 3B	The first polarimeter in astronomy to use a stress-engineered optic (SEO) [10706-123]
10706 3C	High-performance integrated photonic spectrometers based on arrayed waveguide gratings in silica [10706-126]
10706 3D	Designing and testing a highly stable ceramic sensor platform for challenging thermoelastic requirements [10706-119]
10706 3F	Design of an integral field unit for SWIMS and its milling process fabrication with an ultra-high precision machine tool [10706-129]
10706 3G	Manufacturing of aluminum mirrors for cryogenic applications [10706-124]
10706 3H	Modeling of a stepped Luneberg lens for all-sky surveys [10706-118]
10706 3I	Final correction by Ion Beam Figuring of thin shells for X-ray telescopes [10706-120]
10706 3J	WEAVE spectrograph cameras: the polishing of the spherical lenses [10706-127]
10706 3K	Probing 3M Trizact abrasive pads in the polishing and super-polishing phase of fused silica [10706-128]
10706 3L	Commercial availability of astronomical machined gratings by Canon [10706-121]
	POSTER SESSION: TECHNOLOGIES FOR CRYOGENIC INSTRUMENTS
10706 3M	Testing a prototype rotary mechanism for GMTIFS [10706-134]
10706 3N	The pre-optics mechanism prototypes for HARMONI [10706-137]
10706 3P	Reflective optical system made entirely of ultra low thermal expansion ceramics: a possibility of appuing athermal envagence IP instrument [10706-130]

10706 3Q	Applications of CMOS visible image sensor to survey of potentially hazardous asteroids using optimized ground based telescopes [10706-136]
10706 3R	Composite material evaluation at cryogenic temperatures for applications in space-based far-infrared astronomical instrumentation [10706-138]
10706 3T	Thermal reliability testing of digital micromirror devices (DMDs) [10706-131]
	POSTER SESSION: TELESCOPE STRUCTURES AND DOMES
10706 3V	Research on active heat dissipation experimental system for focal plate [10706-140]
10706 3Y	Design and optimization for a 1m telescope tube [10706-142]
10706 41	The key technology of large telescope tracking system based on integrated super-low speed bearingless motor [10706-35]
10706 42	GIANO-B online data reduction software at the TNG [10706-147]
	POSTER SESSION: TEST AND METROLOGY
10706 43	DESI focal plate alignment [10706-164]
10706 45	Post-fabrication metrology and analysis of the LMT segmented secondary reflector [10706-154]
10706 46	Photogrammetry mapping and alignment of the LMT 50-meter primary reflector [10706-148]
10706 47	Optimal baffle design for flat illumination with an integrating sphere [10706-170]
10706 49	Factory characterization testing of a large precision hexapod for the LMT/GTM [10706-160]
10706 4A	Experimental study of breakaway system for the fast-steering secondary mirror prototype of GMT [10706-163]
10706 4B	Simulation analysis of the photographic noncoincidence between fiber ends and light spots under integrating sphere light source [10706-169]
10706 4C	Lens mounting techniques for precise radial location of fragile lenses in the NGS2 and Veloce instruments [10706-165]
10706 4D	Photogrammetry-based metrology of fiber positioner in LAMOST [10706-171]
10706 4E	High precision metrology for large bandpass filters [10706-159]

## **Part Three**

Mechanical based alignment of large optical instruments: ESPRESSO as an example [10706-168]

### POSTER SESSION: TEST AND METROLOGY

	POSTER SESSION: TEST AND METROLOGY
10706 41	A multi-purpose cryogenic test facility for astronomical instrumentation [10706-172]
10706 4K	MADLaSR: multi-angle detector of Lambertian and specular reflectivity [10706-166]
10706 4L	Mechanical alignment of optical systems: practical limits and accuracy estimation [10706-153]
10706 4M	Mechanical alignment of optical system: CMMs forces and damages on optical elements [10706-162]
10706 4P	Wavefront sensing for active alignment control of a telescope with dynamically varying pupil geometry: theory, implementation, on-sky performance [10706-150]
10706 4Q	A simple, dual knife-edge test for phasing segmented aperture space telescopes [10706-157]
10706 4R	Dark Energy Spectroscopic Instrument (DESI) fiber positioner thermal and wind disturbance test [10706-161]
	POSTER SESSION: ATMOSPHERIC COMPENSATION
10706 4T	On the modal throughput of photonic lanterns in the presence of partial adaptive optic correction [10706-175]
10706 4U	On the origin of core-to-core variations in multi-core fibre Bragg gratings [10706-174]
10706 4V	Lateral displacement bi-plate for DIMM [10706-176]
	POSTER SESSION: COATINGS, FILTERS AND GRATINGS
10706 4W	New over-octave VPHG architecture for DOLORES spectrograph at TNG [10706-184]
10706 4X	VPHGs for WEAVE: design, manufacturing and characterization [10706-190]
10706 4Y	Dichroic and anti-reflective coatings for astronomical instrumentation [10706-179]
10706 4Z	Design of freeform diffraction gratings: performance, limitations and potential applications [10706-188]

10706 51	Photopolymer-based VPHGs for astronomy: update and new possibilities [10706-183]
10706 52	Testing of a germanium immersion grating [10706-194]
10706 53	ELT-HIRES the high resolution spectrograph for the ELT: optical design studies for the polarimetric unit [10706-193]
10706 54	Process and metrology developments in the production of immersion gratings [10706-191]
10706 55	Design, fabrication, and test of a patterned optical filter array for the Europa Imaging System (EIS) [10706-181]
10706 56	Towards a multi-input astrophotonic AWG spectrograph [10706-185]
10706 58	Hemispherical total reflectance from 2 to 25 micron wavelength for vacuum compatible IR black coatings [10706-186]
10706 59	Machining of ZnSe grisms for the Rapid Infrared Imager Spectrograph (RIMAS): effect of diamond crystal orientation [10706-189]
10706 5B	Optimizing the efficiency of Fabry-Perot interferometers with silicon-substrate mirrors [10706-182]
10706 5C	Higher dispersion and efficiency Bragg gratings for optical spectroscopy [10706-187]
10706 5D	Low-temperature atomic layer deposition of aluminum oxide scaled up to a 36" chamber for observatory optics [10706-178]
10706 5E	Characterization of the reflectivity of various black materials II [10706-195]
10706 5F	Characterization of the reflectivity of various white materials [10706-196]
10706 5G	Antireflective coatings for the red camera of WEAVE spectrograph [10706-197]
10706 5H	MEGARA anti-reflective coatings: theoretical and observed throughput estimations [10706-198]
	POSTER SESSION: CORONOGRAPHY AND HIGH CONTRAST IMAGING
10706 5I	High-contrast apodization baffle for instruments onboard solar system exploration missions [10706-209]
10706 5J	A simple optimized amplitude pupil mask for attempting to direct imaging of Proxima b with SPHERE/ZIMPOL at VLT [10706-201]
10706 5K	Development of low-scatter optical edges for starshades [10706-205]

10/06 5L	First light of the High Contrast Integral Field Spectrograph (HCIFS) [10/06-204]
10706 5M	Fully broadband vAPP coronagraphs enabling polarimetric high contrast imaging [10706-199]
10706 5N	PIAA coronagraph for Origins Space telescope (OST) mid-infrared imager, spectrometer, coronagraph (MISC) instrument [10706-208]
10706 5O	Phase-induced amplitude apodization complex-mask coronagraph tolerancing and analysis [10706-200]
	POSTER SESSION: MULTI OBJECT SPECTROSCOPY
10706 5S	Multiple rooks of chess: a generic integral field unit deployment technique [10706-210]
10706 5T	Scattered light testing of digital micromirror devices (DMDs) [10706-212]
10706 5U	A micro-optical fiber positioner [10706-213]
	POSTER SESSION: OPTICAL FIBERS AND POSITIONERS
10706 5V	Acquisition and guiding for TAIPAN using Starbugs [10706-227]
10706 5X	Position control of BLDC motors [10706-223]
10706 5Y	Final design of optical fibre routing for 4MOST [10706-225]
10706 5Z	Influence of optical fiber positioning accuracy on IFU performance [10706-221]
10706 63	New-generation hexabundles: development and initial results [10706-220]
10706 65	Optical fiber modal noise suppression in the NIR region using multicore fiber and photonic lanterns [10706-214]
10706 67	Dynamic position accuracy analysis of fiber positioner [10706-218]
10706 68	Performance of the updated Southern African Large Telescope prime-focus guidance system [10706-229]
10706 69	Dark energy spectroscopic instrument (DESI) fiber positioner production [10706-228]
10706 6B	Design and performances of an optical metrology system to test position and tilt accuracy of fiber positioners [10706-232]

10706 6E	A diagnostic tool for microbends in fibre termination as a source of FRD [10706-230]
	POSTER SESSION: SLIT SPECTROSCOPY AND IMAGE SLICERS
10706 6F	A study of white pupil configurations for high-resolution échelle spectrographs [10706-240]
10706 6H	A high-efficiency low-resolution spectrograph design for SALT [10706-238]
10706 6I	Development of a field-of-view scanning system (FoV-SS): test results and lessons learned [10706-234]
10706 6L	The advanced image slicers of OCTOCAM [10706-236]
	POSTER SESSION: ASSORTED TOPICS
10706 6M	Geometry for off-axis parabolic mirrors [10706-241]
10706 6N	Ultrashort pulse point-by-point written aperiodic fiber Bragg gratings for suppression of OH-emission lines [10706-242]
10706 6Q	Field testing and performance characterization of the production LMT/GTM active surface actuators [10706-245]
10706 6R	VIRUS: the instrument infrastructure to support the deployment and upkeep of 156 spectrographs at the Hobby-Eberly Telescope [10706-246]