PROCEEDINGS OF SPIE

Advanced Sensor Systems and Applications VIII

Tiegen Liu Shibin Jiang Editors

11-13 October 2018 Beijing, China

Sponsored by SPIE COS—Chinese Optical Society

Cooperating Organizations

Tsinghua University (China) • Peking University (China) • University of Science and Technology of China (China) Zhejiang University (China) • Tianjin University (China) • Beijing Institute of Technology (China) • Beijing University of Posts and Telecommunications (China) • Nankai University (China) • Changchun University of Science and Technology (China) • University of Shanghai for Science and Technology (China) • Capital Normal University (China) • Huazhong University of Science and Technology (China) • Beijing Jiaotong University (China) • Shanghai Institute of Optics and Fine Mechanics (China) • Changchun Institute of Optics and Fine Mechanics (China) • Institute of Semiconductors (China) • Institute of Optics and Electronics (China) • Institute of Physics (China) • Shanghai Institute of Technical Physics (China) • China Instrument and Control Society (China) • Optoelectronics Technology Committee, COS (China) • Optical Society of Japan (Japan) • Optical Society of Korea (Korea, Republic of) • The Australian Optical Society (Australia) • Optics and Photonics Society of Singapore (Singapore) • European Optical Society

Supporting Organizations CAST—China Association for Science and Technology (China) NSFC—National Nature Science Foundation (China)

Published by SPIE

Volume 10821

Proceedings of SPIE 0277-786X, V. 10821

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in Advanced Sensor Systems and Applications VIII, edited by Tiegen Liu, Shibin Jiang, Proceedings of SPIE Vol. 10821 (SPIE, Bellingham, WA, 2018) Seven-digit Article CID Number.

ISSN: 0277-786X ISSN: 1996-756X (electronic)

ISBN: 9781510622401 ISBN: 9781510622418 (electronic)

Published by **SPIE** P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time)· Fax +1 360 647 1445 SPIE.org Copyright © 2018, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/18/\$18.00.

Printed in the United States of America Vm7 i ffUb 5 ggc WJUhY gr ⊕Wzi bXYf "JW bgY Zica GD-9.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: Proceedings of SPIE follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

• The first five digits correspond to the SPIE volume number.

• The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

vii	Authors
-----	---------

- xi Symposium Committees
- xv Conference Committee

SESSION 1 DISTRIBUTED FIBER SENSORS AND PLASMONIC SENSORS

- 10821 02
 Fiber-optic distributed acoustic sensors (DAS) and applications in railway perimeter security (Invited Paper) [10821-1]
- 10821 03 A dual-Brillouin-peak optical fiber for simultaneous distributed strain and temperature measurement [10821-2]
- 10821 04 A surface plasmon resonance sensor based on silicon-on-insulator rib waveguide [10821-3]

SESSION 2 FIBER SENSORS

-

10821 06	Research on wavelength demodulation method based on optical fiber Fabry-Perot tunable filter [10821-7]
10821 07	FBG hoop strain sensor: development and application for pipeline leakage monitoring [10821-8]
10821 08	Long period gratings imprinted on the commercial plastic optical fibers for refractive index sensing [10821-9]
10821 09	Dual biconical fiber humidity sensor at 2µm [10821-10]
SESSION 3	ACCELEROMETER, GYRO, AND ANGLE MEASUREMENT
10821 OB	Optical gyros operating using the phase characteristic of the ring confocal resonator [10821-13]
SESSION 4	STRUCTURED FIBERS

10821 0G Fabrication of side-polished fiber Bragg grating for refractive index sensor [10821-19]

SESSION 5 SENSOR SYSTEMS AND DEVICES

- 10821 01 A near-infrared carbon dioxide sensor system using a compact folded optical alignment structure [10821-22]
- 10821 00 Design and applications of multi-channel PAR sensor for PFAL [10821-28]

SESSION 6 IMAGING AND FIBER MEASUREMENTS

- 10821 0Q Imaging performance analysis and comparison between a high-sensitivity low-level light CMOS detector and an EMCCD [10821-31]
- 10821 OR Miniaturized digital inline holographic camera for in-situ plankton detection [10821-32]
- 10821 0S Pseudo-CCD-signal-based signal-to-noise test system for readout chain of TDICCD [10821-33]
- 10821 0T Wavelet analysis of multi-mode behavior of an etched Fiber Bragg Grating Sensor operating in sucrose solutions [10821-34]
- 10821 0U High sensitivity Faraday effect measurement in presence of intrinsic birefringence in optical fibers [10821-35]

SESSION 7 LASER-BASED SENSORS

- 10821 0V Sweeping range control in a self-sweeping laser with selective mirrors [10821-36]
- 10821 0W Dynamic sensors based on fiber-ring laser using a semiconductor optical amplifier [10821-38]
- 10821 0X Demodulation of multilongitudinal mode fiber-laser sensor based on undersampling technique [10821-39]

POSTER SESSION

- 10821 0Y Gold-silver alloy film based surface plasmon resonance sensor for biomarker detection [10821-5]
- 10821 0Z A compliant cylinder fiber-optic accelerometer with self-mixing technique [10821-11]
- 10821 10 Multi-parameter sensing system based on a polarimetric fiber ring laser sensor and beat frequency demodulation [10821-37]
- 10821 11 Temperature self-compensation refractometer based on cascaded SNS-FBG structure for multipoint measurement [10821-40]

10821 12	A wearable FBG pulse-wave sensor based on multilayers compound fabrics structure [10821-41]
10821 13	Numerical analysis of linewidth demands in heterodyne lidar [10821-42]
10821 14	A fiber Bragg grating dynamic stress sensing interrogation system with high interrogation rate [10821-43]
10821 15	Synchronous interrogation of multiple FBG sensors using multi-wavelength parallel swept light source [10821-44]
10821 16	Squeeze-film damping in optically driven resonant graphene accelerometer [10821-45]
10821 17	Fast simultaneous locating and mapping approach based on information fusion from multiple sensor [10821-46]
10821 18	Multiphysical simulation of a ring confocal resonator [10821-47]
10821 19	Multichannel all fiber current sensor based on the single polarimetric detection and loop scheme [10821-48]
10821 1A	Research of turbidity influence on UV-vis absorption spectrum in coastal environment monitoring [10821-49]
10821 1B	Quantum dots optical fiber temperature sensor based on the printing method [10821-50]
10821 1D	A MCSVM-based high-efficiency events-discrimination method for ADMZI-distributed infrared fiber vibration sensor [10821-52]
10821 1E	An optical torsion fiber sensor with simultaneous direction and angle measurement [10821-53]
10821 1F	Research on quadrature crosstalk in the time-division-multiplexing optical fiber vector sensor array based on PGC technology [10821-54]
10821 1G	Temporal response and sensing properties of reflected light for a rectangular laser pulse incident to a Fabry-Perot interferometer [10821-55]
10821 1H	Detection of dynamic signals from fiber Bragg grating sensors based on two-wave mixing in saturable Er-doped fiber [10821-56]
10821 1J	Theory of intensity to phase noise conversion of fiber optic sensors using phase generated carrier scheme [10821-58]
10821 1K	Refractometric optical fiber platforms based on reflective long-period fiber gratings [10821-59]
10821 1N	Systematic error correction of a gap measuring system using a multi-layer artifact [10821-62]
10821 10	Investigation of transmission and reflection of antiresonance in a SMF-capillary-SMF structure [10821-63]

- 10821 1P Design and simulation of a fiber-optic hydrogen sensor based on tunable diode laser spectroscopy [10821-64]
- 10821 1R Plant growth information detection device of greenhouse vegetable plug seedlings [10821-66]
- 10821 1S A fiber-optic combined acoustic temperature and pressure sensor for ocean observation [10821-67]
- 10821 1T Experimental research on a fiber-optic temperature and pressure sensor array for ocean observation [10821-68]
- 10821 10 Liquid level measurements using a multi-notched plastic optical fiber [10821-69]
- 10821 1V Image fiber-based miniature multi-functional suspended solid sensor [10821-70]
- 10821 1W Fiber coupler based on dual-core fiber long-period grating [10821-71]
- 10821 1Y Research on sensor based on grapefruit microstructure fiber using lateral offset splicing [10821-73]
- 10821 1ZThermal effect on star sensor [10821-74]
- 10821 20 A chirped fiber optic Bragg grating-based cutter of shield tunnel boring machine real time monitoring method [10821-75]
- 10821 21 Characterization of a nanoparticles-doped optical fiber by the use of optical backscatter reflectometry [10821-76]
- 10821 22 Detection of poisonous gases using single-slot microring resonator based sensor [10821-77]
- 10821 23 A phase-sensitive optical time-domain reflectometry system with an electrical I/Q demodulator [10821-78]
- 10821 25 The analysis and comparison of cross-correlation and phase demodulation methods in an OFDR system for strain/temperature sensing [10821-80]
- 10821 26 Live embryo detection using a non-contact heart rate measurement of chicken eggs [10821-81]