

WindEurope 2018 Conference

Breaking New Ground

Held at Global Wind Summit 2018

Hamburg, Germany
25-28 September 2018

ISBN: 978-1-5108-7910-2

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

All papers Copyright© 2018 by the respective author(s), and included in these proceedings by permission to the European Wind Energy Association.
All rights reserved.

Printed by Curran Associates, Inc. (2019)

For permission requests, please contact the author(s) of the paper desired.

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

ASSESSING THE WIND RESOURCE & TURBINE PERFORMANCE

| | |
|--|----|
| PO002: RAIN EROSION OF LEADING EDGES OF WIND TURBINE BLADES. WHAT IS UP AND DOWN? | 1 |
| <i>Charlotte Hasager</i> | |
| PO004: INFLUENCE OF MESH REFINEMENT METHOD AND SIZE OF COMPUTATION DOMAIN ON RESULTS OF CFD-BASED WIND FLOW MODELING | 2 |
| <i>Cheng Zhuang</i> | |
| PO005: A FULLY AUTONOMOUS DRONE FOR WIND SPEED MEASUREMENTS | 3 |
| <i>Klaus Eisele</i> | |
| PO006: OPTIMIZATION OF LIDAR MEASUREMENTS FOR WIND RESOURCE ASSESSMENT – INTRODUCTION TO THE LIMES PROJECT | 4 |
| <i>Doron Callies</i> | |
| PO007: GOING FAR BACK IN TIME TO ANALYSE THE WIND RESOURCE: CAN PRESSURE DATA REPLACE WIND DATA? | 5 |
| <i>Marion Jude</i> | |
| PO008: REDUCTION OF UNCERTAINTIES USING DELTA WINDFLOW AND OPTIMISED MAST-TO-TURBINE WEIGHTINGS | 6 |
| <i>Romain Molins</i> | |
| PO009: SYNOPTIC INFLUENCES ON TURBINE PERFORMANCE AND POWER CURVE MONITORING | 7 |
| <i>Carolin Schmitt</i> | |
| PO010: OPTIMIZED GIS-BASED SITE SELECTION APPROACH FOR WIND FARM DEVELOPMENT : A CASE STUDY FOR IRAN'S PROVINCE IN TAKESTAN | 8 |
| <i>Alireza Karbalaemirza</i> | |
| PO012: MESO-MICROSCALE COUPLING FOR WIND RESOURCE ASSESSMENT USING AVERAGE ATMOSPHERIC CONDITIONS | 9 |
| <i>Pablo Duran</i> | |
| PO013: EVOLUTION OF THE WIND RESOURCE OVER THE LAST 30 TO 45 YEARS FOR 10 EUROPEAN REGIONS (FRANCE, GERMANY AND UK). VARIABILITY ANALYSES AND UPDATE OF THE UNCERTAINTY ON LONG TERM PREDICTION PROCESS | 10 |
| <i>Marion Jude</i> | |
| PO014: WAKE MODELLING WITH THE ACTUATOR DISC CONCEPT IN COMPLEX TERRAIN | 11 |
| <i>Ansgar Johan Ladstein</i> | |
| PO015: COMPARISONS OF THE WIND TRENDS FROM MERRA2 DATA AND A MULTISOURCE WIND INDEX (23 REGIONS IN EUROPE) WHY DOES THE CHOICE OF THE REFERENCE SOURCES MATTER SO MUCH? | 12 |
| <i>Marion Jude</i> | |
| PO017: DEVELOPMENT OF ELASTIC FLAPS FOR APPLICATION ON WIND TURBINES | 13 |
| <i>Artur Reischwich</i> | |
| PO018: IMPROVING VERTICAL WIND SPEED EXTRAPOLATION USING SHORT-TERM LIDAR MEASUREMENTS | 14 |
| <i>Alexander Basse</i> | |
| PO020: REDUCTION OF SENSITIVITIES OF MONOSTATIC WIND REMOTE SENSING DEVICES BY VECTOR AVERAGING | 15 |
| <i>Axel Albers</i> | |
| PO022: A NEW ANALYTICAL FRAMEWORK TO IMPROVE RISK QUANTIFICATION AND OPTIMIZE MEASUREMENT CAMPAIGNS | 16 |
| <i>Karim Fahssis</i> | |
| PO023: OPTIMAL TIME STEP OF SCADA DATA FOR THE POWER CURVE OF WIND TURBINE | 17 |
| <i>Minh-Thang Do</i> | |
| PO024: FLOW COMPLEXITY RECOGNITION - EXPERIENCE WITH LIDAR DATA IN MODERATELY COMPLEX TERRAIN | 18 |
| <i>Pierre-Emmanuel Bricchet</i> | |
| PO025: IMPACT OF AGGREGATED ROUGHNESS ON MESOSCALE WIND CLIMATE | 19 |
| <i>Grégoire Leroy</i> | |

| | |
|---|-----------|
| PO026: HISTORICAL WIND SPEED TRENDS AND IMPACT ON LONG-TERM ADJUSTMENT AND INTERANNUAL VARIABILITY IN FRANCE | 20 |
| <i>Niels Peyre</i> | |
| PO027: ZEPHYCUBE - LIDAR DATA CFD CORRECTION IN COMPLEX TERRAIN | 21 |
| <i>Théo Reffet</i> | |
| PO028: WIND RESOURCE ASSESSMENT OVER COASTAL INDIAN SITE USING NESTED MESOSCALE LARGE-EDDY-SIMULATIONS FOR WIND ENERGY APPLICATIONS | 22 |
| <i>Eric Tromeur</i> | |
| PO031: RESEARCH ON ANNUAL WIND SPEED VARIATION CHARACTERISTICS FOR THE CONSTRUCTION OF OFFSHORE WINDFARM IN WEST SEA OF THE KOREAN PENINSULA | 23 |
| <i>Keonhoon Kim</i> | |
| PO033: POTENTIAL ESTIMATION AND PERFORMANCE EVALUATION OF POWER UPGRADES PRODUCTS ACROSS EUROPEAN WIND FARMS | 24 |
| <i>Natarajan Sethuramalingam</i> | |
| PO034: QUANTITATIVE WIND CLIMATOLOGY AT HUB HEIGHT OF MODERN WIND TURBINES | 25 |
| <i>Tina Leiding</i> | |
| PO035: WAKE DETECTION IN THE TURBINE INFLOW USING NACELLE LIDARS | 26 |
| <i>Dominique P Held</i> | |
| PO036: WIND RESOURCE ASSESSMENT OF SITES WITH COMPLEX TERRAINS USING LARGE EDDY SIMULATION | 27 |
| <i>Gang Huang</i> | |
| PO037: OPERATING WIND PARKS: NACELLE DIRECTION MONITORING | 28 |
| <i>Romain Fabre</i> | |
| PO038: COMPARISON OF THEORETICAL AND EMPIRICAL ELECTRICAL LOSSES IN THE BALANCE OF PLANT OF A WIND FARM: A CASE STUDY IN BRAZIL | 29 |
| <i>Gustavo Bohme</i> | |
| PO039: AN OFFSHORE WIND PROJECT LIFECYCLE-APPROACH TO THE USE OF LIDAR – HOW AN INDUSTRY HAS REVOLUTIONISED ITSELF. | 30 |
| <i>Matt Smith</i> | |
| PO040: AERO-ELASTIC CODES VALIDATION USING LEVENMOUTH 7MW REAL FIELD MEASUREMENTS | 31 |
| <i>Carlos Rodriguez</i> | |
| PO041: ON THE DETERMINATION OF WIND SPEEDS AT HUB HEIGHT IN OFFSHORE WIND FARMS | 32 |
| <i>Sofia Cairas</i> | |
| PO042: ON THE IMPACT OF REALISTIC OFFSHORE WIND ENERGY EXPLORATION SCENARIOS ON WIND CONDITIONS WITHIN THE GERMAN BIGHT | 33 |
| <i>Martin Doerkenkaemper</i> | |
| PO043: POWER PRODUCTION FOR INDIVIDUAL TURBINES USING WIND FARM SIMULATOR | 34 |
| <i>Martin S. Grønsløth</i> | |
| PO044: COMPARISON OF SIMULATIONS AND WIND TUNNEL MEASUREMENTS FOR THE IMPROVEMENT OF DESIGN TOOLS FOR VERTICAL AXIS WIND TURBINES | 35 |
| <i>Sarah Barber</i> | |
| PO045: IMPROVING WRF ACCURACY USING OBSERVATION NUDGING | 36 |
| <i>Eric Dupont</i> | |
| PO046: WAVE MODELLING IN OFFSHORE WIND FARMS | 37 |
| <i>Jan-Joost Schouten</i> | |
| PO047: WINDSEA, MEET THE CHALLENGE OF OFFSHORE WIND DEVELOPERS CONFIDENCE IN FLOATING LIDAR TECHNOLOGY. | 38 |
| <i>Maxime Bellorge</i> | |
| PO049: VECTOR AVERAGING FOR WINDCUBE IN COMPLEX TERRAIN | 39 |
| <i>Paul Mazoyer</i> | |
| PO050: NACELLE MOUNTED LIDAR: CALIBRATION AND POWER CURVE VERIFICATION OF THE WIND IRIS 2-BEAM AND 4-BEAM | 40 |
| <i>Cedric Dall'Ozzo</i> | |
| PO053: OPERATING WIND PARK CASE STUDY: BETTER UNDERSTANDING OF THE DIRECTION DEVIATION OF WIND TURBINES | 41 |
| <i>Romain Fabre</i> | |
| PO054: A NOVEL METHOD TO QUANTIFY ATMOSPHERIC STABILITY | 42 |
| <i>Lasse Svenningsen</i> | |

| | |
|---|----|
| PO055: PRODUCTION INDICES AS LONG-TERM REFERENCE FOR ENERGY PRODUCTION ASSESSMENTS IN FRANCE | 43 |
| <i>Nicolas Marquet</i> | |
| PO056: OFFSHORE WIND TURBINE POWER CURVE TESTS USING LIDAR | 44 |
| <i>Peter Clive</i> | |
| PO057: THE PERFORMANCE OF LIDAR IN COMPLEX TERRAIN AND COMPLEX FLOW | 45 |
| <i>Peter Clive</i> | |
| PO058: REDUCTION OF WAKE MODELLING UNCERTAINTY USING A 3D RANS MODEL | 46 |
| <i>Wolfgang Schlez</i> | |
| PO060: ENERGY PRODUCTION ASSESSMENTS IN FRANCE - ACCURACY AND LEARNINGS | 47 |
| <i>Fatima Grondona</i> | |
| PO061: FIRST RESULTS FROM THE ISPIN PERFORMANCE TRANSPARENCY PROJECT (PTP) | 48 |
| <i>Harald Hohlen</i> | |
| PO062: AN ADJOINT OPTIMIZATION TOOL FOR CORRECTING LIDAR WIND MEASUREMENT IN COMPLEX TERRAIN | 49 |
| <i>Saleh Nabi</i> | |
| PO063: ENERGY INTERACTION OF VERTICAL AXIS WIND TURBINES WORKING IN PAIRS: A CASE STUDY AND AN APPLICATION OF IEC61400-12-1:2017 | 50 |
| <i>Iskender Kökey</i> | |
| PO065: THE IMPACT OF LATTICE MAST STRUCTURE ON THE RESULTS OF WIND SPEED MEASUREMENTS | 51 |
| <i>Vladislavs Bezrukovs</i> | |
| PO066: WIND POWER PREDICTION IN COMPLEX TERRAIN USING ANALOG ENSEMBLES | 52 |
| <i>Yngve Birkelund</i> | |
| PO067: A REAL LIFE INVESTIGATION OF WAKE LOSSES | 53 |
| <i>Thomas Zirngibl</i> | |
| PO068: SEASONAL EVALUATION OF WRF WIND FARM PARAMETERIZATION SCHEME PERFORMANCE FOR A LARGE OFFSHORE WIND FARM | 54 |
| <i>Ken Tay</i> | |
| PO069: POWER PERFORMANCE TESTING ACCORDING TO IEC 61400-12-1 ED.2, 2017: COMPARING THE FOUR METHODS | 55 |
| <i>Vanessa Mabel Zeron Funez</i> | |
| PO070: INVESTIGATION OF THE VALIDITY OF THE BLADE ELEMENT MOMENTUM THEORY FOR WIND TURBINE SIMULATIONS IN TURBULENT INFLOW BY MEANS OF CFD | 56 |
| <i>Sebastian Ehrich</i> | |
| PO071: GUIDELINE ON OPERATIONAL DATA ASSESSMENT | 57 |
| <i>Martin Strack</i> | |
| PO073: POST-CONSTRUCTION WIND FARM POWER PERFORMANCE ASSESSMENT USING LIDAR- AND SCADA-DATA | 58 |
| <i>Tobias Klaas</i> | |
| PO074: WIND ENERGY POTENTIAL AT QAROUH ISLAND IN THE STATE OF KUWAIT | 59 |
| <i>Mohamad Alkhalidi</i> | |
| PO075: ROBUSTNESS OF SPINNER ANEMOMETER WIND SPEED MEASUREMENT WITH RESPECT TO YAW MISALIGNMENT | 60 |
| <i>Nick Janssen</i> | |
| PO076: EXTREME LOAD ANALYSIS OF A 5MW OFFSHORE WIND TURBINE UNDER TROPICAL CYCLONE WIND CONDITIONS | 61 |
| <i>Jui-Hung Liu</i> | |
| PO077: FLOATING LIDARS FOR ANALYSIS OF OPERATIONAL WIND FARMS | 62 |
| <i>John Slater</i> | |
| PO078: DIRECT LOAD AND LUBRICATION MONITORING OF A HIGH SPEED SHAFT BEARING IN THE FIELD | 63 |
| <i>Benjamin Clarke</i> | |
| PO079: WIND FIELD RECONSTRUCTION FROM LIDAR MEASUREMENTS AT HIGH-FREQUENCY USING MACHINE LEARNING | 64 |
| <i>Clym Stock-Williams</i> | |
| PO081: ADVANCED TURBINE PERFORMANCE ANALYTICS USING NACELLE MOUNTED LIDARS | 65 |
| <i>Gregory Dudziak</i> | |

| | |
|---|-----------|
| PO082: LOWERING THE COST AND IMPROVING THE UNCERTAINTY OF TURBINE PERFORMANCE ASSESSMENT..... | 66 |
| <i>Guillaume Coubard-Millet</i> | |
| PO083: FIBRE BRAGG GRATING BASED SENSORS FOR STRUCTURAL HEALTH & CONDITION MONITORING OF WIND TURBINE BLADES | 67 |
| <i>Jialin Tang</i> | |
| PO084: IEA WIND TASK 32: HELPING TO GET THE BEST FROM WIND LIDAR | 68 |
| <i>Andrew Clifton</i> | |
| PO085: EVALUATION OF PROFILE ASSESSMENTS VERSUS MCP CORRELATION FOR 6-MONTHS WIND MEASUREMENTS | 69 |
| <i>Annette Westerhellweg</i> | |
| PO087: WIND FARM SIMULATION AND VALIDATION OF ANALYTICAL AND CFD BASED WAKE MODELS | 70 |
| <i>Felix Braunheim</i> | |
| PO088: COMPARING MERRA AND MERRA-2 REANALYSIS DATASETS WITH MEASURED WIND DATA FOR KARACHI, PAKISTAN..... | 71 |
| <i>Faisal Iqbal Qureshi</i> | |
| PO089: EVALUATION OF ERA-INTERIM AND NCEP-CFSR REANALYSIS DATASETS AGAINST IN-SITU MEASURED WIND SPEED DATA FOR KETI BANDAR PORT, PAKISTAN | 72 |
| <i>Zia Ul Rehman Tahir</i> | |
| PO090: COMPARISON OF SATELLITE ANALYSIS AND REANALYSIS DATASETS WITH MEASURED WIND SPEED FOR A WIND POWER PROJECT IN JHIMPIR, PAKISTAN..... | 73 |
| <i>Muhammad Talha Akram Pasha</i> | |
| PO091: SPACE-TIME CHARACTERIZATION OF LARGE-SCALE ATMOSPHERIC STRUCTURES OVER FLAT TERRAIN FROM LIDAR MEASUREMENTS..... | 74 |
| <i>Leonardo Alcayaga</i> | |
| PO092: EXPELLING THE MYTH OF SITE SPECIFIC NTF..... | 75 |
| <i>Bob Smith</i> | |
| PO093: EFFECT OF DIURNAL WIND DIRECTION VARIATION ON TURBINE HEALTH AND PERFORMANCE; AN INDIAN CASE STUDY | 76 |
| <i>Bob Smith</i> | |
| PO094: IS REWS THE NEW WAY OF REDUCING UNCERTAINTY IN ENERGY ESTIMATION? | 77 |
| <i>Bob Smith</i> | |
| PO096: IEA WIND TASK 32: BEST PRACTICES FOR THE CERTIFICATION OF LIDAR-ASSISTED CONTROL APPLICATIONS | 78 |
| <i>Steffen Raach</i> | |
| PO097: EVALUATION OF THE WRF MODEL WITH RESPECT TO WIND IN COMPLEX TERRAIN..... | 79 |
| <i>Kine Solbakken</i> | |
| PO098: WRF EVALUATION IN A COMPLEX AND FLAT TERRAIN IN BRAZIL | 80 |
| <i>Júlio Passos</i> | |
| PO099: UNCERTAINTY QUANTIFICATION OF A CFD MODEL IN COMPLEX SITE BY CROSS-CHECKING WIND MEASUREMENTS..... | 81 |
| <i>Giorgio Crasto</i> | |
| PO100: SUITABILITY ASSESSMENT OF WIND TURBINES - A SIMPLIFIED APPROACH | 82 |
| <i>Rahul Khandelwal</i> | |
| PO101: WIND TURBINE ICE PROTECTION SYSTEMS BENCHMARK ANALYSIS..... | 83 |
| <i>Timo Karlsson</i> | |

DEVELOPMENTS IN TURBINE TECHNOLOGY

| | |
|---|-----------|
| PO102: DESIGN, BUILDING AND EVALUATION OF A SAVONIUS WIND TURBINE..... | 84 |
| <i>Ary Mauricio Burbano</i> | |
| PO103: INTEGRATED ENERGY STORAGE TO SUPPORT CONVERTER AND SUB SYSTEMS..... | 85 |
| <i>Chris Damgaard</i> | |
| PO104: SPECIAL CREEPING MOVEMENTS OF DRIVE TRAIN COMPONENTS IN WIND POWER GEARBOXES | 86 |
| <i>Andreas Maiwald</i> | |
| PO105: BATOOL: CALCULATION OF THE LOAD DISTRIBUTION AND THE FRICTION TORQUE IN SLEWING BEARINGS..... | 87 |
| <i>Iker Heras</i> | |

| | |
|--|-----|
| PO106: LIFE CYCLE MODELS FOR WIND TURBINE TECHNOLOGY | 88 |
| <i>Philipp Schmid</i> | |
| PO107: CAPABILITIES OF AN OPTIMIZED DESIGN PROCESS FOR WIND TURBINE DRIVE TRAINS | 89 |
| <i>Thomas Rosenlöcher</i> | |
| PO108: RECOMMENDED PRACTICE DNVGL-RP-0286 “COUPLED ANALYSIS OF FLOATING WIND TURBINES” | 90 |
| <i>Ngoc-Do Nguyen</i> | |
| PO109: POLYCONE TOWER: REACHING HIGHER ALTITUDES WITH COST EFFECTIVE SOLUTION | 91 |
| <i>Jokin Rico Arenal</i> | |
| PO110: LARGE-SCALE VERTICAL AXIS WIND TURBINE SELF-STARTING DEMONSTRATION | 92 |
| <i>Rosalie Fuchs</i> | |
| PO111: THINGS YOU SHOULD KNOW ABOUT DIAMOND-LIKE CARBON COATINGS | 93 |
| <i>Esteban Broitman</i> | |
| PO112: PREDICTION OF LONG-TERM CREEP BEHAVIOR OF BLADE BY TIME-STRESS SUPERPOSITION PRINCIPLE(TSSP) MODELING | 94 |
| <i>Nadia Nosrati</i> | |
| PO114: WIND TURBINE ROTOR ICING DETECTORS PERFORMANCE EVALUATION | 95 |
| <i>Charles Godreau</i> | |
| PO115: AERODYNAMIC WIND TURBINE MODELING: TOWARDS RELIABLE FLOATING WIND TURBINE MODEL TESTING | 96 |
| <i>Raúl Guanche Garcia</i> | |
| PO116: ASSESSING DYNAMIC CABLE CROSS SECTION STRESSES FOR FLOATING OFFSHORE WIND APPLICATIONS | 97 |
| <i>David Young</i> | |
| PO117: TOWARDS A LIFETIME SOLUTION FOR LEADING EDGE EROSION | 98 |
| <i>Kirsten Dyer</i> | |
| PO118: EXPERIMENTAL MODELLING OF JACKET SCOUR PROTECTION SYSTEMS FOR OFFSHORE WIND | 99 |
| <i>Raúl Guanche Garcia</i> | |
| PO119: CABLE STAYED TOWER | 100 |
| <i>Casper Lyngsø</i> | |
| PO120: COMPUTATIONAL AERODYNAMIC ANALYSIS OF DISTINCT LEADING EDGE PROTUBERANCES FOR SWT BLADES | 101 |
| <i>S. Raghavendra</i> | |
| PO122: UNDERSTANDING LIDAR MEASUREMENT AVAILABILITY IN THE CONTEXT OF LIDAR-ASSISTED CONTROL OF WIND TURBINES | 102 |
| <i>Paul Mazoyer</i> | |
| PO123: ON THE IMPORTANCE OF BLADE TORSION FOR WIND TURBINE MODELLING AND CONTROL DESIGN | 103 |
| <i>Mohamed Sayed</i> | |
| PO124: AN OPTIMIZATION BASED APPROACH USING LIDAR MEASUREMENTS TO PREDICT INCOMING WIND CONDITIONS | 104 |
| <i>Fabrice Guillemain</i> | |
| PO125: SCANNING LIDAR MEASUREMENTS ON FLOATING OFFSHORE WIND TURBINES | 105 |
| <i>Peter Clive</i> | |
| PO126: THICK-WALLED AUSTEMPERED DUCTILE IRON CASTINGS TO BOOST THE TORQUE DENSITY OF WIND TURBINE GEARBOXES | 106 |
| <i>Pasi Paakkinen</i> | |
| PO127: STANDARDIZATION OF WTG GENERIC SYSTEMS - ANLAGENSYSTEMATIK | 107 |
| <i>Saed Ehsani</i> | |
| PO128: GEARLESS GENERATOR WITH MAGNETS ON THE STATOR FOR WIND TURBINE | 108 |
| <i>Vladimir Prakht</i> | |
| PO129: DIRECTIONAL FATIGUE ACCUMULATION IN WIND TURBINE STEEL TOWERS | 109 |
| <i>René Meklenborg Miltersen Slot</i> | |
| PO130: OBSERVABILITY ANALYSIS FOR HORIZONTAL AXIS WIND TURBINES USING EMPIRICAL GRAMIAN MATRICES | 110 |
| <i>Bastian Ritter</i> | |

| | |
|--|------------|
| PO131: NUMERICAL SIMULATION OF MONOPILE INSTAKKATION USING 2D-AXISYMMETRIC MATERIAL POINT METHOD | 111 |
| <i>Ahmed Elkadi</i> | |
| PO132: DEVELOPMENT PATHS FOR FLOATING OFFSHORE WIND..... | 112 |
| <i>Hina Varshney</i> | |
| PO133: DESIGN OF A MODULAR PRODUCT PLATFORM FOR WIND ENERGY CONVERTERS | 113 |
| <i>Michael Mendl-Heinisch</i> | |
| PO134: COMPOSITE LOW SPEED SHAFT COUPLING TO IMPROVE DRIVETRAIN RELIABILITY AND REDUCE LEVELIZED COST OF ENERGY | 114 |
| <i>Alexander Kari</i> | |
| PO135: SYNCHRONOUS RELUCTANCE GENERATOR WITH FERRITE MAGNETS FOR WIND TURBINE..... | 115 |
| <i>Vladimir Dmitrievskii</i> | |
| PO136: BEYOND OC5 - FURTHER DEVELOPMENTS IN FLOATING WIND TURBINE MODELLING WITH BLADED | 116 |
| <i>Mr Alec Beardsell</i> | |
| PO137: HIGH POTENTIAL JOURNAL BEARING CONCEPTS AND BEARING MATERIALS FOR WIND TURBINE MAIN GEARBOXES..... | 117 |
| <i>Johannes Hölzl</i> | |
| PO139: TURBINE FATIGUE LOAD REDUCTION – HOW TO ASSURE IT IN THE FIELD?..... | 118 |
| <i>Christoph Heilmann</i> | |
| PO142: APPLICATION OF THE PISA FRAMEWORK TO THE DESIGN OF OFFSHORE WIND TURBINE MONOPILE FOUNDATIONS..... | 119 |
| <i>Stavros Panagoulas</i> | |
| PO143: RELIABILITY ASSESSMENT FOR FLOATING WIND TURBINES REGARDING FATIGUE FAILURE | 120 |
| <i>Kolja Müller</i> | |
| PO144: CONTROL-FEASIBLE FATIGUE MODELING FOR WIND-TURBINES | 121 |
| <i>Ole Falkenberg</i> | |
| PO145: KEY ISSUES IN THE DESIGN AND PROPERTIES MODULATION OF POLYMERIC MATERIALS FOR RAIN EROSION PROTECTION SYSTEMS OF WIND TURBINE BLADES | 122 |
| <i>Fernando Sánchez</i> | |
| PO146: MACHINE LEARNING IN OFFLINE WIND TURBINE CONTROLLER TUNING | 123 |
| <i>Wouter Engels</i> | |
| PO147: SYSTEMS ENGINEERING FOR LIDAR-ASSISTED CONTROL: A SEQUENTIAL APPROACH | 124 |
| <i>David Schlipf</i> | |
| PO148: INVESTIGATION OF THE EFFECT OF ELASTIC BLADE DEFORMATIONS ON THE AERODYNAMIC PERFORMANCE OF LARGE WIND TURBINES BY MEANS OF BEM AND CFD..... | 125 |
| <i>Bernhard Stoevesandt</i> | |
| PO149: TECHNICAL ADVANCES IN THE DESIGN OF THE LARGEST ONSHORE WIND TURBINES..... | 126 |
| <i>Chris Spruce</i> | |

DIGITALISATION

| | |
|--|------------|
| PO150: COMMERCIAL VALUE OF DATA HAS INCREASED THANKS TO DIGITALISATION..... | 127 |
| <i>Philip Totaro</i> | |
| PO152: HAS YOUR POWER PLANT BEEN HACKED? HOW TO INCREASE YOUR POWER PLANTS' SECURITY..... | 128 |
| <i>Mohamed Harrou</i> | |
| PO153: DIGITAL CONVERGENCE: THE EVOLUTION OF DATA REQUIREMENTS CLOSING THE LOOP IN WIND ENERGY ASSESSMENT | 129 |
| <i>Peter Clive</i> | |
| PO154: OPTIMIZATION OF WIND FARMS USING SMART FIBER-OPTIC ROTOR BLADE SENSING DATA | 130 |
| <i>Luis Vera-Tudela</i> | |

| | |
|---|-----|
| PO161: REAL-TIME DIGITAL LINK BETWEEN TSO AND DER OPERATOR FOR SMART GRID APPLICATIONS | 131 |
| <i>Peng Li</i> | |
| PO164: BLOCKCHAIN - WHAT IS IT, AND WHAT DOES IT DO FOR RENEWABLES? | 132 |
| <i>Elaine Greig</i> | |

END OF LIFE ISSUES

| | |
|--|-----|
| PO166: DOWN-REGULATION AND INDIVIDUAL BLADE CONTROL AS LIFETIME EXTENSION ENABLERS | 133 |
| <i>Vasilis Pettas</i> | |
| PO167: HYPER-INFLATION OF OFFSHORE WIND LIFE EXPECTANCY: WALKING THE TALK | 134 |
| <i>Ragna Schmidt-Haupt</i> | |
| PO168: SECURING THE SUPPLY OF RARE-EARTH ELEMENTS FOR ND-FE-B PERMANENT MAGNETS IN WIND ENERGY APPLICATIONS | 135 |
| <i>Jürgen Gassmann</i> | |
| PO169: MODEL CALIBRATION OF AN ON-SHORE WIND TURBINE USING VIBRATION SENSORS | 136 |
| <i>Fabrice Guillemin</i> | |
| PO172: LIFETIME EXTENSION: A METHODOLOGY TO EXTEND THE LIFETIME OF WIND TURBINES | 137 |
| <i>Fabrice Estezet</i> | |
| PO173: CAN END OF LIFE MEAN A NEW BEGINNING? ASSESSING THE OPTIONS | 138 |
| <i>Emilie Reeve</i> | |
| PO174: WASTE MANAGEMENT IN DECOM - CHALLENGES AND OPPORTUNITIES OF RECYCLING IN THE WIND INDUSTRY | 139 |
| <i>Morten Dallov Ibsen</i> | |

ENVIRONMENTAL IMPACTS, SOCIAL ACCEPTANCE & SPATIAL PLANNING

| | |
|--|-----|
| PO175: VALIDATING AN AUTOMATED BAT AND BIRD MORTALITY MONITORING SYSTEM: A CASE STUDY | 140 |
| <i>Brogan Morton</i> | |
| PO176: VALIDATION OF BAT DETERRENT EFFECTIVENESS THROUGH FULL-SCALE TESTING ON SEVERAL WIND PLANTS | 141 |
| <i>Brogan Morton</i> | |
| PO177: BETTER BUSINESS ON A BETTER PLANET – ELIMINATING CARBON EMISSIONS IN THE WIND INDUSTRY SUPPLY CHAIN | 142 |
| <i>Christopher Springham</i> | |
| PO179: AN INTRODUCTION OF GERMAN WIND ENERGY PLANNING PROCEDURES INTO CHINA | 143 |
| <i>Jinjin Guan</i> | |
| PO181: LANDSCAPE VISUAL IMPACT EVALUATION IN OHSHORE WIND FARM PLANNING | 144 |
| <i>Jinjin Guan</i> | |
| PO182: NEW MARKETS, NEW CHALLENGES – RISKS ON EARTHQUAKES AND TYPHOONS IN TAIWAN WATERS | 145 |
| <i>Christian Apeah</i> | |
| PO183: OFFSHORE WIND IN THE BALTIC SEA – A STUDY FOR THE BALTIC INTEGRID PROJECT IDENTIFYING THE BREAKDOWN AND LOCATION OF 35GW BY 2050 | 146 |
| <i>Giles Hundleby</i> | |
| PO184: MINIMIZATION OF IMPACTS OF WIND FARMS ON BIODIVERSITY IN GREECE – A SUMMARY OF LIFE12BIO/GR/000554 PROJECT RESULTS | 147 |
| <i>Eftihia Tzen</i> | |
| PO185: SOCIAL-ECONOMIC-ENVIRONMENTAL IMPACTS OF THE IMPLEMENTATION OF WIND FARMS IN BRAZIL | 148 |
| <i>Mario González</i> | |

| | |
|---|-----|
| PO186: SPATIAL PLANNING OF WIND FARMS IN GREECE: ARISING ENVIRONMENTAL CONCERNS AND HOW TO TACKLE THEM | 149 |
| <i>Andreas Vlamakis</i> | |
| PO187: USE OF CONVERTER SLAG AS BALLAST FOR OFFSHORE WINDMILLS FOUNDATIONS | 150 |
| <i>Ana-Maria Iosif</i> | |

FINANCING WIND ENERGY

| | |
|---|-----|
| PO188: FINANCING US\$16BN OF OFF SHORE WIND IN TAIWAN | 151 |
| <i>Charles Yates</i> | |
| PO189: FINANCING WIND POWER PROJECTS IN UKRAINE: UNVEILING OPPORTUNITIES AND CHALLENGES | 152 |
| <i>Svitlana Teush</i> | |
| PO190: THE NEW SUPPORTING MECHANISM FOR WIND POWER DEPLOYMENT IN GREECE | 153 |
| <i>Ioannis Anagnostopoulos</i> | |
| PO191: THE NEW SUPPORTING MECHANISM FOR WIND POWER DEPLOYMENT IN GREECE | 154 |
| <i>Ioannis Anagnostopoulos</i> | |
| PO192: WIND PARKS AS MERCHANT ASSETS? – INNOVATIVE LEGAL RISK MITIGATION WHEN MARKETING RENEWABLE POWER VIA CORPORATE PPAS | 155 |
| <i>Gerd Stuhlmacher</i> | |
| PO193: HOW CORPORATE PPAS MITTIGATE ELECTRICITY PRICE RISK FOR WIND POWER PRODUCERS | 156 |
| <i>Uli Südhoff</i> | |

HEALTH AND SAFETY

| | |
|---|-----|
| PO194: USING INFORMED MANAGEMENT DECISION MAKING TO IMPROVE BUSINESS AND SAFETY PERFORMANCE: A WORK MANAGEMENT SYSTEM APPROACH | 157 |
| <i>Rakesh Maharaj</i> | |
| PO195: STANDARDIZATION OF TP DESIGN | 158 |
| <i>Wouter Haring</i> | |
| PO196: REPORTING OF HAZARDOUS SITUATION/NEAR MISS/UNSAFE ACTS: USE OF RISK REPORTER | 159 |
| <i>Charline D'Hoekers</i> | |
| PO197: GENERATION OF A QUALITY GUIDELINE FOR THE TREATMENT OF UNEXPLODED ORDNANCE FACED DURING OFFSHORE WIND PARK CONSTRUCTION | 160 |
| <i>Torsten Frey</i> | |
| PO198: AIRBAG INFLATOR TECHNOLOGY ACTIVATING STAND-ALONE FIRE SUPPRESSION EQUIPMENT | 161 |
| <i>Emilie Ayel</i> | |
| PO198A: DROPPED OBJECT PREVENTION LESSONS FROM OIL & GAS | 162 |
| <i>Øystein Bruncell Larsen</i> | |

INSTALLATION & LOGISTICS

| | |
|---|-----|
| PO199: FLOATING OFFSHORE WIND ENERGY – NEW CHALLENGES FOR PORTS, QUAY SIDES AND LOGISTICS | 163 |
| <i>Pascal Sommer</i> | |
| PO200: NKT VICTORIA: BALANCING VESSEL DESIGN AND EQUIPMENT PHILOSOPHY - CASE STUDY | 164 |
| <i>Gavin Rippe</i> | |
| PO201: HUMAN-FREE OFFSHORE LIFTING SOLUTIONS | 165 |
| <i>Mareike Leimeister</i> | |
| PO202: HMPE SOLUTIONS IN WIND ENERGY. WHAT ARE THE BENEFITS OF A HMPE FIBER SOLUTION COMPARED TO STEEL WIRE? | 166 |
| <i>Maud Roeters</i> | |

| | |
|--|-----|
| PO205: THE WEDGE CONNECTION | 167 |
| <i>Jasper Winkes</i> | |
| PO207: THE AMPELMANN A400 SYSTEM - CONVERTING MARKET DEMANDS INTO A FLEXIBLE, WALK TO WORK SOLUTION | 168 |
| <i>Tim Börner</i> | |

INTEGRATING WIND INTO THE ENERGY SYSTEM

| | |
|---|-----|
| PO208: A FINANCIAL ALGORITHM FOR COMPUTING THE LEVELIZED COST (US\$/MWH;€/MWH) OF STORING WIND POWER (LCOS) | 169 |
| <i>Michael Stavy</i> | |
| PO209: HYBRID AUXILIARY POWER SUPPLY SYSTEM FOR OFFSHORE WIND FARM | 170 |
| <i>Niya Chen</i> | |
| PO210: "CESAR" PROJECT FOR REPLACING TRADITIONAL POWER STATIONS BY WIND TURBINES | 171 |
| <i>Adrian Rapas</i> | |
| PO211: DAY AHEAD WIND FARM POWER PRODUCTION FORECAST USING A HIGH RESOLUTION MESOSCALE MODEL AND VARIOUS DOWNSCALING TECHNIQUES | 172 |
| <i>Catherine Meissner</i> | |
| PO212: "CESAR" PROJECT FOR THE IMPLEMENTATION OF A EUROPEAN POLICY FOR ENERGY INTEGRATION (ENERGY UNION) WIND DAM | 173 |
| <i>Hans Guldentops</i> | |
| PO213: METEROLOGICAL CONDITIONS THAT FEAVOUR WIND POWERED HEAT SUPPLY | 174 |
| <i>Hans Georg Beyer</i> | |
| PO214: FAIR ANALYSIS TO UNDERSTANDING THE INFLUENCE OF THE GRID'S BACKGROUND DISTORTION ON THE WIND TURBINE'S HARMONIC EMISSION | 175 |
| <i>Mohamad El Ghouti</i> | |
| PO216: EXPERIENCE GAINED IN AND GUIDANCE FOR OVERVOLTAGE RIDE-THROUGH TESTING | 176 |
| <i>Robert Johnston Brown</i> | |
| PO217: TECHNICAL-ECONOMIC ANALYSIS OF ELECTRICAL ARCHITECTURES FOR OFFSHORE WIND FARMS | 177 |
| <i>Léo Dalmar</i> | |
| PO218: DYNAMIC PERFORMANCE IMPROVEMENT OF POWER SYSTEMS BY SYNCHRONOUS CONDENSER | 178 |
| <i>Elif Inan</i> | |
| PO219: LARGE-SCALE WIND GENERATION SIMULATIONS: FROM THE ANALYSIS OF CURRENT INSTALLATIONS TO MODELLING THE FUTURE | 179 |
| <i>Matti Koivisto</i> | |
| PO220: A METHODOLOGY FOR A SIMPLIFIED STATIC-DYNAMIC DESIGN OF THE UMBILICAL CABLE FOR FLOATING OFFSHORE RENEWABLE ENERGY STRUCTURES | 180 |
| <i>Francesco Boscolo Papo</i> | |
| PO221: ANALYZING THE EFFECT OF THE SLIDING FEED-IN PREMIUM SCHEME TO THE REVENUES OF A WIND FARM WITH THE USE OF MESOSCALE DATA - CASE STUDY OF GREECE | 181 |
| <i>Konstantinos Loukidis</i> | |
| PO222: REQUIRED TORQUE GRADIENTS TO TEST THE POWER PRODUCTION LOAD CASES FOR ELECTRICAL CERTIFICATION ON THE TEST BENCH | 182 |
| <i>Abdul Baseer</i> | |
| PO223: GEOGRAPHICAL OPTIMIZATION OF RENEWABLE ENERGY PORTFOLIOS WITH REGARDS TO OUTPUT RISKS IN NEW YORK STATE INDEPENDENT SYSTEM OPERATOR (NYISO) | 183 |
| <i>Ilya Karnaukhov</i> | |
| PO224: FUTURE-PROOF RENEWABLES | 184 |
| <i>Rob Van Gerwen</i> | |
| PO225: ALL IN ONE SOFTWARE FOR THE FOWT FARM MOORING AND ELECTRICAL DESIGN | 185 |
| <i>Matthieu Pettinotti</i> | |
| PO226: FOCUS ON- COMPLIANCE MONITORING! | 186 |
| <i>Jenny Bünger</i> | |

| | |
|---|-----|
| PO227: RELIABLE, GREENER, FLEXIBLE AND COST EFFECTIVE ELECTRICAL POWER FOR OFFSHORE USERS | 187 |
| <i>Wei He</i> | |
| PO228: IEA WIND TASK 36 FORECASTING | 188 |
| <i>Gregor Giebel</i> | |
| PO229: IEC 61400-25 WIND POWER PLANT COMMUNICATION UNDER THE ASPECTS OF CYBER RISKS AND COMPLIANCE TO SECURITY STANDARDS | 189 |
| <i>Bertram Lange</i> | |
| PO230: THE ROLE OF WIND ENERGY IN DECARBONISING THE EUROPEAN ENERGY SYSTEM WITH STRONG SECTOR COUPLINGS | 190 |
| <i>Martin Greiner</i> | |
| PO231: BLOCKCHAIN – A NEW APPROACH TO DECENTRALISED ENERGY | 191 |
| <i>Dirk Briese</i> | |
| PO232: TOTALCONTROL – ADVANCED INTEGRATED CONTROL OF LARGE-SCALE WIND POWER PLANTS AND WIND TURBINES | 192 |
| <i>Gregor Giebel</i> | |
| PO233: CONCERT - CONTROL AND UNCERTAINTIES IN REAL-TIME POWER CURVES OF OFFSHORE WIND POWER PLANTS | 193 |
| <i>Gregor Giebel</i> | |
| PO234: RECOMMENDED PRACTICES FOR WIND AND SOLAR PV INTEGRATION STUDIES - IEA EXPERT GROUP COLLABORATION | 194 |
| <i>Hannele Holttinen</i> | |

OPERATIONS & MAINTENANCE

| | |
|--|-----|
| PO236: SET UP A CONTROL AND MONITORING ROOM FOR TODAY’S POWER PLANTS | 195 |
| <i>Dino Esposito</i> | |
| PO237: STRUCTURAL HEALTH MONITORING USED AS ASSET MANAGEMENT TOOL IN OFFSHORE WIND FARMS | 196 |
| <i>Jens Krieger</i> | |
| PO238: TOWARDS A HEALTH AND USAGE MONITORING SYSTEM FOR WIND TURBINES | 197 |
| <i>David Futter</i> | |
| PO239: ARTIFICIAL INTELLIGENCE POWERED "SERVICE TRAIN" FOR OFFSHORE BLADE ASSESSMENTS | 198 |
| <i>Anders Røpke</i> | |
| PO240: INNOVATIVE METHODS FOR WIND TURBINE POWER CURVE UPGRADE ASSESSMENT | 199 |
| <i>Ludovico Terzi</i> | |
| PO241: PROVEN OFFSHORE WIND POWER COATING SOLUTIONS FOR NEWBUILDING | 200 |
| <i>Kent Holm</i> | |
| PO242: WHAT TO EXPECT IN THE NEXT GENERATION OF OFFSHORE WIND OPERATIONS AND MAINTENANCE (O&M) | 201 |
| <i>Owen Murphy</i> | |
| PO243: IWINDCR SOLUTION FOR CORROSION DETECTION AND MONITORING OF OFFSHORE WIND TURBINE STRUCTURES | 202 |
| <i>Juan Ahuir-Torres</i> | |
| PO245: ENHANCING CONDITION MONITORING: REMOTE MAINTENANCE ENABLES TO REDUCE OFFSHORE WIND TURBINE MAINTENANCE COSTS | 203 |
| <i>Michael Slembeck</i> | |
| PO246: COMPARATIVE ANALYSIS OF BINNING AND GAUSSIAN PROCESS BASED BLADE PITCH ANGLE CURVE OF A WIND TURBINE FOR THE PURPOSE OF CONDITION MONITORING | 204 |
| <i>Ravi Pandit</i> | |
| PO247: CHALLENGES ON MODELLING MORE THAN 12.000 WTG | 205 |
| <i>Ander Larrañaga</i> | |
| PO248: USE OF DIGITAL MODELLING FOR THE DESIGN OF POWER CONVERSION SYSTEMS IN THE WIND SECTOR | 206 |
| <i>Ion Etxarri</i> | |
| PO249: WHAT DOES "BIG DATA" MEAN FOR PRACTICAL TURBINE AVAILABILITY? | 207 |
| <i>Fabrice Drommi</i> | |

| | |
|---|------------|
| PO250: USING UAV IMAGERY AND DEEP LEARNING FOR WIND TURBINE INSPECTION | 208 |
| <i>Thomas Bahr, Sr.</i> | |
| PO252: COMPACT TEST VOLTAGE SOURCE FOR FIELD DIAGNOSIS OF WIND TURBINE TRANSFORMERS | 209 |
| <i>Tobias Miessler</i> | |
| PO253: LEARNING FROM THE MACHINE: TECHNIQUES AND STATISTICAL ALGORITHMS FOR CLEANING AND INTERROGATING WIND TURBINE SCADA DATA | 210 |
| <i>Matthew Zhang</i> | |
| PO255: INSPECTION OF OFFSHORE WIND TURBINE ROTOR BLADES BY THERMOGRAPHY AND ACOUSTIC MONITORING | 211 |
| <i>Nicholas Balaesque</i> | |
| PO257: A NEW STANDARD IN MONITORING OPERATIONAL WIND FARM PERFORMANCE THROUGH SCADA-INTEGRATED WIND LIDAR | 212 |
| <i>Alex Woodward</i> | |
| PO258: FLIGHT PHASE CONTROL STRATEGIES FOR AIRBORNE WIND ENERGY SYSTEMS | 213 |
| <i>John Warnock</i> | |
| PO259: IMPROVED METHOD FOR WIND TURBINE MAIN GEARBOX GEAR REPAIR | 214 |
| <i>Martin McCormick</i> | |
| PO260: FLEET LEVEL PROGNOSIS METHOD FOR WIND CONVERTER | 215 |
| <i>Niya Chen</i> | |
| PO261: INTELLIGENT CORROSION PROTECTION SYSTEMS AT SEA KEEP MAINTENANCE COSTS UNDER CONTROL | 216 |
| <i>Martin Van Leeuwen</i> | |
| PO262: INVESTIGATING THE STRUCTURAL BEHAVIOR OF WIND TURBINES ON THE BASIS OF MECHANICAL LOAD MEASUREMENTS | 217 |
| <i>Anna Wegner</i> | |
| PO263: FORECASTING OF ATMOSPHERIC ICING – VALIDATION AND WIND ENERGY APPLICATIONS | 218 |
| <i>Rolv Erlend Bredesen</i> | |
| PO265: MODELLING APPROACH OF FAILURES TO IMPROVE STRUCTURAL HEALTH MONITORING SYSTEMS | 219 |
| <i>Samuel Leupold</i> | |
| PO266: AUTOMATED OPERATION TO ENHANCE OPERATING WIND FARMS PROFITABILITY | 220 |
| <i>Alejandro Cabrera</i> | |
| PO267: FROM SCREEN TO SCREAM | 221 |
| <i>Mark Spring</i> | |
| PO268: HEALTH ESTIMATION AND FAILURE PREDICTION OF WIND TURBINES COMPONENTS BASED ON CORRELATION CHANGES AMONG SIGNIFICANT VARIABLES FROM SCADA DATA | 222 |
| <i>Mattia Beretta</i> | |
| PO269: REDUCING THE COST OF CONSTRUCTION, OPERATIONS & MAINTENANCE WITH REAL-TIME SEA STATE DATA | 223 |
| <i>Breanne Gellatly</i> | |
| PO272: ROOT CAUSE ANALYSIS OR WHY THIS IS HAPPENING TO ME..... | 224 |
| <i>Carlos Albero</i> | |
| PO275: UNDERSTANDING STRUCTURAL DEGRADATION OF WIND TURBINE GEARBOX MATERIALS | 225 |
| <i>Valter Luiz Jantara Junior</i> | |
| PO276: TAKING OVER A NEW SITE – PRACTICAL CONSIDERATIONS | 226 |
| <i>Alistair Parlett</i> | |
| PO277: CONDITION MONITORING OF 88KM LONG OFFSHORE HVDC POWER CABLE: COMPARISON OF DTS AND AS BUILT DATA | 227 |
| <i>Baz Matvichuk</i> | |
| PO278: BRINGING O&M IN-HOUSE AND ACHIEVING THE GOAL OF CONDITION BASED MAINTENANCE (CBM)..... | 228 |
| <i>Giacomo Barbieri</i> | |
| PO280: MULTI-TASK DISTRIBUTION LEARNING APPROACH TO ANOMALY DETECTION OF OPERATIONAL STATES OF WIND TURBINES | 229 |
| <i>Stephan Vogt</i> | |

| | |
|--|------------|
| PO281: FACTORS AFFECTING THE USE OF PERFORMANCE MEASUREMENT SYSTEMS IN WIND FARMS OPERATION & MAINTENANCE | 230 |
| <i>Mario González</i> | |
| PO282: O&M COST-BASED FMECA: IDENTIFICATION AND RANKING OF THE MOST CRITICAL COMPONENTS FOR 2-4 MW GEARED OFFSHORE WIND TURBINES..... | 231 |
| <i>Debora Cevalco</i> | |

SUPPLY CHAIN & PROCUREMENT

| | |
|--|------------|
| PO285: CHINA OFFSHORE WIND - A LOGISTICS PERSPECTIVE..... | 232 |
| <i>Thomas Poulsen</i> | |
| PO286: 1STOP BLADE IMPROVEMENTS AND MAINTENANCE | 233 |
| <i>Anders Røpke</i> | |
| PO287: HUMAN RESOURCE CHALLENGES IN THE WIND ENERGY SUPPLY CHAIN | 234 |
| <i>Thomas Hopkinson</i> | |
| PO289: EFFECT OF ELECTRICITY MARKET PRICE UNCERTAINTY MODELLING ON THE PROFITABILITY ASSESSMENT OF OFFSHORE WIND ENERGY THROUGH AN INTEGRATED LIFECYCLE TECHNO-ECONOMIC MODEL | 235 |
| <i>Anastasia Ioannou</i> | |

USING WIND TO DECARBONISE HEATING, TRANSPORT AND OTHER SECTORS

| | |
|--|------------|
| PO291: SECTOR COUPLING – CONNECTING ELECTRICITY, HEAT AND MOBILITY..... | 236 |
| <i>Dirk Briese</i> | |
| PO293: RECOMMENDED PRACTICES FOR WIND AND SOLAR INTEGRATION STUDIES -- IEA EXPERT GROUP COLLABORATION | 237 |
| <i>Hannele Holttinen</i> | |
| Author Index | |