

73rd World Foundry Congress (WFC 2018)

Creative Foundry

Scientific and Technical

Krakow, Poland
23 - 27 September 2018

ISBN: 978-1-5108-8041-2

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2018) by World Foundry Organization Ltd
All rights reserved.

Printed by Curran Associates, Inc. (2019)

For permission requests, please contact World Foundry Organization Ltd
at the address below.

World Foundry Organization Ltd
Winton House, Lyonshall
Kington, Herefordshire
HR5 3JP, United Kingdom

Phone: +44 (0) 1544 340332
Fax: +44 (0) 1544 340332

www.thewfo.com

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com



Contents

Scientific

Materials:

11 – Solidification characteristics of silicon alloyed ductile cast irons	21
I. Riposan, POLITEHNICA University of Bucharest, Materials Science and Engineering Faculty, Romania	
16 – Effect of intensive cooling of alloy AlSi7Mg with alloy additions on the microstructure and mechanical properties	23
B. Pisarek, Łódź University of Technology, Department of Materials Engineering and Production Systems, Poland	
17 – The influence of wall thickness on the fatigue limit of V-notched bars made of as-cast or heat treated ductile iron	25
S. Masaggia, Zanardi Fonderie S.p.A., Italy	
20 – Development of a squeeze semisolid high pressure die casting process for magnesium structural parts	27
I. Vicario, Tecnalia Research & Innovation, Spain	
21 – On quantitative metallography vacuum casted Ni-based superalloy used in aero jet engine construction – turbine blades SEM structure analysis after various working hours	29
J. Belan, University of Žilina, Department of Material Engineering, Slovakia	
22 – Quality assessment of sand castings from aluminum cast alloy using image and CT analysis	31
L. Kuchariková, University of Žilina, Department of Materials Engineering, Slovakia	
23 – Mechanical and fatigue properties of nodular cast irons	33
A. Vaško, Department of Materials Engineering, University of Žilina, Faculty of Mechanical Engineering, Slovakia	
38 – Effects of manganese content and cooling rate on fatigue in limit heavy sectional spheroidal graphite cast iron	35
N. Shiraki, Tokyo City University, Faculty of Engineering, Japan	
41 – Influence of defects on HPDC strength and effectiveness of gas porosity dispersion by atomized flow	37
M. Nakagawa, Motorcycle R&D Center, Honda R&D Co., Ltd., Japan	
47 – Study of AlSi7MgCu alloy with improved properties in as-cast state	39
Z. Brodarac, University of Zagreb, Faculty of Metallurgy, Croatia	
51 – Data mining methods for properties prediction with TDA curves of the hypoeutectic Al–Si alloys	41
D. Wilk–Kołodziejczyk, Foundry Research Institute, Poland	
55 – Effect of composition and microstructure on the fatigue life of quaternary SnZnAgCu lead-free alloy	43
K. Pietrzak, Institute of Precision Mechanics, Poland	
59 – Heteroepitaxial growth of passivating layers on rutile in contact with molten aluminium and molten A356 aluminium alloy	45
A. Salomon, TU Bergakademie Freiberg, Institute of Materials Science, Germany	
60 – Non-metallic inclusions and their influence on the mechanical properties of 18 CrNiMo7–6 steel treated in different crucibles	47
M. Seleznev, Institute of Materials Engineering, TU Bergakademie Freiberg, Germany	
61 – Profiling the quality of bentonite clay with dilatometry	49
J. Thiel, Metal Casting Center, University of Northern Iowa, USA	
67 – Fatigue behavior on heavy section ductile iron casting manufactured in grade EN–GJS–500–14	51
M. A. Altuna, Grupo WEC, Spain	
70 – ADI – the material revolution and its applications at CMRDI	53
A. Nofal, Central Metallurgical R&D Institute CMRDI, Foundry Technology Department, Egypt	
72 – Interaction of AlSi7Mg with oxidic filter materials	55
B. Fankhänel, TU Bergakademie Freiberg, Institute for Nonferrous Metallurgy and Purest Materials, Germany	
76 – The modified low-cycle fatigue test as a quick and economic criterion of the quality of ductile iron after normalizing annealing	57
M. Maj, AGH University of Science and Technology, Faculty of Foundry Engineering, Poland	
83 – Influence of investment casting parameters on creep resistance of Ni-based superalloy	59
Ł. Rakoczy, AGH University of Science and Technology, Faculty of Metals Engineering and Industrial Computer Science, Poland	
84 – Effect of melt pouring temperature and composition of primary coating of shell mould on tensile deformation behavior of IN713C superalloy	61
Ł. Rakoczy, AGH University of Science and Technology, Faculty of Metals Engineering and Industrial Computer Science, Poland	
90 – Prediction of microstructure of grey cast irons by electrical resistivity measurements	63
M. Petrič, University of Ljubljana, Faculty of Natural Sciences and Engineering, Department of Materials and Metallurgy, Slovenia	
92 – Research and analysis of the foundry coatings influence on the mould filling process	65
Y. Nikolaichyk, Belarusian National Technical University, Foundry Department, Belarus	
97 – Influence of filter surface chemistry on the filtration of aluminum melt	67
C. Voigt, TU Bergakademie Freiberg, Institute of Ceramic, Glass and Construction Materials, Germany	
100 – Effect of trace elements on microstructure and material properties of an aluminium alloy	69
T. Pabel, Austrian Foundry Research Institute, Austria	



101 – Preparation of magnesium borate fibers by electrospinning	71
E. Storti, TU Bergakademie Freiberg, Institute of Ceramic, Glass and Construction Materials, , Germany	
102 – Ceramic filters with coatings based on nano-materials or calcium aluminates with carbon for steel melt filtration	73
E. Storti, TU Bergakademie Freiberg, Institute of Ceramic, Glass and Construction Materials, Germany	
103 – The effect of the substitution of silicon by aluminum on the mechanical properties of gray iron	75
E. Aguado, IK4-AZTERLAN, Spain	
107 – Prediction of chunky graphite on the base of numerical simulation and experimental data	77
B. Bauer, University of Zagreb, Faculty of Mechanical Engineering and Naval Architecture, Croatia	
110 – Preliminary mechanical properties and microstructures obtained after casting a modified Al–Zn–Mg wrought alloy	79
R. Hidalgo, Mondragon University, Spain	
111 – Effect of single and double solution treatment on second phase dissolution of an Al–8.5Si–1.5Cu–0.4Mg alloy with different initial cooling rates	81
E. Ochoa de Zabalegui, Edertek Technology Center of FAGOR EDERLAN Group, Spain	
113 – Effect of micro-scale gas bubbles on steel filtration: a numerical study	83
A. Asad, Technische Universität Bergakademie Freiberg, Institute of Mechanic and Fluid Dynamics, Germany	
114 – 3-Dimensional imaging of spheroidal graphite by ultra-high voltage electron microscopy	85
H. Maeda, Ryukoku University, Faculty of Science & Technology, Japan	
116 – Mechanical behaviour of nodular cast irons after prolonged high temperature exposure	87
A. Morri, University of Bologna, Department of Industrial Engineering, Italy	
126 – Influence of shrinkage porosity on fracture under tensile stress in ductile cast iron	89
J. Massone, National University of Mar del Plata, INTEMA-CONICET, Metallurgy Division, Argentina	
138 – Metallography for cast Al-alloys using FIB-SEM	91
T. Bončina, University of Maribor, Faculty of Mechanical Engineering, Slovenia	
139 – Strengthening of Al-casting alloys by quasicrystalline precipitates	93
F. Zupanič, University of Maribor, Faculty of Mechanical Engineering, Slovenia	
150 – Characterization of composite ceramic materials used during investment casting of aircraft engines components	95
R. Cygan, Rzeszow University of Technology, Poland	
151 – Influence of the selected superalloy and ceramic crucible on the melting and melt-pouring process during the investment casting of the aircraft components	97
R. Cygan, Rzeszow University of Technology, Poland	
163 – Morphological evolution of semisolid Mg–Al–La–Ca magnesium alloy produced by mechanical stirring process (MSP)	99
S. Bartex, Federal University of Rio Grande do Sul, Metallurgical Department, Brazil	
164 – Determination of gray cast iron age strengthening by non-destructive methods: effect of alloying elements	101
A. Vaucheret, ECAM Lyon, France	
168 – The effect of Sr and impurities interaction on the Al–7%Si–0.3%Mg alloys	103
T. Fukuhara, Shoko. Co., Ltd., Japan	
172 – Development of in situ fabrication process of clad materials by using tandem twin-roll casting	105
S. Kumai, Tokyo Institute of Technology, Department of Materials Science and Engineering, Japan	
175 – An investigation on microstructural and mechanical properties of ceramic moulds applied in the investment casting of critical parts of aircraft engines	107
M. Ksiazek, Foundry Research Institute, Complex of Research Laboratories, Poland	
183 – Effect of temperature on the structure and magnetic properties of zinc ferrite nanoparticles	109
A. Kmita, AGH University of Science and Technology , Academic Centre for Materials and Nanotechnology, Poland	
184 – Influence of the heating rate on the thermal decomposition kinetics of the chemical cured binder	111
A. Kmita, AGH University of Science and Technology , Academic Centre for Materials and Nanotechnology, Poland	
187 – Revealing of microstructural features in Haynes® 282® superalloy subjected to various heat treatments	113
A. Polkowska, Foundry Research Institute, Poland	
188 – Microstructure effects of Y₂O₃ addition to A356 alloy	115
S. El-Hadad, Central Metallurgical Research and Development Institute, Egypt	
193 – Fabrication of aluminum based functionally graded materials by centrifugal casting and their application of grinding wheels	117
Y. Watanabe, Department of Physical Science and Engineering, Nagoya Institute of Technology, Japan	
197 – Interfacial phenomena in Ni alloys–oxides systems of interest for investment casting	119
F. Valenza, Institute of Condensed Matter Chemistry and Technologies for Energy, National Research Council, Italy	



202 – Novel method of thermal conductivity measurement using Stefan–Boltzmann law	121
P. Wieliczko, Foundry Research Institute, Poland	
204 – Physico–chemical, structural and derivatographic studies of bentonite clays from national deposits	123
J. Kamińska, Foundry Research Institute, Poland	
206 – Wettability improvement of woven fabric for aluminium casting reinforcement	125
S. Cruz, Eurecat, Spain	
211 – Research on coatings and infiltration to strengthen ceramic lost cores used in high pressure die casting processes	127
M. Merchán, Fundación Tecnalia R&I, Spain	
214 – Mechanical and structural characterization of cast iron using synchrotron light	129
L. Elmquist, Swerea SWECAST, Sweden	
218 – Thermal stability of a resin binder used in moulding sand technology	131
A. Roczniak, AGH University of Science and Technology, Faculty of Foundry Engineering, Poland	
220 – Deformation behavior of pure copper castings with as–cast surfaces for electrical parts	133
I. Goto, Akita University, Graduate School of Engineering Science, Japan	
225 – Amplitude dependence of internal damping of magnesium alloys before and after plastic deformation	135
M. Uhrčík, University of Žilina, Department of Materials Engineering, Slovakia	
229 – Influence of mischmetal on impact toughness and morphology of G20Mn5 cast steel fractures	137
J. Kasińska, Kielce University of Technology, Poland	
233 – Technology of alloy layers on surface of castings	139
T. Wróbel, Silesian University of Technology, Department of Foundry Engineering, Poland	
234 – Strength properties of ceramic moulds containing waste moulding sand after initial reclamation as a substitute for base sand	141
M. Angrecki, Foundry Research Institute, Poland	
235 – Experimental and simulation studies of cores making process with blowing methods	143
R. Dańko, AGH University of Science and Technology, Faculty of Foundry Engineering, Poland	
236 – A study of Mg–Cu interreaction in copper–alloyed ADI	145
M. Górny, AGH University of Science and Technology, Faculty of Foundry Engineering, Poland	
237 – Environmentally friendly foundry molding and core sands	147
K. Major–Gabryś, AGH University of Science and Technology, Faculty of Foundry Engineering, Poland	
240 – Cast iron “Vari – Morph” (VM) with graphite of several forms – material for castings of special destinations	149
J. Postuła, Fansuld Cast Iron Foundry, Poland	
243 – Lead–free casting brasses. Analysis of microstructure and properties combined with the casting technology	151
J. Kozana, AGH University of Science and Technology, Faculty of Foundry Engineering, Poland	
245 – Influence of structural discontinuities on the fatigue life of aluminium alloys of 4XXO series	153
J. Zych, AGH University of Science and Technology, Faculty of Foundry Engineering, Poland	
249 – Effect of aluminum melt treatment by nanosecond electromagnetic pulses on structure and properties of castings	155
V. Deev, National University of Science and Technology MISIS, Department of Foundry Technology, Russian Federation	
251 – Investigations of the influence zone of chills – on the casting of the plate made of AlSi7Mg alloy, after the heat treatment T6	157
M. Piękoś, AGH University of Science and Technology, Faculty of Foundry Engineering, Poland	
259 – Microalloying of Al–5%Cu aluminum alloy with nickel aluminides and rare–earth metals	159
E. Ri, Department of Foundry Engineering and Metal Technology, Pacific National University, Russian Federation	
264 – Fabrication method of silicon carbide by infiltration of molten Fe–Si alloy through two–step reaction sintering	161
Y. Hanada, FUJICO Co., Ltd., Japan	
265 – Microstructure and tribological properties of Co–Cr alloys used for metal elements in prosthetic technique	163
J. Augustyn–Nadzieja, AGH University of Science and Technology, Faculty of Metals Engineering and Industrial Computer Science, Poland	
271 – Optimalization of mould preheating process to reduce formation of gases during investment casting of Ni–based alloys	165
M. Grudzień, Foundry Research Institute, Poland	
273 – Characterization of primary microstructure of thin–walled Ni–based superalloy casting	167
M. Grudzień, Foundry Research Institute, Poland	
274 – Structure and mechanical properties of austempered grey iron (AGI)	169
K. Jaśkowiec, Foundry Research Institute, Poland	
275 – Determining the effect of austempering temperature on the morphology of ausferrite in ADI using computer image analysis and X–ray diffractometry	171
K. Jaśkowiec, Foundry Research Institute, Poland	
276 – Use of the ATND method to assessment of EN AC–AlSi9Mg alloy hardness moulded in metal moulds	173
J. Pezda, University of Bielsko–Biała, Department of Production Engineering and Automation, Poland	
279 – Wear properties of milled carbon fiber–reinforced aluminum alloy composites	175
K. Asano, Kindai University, Faculty of Science and Engineering, Department of Mechanical Engineering, Japan	



281 – The decreasing microstructure degradation of fiber base feeder sleeve with various refractory coatings	177
H. Kahraman, Cukurova Kimya Endustrisi A.S., Turkey	
283 – Effect of molten metal temperature on mold filling in evaporative pattern casting	179
T. Maruyama, Kansai University, Department of Chemistry and Material Engineering, Japan	
296 – Influence of heat treatment on the microstructure and corrosion resistance of austempered ductile iron	181
H. Krawiec, AGH University of Science and Technology, Faculty of Foundry Engineering, Poland	
297 – Mechanical properties of phenolic urethane sand after thermal regeneration at 930°C	183
T. Nascimento, Federal Institute Education Science Technology of Rio Grande do Sul, Brazil	
304 – Development of numerical model for core gas generation by the reaction with binder in sand cores and transport in molten metal	185
S. Kim, AnyCasting Software, Co. Ltd., South Korea	
305 – Grain boundary wetting in the tungsten–nickel alloys	187
B. Straumal, National University of Science and Technology «MISIS», Russian Federation	
306 – Grain boundary wetting phenomena in the NdFeB–based commercial alloys	189
B. Straumal, National University of Science and Technology «MISIS», Russian Federation	
314 – Effect of nickle content on microstructural evolution in austempered solution strengthened ferritic ductile cast iron	191
T. Tokunaga, Kyushu Institute of Technology, Japan	
318 – Dammage micromechanism in spheroidal cast iron as affected by graphite/matrix interface interactions	193
M. Warmuzek, Foundry Research Institute, Poland	
321 – Grain size prediction model in aluminium castings manufactured by low pressure technology	195
A. Fernández–Calvo, IK4–AZTERLAN, Spain	
322 – The role of aluminium in the cast iron spheroidizing process	197
M. Soiński, The Jacob of Paradies University, The Department of Technology, Poland	
326 – General concept of cast metal matrix composites design	199
E. Prusov, Vladimir State University named after Alexander and Nikolay Stoletovs, Department of Functional and Constructional Materials Technology, Russian Federation	
333 – Investigation of the efficiency of grain refiners on the hot tearing in Al8Si3Cu	201
M. Uludag, Metallurgical and Materials, Bursa Technical University, Turkey	
334 – The effect of Sr modification and Ti grain refinement on the mechanical properties of A356	203
M. Uludağ, Bursa Technical University, Metallurgical and Materials Engineering, Turkey	
342 – Influence of T6 heat treatment on secondary AISi9Cu3(Fe) alloy produced by semi–solid seed process	205
A. Fabrizi, University of Padova, Department of Management and Engineering, Italy	
345 – Shrinkage porosity formation in cast iron components	207
A. Diószegi, Jönköping University, Sweden	
346 – Influence of carbon on the formation of microstructure and mechanical properties of Co–Cr–Mo and Co–Cr–W–Mo cast alloys	209
J. Augustyn–Nadzieja, AGH University of Science and Technology, Faculty of Metals Engineering and Industrial Computer Science, Poland	
349 – Influence of the low Ti addition on gray cast iron properties produced with increased steel scrap in the charge	211
P. Futas, Slovak University of Technology in Bratislava, Slovakia	
351 – The wear mechanism of mill beaters for coal grinding made–up from high manganese cast steel	213
J. Krawczyk, AGH University of Science and Technology, Faculty of Metals Engineering and Industrial Computer Science, Poland	
352 – Role of chemical composition on secondary cementite morphology in alloyed cast seels	215
J. Krawczyk, AGH University of Science and Technology, Faculty of Metals Engineering and Industrial Computer Science, Poland	
354 – Determination of content of phenol in foundry resins by pyrolysis gas chromatography–mass spectrometry method	217
S. Żymankowska–Kumon, AGH University of Science and Technology, Faculty of Foundry Engineering, Poland	
357 – Influencing crystallization of austenitic manganese steel by modification with complex alloying elements	219
Š. Eperješi, Technical University of Kosice, Slovakia	
359 – Determination of transformation temperatures and solidification sequence of the Mg–Al–La–Ca alloy	221
V. De Barcellos, Federal University of Rio Grande do Sul, Brazil	
367 – Preparation, properties and applications of the novel polymer binders BioCo	223
B. Grabowska, K. Kaczmarska, A. Bobrowski	
369 – Influence of the master alloy Ti–Fe on the microstructure and selected properties of copper and copper alloys	225
M. Piękoś, AGH University of Science and Technology, Faculty of Foundry Engineering, Poland	
370 – Investigations of the titanium influence on the structure and selected properties of tin bronzes	227
J. Kozana, AGH University of Science and Technology, Faculty of Foundry Engineering, Poland	
372 – Comparison of the properties of the alkaline–phenolic binders for the moulding sand for the steel castings	229
R. Kania, Pioma–Odlewnia Sp. z o.o., Poland	
373 – Ambient temperature influence on the properties of the moulding sand with the alkaline–phenolic binder	231
A. Bul, Pioma–Odlewnia Sp. z o.o., Poland	



377 – Time-resolved and in-situ 2D / 3D imaging of solidification in ductile cast iron	
H. Yasuda, Kyoto University, Department of Materials Science and Engineering, Japan	233
378 – Feasibility of us foundry supply chain consumables for three dimensional sand printing	
S. Giese, University of Northern Iowa, Metal Casting Center, USA	235
380 – Liquid-phase bonding of carbon/carbon and porous carbon for structural and thermal management applications	
R. Asthana, University Of Wisconsin–Stout, Engineering & Technology, USA	237
385 – Use of high intensity X-ray analysis as tool to create new, fundamental models for phase transformations and residual stress in ductile cast iron	
N. Tiedje, Technical University of Denmark, Mechanical Engineering, Denmark	239
391 – Increase precision and yield in casting production by simulation of the solidification process based on realistic material data evaluated from thermal analysis (using the ATAS MetStar System)	
P–E. Persson, Novacast Systems AB, Sweden	241
394 – Application of differential scanning calorimetry (DSC) for evaluation of aluminium alloys billets homogenization parameters	
G. Wloch, AGH University of Science and Technology, Faculty of Non–Ferrous Metals, Poland	243
395 – Analysis of the temperature distribution in the sample during the hot distortion parameter testing	
J. Jakubski, AGH University of Science and Technology, Faculty of Foundry Engineering, Poland	245
402 – The study on tensile strength of AlSi21CuNiMg silumin in the final stage of solidification and the initial stage of self-cooling	
R. Romankiewicz, University of Zielona Góra, Faculty of Mechanical Engineering, Poland	247
407 – Microstructural characterization of Fe/tic composite zones produced in situ using glassy carbon	
M. Gajewska, Academic Centre for Materials and Nanotechnology, AGH University of Science and Technology, Poland	249
410 – Effect of modification on the thermal analysis of grain refining in A319 Al–Si–Cu alloys	
W. Khalifa, Cairo University, Faculty of Engineering, Egypt	251
413 – Design of competitive light-weight composite materials: SiC/TiSi₂	
D. Giuranno, Foundry Research Institute, Poland	253
415 – Structure and properties of high nickel austempered ductile iron	
A. Kochański, Warsaw University of Technology, Faculty of Production Engineering, Poland	255
420 – Quality index of AlSi7Mg0.3 silumin from the perspective of refining methods	
A. Garbacz–Klempka , AGH University of Science and Technology, Faculty of Foundry Engineering, Poland	257
426 – Influence of magnesium matrix composition on pressure infiltration of glassy carbon foam	
A. Olszówka–Myalska, Silesian University of Technology, Faculty of Materials Science and Engineering, Poland	259
427 – Main directions of recent works on AlZn based alloys for foundry engineering	
W. Krajewski, AGH University of Science and Technology, Faculty of Foundry Engineering, Poland	261
434 – Effect of solidification factors on cast structure and 'A' segregation for an ultra large section strand of a vertical semi-continuous caster of steel	
K. Oh, POSCO, South Korea	263
435 – Microstructure quality assessment of isothermed ductile irons through tensile tests	
F. Zanardi, Zanardi Fonderie S.p.A., Italy	265
438 – Nanomultilayers for joining applications	
J. Janczak–Rusch, Empa, Swiss Federal Laboratories for Materials Science and Technology, Switzerland	267
441 – Experimental device for investigation of low vapour pressure liquid metals and their interaction in contact with refractory materials	
A. Kudyba, Foundry Research Institute, Poland	269
442 – Enhancing the permeability and properties of ceramic shell in investment casting process using ABS powder and needle coke	
D. Karunakar, Shenyang Research Institute of Foundry, Department of Mechanical and Industrial Engineering Department, Shenyang Research Institute of Foundry, India	271
444 – Comperative study of interaction of kaolin substrates with liquide Ni and CSMX4 alloy	
R. Nowak, Foundry Research Institute, Poland	273
451– High-temperature interaction of molten conventional grey cast iron and Al₂O₃–ZrO₂ ceramic	
L. Drenchev, Institute of Metal Science, Equipment and Technologies with Hydroaerodynamics Centre, Bulgaria	275
452 – Thermal conductivity of selected vermicular cast iron alloys	
M. Homa, Foundry Research Institute, Poland	277
453 – Simultaneous TG–DTA thermal analysis of Si–30B alloy	
M. Homa, Foundry Research Institute, Poland	279
455 – Wettability of two-dimensional MoS₂ layer by liquid tin	
G. Bruzda, Foundry Research Institute, Poland	281
456 – The influence of alloying additions on the interaction between re-melted vermicular graphite cast iron and Al₂O₃ substrate	
G. Bruzda, Foundry Research Institute, Poland	283
458 – The effect of boron content on wetting kinetics in Si–B alloy/h–BN SYSTEM	
W. Polkowski, Foundry Research Institute, Poland	285



459 – The effect of surface condition on wetting of Hastelloy® x by Brazer Alloy of Ni–Pd–Cr–B–Si system	
A. Kudyba, Foundry Research Institute, Poland	287
460 – Improvement of TiC/Fe in situ composite layer formation on the surface of Fe–based castings	
Ł. Szymański, AGH University of Science and Technology, Faculty of Foundry Engineering, Poland	289
463 – Liquid metal engineering for Creative Foundry: from Lab to Fab	
N. Sobczak, Foundry Research Institute, Poland	291
Technology:	
7 – Use of a mathematical treatment for the prediction of structural zones localization in the continuously cast brass ingots	
W. Wołczyński, Polish Academy of Sciences, Institute of Metallurgy and Materials Science, Poland	295
28 – Increasing productive efficiency of casting of ferrous and non-ferrous alloys	
M. Sadokha, JSC BELNIIIT, Republic of Belarus	297
34 – Electromagnetic method for control the solidification of Al 99.99	
M. Pokusová, Slovak University of Technology in Bratislava, Faculty of Mechanical Engineering, Slovakia	299
91 – Recycling of dispersed metal wastes in rotary furnaces – a method of creating a new source of raw materials for foundry	
S. Rovin, UE “Technolit”, Belarus	301
95 – Complete master of the complex casting in the technology of high pressure die-casting	
P. Mrvar, University of Ljubljana, Faculty of Natural Sciences and Engineering, Department of Materials and Metallurgy, Slovenia	303
99 – Studies of accelerated microwave drying of ceramic moulds	
P. Just, Lodz University of Technology, Department of Materials Engineering and Production Systems, Poland	305
115 – Influence of Mn and Cr on intermetallic sludge formation in Fe containing secondary AISi9Cu3 alloy with aim of reducing Fe level by filtration	
B. Dietrich, TU Bergakademie Freiberg, Foundry–Institute, Germany	307
125 – Visual inspection of investment castings made of nickel–based superalloy	
P. Rokicki, Rzeszow University of Technology, Research and Development Laboratory for Aerospace Materials, Poland	309
129 – Wettability measurement of AISi₁₀Mg on Al₂O₃, MgAl₂O₄, 3Al₂O₃·2SiO₂ and TiO₂ at 730°C	
C. Voigt, TU Bergakademie Freiberg, Institute of Ceramic, Glass and Construction Materials, Germany	311
137 – Numerical simulation of steel melt filtration	
C. Demuth, TU Bergakademie Freiberg, Institute of Thermal Engineering, Germany	313
141 – Determination of critical cooling rate for minimization of porosity in the large aluminum casting	
I. Cho, ICT Manufacturing Group, Korea Institute of Industrial Technology, South Korea	315
146 – Optimization of the die casting process of thick-wall bush made of compound aluminum bronze	
D. Kołakowski, Łódź University of Technology, Department of Materials Engineering and Production Systems, Poland	317
152 – Influence of printed ceramic filters on temperature field distribution during investment casting of thin-walled Ni–based superalloys	
M. Antosz, Rzeszow University of Technology, Poland	319
154 – Influence of powder additives in two component environmentally friendly inorganic binder systems on strength behavior	
M. Conev, Technical University of Košice, Faculty of Materials, Metallurgy and Recycling, , Slovakia	321
166 – Improvement of the manufacturing technology of cast steel castings to be used in extreme operating condition	
J. Jezierski, Silesian University of Technology, Department of Foundry Engineering, Poland	323
174 – Operational assistance system with direct manipulation of flow rate and falling position of outflow liquid in tilting–ladle–type pouring machine	
Y. Sueki, University of Yamanashi, Department of Mechanical Engineering, Japan	325
178 – Influence of thermo–physical properties of moulding sands on the solidification time of ductile cast iron	
A. Brusilová, Slovak University of Technology in Bratislava, Faculty of Mechanical Engineering, Slovakia	327
179 – Conductive stirring problems of steel in continuous casting process	
A. Schrek, Slovak University of Technology in Bratislava, Faculty of Mechanical Engineering, Slovakia	329
180 – The application of X–ray computed tomography to study the quality of ceramic moulds in precision foundry	
A. Tchórz, Foundry Research Institute, Poland	331
186 – Development and application of cast steel numerical simulation system for heat treatment based on InteCAST	
J. Zhou, Huazhong University of Science and Technology, State Key Laboratory of Materials Forming and Mould Technology, China	333
192 – Effects of green sand particle size distribution on squeeze compacting behavior analyzed by discrete element method	
Y. Maeda, Daido University, Department of Mechanical Engineering, Japan	335
205 – Improved ultrasonic degassing of AISi₁₀Mg alloy and its performance evaluation with the reduced pressure test (RPT) method	
H. Galarraga, Fundación Tecnalia R&I, Spain	337
208 – Determination of the charge materials range in a multistage charge burden optimisation for the foundry furnaces	
K. Schmalenberg, Odlewnie Polskie S.A., Poland	339
209 – Evaluation of the effect of ultrasonic degassing on components produced by high pressure die casting	
M. da Silva, Eurecat, Centre Tecnologic de Catalunya, Spain	341



222 – Effect of curing parameters on selected technological properties of the moulding sand with inorganic cordis binder used for ablation casting of aluminium alloys	
A. Grabarczyk, AGH University of Science and Technology, Faculty of Foundry Engineering, Poland	343
270 – Geometric form of gating system elements and its influence on the initial filling phase	
R. Dojka, Silesian University of Technology, Department of Foundry Engineering, Poland	345
288 – Effect of increased temperature on dimensional and shape accuracy of castings produced from the EN AC–AlSi11 alloy by pressure die casting process	
A. Jarco, University of Bielsko–Biała, Department of Production Engineering and Automation, Poland	347
289 – Application of patterns fabricated by the FDM technique (Fused Deposition Modeling) in precision casting	
T. Pacyniak, Lodz University of Technology, Department of Materials Engineering and Production Systems, Poland	349
291 – The inoculation effect of aluminum addition on selected high–chrome cast iron properties	
A. Szczęsny, AGH University of Science and Technology, Faculty of Foundry Engineering, Poland	351
315 – AZ91 magnesium based nanocomposites obtained using thixomolding technology	
Ł. Rogal, Polish Academy of Sciences, Institute of Metallurgy and Materials Science, Poland	353
324 – Nondestructive evaluation of ductile cast iron matrix via casting surface by electromagnetic method	
N. Horikawa, National Institute of Technology, Asahikawa College, Japan	355
327 – Challenges in gravity sand casting of ZE41 Mg alloy	
D. Dispinar, Istanbul University, Faculty of Engineering, Turkey	357
329 – Lightweight die casting tools – a promising option for enhancing the high pressure die casting process	
S. Müeller, Technische Universitaet Braunschweig, Institute of Joining and Welding, Germany	359
339 – Reconstruction of the casting technology of prehistoric bronze ornaments worked with the lost–wax technique on the bases of metal science analyses, computer modelling and model alloys	
Z. Kwak, AGH University of Science and Technology, Faculty of Foundry Engineering, Poland	361
340 – Study of (%TiO₂)/ [%Ti] partition coefficient in cupola furnace	
M. Castro–Román, Cinvestav Unidad Saltillo, Department of Metallurgical Engineering, Mexico	363
355 – 20 years of research projects targeted to zero defect manufacturing in diecasting	
F. Bonollo, Padova University, Department of Engineering and Management (DTG), Italy	365
361 – Investigations of the thickness of protective coatings deposited on moulds and cores	
Ł. Jamrozowicz, AGH University of Science and Technology, Faculty of Foundry Engineering, Poland	367
363 – Effect of CaSiAl modification on the microstructure and mechanical properties of low–carbon microalloyed cast steel with 0.04% Nb and 0.07% S	
B. Kalandyk, AGH University of Science and Technology, Faculty of Foundry Engineering, Poland	369
365 – Analysis of rapid drying process by set on fire of alcohol–based protective coatings applied on sand cores and moulds	
J. Kolczyk–Tylka, AGH University of Science and Technology, Faculty of Foundry Engineering, Poland	371
92 – Pouring process control based on high–speed image analysis of liquid flow	
R. Tasaki, Toyohashi University of Technology, Department of Mechanical Engineering, Japan	373
398 – Verification and optimization of investment casting technology for production of cast metal sponges	
I. Kroupová, VSB – Technical University of Ostrava, Faculty of Metallurgy and Material Engineering, Czech Republic	375
408 – Biography of bronze. Archaeometallurgical study on the casting technology of the lusatian culture communities in greater Poland. Presesntation of the project	
A. Garbacz–Klempka, AGH University of Science and Technology, Faculty of Foudry Engineering, Poland	377
411 – The use of synthetic slags in Polish foundry Metalodlew in Cracow	
M. Balicki, Metalodlew SA, Poland	379
412 – Two inoculation methods for refining as–cast grain structure in austenitic 316L steel	
S. Lekakh, Missouri University of Science and Technology, USA	381
414 – Si–Co and Si–Zr alloys/C–material interfaces: wetting versus infiltration	
D. Giuranno, Foundry Research Institute, Poland	383
416 – The role of recycled ceramic material obtained from the ceramic layered moulds used in the investment casting	
A. Soroczyński, Warsaw University of Technology, Department of Plastic Forming and Foundry Engineering, Poland	385
439 – Prediction of shrinkage porosity in ductile cast iron test castings	
J. Hajkowski, Poznan University of Technology, CAD/CAE Material Technology & Foundry Laboratories, Poland	387
454 – Conventional and hybrid gasars: light–weight materials with pressure–temperature managed porosity	
J. Sobczak, Foundry Research Institute, Poland	389
Digitalization:	
42 – Photography of atomized flow and LES–VOF simulation of die interior flow behavior under high–pressure die–casting	
E. Koya, Honda R&D Co., Ltd., Motorcycle R&D Center, Japan	393



98 – Application of explicit and implicit smoothed particle hydrodynamics simulation to casting processes	395
T. Suwa, Fujitsu Ltd., Japan	
108 – Modeling and computation of casting process by particle method	397
M. Kazama, Fujitsu Ltd., Japan	
153 – Intelligent data analytics for foundry industry 4.0	399
M. Perzyk, Warsaw University of Technology, Faculty of Production Engineering, Poland	
155 – Introducing Industry 4.0 in a die casting foundry	401
B. Dybowski, NEMAK POLAND Sp. z o.o., Poland	
303 – Analysis of computer simulation data application for steel casting desing in order to reduce its weight	403
P. Żak, AGH University of Science and Technology, Faculty of Foundry Engineering, Poland	
311 – Numerical and experimental studies on the cooling conditions of cast aluminium semi-finished product for forging process	405
M. Szucki, AGH University of Science and Technology, Faculty of Foundry Engineering, Poland	
387 – Concept of the Smart Foundry platform integrating Industry 4.0 technologies.	407
P. Malinowski, AGH University of Science and Technology, Faculty of Foundry Engineering, Poland	
389 – Application of selected artificial intelligence methods in the system predicting the microstructure of compacted graphite iron	409
B. Mrzygłód, AGH University of Science and Technology, Faculty of Metals Engineering and Industrial Computer Science, Poland	
417 – Computer simulation of solidification of casting with composite zone based on TIC reinforcement	411
S. Sobula, AGH University of Science and Technology, Faculty of Foundry Engineering, Poland	
Ecology:	
96 – From waste foundry sand to a new biodegraded raw material, an ecological solution for foundries	415
P. Caballero, Tecnalia Research & Innovation, Spain	
118 – Correlation of thermal analysis to binder emissions	417
S. Giese, University of Northern Iowa, USA	
350 – Cupola furnace slag – its origin, properties and utilization	419
A. Pribulova, Technical University in Kosice, Faculty of Materials, Metallurgy and Recycling, Slovakia	
423 – Innovation in the production of cast parts in the era of digitalization and tranzition towards circular economy according to the “sharing”-type economic models	421
V. Soporan, Technical University of Cluj–Napoca, Department of Environmental Engineering and Sustainable Development Entrepreneurship, Romania	
Management:	
106 – The application of Resource and Process Consumption Accounting (RPCA/RCA) in a foundry entity	425
M. Latallo–Anulewicz, Foundry Research Institute, Poland	
422 – Considerations on the correlation of engineering training with the developments in the field of the creative production of cast parts	427
V. Soporan, Technical University of Cluj–Napoca, Department of Environmental Engineering and Sustainable Development Entrepreneurship, Romania	
 Technical	
Materials:	
5 – The freedom of creativity: Coatings and additives concepts enabling enhanced construction and casting properties	431
R. Stötzel, ASK Chemicals GmbH, Germany	
14 – New Technology Platform ECOCURE BLUE: Reduction of emissions in foundry processes – First practical experiences	433
F. Lenzen, ASK Chemicals GmbH, Germany	
26 – Effect of magnesium inoculation on the microstructure and mechanical properties of a spheroidal cast iron knuckle: a focus on the steering arm	435
S. Mavhungu, University of Johannesburg, Metal Casting Technology Station, South Africa	
46 – Study on properties of Hyper Duplex Stainless Steel 7A of ASTM A–890 (CD3MWN)	437
B. Raha, Peekay Steel Castings Private Limited, India	
105 – Additive manufactured hybrid segments for die casting dies equipped with conformal cooling channels	439
W. Sokołowski, Oskar Frech GmbH Co. KG, Germany	
109 – Microstructure characterization of graded alloy cast iron for flashing/grinding plates used in grinding of ball bearings	441
P. Bhamawat, Mangalam Steelcast Pvt Ltd., India	
117 – Adsorptive nature of gases present on high temperature treated carbonaceous materials	443
R. Nelson, Superior Graphite, USA	



119 – Problems and improvements on the production of large casting with Hi–Si ductile iron	445
T. Kanno, Kimura Foundry Co., Ltd., R&D, Japan	
148 – Use of dilatometry to evaluate the high temperature characteristics of silica in chromite sand	447
J. Thiel, University of Northern Iowa, Metal Casting Center, University of Northern Iowa, United States	
156 – Effect of Nd content on structures and mechanical properties of Mg–Gd alloys cast into sand molds	449
N. Sunayama, TANIDA Ltd., Japan	
195 – Manufacturing of corrosive–resistant Cr–Ni steels and Ni–based alloys in vacuum furnaces	451
A. Zadera, Brno University of Technology, Faculty of Mechanical Engineering, Czech Republic	
213 – Effect of austenitizing temperature on microstructure and mechanical properties of low–alloyed ausferritic ductile cast iron	451
M. Sokolnicki, Odlewnie Polskie S.A., Poland	
221 – Prediction of shrinkage cavities of using casting simulation	455
H. Mitsuya, Muroran Institute of Technology, Japan	
223 – Thermal stress analysis of TiC cast–in insertion multi–component white cast iron	457
S. Murase, Muroran Institute of Technology, Japan	
227 – Effect of alloying element on the mechanical properties of high silicon ferritic ductile cast iron	459
K. Park, Namyang Metals Co., Korea	
244 – Technological aspects of producing Certified Reference Material (CRM) for zinc alloys	461
Ł. Wierzbicki, Institute of Non–Ferrous Metals, Metal Processing Department, Poland	
246 – Development of Mg–Al–Sr–Ca system heat resistant alloy for die–casting excellent in castability and recyclability	463
S. Saikawa, University of Toyama, Japan	
247 – Oxide ceramic and refractory materials for metallurgical processes and industries	465
F. Pansialeyenka, The John Paul II Catholic University of Lublin, Faculty of Law and Social Sciences, Institute of Environmental Engineering, Poland	
258 – Cast components in super duplex alloys intercomparison between bench molding and three dimensional printing	467
Y. Tomita, Kimura Foundry Co., Ltd., Japan	
262 – Influence of nickel content on erosive wear and heat treatment conditons behaviour of multi component white cast iron	469
K. Kusumoto, Muroran Institute of Technology, College of Design and Manufacturing Technology, Japan	
277 – Abrasive wear characteristics of multi component white cast iron	471
K. Shimizu, Muroran Institute of Technology, College of Design and Manufacturing Technology, Japan	
316 – Nanokarb: engineered carbon additive for green sand ferrous foundries	473
V. Gurunath, Institue of Indian Foundrymen, India	
341 – Mikrostruktura and hardness of high vanadium martensitic cast steel for wear resistant applications	475
J. Głównia, AGH University of Science and Technology, Faculty of Foundry Engineering, Poland	
364 – Acticote CG range of coatings to reduce graphite degeneration at the surface zone of compacted graphite iron castings	477
U. Nwao – gu, Foseco Nederland BV, The Netherlands	
371 – The optimisation of the flowability of sand mixtures to produce high density and defect–free inorganically bonded sand cores	479
V. Haanappel, FOSECO Europe, The Netherlands	
374 – Feeding technology	481
J. Kmetsch, Foseco Europe, Germany	
388 – Automated intelligent coating concept for ferrous foundries	483
Ch. Genzler, Foseco Europe, The Netherlands	
397 – Investigation and characterization of inclusions in aluminium cast alloys for automotive industry	485
O. Ozaydin, Cevher Wheels, Research & Development Department, Turkey	
433 – Local composite reinforcement type TiC/FeCr fabricated in situ in blade casting	487
Ł. Szymański, Innerco Ltd., Poland	
436 – New materials in mould making are required to meet the new challenges in die casting	489
T. Hoehn, Weldstone GmbH, Germany	
437 – The shipbuilding industry in the Polish economy as an important element of the development of a modern machinery industry, including foundry	491
M. Bączkowski, Stocznia Szczecińska Sp. z o.o, Poland	
Technology:	
2 – New induction wireless manufacturing efficient process for energy intensive industries (NIWE)	495
A. Meléndez, Tecnalía Research & Innovation, Spain	
3 – Optimization and control of modern ladle pouring process	497
T. Voss, Otto Junker GmbH, Germany	
8 – The green sand foundry of tomorrow	499
P. Larsen, DISA Industries, Denmark	



25 – Ten years of industrial experience with low-emission additives for molding sand	
T. Engelhardt, Clariant Produkte GmbH, Germany	501
29 – Development of molten metal transport support system with an overhead crane	
A. Kaneshige, National Institute of Technology, Mechanical Engineering Department, Toyota College	503
36 – Modern green sand moulding for everyone	
P. Larsen, DISA Industries, Denmark	505
49 – Focus on development of quality high pressure die casting process	
M. Rosso, Politecnico Di Torino, Department of Applied Science And Technology, , Italy	507
82 – Benefits of using ProCast simulation software to solve casting defects in Odlewnie Polskie S.A.	
V. Kolda, Mecas ESI, Czech Republic	509
85 – Intelligent manual and automated MicroParticle dry ice cleaning systems for the Foundry–Die Casting Industry	
D. Juchmes, Cold Jet BVBA, Belgium	511
124 – New investigation of material–dependent–control of flowability in green sand molding process	
J. Bast, TU Bergakademie Freiberg, Faculty of Mechanical Engineering, Germany	513
128 – “Towards vision zero” in the automotive industry – foundry challenges and opportunities	
M. Ata, Continental Teves AG & Co. oHG, Germany	515
135 – Flexible manufacturing through in–house conversion of shell core making machine to cold box process making machine with easy reversibility	
D. A Pratap Singh, Maruti Suzuki India Ltd, India	517
140 – Seeing through the Cloud of Industry 4.0	
M. Lewis, Omega Sinto Foundry Machinery Ltd., United Kingdom	519
142 – Wireless measurement of mold temperature during centrifugal casting and heat transfer analysis	
N. Iwata, JFE Steel Corporation, Japan	521
149 – Rapid determination of nodularity index in ductile cast iron production	
P. Larrañaga, IK4 AZTERLAN, Spain	523
158 – PUR Cold–Box Systems – Past–Present–Future	
P. Gröning, Hüttenes–Albertus Chemische Werke GmbH, Germany	525
159 – Optimization and automation of chemical control of alloys in Smart Foundry 4.0	
A. Montenegro, Amv Soluciones, R&D&I, Spain	527
162 – Cordis® Process – the next generation	
K. Löeche, Hüttenes–Albertus Chemische Werke GmbH	529
167 – The role of recycled ceramic material obtained from the ceramic layered moulds used in the investment casting	
A. Soroczyński, Warsaw University of Technology, Department of Plastic Forming and Foundry Engineering, Poland	531
182 – Environmental and application method improvements – an R&D approach	
A. Burrows, Hüttenes–Albertus UK Ltd, United Kingdom	533
189 – Ceramic-carbon filters for molten metal filtration	
M. Aslanowicz, A. Ościłowski, B. Lipowska, Z. Robak, R. Muzyka, P. Kowalski, K. Wańczyk	535
191 – Refractory coatings in centrifugal process: the change from release agent to moulding material	
K. Seeger, Hüttenes–Albertus Chemische Werke GmbH, Germany	537
194 – Using of 3D printed permanent patterns for mass production of castings on “green sand” molding lines	
M. Horacek, Brno University of Technology, Faculty of Mechanical Engineering, Czech Republic	539
203 – Perspective on use of green sand additives as essential contaminants	
D. Chowdhary, MPM Private Limited, India	541
210 – Combining mold milling and 3D sand printing to optimize casting design	
L. Dunlay, , University of Northern Iowa, Metal Casting Center, United States	543
226 – Casting simulation: an aid to green manufacturing	
A. Bhat, SoftCAST Technologies Pvt Ltd, India	545
228 – Optimization of heavy steel casting manufacturing technology	
R. Dojka, Odlewnia Staliwa Łabędy, Poland	547
232 – Directional solidification casting technology of heavy–duty gas turbine blade with LMC process	
L. Xiaofu, Shenyang Research Institute of Foundry, New Technology R&D Center, China	549
241 – Influence of quality of charge materials on chemical composition, structure and properties of copper products for electrical application	
B. Juszczak, Institute of Non–Ferrous Metals, Metal Processing Department, Poland	551
242 – The use of Multivariate Control Charts to assess the quality of aluminum alloys melted in crucible furnaces	
M. Brzeziński, AGH University of Science and Technology, Faculty of Foundry Engineering, Poland	553
257 – Hybrid patternless forming method and equipment of multi–material sand mold	
Z. Shan, China Academy of Machinery Science & Technology Group Co., Ltd., China	555



261 – Optimum design of foam residue traps to manufacture large-sized castings for full mold casting	559
Y. Takagi, Mie University, Department of Mechanical Engineering, Graduate School of Engineering, Japan	
272 – Triad – a modern technology of non-cement concrete in cast iron foundry	561
B. Cygan, Silesian University of Technology, Department of Foundry Engineering, Poland	
284 – Evaluation of Green Sand Premixes for Emission Characteristics	563
V. LaFay, S&T, IMERYS Metalcastings, USA	
287 – Control volume simulation of the tilt casting process	565
D. Molnar, University of Miskolc, Hungary	
292 – Shrinkage defect elimination supported by thermal analysis application for ductile iron knuckle production	567
P. Rodriguez, EDERTEK Technology Center of Fagor Ederlan Group, Spain	
309 – Use of supplier quality index for assessing providers quality in aluminium castings	569
D. Dispinar, Istanbul University, Faculty of Engineering, Metallurgical and Materials Department Turkey	
353 – Evaluating a ceramic resin coated sand for aluminum and iron castings	571
S. Ramrattan, Western Michigan University, USA	
366 – Easy-knock out moulding and core sand – the future for metal casting	573
A. Bobrowski, AGH University of Science and Technology, Faculty of Foundry Engineering, Poland	
375 – New & reclaimed chromite vs alumino-silicate refractory sand advantages and drawbacks	575
P. Diaz, Imerys Aluminates, France	
382 – Hybrid resins: a great advantage for quality, ecology and costs	577
A. Mazon, F.Ili Mazon S.p.A., Italy	
396 – Heat recovery from compressed air station – foundry Volkswagen Poznań	579
T. Kamiński, Volkswagen Poznań Sp. z o. o., Poland	
399 – Ductile iron and compacted graphite iron treatment with hybrid magnesium cored wire process	581
O. Bahuon, Foundry products, Affival sas, France	
405 – Development of additive manufacturing sand molding system aimed for mass production application	583
T. Okane, National Institute of Advanced Industrial Science and Technology, (AIST), Japan	
421 – Modern permanent lining concepts for CC tundishes – theory and practice	585
P. Mirecki, Pasek Europe, Poland	
425 – Automatic bottom pouring of iron alloys	587
O. Schmitz, Pour-Tech AB, Sweden	
429 – LAC, S.R.O. – Producer of furnaces and dryers	589
P. Szekielda, LAC, s.r.o., Czech Republic	
440 – Industry 4.0 process control and traceability for the foundry industry	591
D. Gilson, SinterCast AB, Sweden	
445 – The technology of continuous casting of aluminium alloy ingots	593
B. Augustyn, Institute of Non-Ferrous Metals, Light Metals Division, Poland	
461 – VOX PATRIS – the biggest swinging bell in the world	595
P. Olszewski, Pracownia Ludwisarska Jana Felczyńskiego, Poland	
462 – Development of the electric vehicles market by 2030 in Germany, Europe, US and China	597
C. Kuhlitz, Hüttenes-Albertus Chemische Werke GmbH, Germany	
Digitalization:	
133 – Experiences with helix atline computer tomography(CT) and VGinLine at Volkswagen Foundry Hanover	601
F. Hansen, Volkswagen Foundry Hanover, Germany	
161 – Data analytics: the next dimension in molding sand control	603
D. Chowdhary, MPM Infosoft Private Ltd., India	
347 – Digital transformation to Foundry 4.0	605
N. Gramegna, EnginSoft S.p.A., Manufacturing Business Unit, Italy	
356 – SINFONET: Smart & Innovative Foundry Network	607
F. Bonollo, Padova University, Department of Engineering and Management (DTG), Italy	
401 – Simulation driven design for castings with effective control of manufacturing constraints	609
K. Afsardis, Altair, Greece	
Ecology:	
9 – Pro-ecological die-casting foundry	613
K. Wrzała, Odlewnia SILUM Sp. z o.o., Poland	
13 – Spent foundry sand valorization in construction sector through the validation of high-performance applications	615
E. Garitaonandia, IK4-AZTERLAN, Environment and Sustainability, Spain	



31 – Database of materials for the evaluation of the impact of harmful substances in metallurgical processes	617
A. Bydątek, University of Zielona Góra, Faculty of Mechanical Engineering, Poland	
40 – Process performance and environmental impact of the CaO–Al₂O₃ slag system as alternative to calcium carbide for desulfurization of nodular cast iron	619
R. Lencina, Kerneos Aluminate Technologies, France	
123 – Absorption–Biochemical Units (ABChU) for ventilating air purification in foundry	621
Y. Shapavalau, Gazoochistka Engineering LLC, Republic of Belarus	
177 – Fata Aluminum inorganic sand regeneration process	623
P. Bocca, Fata Aluminum, Italy	
230 – Economic solutions for avoiding emissions in foundries	625
A. Cavotta, Xpuris GmbH, Germany	
231 – Increase of output – retrofits – modifications	627
F. Schaefer, Heinrich Wagner Sinto Maschinenfabrik GmbH, Germany	
368 – Automation of sand cores production – Foundry Volkswagen Poznań	629
T. Kamiński, Volkswagen Poznań Sp. z o. o., Poland	
Management:	
73 – Innovation in knowledge transfer from academia to the foundry industry – an advanced case	633
J. T. Svidró, Jönköping University School of Engineering, Department of Materials and Manufacturing Sweden	
122 – A strategy road map towards world class safety through innovative proactive and unique daily routine activities to achieve zero injury in Indian Foundry Industry	635
D. A. Pratap Singh, Maruti Suzuki India Ltd, India	
238 – Life long education of foundry employees – a step forward	637
C. Gustavsson, Swerea SWECAST, Sweden	
393 – Partnership of industry and knowledge center for a sustainable foundry industry	639
L. Sechi, Clariant SE, France	
403 – Polish engineer with regard to changes caused by Industry 4.0	641
K. Liszka, AGH University of Science and Technology, Faculty of Foundry Engineering, Poland	