

# **2018 IEEE Wireless Power Transfer Conference (WPTC 2018)**

**Montreal, Quebec, Canada  
3-7 June 2018**



**IEEE Catalog Number: CFP18WPT-POD  
ISBN: 978-1-5386-5160-5**

**Copyright © 2018 by the Institute of Electrical and Electronics Engineers, Inc.  
All Rights Reserved**

*Copyright and Reprint Permissions:* Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

***\*\*\* This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

|                         |                   |
|-------------------------|-------------------|
| IEEE Catalog Number:    | CFP18WPT-POD      |
| ISBN (Print-On-Demand): | 978-1-5386-5160-5 |
| ISBN (Online):          | 978-1-5386-5159-9 |
| ISSN:                   | 2474-0225         |

**Additional Copies of This Publication Are Available From:**

Curran Associates, Inc  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: (845) 758-0400  
Fax: (845) 758-2633  
E-mail: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

CURRAN ASSOCIATES INC.  
**proceedings**  
.com

# TABLE OF CONTENTS

|                                                                                                                                       |           |
|---------------------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>RECTIFIERS BASED ON QUADRATURE HYBRID COUPLER WITH IMPROVED PERFORMANCE FOR ENERGY HARVESTING .....</b>                            | <b>1</b>  |
| <i>Guido Unich ; Oludotun Olukoya ; Djuradj Budimir</i>                                                                               |           |
| <b>SENSITIVITY COMPARISON OF IMPEDANCE MATCHING CIRCUITS FOR INDUCTIVELY COUPLED WPT.....</b>                                         | <b>5</b>  |
| <i>Gaorong Qian ; Yuhua Cheng ; Guoxiong Chen ; Shichang Chen ; Peng Zhao ; Gaofeng Wang</i>                                          |           |
| <b>NONLINEAR TWO-STEP SIMULATION MODEL OF A RESONANT CONVERTER FOR IPT SYSTEMS .....</b>                                              | <b>9</b>  |
| <i>Denis Kraus ; Georg Heiland ; Hans-Georg Herzog</i>                                                                                |           |
| <b>A SIMPLE AND EFFECTIVE SYNCHRONIZATION TECHNIQUE FOR WIRELESS POWER TRANSFER SYSTEM .....</b>                                      | <b>13</b> |
| <i>Xin Liu ; Nan Jin ; Dianguang Ma ; Xijun Yang</i>                                                                                  |           |
| <b>A NOVEL RECEIVER FOR DUAL-SIDE CONTROLLED WIRELESS POWER TRANSFER SYSTEM.....</b>                                                  | <b>17</b> |
| <i>Xin Liu ; Xijun Yang ; Dianguang Ma ; Houjun Tang</i>                                                                              |           |
| <b>LOAD-INDEPENDENT ZPA CONDITIONS IN BOTH CONSTANT CURRENT AND CONSTANT VOLTAGE MODES OF LCC-SERIES COMPENSATED IPT SYSTEM .....</b> | <b>21</b> |
| <i>Jianghua Lu ; Guorong Zhu ; Wenjing Li ; Bo Li</i>                                                                                 |           |
| <b>HIGH FOM DUAL BAND WIRELESS POWER TRANSFER USING BOW-TIE DEFECTED GROUND STRUCTURE RESONATORS.....</b>                             | <b>25</b> |
| <i>M. R. Saad ; Fairus Tahar ; Sumin Chalise ; Adel Barakat ; Kuniaki Yoshitomi ; Ramesh K. Pokharel</i>                              |           |
| <b>A HIGHLY EFFICIENT COMBINED POWER AMPLIFIER WITH BRANCH-LINE COUPLERS .....</b>                                                    | <b>29</b> |
| <i>Congwei Mi ; Xiao-Wei Zhu ; Fan Meng ; Nianzu Zhang</i>                                                                            |           |
| <b>WIDEBAND MONOPOLAR TRANSMITTING ANTENNA FOR WIRELESS POWER TRANSFER AND COMMUNICATION APPLICATION .....</b>                        | <b>33</b> |
| <i>Xiaojun Li ; Shuo Liu ; Shiwei Dong</i>                                                                                            |           |
| <b>RANDOM BEAMFORMING FOR MULTI-COIL MAGNETIC RESONANCE WIRELESS POWER TRANSFER SYSTEM .....</b>                                      | <b>37</b> |
| <i>Yubin Zhao ; Xiaofan Li ; Cheng-Zhong Xu ; Yuefeng Ji</i>                                                                          |           |
| <b>SMART MULTI-COIL-BASED MAGNETIC RESONANCE PROTOTYPE FOR WIRELESS POWER TRANSFER.....</b>                                           | <b>41</b> |
| <i>Yubin Zhao ; Xiaofan Li ; Cheng-Zhong Xu ; Yuefeng Ji</i>                                                                          |           |
| <b>EXPERIMENTAL RESEARCH AND DESIGN OF MICROWAVE POWER TRANSMISSION SYSTEM FOR SSPS APPLICATION.....</b>                              | <b>45</b> |
| <i>Ying Wang ; Wei Gao ; Yazhou Dong ; Shiwei Dong ; Xumin Yu ; Xiaojun Li</i>                                                        |           |
| <b>DIRECTION-OF-ARRIVAL ESTIMATION BY UTILIZING HARMONIC RERADIATION FROM RECTENNA.....</b>                                           | <b>49</b> |
| <i>Tomohiko Mitani ; Shogo Kawashima ; Naoki Shinohara</i>                                                                            |           |
| <b>BUTTERFLY-SHAPED TRANSMITTING COIL FOR WIRELESS POWER TRANSFER SYSTEM IN MILLIMETER-SIZED BIOMEDICAL IMPLANTS.....</b>             | <b>53</b> |
| <i>Nam Ha-Van ; Chulhun Seo</i>                                                                                                       |           |
| <b>ANTENNA POLARIZATION ALIGNMENT USING INTERMODULATION FOR MULTI-SINE WIRELESS POWER TRANSFER.....</b>                               | <b>57</b> |
| <i>Hao Zhang ; Zheng Zhong ; Tung Ngo ; Wen Wu</i>                                                                                    |           |
| <b>SIZE-ADJUSTABLE COILS FOR COMPENSATION OF LATERAL MISALIGNMENT IN WPT SYSTEMS .....</b>                                            | <b>61</b> |
| <i>Taejun Lim ; Yongshik Lee</i>                                                                                                      |           |
| <b>ON THE OUTAGE OF WIRELESS POWERED COMMUNICATIONS WITH SPATIALLY RANDOM SENSORS.....</b>                                            | <b>65</b> |
| <i>Siyuan Zhou ; Shu Shen ; Xujie Li</i>                                                                                              |           |
| <b>EXACT STATISTICAL CHARACTERIZATION OF RF-ENERGY HARVESTING OVER RICE FADING CHANNEL.....</b>                                       | <b>69</b> |
| <i>Ala Abu Alkheir ; Hussein T. Mouftah</i>                                                                                           |           |
| <b>RADIO FREQUENCY POWER SOURCE DESIGN FOR WIRELESS POWER TRANSFER SYSTEM.....</b>                                                    | <b>73</b> |
| <i>Yi Zhang Housman</i>                                                                                                               |           |

|                                                                                                                                                                                                           |            |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>DEMONSTRATION OF A HIGH-EFFICIENCY MWPT SYSTEM FOR AEROSPACE.....</b>                                                                                                                                  | <b>77</b>  |
| <i>Haihong Ma ; Yaning Yang ; Nan Qi ; Shang Ma ; Xi Li</i>                                                                                                                                               |            |
| <b>A MULTI-MHZ IPT-LINK DEVELOPED FOR LOAD CHARACTERISATION AT HIGHLY VARIABLE COUPLING FACTOR.....</b>                                                                                                   | <b>81</b>  |
| <i>Juan M. Arteaga ; Lingxin Lan ; Samer Aldhafer ; George Kkelis ; David C. Yates ; Paul D. Mitcheson</i>                                                                                                |            |
| <b>A SIMPLE RECONFIGURABLE PLANAR ARRAY FOR MCR-WPT SYSTEM .....</b>                                                                                                                                      | <b>85</b>  |
| <i>Zhu Liu ; Zhizhang David Chen ; Huapeng Zhao</i>                                                                                                                                                       |            |
| <b>COMPARATOR WITH SELF CONTROLLED DELAY FOR ACTIVE RECTIFIERS IN INDUCTIVE POWERING .....</b>                                                                                                            | <b>88</b>  |
| <i>Pablo Pérez-Nicoli ; Francisco Veirano ; Fernando Silveira</i>                                                                                                                                         |            |
| <b>ENHANCEMENT METHOD OF EFFICIENCY AND WORKING RANGE IN BIO-IMPLANT WIRELESS POWER TRANSFER.....</b>                                                                                                     | <b>92</b>  |
| <i>Guijie Zhu ; Songping Mai ; Xian Tang ; Zhihua Wang</i>                                                                                                                                                |            |
| <b>INFLUENCE OF THE TITANIUM CASE USED IN IMPLANTABLE MEDICAL DEVICES ON THE WIRELESS POWER LINK .....</b>                                                                                                | <b>96</b>  |
| <i>Pablo Pérez-Nicoli ; Marc Biancheri-Astier ; Antoine Diet ; Yann Le Bihan ; Lionel Pichon ; Fernando Silveira</i>                                                                                      |            |
| <b>MAXIMIZING THE POWER TRANSFER FOR A MIXED INDUCTIVE AND CAPACITIVE WIRELESS POWER TRANSFER SYSTEM.....</b>                                                                                             | <b>99</b>  |
| <i>Ben Minnaert ; Nobby Stevens</i>                                                                                                                                                                       |            |
| <b>FOCUSED RADIATIVE WIRELESS POWER TRANSFER EXPERIMENTS.....</b>                                                                                                                                         | <b>103</b> |
| <i>Hubregt J. Visser ; Mohieddine El Soussi ; Rainer Hornung</i>                                                                                                                                          |            |
| <b>A 150-W IR WPT EMBEDDED SYSTEM AT 6.78-MHZ FOR THE SUPPLY AND CONTROL OF LINEAR MOTORS.....</b>                                                                                                        | <b>107</b> |
| <i>Corrado Florian ; Marco Grossi ; Kreshnik Velii ; Rudi Paolo Paganelli ; Francesco Berra ; Diego Masotti ; Massimo Lanzoni ; Alberto Santarelli ; Bruno Riccò ; Marco Gavesi ; Alessandra Costanzo</i> |            |
| <b>DESIGN OF TRANSMITTER COIL ANTENNAS FOR INDUCTIVE RESONANT POWER TRANSFER.....</b>                                                                                                                     | <b>111</b> |
| <i>M. Schiestl ; M.F. Brandl ; A. Lösch ; R. Stärz</i>                                                                                                                                                    |            |
| <b>DESIGN OF STANDARD-COMPLIANT NON-GALVANIC HF RFID CARDS .....</b>                                                                                                                                      | <b>115</b> |
| <i>Shrief Rizkalla ; Christoph F. Mecklenbräuker</i>                                                                                                                                                      |            |
| <b>SHIELDING EFFECTIVENESS AND FIGURE OF MERIT OF FERRITE SHIELDED COILS.....</b>                                                                                                                         | <b>119</b> |
| <i>Marco Dionigi ; Hari Prasad Rimal</i>                                                                                                                                                                  |            |
| <b>EXPERIMENTAL STUDY ON OVER 10 METERS MAGNETIC RESONANCE WIRELESS POWER TRANSFER UNDER SEA WITH COILS.....</b>                                                                                          | <b>123</b> |
| <i>Ryosuke Hasaba ; Katsuya Okamoto ; Souichi Kawata ; Kazuhiro Eguchi ; Yoshio Koyanagi</i>                                                                                                              |            |
| <b>ARRAY PATTERN SYNTHESIS OF FLAT-TOPPED BEAM FOR MICROWAVE POWER TRANSFER SYSTEM AT VOLCANOES.....</b>                                                                                                  | <b>127</b> |
| <i>Nobuyuki Takabayashi ; Naoki Shinohara ; Teruo Fujiwara</i>                                                                                                                                            |            |
| <b>DESIGN OF A MINIATURIZED OMNI-DIRECTIONAL RF-TO-DC IR-WPT .....</b>                                                                                                                                    | <b>131</b> |
| <i>Alex Pacini ; Francesca Benassi ; Diego Masotti ; Alessandra Costanzo</i>                                                                                                                              |            |
| <b>ISOLATED CUK CONVERTER WITH TWO SYMMETRICAL OUTPUT VOLTAGES FOR SRM DRIVE .....</b>                                                                                                                    | <b>135</b> |
| <i>Aniket Anand ; Bhim Singh ; Ambrish Chandra ; Kamal Al-Haddad</i>                                                                                                                                      |            |
| <b>WIDEBAND RECTENNA WITH INDUCTIVE HIGH-IMPEDANCE FOLDED DIPOLE ANTENNA .....</b>                                                                                                                        | <b>139</b> |
| <i>Hiroki Kishimoto ; Kenji Itoh ; Keisuke Noguchi ; Jiro Ida</i>                                                                                                                                         |            |
| <b>DESIGNING A COMPACT AND HIGH-EFFICIENCY RECTIFIER WITH A MULTILAYER SUBSTRATE FILTER.....</b>                                                                                                          | <b>142</b> |
| <i>Kouta Okazaki ; Shotaro Ishino ; Naoki Shinohara</i>                                                                                                                                                   |            |
| <b>CONTACTLESS POWER TRANSFER USING CAPACITIVE RESONANT SINGLE-CONDUCTOR STRUCTURE.....</b>                                                                                                               | <b>146</b> |
| <i>Susanna Vital De Campos De Freitas ; Fabiano Cezar Domingos ; Rashid Mirzavand ; Pedram Mousavi</i>                                                                                                    |            |
| <b>CAPACITIVE POWER TRANSFER BASED ON COMPENSATION CIRCUIT FOR CLASS E RESONANT FULL-WAVE RECTIFIER.....</b>                                                                                              | <b>150</b> |
| <i>Fabiano Cezar Domingos ; Susanna Vital De Campos De Freitas ; Pedram Mousavi</i>                                                                                                                       |            |
| <b>A WIRELESS POWER TRANSFER SYSTEM FOR MRI SCANNERS .....</b>                                                                                                                                            | <b>154</b> |
| <i>Kelly Byron ; Fraser Robb ; Shreyas Vasanawala ; John Pauly ; Greig Scott</i>                                                                                                                          |            |
| <b>SUB-TERAHERTZ MSL AND CPW RECTENNA USING 303 GHZ 300 KW-CLASS GYROTRON .....</b>                                                                                                                       | <b>158</b> |
| <i>Sei Mizojiri ; Shunsuke Minakawa ; Masatoshi Suzuki ; Kohei Shimamura ; Shigeru Yokota ; Masafumi Fukunari ; Teruo Saito ; Yoshinori Tatematsu ; Yusuke Yamaguchi</i>                                  |            |
| <b>A NOVEL CONTACTLESS CAPACITIVE ENERGY AND DATA TRANSFER SYSTEM.....</b>                                                                                                                                | <b>162</b> |
| <i>David Maier ; Jörg Heinrich ; Mike Böttigheimer ; Nejila Parspour</i>                                                                                                                                  |            |

|                                                                                                                                                 |            |
|-------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>NOVEL DIPLEXER-BASED HARMONIC TRANSPONDER FOR 5G-COMPATIBLE IOT APPLICATIONS .....</b>                                                       | <b>166</b> |
| <i>Xiaoqiang Gu ; Lei Guo ; Simon Hemour ; Ke Wu</i>                                                                                            |            |
| <b>DEVELOPMENT OF 94GHZ MICROSTRIP LINE RECTENNA .....</b>                                                                                      | <b>170</b> |
| <i>Kosumo Matsui ; Kohei Fujiwara ; Yuki Okamoto ; Yoshio Mita ; Hidehiko Yamaoka ; Hiroyuki Koizumi ; Kimiya Komurasaki</i>                    |            |
| <b>DEMONSTRATION OF LONG DISTANCE TRANSMISSION WITH RECTENNA ARRAY USING 300KW-CLASS 28GHZ GYROTRON .....</b>                                   | <b>174</b> |
| <i>Maho Matsukura ; Masatoshi Suzuki ; Sei Mizojiri ; Satoru Suganuma ; Kohei Shimamura ; Shigeru Yokota ; Ryutaro Minami ; Tsuyoshi Kariya</i> |            |
| <b>2.45-GHZ INTERMITTENT WIRELESS POWER TRANSMISSION SYSTEM FOR BATTERYLESS LED COSMETIC ACCESSORIES.....</b>                                   | <b>178</b> |
| <i>Takeshi Nishihashi ; Kosuke Yoshida ; Norifumi Kashiya ; Hisashi Nishikawa ; Ami Tanaka ; Takakuni Douseki</i>                               |            |
| <b>VARACTOR-BASED RECTIFIER WITH ADAPTIVE MATCHING NETWORK FOR WIRELESS POWER TRANSFER SYSTEM .....</b>                                         | <b>182</b> |
| <i>Tung Ngo ; Zaw Thet Aung</i>                                                                                                                 |            |
| <b>HIGH EFFICIENCY FREQUENCY SHIFT KEYING DATA TRANSMISSION SYSTEM USING MAGNETIC RESONANCE WIRELESS POWER TRANSFER .....</b>                   | <b>186</b> |
| <i>Masaki Ishii ; Koki Nakanishi ; Masahiro Sasaki</i>                                                                                          |            |
| <b>HARMONIC-RECYCLING RECTIFIER DESIGN FOR LOCALIZATION AND POWER TUNING .....</b>                                                              | <b>190</b> |
| <i>Tung Ngo ; Tao Yang</i>                                                                                                                      |            |
| <b>VALIDATION OF THE DESIGN OF AN 11 KW INDUCTIVE CHARGING PROTOTYPE ON A NEW TEST BENCH FOR WPT-SYSTEMS .....</b>                              | <b>194</b> |
| <i>Mike Böttigheimer ; David Maier ; Nejila Parspour ; Jannis Noeren ; Rudolf Walter</i>                                                        |            |
| <b>OPTIMIZATION AND ANALYSIS OF COPLANAR DOUBLE-REPEATER USED IN DYNAMIC WIRELESS CHARGING .....</b>                                            | <b>198</b> |
| <i>Nenghong Xia ; Yimin Zhu ; Zhiyuan Cheng</i>                                                                                                 |            |
| <b>900 MHZ MINIATURIZED RECTENNA.....</b>                                                                                                       | <b>202</b> |
| <i>A. Okba ; A. Takacs ; H. Aubert</i>                                                                                                          |            |
| <b>HIGHLY-SENSITIVE DIODE RECTIFIER WITH SELF-COMPENSATED REFLECTION BASED ON NOVEL OPERATION PRINCIPLE .....</b>                               | <b>206</b> |
| <i>Shinichi Tanaka ; Katsuyuki Tanaka</i>                                                                                                       |            |
| <b>MICROWAVE OVEN FIELD DETECTOR PROBE .....</b>                                                                                                | <b>210</b> |
| <i>Gonçalo D. Rosa ; Nuno B. Carvalho</i>                                                                                                       |            |
| <b>TOWARDS THE IMPROVEMENT OF FREQUENCY-DOMAIN CHIPLESS RFID READERS.....</b>                                                                   | <b>214</b> |
| <i>Mohammadali Mazyar Forouzandeh ; Nemai Karmakar</i>                                                                                          |            |
| <b>MILLIMETER WAVE AGILE TRANSMITTER FOR IOT OPERATIONS .....</b>                                                                               | <b>218</b> |
| <i>Mazen Shanawani ; Diego Masotti ; Martino Aldrigo ; Franco Mastri ; Alessandra Costanzo</i>                                                  |            |
| <b>RECTENNA WITH ENHANCED APERTURE EFFICIENCY AND A BI-DIRECTIONAL PATTERN FOR AMBIENT RF ENERGY HARVESTING .....</b>                           | <b>222</b> |
| <i>E. Vandelle ; T.P. Vuong ; G. Ardila ; S. Hemour ; K. Wu</i>                                                                                 |            |
| <b>EXPLOITING NONLINEARITY TO DESIGN ROBUST WIRELESS POWER TRANSFER AND WIDEBAND RF ENERGY HARVESTING .....</b>                                 | <b>226</b> |
| <i>Omar Abdelatty ; Xiaoyu Wang ; Amir Mortazawi</i>                                                                                            |            |
| <b>SYSTEM LEVEL EFFICIENCY ANALYSIS FOR REGULATED RF NEAR FIELD COUPLING.....</b>                                                               | <b>230</b> |
| <i>Colin Pardue ; Hakki Torun ; Mohamed Bellaredj ; Madhavan Swaminathan</i>                                                                    |            |
| <b>ACHIEVING ELECTROMAGNETIC COMPATIBILITY OF WPT ANTENNAS FOR MEDICAL IMAGING IN MRI.....</b>                                                  | <b>234</b> |
| <i>Aasrith Ganti ; Jenshan Lin ; Tracy Wynn ; Timothy Ortiz</i>                                                                                 |            |
| <b>NOVEL APPROACH FOR COMPLIANCE TESTING OF WPT SYSTEMS WITH BASIC RESTRICTIONS .....</b>                                                       | <b>238</b> |
| <i>Ilaria Liorni ; Myles Capstick ; Sven Kuehn ; Niels Kuster</i>                                                                               |            |
| <b>IMPLANT SAFETY: NOVEL MECHANISTIC MODEL AND APPROACH FOR SAFETY ASSESSMENT AT WPT FREQUENCIES.....</b>                                       | <b>242</b> |
| <i>Ilaria Liorni ; Esra Neufeld ; Sven Kuehn ; Niels Kuster</i>                                                                                 |            |
| <b>AN ELECTROMAGNETIC INDUCED TRANSPARENCY-LIKE SCHEME FOR WIRELESS POWER TRANSFER IN CONTAINED AQUEOUS SOLUTIONS.....</b>                      | <b>245</b> |
| <i>Sameh Y. Elnaggar ; Chinmoy Saha ; Y. M. M. Antar</i>                                                                                        |            |
| <b>EFFECT OF DETUNING ON THE PERFORMANCE OF DR-LOADED SPLIT CAVITY RESONATOR BASED WIRELESS POWER TRANSFER SCHEME.....</b>                      | <b>249</b> |
| <i>Chinmoy Saha ; Sameh Y. Elnaggar ; Y.M.M. Antar</i>                                                                                          |            |

|                                                                                                                                              |            |
|----------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>ENHANCED PLANAR WIRELESS POWER TRANSFER SYSTEMS WITH FERRITE MATERIAL .....</b>                                                           | <b>253</b> |
| <i>Wan Peng ; Zhizhang David Chen</i>                                                                                                        |            |
| <b>A SOURCELESS LOW-POWER MMW RECEIVER ARCHITECTURE USING SELF-OSCILLATING MIXER ARRAY IN 65-NM CMOS .....</b>                               | <b>257</b> |
| <i>Pascal Burasa ; Bilel Mnasri ; Ke Wu</i>                                                                                                  |            |
| <b>DIGITAL COIL: TRANSMITTER COIL WITH PROGRAMMABLE RADIUS FOR WIRELESS POWERING ROBUST AGAINST DISTANCE VARIATION .....</b>                 | <b>260</b> |
| <i>Hao Qiu ; Yoshiaki Narusue ; Yoshihiro Kawahara ; Takayasu Sakurai ; Makoto Takamiya</i>                                                  |            |
| <b>DESIGN, SIMULATION AND MEASUREMENT OF FLEXIBLE PCB COILS FOR WEARABLE DEVICE WIRELESS POWER TRANSFER.....</b>                             | <b>264</b> |
| <i>Seungtaek Jeong ; Jinwook Song ; Seongsoo Lee ; Seokwoo Hong ; Boogyo Sim ; Hongseok Kim ; Subin Kim ; Joungho Kim</i>                    |            |
| <b>HARNESSING MAGNETO-INDUCTIVE WAVES FOR WIRELESS POWER TRANSFER .....</b>                                                                  | <b>268</b> |
| <i>Irina Khromova ; Christopher J. Stevens</i>                                                                                               |            |
| <b>HISTORY OF RESEARCH AND DEVELOPMENT OF BEAM WIRELESS POWER TRANSFER.....</b>                                                              | <b>271</b> |
| <i>Naoki Shinohara</i>                                                                                                                       |            |
| <b>STUDY ON MULTIPATH RETRODIRECTIVE FOR MICROWAVE POWER TRANSMISSION .....</b>                                                              | <b>275</b> |
| <i>Taichi Sasaki ; Naoki Shinohara</i>                                                                                                       |            |
| <b>A CAPACITIVE POWER TRANSFER SYSTEM WITH A CL NETWORK FOR IMPROVED SYSTEM PERFORMANCE .....</b>                                            | <b>279</b> |
| <i>Tarek M. Mostafa ; Dai Bui ; Aam Muharam ; Reiji Hattori ; Aiguo Patrick Hu</i>                                                           |            |
| <b>ANALYSIS OF THE RELATIONSHIP BETWEEN THE PARAMETERS OF IPT TRANSFORMER AND POWER ELECTRONIC SYSTEM.....</b>                               | <b>283</b> |
| <i>Sampath Jayalath ; Azeem Khan</i>                                                                                                         |            |
| <b>WIRELESSLY RF-POWERED REMOTE PUSH-TO-TALK BUTTON.....</b>                                                                                 | <b>287</b> |
| <i>H. Visser ; P. Colditz ; T. Bertuch ; J. Conradi ; B. Nord ; G. Pognon</i>                                                                |            |
| <b>RESONANCE AND DISTANCE INSENSITIVE WIRELESS POWER. TRANSFER WITH PARITY-TIME SYMMETRIC DUFFING RESONATORS.....</b>                        | <b>291</b> |
| <i>Jiali Zhou ; Bo Zhang ; Gongjun Liu ; Dongyuan Qiu</i>                                                                                    |            |
| <b>FEASIBILITY STUDY OF A WIRELESS POWER TRANSFER SYSTEM APPLIED TO A LEADLESS PACEMAKER .....</b>                                           | <b>295</b> |
| <i>T. Campi ; S. Cruciani ; V. De Santis ; F. Maradei ; M. Feliziani</i>                                                                     |            |
| <b>NUMERICAL ANALYSIS APPLYING THE AMSL METHOD TO PREDICT THE MAGNETIC FIELD IN AN EV WITH A WPT SYSTEM.....</b>                             | <b>299</b> |
| <i>T. Campi ; S. Cruciani ; V. De Santis ; F. Maradei ; M. Feliziani</i>                                                                     |            |
| <b>BASIC STUDY FOR WIRELESS POWER TRANSFER TO A PIPELINE INSPECTION ROBOT .....</b>                                                          | <b>303</b> |
| <i>Isami Sato ; Naoki Shinohara ; Daisuke Jodoi</i>                                                                                          |            |
| <b>COMPACT C-BAND RECTENNA FOR SATELLITE APPLICATIONS .....</b>                                                                              | <b>307</b> |
| <i>Alexandru Takacs ; Abderrahim Okba ; Hervé Aubert ; David Granena ; Maxime Romier ; Anthony Bellion</i>                                   |            |
| <b>TWO-TONE FSK MODULATION FOR SWIPT .....</b>                                                                                               | <b>311</b> |
| <i>Steven Claessens ; Mohammad Rajabi ; Ning Pan ; Dominique Schreurs ; Sofie Pollin</i>                                                     |            |
| <b>ROBUST ACTIVE TUNING FOR WIRELESS POWER TRANSFER TO SUPPORT MISALIGNMENTS AND VARIABLE LOAD.....</b>                                      | <b>315</b> |
| <i>Lucas Murliky ; Rodrigo Wolff Porto ; Valner João Brusamarello ; Fernando Rangel De Sousa ; Alicia Trivino-Cabrera ; Ricardo Azambuja</i> |            |
| <b>A HIGH FREQUENCY DATA TRANSMISSION METHOD FOR CONTACTLESS ENERGY TRANSFER SYSTEMS .....</b>                                               | <b>319</b> |
| <i>Jannis Noeren ; Jörg Heinrich ; Mike Böttigheimer ; Weizhou Ye ; Nejila Parspour</i>                                                      |            |
| <b>CLASS B* - A NEW HIGH EFFICIENCY RF DC/DC CONVERTER CONCEPT USING SECOND HARMONIC GENERATION/INJECTION.....</b>                           | <b>323</b> |
| <i>Alexander Alt ; Roberto Quaglia ; Peng Chen ; Sattam Alsahali ; Paul J. Tasker ; Jonathan Lees</i>                                        |            |
| <b>COIL GEOMETRY OPTIMIZATION FOR WIRELESS POWER DELIVERY TO MOVING RECEIVERS.....</b>                                                       | <b>327</b> |
| <i>Xingyi Shi ; Huang Lee ; Vivek Jain ; Joshua R. Smith</i>                                                                                 |            |
| <b>MAXIMUM TRANSFER EFFICIENCY OF MIMO-WPT SYSTEM.....</b>                                                                                   | <b>331</b> |
| <i>Takumi Aoki ; Qiaowei Yuan ; Duong Quang-Thang ; Minoru Okada ; Heng-Ming Hsu</i>                                                         |            |
| <b>APPLICATION OF WIRELESS POWER TRANSFER IN TOTALLY IMPLANTABLE HEART PUMP .....</b>                                                        | <b>334</b> |
| <i>Kellie Cao ; William Tang</i>                                                                                                             |            |

|                                                                                                                                                                      |            |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>CORE-SHARED-REPEATER (CSR) COIL SCHEME FOR LOW EMI AND EFFICIENT WPT SYSTEM IN ULTRA-THIN DIGITAL TV .....</b>                                                    | <b>338</b> |
| <i>Boogyo Sim ; Seungtaek Jeong ; Chiuk Song ; Seongsoo Lee ; Seokwoo Hong ; Jinwook Song ; Joungho Kim</i>                                                          |            |
| <b>REAL-TIME OPTIMIZATION OF COIL POSITIONING IN WIRELESS POWER TRANSFER SYSTEM FOR ARTIFICIAL HEART.....</b>                                                        | <b>342</b> |
| <i>Wataru Hijikata ; Hajime Suzuki</i>                                                                                                                               |            |
| <b>DIELECTRIC LOSS EVALUATION IN WIRELESS POWER TRANSMISSION USING PARALLEL FOUR LINES .....</b>                                                                     | <b>346</b> |
| <i>Hironobu Miyamoto ; Quang-Thang Duong ; Takeshi Higashino ; Minoru Okada ; Daisuke Tsukiyama</i>                                                                  |            |
| <b>A HIGHLY SENSITIVE BROADBAND RECTENNA FOR LOW POWER MILLIMETER-WAVE ENERGY HARVESTING APPLICATIONS.....</b>                                                       | <b>349</b> |
| <i>Chaouki Hannachi ; Slim Boumaiza ; Serioja Ovidiu Tatu</i>                                                                                                        |            |
| <b>13.56MHZ 50W LOAD-INDEPENDENT SYNCHRONOUS CLASS E RECTIFIER USING GAN DEVICES FOR SPACE-CONSTRAINED APPLICATIONS.....</b>                                         | <b>353</b> |
| <i>Samer Aldhafer ; David C. Yates ; Paul D. Mitcheson</i>                                                                                                           |            |
| <b>DUAL-BAND RECTENNA USING VOLTAGE DOUBLER RECTIFIER AND FOUR-SECTION MATCHING NETWORK .....</b>                                                                    | <b>357</b> |
| <i>Mohamed Aboulalaa ; Islam Mansour ; Mohamed Mansour ; Adel Bedair ; Ahmed Allam ; Mohammed Abo-Zahhad ; Hala Elsadek ; Kuniaki Yoshitomi ; Ramesh K. Pokharel</i> |            |
| <b>OPTIMAL OPERATION OF MULTITONE WAVEFORMS IN LOW RF-POWER RECEIVERS .....</b>                                                                                      | <b>361</b> |
| <i>Mahmoud H. Ouda ; Paul Mitcheson ; Bruno Clerckx</i>                                                                                                              |            |
| <b>COMPACT DUAL-BAND WIRELESS POWER TRANSFER USING OVERLAPPED SINGLE LOOP DEFECTED GROUND STRUCTURE .....</b>                                                        | <b>365</b> |
| <i>Fairus Tahar ; Sumin Chalise ; Kuniaki Yoshitomi ; Adel Barakat ; Ramesh K. Pokharel</i>                                                                          |            |
| <b>A NOVEL RECTENNA ARRAY WITH RBR FOR LONG-DISTANCE WLAN ENERGY HARVESTING SYSTEM .....</b>                                                                         | <b>369</b> |
| <i>Shiquan Fan ; Wei Gou ; Yang Zhao ; Chaoyun Song ; Yi Huang ; Jiafeng Zhou ; Li Geng</i>                                                                          |            |
| <b>LOW POWER ON/OFF CONTROL METHOD FOR ACTIVE-DIODE APPLIED IN WIRELESS POWER TRANSMISSION .....</b>                                                                 | <b>372</b> |
| <i>Zhongming Xue ; Shiquan Fan ; Zhuoqi Guo ; Li Geng</i>                                                                                                            |            |
| <b>WIRELESS POWER TRANSFER WITH MULTI-LAYER PLANAR SPIRAL COILS AS SECONDARY COILS.....</b>                                                                          | <b>375</b> |
| <i>Smit Baua ; Reza K. Amineh ; N. Sertac Artan</i>                                                                                                                  |            |
| <b>A WIDEBAND CASCADED SKEW PLANAR WHEEL ANTENNA FOR RF ENERGY HARVESTING .....</b>                                                                                  | <b>379</b> |
| <i>John F. Kuhling ; Michael Feenaghty ; Reena Dahle</i>                                                                                                             |            |
| <b>EVALUATION OF THE INDUCED ELECTRIC FIELD IN HUMAN BODY BY WIRELESS POWER TRANSFER SYSTEM FOR EV/PHV .....</b>                                                     | <b>383</b> |
| <i>Yusuke Hakuta ; Toshiaki Watanabe</i>                                                                                                                             |            |
| <b>COMPARISON OF ACTIVE AND PASSIVE SENSORS FOR IOT APPLICATIONS .....</b>                                                                                           | <b>387</b> |
| <i>Felisberto Pereira ; Ricardo Correia ; Nuno Borges Carvalho</i>                                                                                                   |            |
| <b>A POWER SCAVENGING CURRENT TRANSFORMER TO REMOTELY POWER ‘BIRD ON WIRE’ SENSORS IN GRID MONITORING.....</b>                                                       | <b>390</b> |
| <i>Md. Saimoom Ferdous ; Thomas Johnson</i>                                                                                                                          |            |
| <b>I/Q MULTIPOINT SENSING FEASIBILITY ON AMBIENT WIRELESS ENERGY .....</b>                                                                                           | <b>394</b> |
| <i>Djilali Hammou ; Boualem Zouggar ; Tayeb Ahmed Denidni ; Serioja Ovidiu Tatu</i>                                                                                  |            |
| <b>A SIMPLE TECHNIQUE FOR CHARACTERIZATION OF WPT COILS .....</b>                                                                                                    | <b>397</b> |
| <i>James Blanc</i>                                                                                                                                                   |            |
| <b>MULTI-STAGE SCHOTTKY DIODE POWER HARVESTER FOR UWB APPLICATION.....</b>                                                                                           | <b>401</b> |
| <i>Ahmed Moulay ; Tarek Djerafi</i>                                                                                                                                  |            |
| <b>A NOVEL METHOD FOR ONLINE COUPLING FACTOR DETERMINATION IN INDUCTIVE POWER TRANSFER SYSTEMS .....</b>                                                             | <b>405</b> |
| <i>Anna Lusiewicz ; Jannis Noeren ; Mathias Jaksch ; Nejila Parspour</i>                                                                                             |            |
| <b>DESIGN AND ANALYSIS OF EMI SHIELDING METHOD USING INTERMEDIATE COIL FOR TRAIN WPT SYSTEM.....</b>                                                                 | <b>409</b> |
| <i>Seongsoo Lee ; Seungtaek Jeong ; Seokwoo Hong ; Boogyo Sim ; Joungho Kim</i>                                                                                      |            |
| <b>POWER LOSS ANALYSIS OF INVERTER WITH AND WITHOUT TRANSFORMER FOR CAPACITIVE POWER TRANSFER.....</b>                                                               | <b>413</b> |
| <i>Aam Muharam ; Tarek M. Mostafa ; Asep Nugroho ; Reiji Hattori</i>                                                                                                 |            |
| <b>SCALABLE MODEL OF PLANAR SQUARE ONE-TURN INDUCTORS FOR WIRELESS POWER TRANSFER APPLICATIONS.....</b>                                                              | <b>417</b> |
| <i>Arturo F. Jaimes ; F. R. De Sousa ; F. L. Cabrera ; Valner Brusamarello ; Ricardo Azambuja</i>                                                                    |            |

|                                                                                                                                           |            |
|-------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>WIRELESS POWER TRANSFER LINK FOR RFID TELEMETRY SYSTEM APPLIED TO<br/>LABORATORY RODENT MONITORING .....</b>                           | <b>421</b> |
| <i>Luigi Di Trocchio ; Jean-Luc Lachaud ; Olivier Chassande ; Corinne Dejous ; Alexander Kuhn ; Simon Hemour</i>                          |            |
| <b>A SIMPLE HIGH-EFFICIENCY RECTIFIER FOR LOW POWER HARVESTING .....</b>                                                                  | <b>424</b> |
| <i>Tongfeng Guo ; Qingfeng Zhang ; Ke Wu</i>                                                                                              |            |
| <b>HARVESTING FOR SCATTERING RF-SIGNALS RECEIVABLE BY MOBILE TELEPHONES .....</b>                                                         | <b>427</b> |
| <i>Matthias Schütz</i>                                                                                                                    |            |
| <b>OMNIDIRECTIONAL INDUCTIVE WIRELESS CHARGING OF A 3D RECEIVER CUBE<br/>INSIDE A BOX .....</b>                                           | <b>431</b> |
| <i>Sergkei Kamotesov ; Philippe Lombard ; Vincent Semet ; Bruno Allard ; Maël Moguedet ; Michel Cabrera</i>                               |            |
| <b>DESIGN OF MAGNETIC COUPLING RESONANT WIRELESS CHARGING SYSTEM FOR<br/>CABLE TUNNEL INSPECTION ROBOT .....</b>                          | <b>435</b> |
| <i>Jialin Luo ; Wenxun Xiao ; Bo Zhang ; Dongyuan Qiu ; Carl Ngai Man Ho</i>                                                              |            |
| <b>CAPACITIVELY COUPLED RESONATOR MODELS FOR INVESTIGATING SPATIAL<br/>IMPEDANCE VARIATION IN WPT SYSTEMS .....</b>                       | <b>439</b> |
| <i>Suzanne Wenngren ; Aaron Clements ; Thomas Johnson</i>                                                                                 |            |
| <b>A COMPARISON OF GAN CLASS E INVERTER AND SYNCHRONOUS RECTIFIER DESIGNS<br/>FOR 13.56 MHZ, 27.12 MHZ AND 40.68 MHZ ISM BANDS .....</b>  | <b>443</b> |
| <i>Aaron Clements ; Vipul Vishnoi ; Soroush Dehghani ; Thomas Johnson</i>                                                                 |            |
| <b>IMPLEMENTATION OF HIGH EFFICIENCY COUPLING COIL IN WIRELESS POWER<br/>TRANSFER SYSTEM .....</b>                                        | <b>447</b> |
| <i>Bang-Yu Liu ; Zhong-Kai Chen ; Heng-Ming Hsu</i>                                                                                       |            |
| <b>SIZE-REDUCED EVANESCENT MODE SUBSTRATE INTEGRATED WAVEGUIDE FILTER<br/>WITH MIXED-COUPLED CSRRS .....</b>                              | <b>451</b> |
| <i>Yong Mao Huang ; Yuliang Zhou ; Haiyan Jin ; Maurizio Bozzi</i>                                                                        |            |
| <b>DYNAMIC COMPLEX IMPEDANCE TUNING METHOD USING A MULTIPLE-INPUT DC/DC<br/>CONVERTER FOR WIRELESS POWER TRANSFER .....</b>               | <b>455</b> |
| <i>Takuya Sasatani ; Yoshiaki Narusue ; Yoshihiro Kawahara</i>                                                                            |            |
| <b>AMBIENT RF ENERGY HARVESTING FOR DUAL-BAND FREQUENCIES BELOW 6 GHZ .....</b>                                                           | <b>459</b> |
| <i>Walid Zahra ; Tarek Djeraji</i>                                                                                                        |            |
| <b>“GRAND BASSIN” CASE STUDY: AN ORIGINAL PROOF-OF-CONCEPT PROTOTYPE FOR<br/>WIRELESS POWER TRANSPORTATION .....</b>                      | <b>463</b> |
| <i>Alexandre Douyère ; Guy Pignolet ; Edouard Rochefeuille ; Frédéric Alicalapa ; Jean-Daniel Lan Sun Luk ; Jean-<br/>Pierre Chabriat</i> |            |
| <b>WIRELESS CHARGING OF ELECTRIC VEHICLES .....</b>                                                                                       | <b>467</b> |
| <i>Morris Kesler</i>                                                                                                                      |            |
| <b>Author Index</b>                                                                                                                       |            |