

Smart Systems Integration 2014

8th International Conference and
Exhibition on Integration Issues of
Miniaturized Systems – MEMS, NEMS,
ICs and Electronic Components

Vienna, Austria
26-27 March 2014

Editors:

T. Gessner

ISBN: 978-1-5108-8386-4

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2014) by Mesago Messe Frankfurt GmbH
All rights reserved.

Printed by Curran Associates, Inc. (2019)

For permission requests, please contact Mesago Messe Frankfurt GmbH
at the address below.

Mesago Messe Frankfurt GmbH
Rotebuehlstrasse 83-85
70178 Stuttgart Germany

Phone: 49 711 619 460
Fax: 49 711 619 4690

info@mesago.com

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

Table of contents

Keynote

Smart Systems enable automotive powertrain development 3

Dr. Alexander Bergmann, AVL/ITS, AT

Conference Sessions

Session I: Advanced micro and nano technologies

Energy efficient magnetoresistive sensors for low-power and wireless applications 13

Rolf Slatter, Marco Doms, Sensitec GmbH, DE

Progress in manufacturing of GaN SAW devices resonating in the GHz frequency range for T sensors applications 23

Alexandru Muller, IMT Bucharest, RO

Peristaltic MicroPump with Active Damping (PMP-AD) 25

Sven Spieth, Axel Schumacher, Martin Götz, Gerhard Kattinger, Jürgen Merz, Sven Spieth, Roland Zengerle, HSG-IMIT, DE

Tunable Straining of Silicon Nanowires Integrated in a MEMS Device by Electrostatic Actuation 33

Stefan Wagesreither, Vienna University of Technology, AT

Session II: 3D integration and interconnect technologies I

Failure Mechanisms in the 3D Integration of MEMS and ASIC via Au-capped Cu 37

David Borowsky, Christoph Schelling, Robert Bosch GmbH, DE
Joachim Burghartz, IMS Chips, DE

Waferbonding Technologies for 3D-Integration 45

Mario Baum, C. Hofmann, J. Besser, K. Vogel, M. Wiemer, T. Gessner, Fraunhofer ENAS, DE

Monolithic integration of temporary bonded thin wafers 53

Thomas Uhrmann, Jürgen Burggraf, Julian Bravin, Harald Wiesbauer, Viorel Dragoi, Markus Wimplinger, Thorsten Matthias, Paul Lindner, EV Group, AT

Highly Ionized Sputter Deposition into Through Silicon Vias with Aspect Ratios Up to 15:1 59

Kay Viehweger, M. J. Wolf, K.-D. Lang, Fraunhofer IZM - ASSID, DE
J. Weichart, M. Elghazzali, G. J. Reynolds, A. Koller, A. Dill, Oerlikon Systems, LI

Session III: Design of smart integrated systems

Fully autonomous Tire Pressure Monitoring System (TPMS) powered by a vibrational electrostatic energy harvester 69

R. Elfrink, V. van Acht, S. Stanzione, P. Bembnowicz, M. Tutelaers, R. van Schaijk, imec / Holst Centre, NL

Integration concepts for fluidic actuators in hybrid structures 77

Martin Schüller, M. Lipowski, P. Weigel, T. Otto, T. Geßner, Fraunhofer ENAS, DE
M. Walther, R. Schulze, J. Nestler, L. Kroll, TU Chemnitz, DE

Non-specific NDIR microarrays as an in-line tool to monitor food processing 85

Carlos Calaza, Luis Fonseca, Instituto de Microelectrónica de Barcelona IMB-CNM (CSIC), ES

A monolithic integrated MEMS in a 350 nm technology for filter monitoring applications 93

Marco Neubert, Steffen Heinz, EDC Electronic Design Chemnitz GmbH, DE
John T. Horstmann, Klaus Erler, Technische Universität Chemnitz, DE

Design of Integrated Sensor System for Detection of Traces of Different Molecules in the Air 101

Drago Strle, University of Ljubljana, SI
Igor Muševič, Institute Josef Stefan, SI

Session IV: 3D integration and interconnect technologies II

„Optics in foil“ integrated LED packages for the optimization of beam shaping and color homogeneity 111

Franz Schrank, Peter Pachler, Hans Hoschopf, Tridonic Jennersdorf GmbH, AT
Ladislav Kuna, Wolfgang Nemitz, Christian Sommer, Paul Hartmann, Franz P. Wenzl, JOANNEUM RESEARCH Forschungsges.mBH, AT
Johann Nicolics, Paul Fulmek, Vienna University of Technology, AT
Gregor Langer, AT&S Austria Technologie & Systemtechnik AG, AT

Manufacturing of 3D Mechatronic Systems with Plasma Technology 117

René Schramm, Jörg Franke, Friedrich-Alexander-Universität, DE

Sophisticated 3D systems realized by the combination of 3D-MID (3D Molded Interconnect Devices) and PCB (Printed Circuit Boards) 125

Christian Goth, Frank Wittwer, Ellen McMillan, HARTING AG Mitronics, CH

Interflex: challenges and solutions to fabricate a double-sided wiring layer for a “system in foil” 131

Erwin Yacoub-George, Andreas Drost, Dieter Hemmetzberger, Dieter Bollmann, Robert Faul, Karlheinz Bock, Fraunhofer EMFT, DE

Low cost integration of multilevel lab-on-a-chip using a new generation of dry film photoresists 139

Rémi Courson, Sébastien Cargou, Véronique Conédéra, Marc Fouet, Anne-Marie Gué, LAAS-CNRS, University of Toulouse, FR

Session V: Manufacturing of smart systems I

Viable Engineered Substrate enabled simple and robust built-in thin film encapsulation on SOI MEMS resonators 149

Bin Guo, James R. Dekker, Feng Gao, Jaakko Salonen, VTT Technical Research Centre of Finland, FI

MEMS Foundry Business and MEMS Law "Each Device has its own Process" 157

Uwe Schwarz, Konstanze Schmidt, X-FAB Semiconductor Foundries AG, DE

Fabrication Process for Hermetic Biocompatible Miniature Implant Enclosures 165

Niklaus Schneeberger, Jean-Noël Fehr, Jean-Christophe Roulet, Urban Schnell, Helbling Technik Bern AG, CH
Jeroen Haneveld, Peter Tijssen, Johannes Oonk, Mark Olde Riekerink, Hildebrand Tigelaar, Ronny van 't Oever, Marko Blom, Micronit Microfluidics BV, NL
Amitava Gupta, Elenza Inc., US

3D Module mixing bare dies and packaged components 171

Paul-Henry Morel, T. Collange, S. Gavaud, A. Fritsch, THALES Communication & Security, FR
P. Couderc, N. Fiant, J. Noiray, 3D PLUS, FR

Session VI: System integration and packaging I

Tactile Sensor Network System with CMOS-MEMS Integration for Social Robot Applications 181

Masanori Muroyama, Shuji Tanaka, Takahiro Kojima, Masayoshi Esashi, Tohoku University, JP
Mitsutoshi Makihata, University of California, US
Takahiro Nakayama, Ui Yamaguchi, Hitoshi Yamada, Toyota Motor Corp., JP
Yutaka Nonomura, Hirofumi Funabashi, Yoshiyuki Hata, Toyota Central R&D Labs., JP

Thermal aspects of color conversion element integration in phosphor converted solid state lighting sources 189

Paul Hartmann, Joanneum Research, AT

LTCC packages optimized for use with SAW and FBAR sensors in environmental parameters monitoring 191

Valentin Buiculescu, Ioana Giangu, Alexandru Müller, IMT Bucharest, RO
Franz Bechtold, VIA electronic GmbH, DE

Fully integration of an innovative pressure sensor platform 199

J. Herrán, I. Fernández, E. Ochoteco, G. Cabañero, H. Grande, IK4-Cidetec, ES
A. Flores, D. Copaci, D. Blanco, L. Moreno, Universidad Carlos III de Madrid, ES

Session VII: Special session: Perspectives of smart systems

Smart Systems Integration: Value chains and markets 209

Thomas Köhler, VDI/VDE Innovation + Technik GmbH, DE

Strategies for Responding to the Reliability Challenges of Future Smart Systems 217

Sven Rzepka, Fraunhofer ENAS, DE
Dag Andersson, Swerea IVF, SE
Bart Vandeveld, IMEC, BE

Xtrinsic Intelligent Sensing Framework - A New Era in Sensor Data Processing 225

Margaret Nadworny, James McGlasson, Freescale Semiconductor Inc., US

JISSO - Standardization Bridging the Gaps 231

Walter Huck, Murata Electronics Europe B.V, DE

Session VIII: Test and reliability

Advanced Die Attach Simulations and Reduced Order Modeling of Stressed MEMS Gyroscopes 239

Markus Dorwarth, Steven Kehrberg, Benjamin Schmidt, Niels Bode, Christian Döring, Max Schellenberg, Robert Bosch GmbH, DE
Jan Mehner, Technische Universität Chemnitz, DE

Approaches for System Reliability in Consideration of Application Oriented Loads as well as Physics-Of-Failure 247

Stefan Straube, Andreas Middendorf, Klaus-Dieter Lang, Technische Universität Berlin, DE
Daniel Hahn, Kathleen Jerchel, Fraunhofer IZM, DE

Increasing the lifetime of wire bond interconnections for power applications by the use of aluminium clad copper wire 255

Frank Fella, Johannes Bock, Karin Beart, Thomas Schmidt, Bernhard Schuch, Continental AG, DE

Material parameter identification by combination of stress chip measurements and FE-simulation in MERGE 263

Florian Rost, Florian Schindler-Saefkow, Dietmar Vogel, Sven Rzepka, B. Michel, Alexander Tsapkolenko, Fraunhofer ENAS, DE
Ptryk Nossol, Jörg Schaufuß, Technische Universität Chemnitz, DE
Ali Rezaie Adli, Kasper Jansen, Delft University of Technology, NL

Pitfalls by applying pulsed EMC & ESD System Level Stress Requirements to On-Chip Protection Design by Automotive Examples 271

Michael Mayerhofer, Filippo Magrini, Yiqun Cao, Infineon Technologies AG, DE

Session IX: Special session: Smart Systems Co-Design

The SMAC1 approach towards Smart System Integration 281

Giuliana Gangemi, S. Rinaudo, STMicroelectronics S.r.l., IT
D. Drogoudis, Agilent Technologies, BE
R. Gillon, On Semiconductor, BE
A. Sanginario, IIT, Torino, IT
G. Schropfer, Coventor SARL, FR
M. Poncino, Politecnico di Torino, IT

Simulation/Co-Simulation Alternatives for Multi-Domain, Multi-Level, Multi-Language Design of Smart Sensor: The SMAC Methodology 291

Michele Lora, Sara Vinco, Università di Verona, IT
Dimitrios Drogoudis, Dimitrios Trachanis, Agilent Technologies, BE
Franco Fummi, EDALAB s.r.l., IT

Automatic Behavioural Model Generation Opens New Perspectives in the Design of Smart Systems 299

Renaud Gillon, On Semiconductor, BE
Dimitri De Jonghe, Georges Gielen, KU Leuven, BE

System-aware Design Methodology for MEMS based on High-order Parametric Finite-Element Library Combined with Model-Order-Reduction 307

Alessandro Sanginario, Danilo Demarchi, Istituto Italiano di Tecnologia, IT
Gerold Schropfer, Coventor Sarl, FR
Sarah Zerbini, STMicroelectronics, IT
Magdalena Ekwinska, Institute of Electron Technology, PO
Ruth Houlihan, Tyndall National Institute, IR

MOEMS Virtual Prototype Platform 311

Mirko Guarnera, STMicroelectronics S.r.l., IT

LAB FAB for smart sensors and actuators MEMS 313

Roberto Zafalon, STMicroelectronics S.r.l., IT

Session X: Smart Medtech systems

Smart electronic implants for medical biosensorics 317

Alfred Stett, Gorden Link, NMI Naturwissenschaftl. und Medizinisches Institut, DE
Katharina Schneider, 2E mechatronic GmbH & Co.KG, DE
Daniel Roszbach, HSG-IMIT, DE
Moustafa Nawito, IMS Institute of Microelectronics, DE
Christoph Jeschke, Multi Channel Systems MCS GmbH, DE
Nora Haas, Osypka AG, DE
Timo Lebold, Retina Implant AG, DE

Rapid detection of bacteria by low-cost microfluidic system 323

Dietmar Puchberger-Enengl, Franz Keplinger, Vienna University of Technology, AT
Christian Krutzler, Integrated Microsystems Austria GmbH, AT
Michael J. Vellekoop, Universität Bremen, DE

Polymer-based dry electrodes for high user comfort ECG/EEG measurements 329

Yun-Hsuan Chen, Maaïke Op de Beeck, Chris Van Hoof, imec, BE
Evelien Carrette, Paul Boon, UZ Gent, BE
Luc Vanderheyden, Datwyler Sealing Solutions, BE
Bernard Grundlehner, Vojkan Mihajlovic, Holst Centre/ imec, NL

Feedback-based digital RF Power System 337

Mark van Helvoort, Marcel van Bakel, Philips Healthcare, NL

RF Communication for Active Implant Medical Device 343

Renzo Dal Molin, SORIN CRM, FR

Session XI: Manufacturing of smart systems II

Roll-to-Roll Hot Embossing of Micron and Nanoscale Structures for the Fabrication of Plastic Devices 351

Gerald Kreindl, M. Chouiki, M. Thorsten, EVGroup, AT
J. Dumond, ONG Kian Soo, Institute of Materials Research & Engineering, SG

Design and manufacturing of Roll-to-Roll printed copper layers for communication applications 357

Ralf Zichner, Reinhard R. Baumann, Fraunhofer ENAS, DE

Barrier properties of plastic films coated with Al₂O₃ by roll-to-roll ALD 365

Juhana Kostamo, Risto Laine, Väinö Kilpi, Wei-Min Li, Sven Lindfors, Minna Toivola (Corresponding author), Picosun Oy, FI
Terhi Hirvikorpi, VTT Expert Services Oy, FI
Mika Vähä-Nissic, Jari Vartiainen, Juha Nikkolac, Ali Harlinc, VTT Technical Research Centre of Finland, FI

Recent Progress in Printed 2D/3D Electronic Devices 373

Emil List-Kratochvil, Stefan Sax, Alexander Blümel, Karl Popovic, Andreas Klug, NTC Weiz GmbH, AT

Session XII: System integration and packaging II

Adhesive-based self-alignment mechanisms for modular stacked microsystems 383

Tanja Braun, Jagoda Jagodzinska, Karl-Friedrich Becker, Jörg Bauer, Leopold Georgi, Andreas Ostmann, Rolf Aschenbrenner, Klaus-Dieter Lang, Fraunhofer IZM, DE

Automatic Footprint Compaction and Bond Wire Placement for Bare Die Chips Stacks 391

Michael Dittrich, Andy Heinig, Peter Schneider, Fraunhofer IIS, DE

Laser based vacuum hermetic sealing 399

Rony Jose James, E. Innerhofer, T. Stadelmann, S. Berchtold, M. Lützelshwab, Ch. Bosshard, CSEM SA, CH
M. Epitiaux, A. Hold, C. Vélez, Exalos AG, CH

A Discrete Alternative for ASIC-centered Smart System Integration 407

Tomi Salo, Vaisala Oyj, FI

Session XIII: Smart system applications

Smart, self-tuned power factor correction PFC- and DC/DC converter system offering optimum power efficiency 415

Bernhard Strzalkowski, Analog Devices, DE

Smart Sensor Solutions for Advanced Automotive Systems 423

Roger H. Grace, Roger Grace Associates, US

A smart 3D ToF sensor system for object tracking 425

Roland Oberhammer, Gregor Novak, Christof Pitter, Robert Hranitzky, Bluetechnix GmbH, AT

Decentralized inter-organizational business process automation 431

Andre Röder, Heiko Weger, Manfred Benesch, Klaus Kabitzsch, Technische Universität Dresden, DE
Klaus Röder, GWT-TUD GmbH, DE

Poster Session

Multi-Sensor for Cutting Fluid Management 441

Pál Arki, Tina Tauchnitz, Rosemarie Dittrich, Frederic Güth, Yvonne Joseph, TU Bergakademie Freiberg, DE

Functional Nano Patterns realized by aligned Nano Imprint Lithography 443

Mario Baum, J. Besser, M. Wiemer, T. Gessner, Fraunhofer ENAS, DE
C. Thanner, G. Kreindl, EV Group, M. Wimplinger, AT

Novel Methodology of MEMS-IC Co-simulation in Smart Systems Development Process 447

Thomasz Bieniek, G.Janczyk, M.Marchewka, M.Ekwińska, J.Wąsowski, P.Grabiec, Institute of Electron Technology, PL

Integrateable light sources based on semiconductor nanocrystals 451

Philipp Böttger, Marcel Meyer, Thomas Geßner, Holger Seidlitz, Lothar Kroll, Technische Universität Chemnitz, DE
Jörg Martin, Thomas Otto, Fraunhofer ENAS, DE

Low stress polyimide multilayers integration for flexible substrate 455

Samuel Charlot, Castagnola Valentina, Descamp Emeline, LAAS-CNRS, FR

Reduction of Gas Species Dependency of Thermal Conductivity Vacuum Gauges by In-System Software Calibration 459

Florian Dams, Rupert Schreiner, OTH Regensburg, DE

Methodology of MEMS-based Smart Systems Design, Modeling and Simulation – Development Practice 463

Magdalena Ekwinska, Grzegorz Janczyk, Tomasz Bieniek, Piotr Grabiec, Institute of Electron Technology, PL

Laser Micromachining of brittle and fragile functional Materials 467

Tom Enderlein, Jörg Nestler, Technische Universität Chemnitz, DE
Thomas Otto, Thomas Gessner, Fraunhofer ENAS, DE

Low-cost technology for photolithography on convex surfaces 471

Florian Franitza, Michael Kosubek, Tom Kremers, Alexander Rockenbach, Wilfried Mokwa, RWTH Aachen, DE

Influence of High Temperature Annealings on a-SiC:H Thin Film Properties 475

Tobias Frischmuth, David Dergez, Marko Stuebegger, Ulrich Schmid, Vienna University of Technology, AT
Ursula Hedenig, Thomas Grille, Infineon Technologies Austria AG, AT

Smart Systems Integration approaches for infrastructure monitoring: Technologies and Applications for Smart Transport and Smart Buildings 479

Roger H. Grace, Roger Grace Associates, US

Critical Success Factors for the Commercialization of MEMS: The 2013 MEMS Industry Commercialization Report Card 481

Roger H. Grace, Roger Grace Associates, US

Optical Multi Viewing Sensor for Welding Tip Analysis 485

Heinrich Grüger, Michael Leuchefeld, Jens Knobbe, Fraunhofer IPMS, DE
Eugenio Tedeschi, Sinterleghe, IT

MEMS based fluorescence microscope with 3d option for dermatological applications 489

Heinrich Grüger, Jens Knobbe, Fraunhofer IPMS, DE
Christin Bechtel, Hubert Lakner, Dresden Technical University, DE

Video microscopy and improved particle tracking for nanoparticle size determination in microfluidics 493

Christoph Haiden, Franz Keplinger, Vienna University of Technology, AT
Thomas Wopelka, Martin Jech, AC²T research, AT
Michael Vellekoop, Universität Bremen, DE

Development of a 'smart' needle integrated with an impedance sensor to determine nerve proximity for nerve blocking (anaesthetic) procedures 497

Lisa Helen, Walter Messina, Eric Moore, Tyndall National Institute, IE
Brian O'Donnell, University College Cork, IE

Smart City Dresden 501

Michael Kaiser, Landeshauptstadt Dresden, DE
Uwe Gäbler, Silicon Saxony e.V., DE

The Relation between Vibration and Stiction of MEMS Cantilevers 505

Ichiro Kato, Y.Tsuchiya, JP Aerospace Exploration Agency, JP

High Voltage Amplifier ASIC for High Capacitive Load MEMS based Piezoelectric Actuators 509

Daniel Köhler, Ralf Seidel, EDC Electronic Design Chemnitz GmbH, DE
Christian Helke, Karla Hiller, Technische Universität Chemnitz, DE
Martin Schüller, Mathias Lipowski, Fraunhofer ENAS, DE

Finite Element Modeling of Plasmonic Structures 513

Vladimir Kolchuzhin, Jan E. Mehner, Evgeniya Sheremet, Raul D. Rodriguez, Dietrich R.T. Zahn, Technische Universität Chemnitz, DE
Lilibeth Leal Luque, University of the Andes, VE

Integration of a MOEMS-Based Variable-Focus Laser Scanner for Application in Light-Driven Microfluidics 517

Matthias Kremer, Andreas Tortschanoff, CTR Carinthian Tech Research AG, AT

A Wireless Multi-Channel EEG Headset System 521

Jin Lin, Rick Lin, Mavis Chang, Peter Lemmens, Shun-Chi Wu, imec Taiwan Innovation Center, TW

Pulsed Jet Actuator development for the integration in composite structures 525

Mathias Lipowski, M. Schueller, T. Otto, T. Gessner, Fraunhofer ENAS, DE
C. Stiehl, J. Nestler, L. Kroll, Technische Universität Chemnitz, DE

Low cost silicon interposer made by wet etching with four dense wiring through TSV for application in 3D integration 529

Le Luo, Jiaotuo Ye, Shanghai Institute of Microsystem and Information Technology, CN

A combined fibre coupling / readout diode chip for use in integrated optical interferometry 533

Eric Markweg, Martin Hoffmann, Technische Universität Ilmenau, DE
Martin Schädel, Hans-Georg Ortlepp, Olaf Brodersen, CiS Institut für Mikrosensorik und Photovoltaik GmbH, DE

Fabrication of gold nanopillars on gold interdigitated impedance electrodes for biomedical applications 537

Walter Messina, Tyndall National Institute, IE

Optimizing quantum dot based sensor device structure by determining the band level alignment for better charge injection: a combined UPS/IPS study 539

Martin Möbius, Ghazal Tofighi, Francisc Haidu, Ovidiu D. Gordan, Thomas Otto, Dietrich R.T. Zahn, Technische Universität Chemnitz, DE
Jörg Martin, Christian Spudat, Thomas Gessner, Fraunhofer ENAS, DE

Structural health monitoring with quantum dots 543

M. Möbius, E. A. Poppitz, P. Ueberfuhr, G. Tofighi, O. D. Gordan, V. M. Dzhagan, H. Lang, R. R. Baumann, D. R. T. Zahn, L. Kroll, Technische Universität Chemnitz, DE
J. Martin, T. Otto, T. Gessner, Fraunhofer ENAS, DE

eGo – What you touch is Yours 547

Brendan O'Flynn, Marco Belcastro, Alan Mathewson, Cian O'Mathuna, Tyndall National Institute, IE
Alain Rhelimi, Gemalto, FR

Stamped Circuit Board Technology (SCB): Packaging Substrates for various markets and applications 551

Mentor Rajenthiran, Andreas Klein, Heraeus Materials Technology GmbH & Co. KG, DE

Wireless Data and Energy transmission as part of the HSG-4S Smart Sensor Model 555

Christoph Rathfelder, Daniel Rossbach, HSG-IMIT, DE

A practical framework for assuring authenticity and integrity of hardware components 559

Carsten Rust, Morpho Cards GmbH, DE
Holger Bock, Infineon Technologies Austria AG, AT
Verena Brunner, Martin Deutschmann, Technikon, AT
Jacques J.A. Fournier, CEA Tech Reg DPACA, FR
Jens Hermans, Dave Singelee, iMinds - KU Leuven - COSIC, BE

Micro-structured Impedance Electrodes for the Detection of Breast Cancer and Ductal Carcinoma in situ 563

Niall Savage, Tyndall National Institute, IE

Recent results and developments in Temporary Wafer Bonding and -Debonding on 300mm leading edge tools 565

Mario Schima, Kevin Wagenitz, Robert Wendling, Jürgen Grafe, Fraunhofer IZM-ASSID, DE
Harald Wiesbauer, Thomas Uhrmann, EV Group, AT

Smart System Integration Technologies for Lightweight Structures 569

Martin Schüller, T. Otto, T. Geßner, Fraunhofer ENAS, DE
M. Walther, J. Tröltzsch, J. Mehner, L. Kroll, TU Chemnitz, DE

Ultra-precision Manufacturing of Porcelain-based MEMS 573

Manuel Stompe, Lutz Rissing, Leibniz Universität Hannover, DE

Wearable respiratory belt for human breathing control 579

Serguei Stoukatch, Pierre Bellier, Fabrice Axisa, Jacques Destiné, University of Liege, BE
Jean Léonard, Centexbel, BE

Compact driver module for closed-loop control of resonant 2D-MOEMS scanners 583

Andreas Tortschanoff, Andreas Kenda, Matthias Kremer, Albert Frank, CTR AG, AT
Thilo Sandner, Fraunhofer IPMS, DE

Realization of CMUT based ultrasonic sensor systems 587

Anartz Unamuno, Markus Klemm, Heinrich Grüger, Fraunhofer IPMS, DE

Design and Analyses of a laterally driven MEMS electro-thermally Microgripper 591

Rodica Voicu, Raluca Müller, Florea Craciunoiu, Angela Baracu, IMT Bucharest, RO

Thin film fabrication of highly sensitive earth magnetic field sensor 595

Anja Wienecke, Lutz Rissing, Leibniz Universität Hannover, DE

Fraunhofer Cluster 3D Integration - Key to a holistic Technology and Service Approach 599

M. Jürgen Wolf, Fraunhofer IZM, DE
Stefan Schulz, Fraunhofer ENAS, DE
Peter Schneider, Fraunhofer IIS/EAS, DE
Ehrenfried Zschech, Fraunhofer IKTS, DE