

20th European Symposium on Improved Oil Recovery (IOR 2019)

Pau, France
8 - 10 April 2019

Volume 1 of 3

ISBN: 978-1-5108-8664-3

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2019) by the European Association of Geoscientists & Engineers (EAGE)
All rights reserved.

Printed by Curran Associates, Inc. (2019)

For permission requests, please contact by the European Association of Geoscientists & Engineers (EAGE)
at the address below.

European Association of Geoscientists & Engineers (EAGE)
PO Box 59
3990 DB Houten
The Netherlands

Phone: +31 88 995 5055
Fax: +31 30 634 3524

eage@eage.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

VOLUME 1

MOBILIZATION OF BY-PASSED OIL BY VISCOUS CROSSFLOW IN EOR PROCESSES	1
<i>K.S. Sorbie, A. Skauge</i>	
POLYMER FLOOD IN OFFSHORE VISCOUS OIL RESERVOIRS: IMPLEMENTATION, PERFORMANCE AND RESERVOIR MANAGEMENT	17
<i>X. Lu, D. Puckett, J. Xu, Y. Li</i>	
SUCCESSFUL POLYMER PILOT BOOTS P1, 2P, 3P RESERVES IN CGSJ: FOUR CONVERGING METHODS	31
<i>J. Juri, F. Schein, A. Ruiz, V. Serrano, M. Thill, P. Guillen</i>	
ASP PILOT TRIAL IN CANADA USING A FORMULATION BASED ON A NOVEL ASSOCIATIVE POLYMER	55
<i>R. Reichenbach-Klinke, R. Giesbrecht, P. Lohateeraparp, G. Herman, K. Mai</i>	
GRIMBEEK SUCCESSFUL POLYMER PILOT EXTENDS TO 80 INJECTORS IN FACTORY-MODE DEVELOPMENT AT CGSJ BASIN	74
<i>J. Juri, A. Ruiz, F. Schein, V. Serrano, M. Thill, P. Guillen, A. Tosi, M. Pacchy, L. Soto, A. Therisod, M. Paura, P. Lauro, P. Alonso</i>	
SYNTHESIS AND CHARACTERIZATION OF A REACTIVE FLUORESCENT TRACER AND ITS POSSIBLE USE FOR RESERVOIR TEMPERATURE'S DATA COLLECTION	88
<i>M. Ould Metidji, M. Silva, A. Krivokapic, T. Bjørnstad</i>	
ALKYLPYRAZINES - FROM THE "DINNER TABLE" TO THE OILFIELD: A NEW CLASS OF PARTITIONING TRACERS	98
<i>M. Silva, M. Ould Metidji, H. Stray, T. Bjørnstad</i>	
A NEW GENERATION OF SINGLE WELL CHEMICAL TRACER TESTS – TRACERS AND METHODOLOGIES	110
<i>O. Huseby, C. Galdiga, S. Hartvig, G. Zarruk, Ø. Dugstad</i>	
USE OF TRACERS IN THE ALKALINE-SURFACTANT-POLYMER PILOT IN WEST SALYM	120
<i>A.J. De Reus, V. Karpan, D.W. Van Batenburg, E. Mikhaylenko</i>	
TOWARDS AN ECONOMICALLY VIABLE (A)SP FLOODING PROJECT IN WEST SALYM	134
<i>V. Karpan, J. De Reus, S. Milchakov, S. Volgina, I. Edelman, Y. Volokitin, D. Van Batenburg, A. Groman</i>	
IN-DEPTH EXPERIMENTAL STUDIES OF LOW-TENSION GAS (LTG) IN HIGH SALINITY AND HIGH TEMPERATURE SANDSTONE RESERVOIR	150
<i>G. Ren, K. Mateen, K. Ma, H. Luo, G. Bourdarot, D. Morel, N. Nguyen, Q.P. Nguyen</i>	
HOW TO SELECT POLYMER MOLECULAR WEIGHT AND CONCENTRATION TO AVOID BLOCKING? FIELD PRACTICES EXPERIENCE	165
<i>H. Guo</i>	
DREAMING BIG "SURFACTANT INJECTION IN A GIANT OFFSHORE CARBONATE FIELD", FROM SUCCESSFUL INJECTION TRIALS TO PILOT DESIGN AND IMPLEMENTATION	180
<i>M. Pal, G. Tarsauliya, P. Patil, N. Rohilla, H. Mounzer, B. Bacaud, S.F. Gilani, A. Katiyar, P. Rozwski</i>	
ANALYZING THE PRODUCTION CHEMISTRY DATA OF THE NORTH SEA CHALK RESERVOIRS WITH A MULTIPHASE REACTIVE TRANSPORT MODEL	202
<i>M. Taheriotagsara, M. Bonto, A.A. Eftekhari, H. Nick</i>	
ANALYZING THE SMART WATER CORE-FLOODING DATA IN CARBONATES BY MODELLING THE OIL BREAKTHROUGH TIME USING A NOVEL REACTIVE TRANSPORT MODEL	217
<i>M. Taheriotagsara, M. Bonto, A. Eftekhari, I.D. Piñerez Torrijos, T. Puntervold, S. Strand, H. Maghami Nick</i>	
A MODIFIED DERJAGUIN-LANDAU-VERWEY-OVERBEEK (DVLO) MODEL ACCOUNTING FOR STERIC EFFECTS AT HIGH IONIC STRENGTH: IMPLICATIONS FOR LOW SALINITY WATERFLOODING	238
<i>H. Collini, M. Jackson</i>	
PERMEABILITY EVOLUTION OF SHEAR FAILING CHALK CORES UNDER THERMOCHEMICAL INFLUENCE	249
<i>E. Kallesten, M. Madland, R.I. Korsnes, E. Omdal, U. Zimmermann, P. Andersen</i>	

MULTISCALE STUDY OF CHEMICALLY-TUNED WATERFLOODING IN CARBONATE ROCKS USING MICRO-COMPUTED TOMOGRAPHY	263
<i>M.S. Tawfik, Z. Karpyn, R. Johns</i>	
IMPROVING OIL RECOVERY FROM CARBONATE ROCKS USING COMPOSITIONALLY MODIFIED WATER INJECTION	286
<i>M.T. Al-Murayri, D.S. Kamal, M. Delshad, A. Alizadeh, C. Britton</i>	
ZETA POTENTIAL IN INTACT CARBONATE SAMPLES: IMPACT OF BRINE COMPOSITION, TEMPERATURE AND WETTING STATE WITH APPLICATION TO CONTROLLED SALINITY WATERFLOODING	295
<i>M.D. Jackson, H. Collini, S. Li, B. Rashid, J. Couves, K. Webb, I. Collins, M. Maynard</i>	
A MECHANISTIC MODEL FOR THE FINES-MIGRATION DURING THE MODIFIED-SALINITY WATERFLOODING IN CARBONATE RESERVOIRS	304
<i>M. Bonto, A.A. Eftekhari, H. Nick</i>	
EXPERIMENTAL INVESTIGATION OF THREE-PHASE RELATIVE PERMEABILITY UNDER SIMULTANEOUS WATER AND GAS (SWAG) INJECTION.....	322
<i>L. Moghadasi, M. Bartosek, D. Renna, G. Maddinelli, S. Scagliotti</i>	
ANALYSIS OF 3-PHASE BEHAVIOR IN WAG INJECTIONS FOR VARIOUS WETTABILITIES.....	339
<i>M. Bourgeois, T. Joubert, V.E. Dominguez</i>	
MODELLING THE TRANSITION BETWEEN IMMISCIBLE AND MISCIBLE WAG	355
<i>A. Skauge, K.S. Sorbie, M.I.J. Van Dijke</i>	
MESH ADAPTIVITY AND PARALLEL COMPUTING FOR 3D SIMULATION OF IMMISCIBLE VISCOUS FINGERING	367
<i>A. Kampitsis, P. Salinas, C. Pain, A. Muggeridge, M. Jackson</i>	
INJECTION TEST AS MILESTONE FOR THE APPLICATION OF POLYMER FLOODING IN THE GERMAN NORTH SEA	378
<i>C. Burmester, F. Leicht, D. Bols, T. Dose</i>	
DEVELOPMENT OF CONFORMANCE GEL FOR DIADEMA OIL FIELD USING POWDER AND EMULSION POLYMERS AND THEIR IMPACT ON EQUIPMENT AND ECONOMICS.....	389
<i>G. Dupuis, S. Bataille, J. Monzon, N. Gaillard, G. Fondevila Sancet, M. Villambrosa, M.D. Goldman, M. Alvarez</i>	
FIRST USE OF ULTRA-DEEP RESISTIVITY 2D DEEP AZIMUTHAL IMAGES TO IDENTIFY RESERVOIR SWEEP IN A MATURE WATERFLOOD OF AL-SHAHEEN FIELD	400
<i>S. Finlay, D. Omeragic, M. Thiel, N. Farnoosh, J. Denichou, M. Viandante</i>	
A SYSTEMATIC INVESTIGATION OF SURFACTANT/POLYMER FLOODING IN CONGLOMERATE RESERVOIR: FROM LABORATORY TO FIELD TEST	414
<i>Z. Liu, Y. Li, Y. Chen, H. Cheng, X. Chen</i>	
FIELD EXPERIENCE OF INORGANIC GELS APPLICATION WITH CYCLIC STEAM STIMULATION	423
<i>I. Kuvshinov, L. Altunina, V. Kuvshinov</i>	
LOW SALINITY AND IMMISCIBLE CO₂ COMBINED FLOODING FOR SANDSTONE RESERVOIRS: LOW SALINITY-ALTERNATING- CO₂ FLOODING (LS-CO₂ WAG).....	433
<i>H. Al-Saedi, R. Flori, W. Al-Bazzaz</i>	
MICROFLUIDICS TECHNOLOGY FOR VISUALIZING SURFACTANT PERFORMANCE IN ENHANCED OIL RECOVERY	445
<i>J. Kim, E. Willmott, L. Quintero</i>	
SIMULATION INTERPRETATION OF CAPILLARY PRESSURE AND RELATIVE PERMEABILITY FROM WATERFLOODING LABORATORY EXPERIMENTS IN PREFERENTIALLY OIL-WET POROUS MEDIA.....	463
<i>P.Ø. Andersen, K. Walrond, C. Naingolan, E. Pulido, R. Askarinezhad</i>	
SELECTION OF OPTIMAL POLYACRYLAMIDE FOR POLYMER FLOODING – IMPACT OF BRINE COMPOSITION AND RESERVOIR TEMPERATURE.....	485
<i>L. Nurmi, S. Hanski</i>	
EVALUATING RESERVOIR FLUIDS GEOCHEMISTRY FOR PLANNING OF SURFACTANT-POLYMER FLOODING	522
<i>I. Koltsov, A. Groman, S. Milchakov, N. Tretyakov, L. Panicheva, S. Volkova, E. Turnaeva, D. Lenev</i>	
CARBONATED WATER INJECTION IN THE NORTH SEA CHALK RESERVOIRS: ENERGY ANALYSIS AND ENVIRONMENTAL ASSESSMENT	539
<i>A.A. Eftekhari</i>	
DILUTE SURFACTANTS FOR WETTABILITY ALTERATION AND ENHANCED OIL RECOVERY IN CARBONATES	549
<i>S. Ayirala, A. Boqmi, A. Alghamdi, A. AlSofi</i>	

SINGLE WELL CAMPAIN EXPOSES SUBSTANTIAL OPPORTUNITY IN BARRANCAS HIGH-TEMPERATURE HIGH-SALINITY FORMATION	564
<i>R.A. Lucero, G.F. Villarroel, E. Lenzano, V.C. Consoli, J.E. Juri</i>	
GRAVITY ASSISTED STEAM FLOODING (GASF) AS A POST-CHOP FOR FOAMY EXTRA-HEAVY OIL RESERVOIRS	577
<i>Z. Yang, H. Chen, H. Yang, X. Li, L. Fang, X. Shi</i>	
EXPERIMENTAL INVESTIGATION OF NON-THERMAL EOR METHODS FOR FOAMY EXTRA-HEAVY OIL RESERVOIRS	593
<i>Z. Yang, X. Li, Y. Shen, H. Chen, Z. Liu, X. Shi</i>	
THE EFFECTS OF CROSSFLOW AND PERMEABILITY VARIATION ON DIFFERENT MISCIBLE CO2 INJECTION SCHEMES PERFORMANCE IN LAYERED SANDSTONE POROUS MEDIA	608
<i>D. Al-Bayati, A. Saeedi, C. White, Q. Xie, M. Myers</i>	
SUCCESSFUL TIME LAPSE SEISMIC PILOT ON AL SHAHEEN FIELD (OFFSHORE QATAR): ANALYSIS AND PRACTICAL APPLICATIONS IN RESERVOIR MONITORING	618
<i>G. Berthereau, R. Sanchez, M. Emang</i>	

VOLUME 2

A NEW MECHANISM FOR ENHANCED OIL RECOVERY BY CO2 IN SHALE OIL RESERVOIRS	633
<i>P. Mahzari, T. Mitchell, A. Jones, E. Oelkers</i>	
AN APPROACH TO MISCIBLE INJECTION IN THE OIL RIM RESERVOIR	649
<i>N. Glavnov, A. Penigin, M. Vershinina, I. Mukhametzyanov, P.L. McGuire</i>	
LOW SALINITY EVALUATION IN LOW PERMEABLE SANDSTONE RESERVOIRS WITH INTERMEDIATE CLAY CONTENT	665
<i>E. Hoffmann, R.E. Hincapie, L. Ganzer</i>	
IMPORTANCE AND INCLUSION OF GAS DIFFUSION IN CO2 EMULSION POPULATION-BALANCE MODEL	683
<i>H. Luo, G. Ren, K. Ma, K. Mateen, V. Neillo, C. Blondeau, G. Bourdarot, D. Morel</i>	
FOAM TO OPTIMIZE GAS INJECTION DEVELOPMENT SCHEME: LABS EVIDENCE AND SIMULATION FORECAST OF GAS CONTROL EFFICIENCY	711
<i>C. Topini, M. De Simoni, L. Dovera, F. Rotelli, M. Bartosek, A. Abrar, D. Renna, E. Braccalenti</i>	
PARAMETER ESTIMATION OF A POPULATION-BALANCE FOAM MODEL USING TWO-STEP MULTI-VARIABLE SEARCH	733
<i>K. Ma, K. Mateen, G. Ren, H. Luo, V. Neillo, C. Blondeau, G. Bourdarot, D. Morel, O. M'barki, Q. Nguyen</i>	
SCREENING AND UNCERTAINTY ASSESSMENT OF FOAM-ASSISTED WATER-ALTERNATE GAS INJECTION	754
<i>H. Groot, J. Groenenboom, N.I. Kechut, N.M. Rahayu Razali, S. Vincent-Bonnieu, A. Mar-Or</i>	
INJECTIVITY OF MULTIPLE GAS AND LIQUID SLUGS IN SAG FOAM EOR: A CT SCAN STUDY	776
<i>J. Gong, S. Vincent-Bonnieu, R.Z. Kamarul Bahrim, C.A.N.B. Che Mamat, R.D. Tewari, M.I. Mahamad Amir, J. Groenenboom, R. Farajzadeh, W. Rossen</i>	
FOAM PROPAGATION AT LOW SUPERFICIAL VELOCITY: IMPLICATIONS FOR LONG-DISTANCE FOAM PROPAGATION	789
<i>G. Yu, S. Vincent-Bonnieu, W. Rossen</i>	
COREFLOOD STUDY OF NON-MONOTONIC FRACTIONAL-FLOW BEHAVIOR WITH FOAM: IMPLICATIONS FOR SURFACTANT-ALTERNATING-GAS FOAM EOR	802
<i>R.O. Salazar Castillo, W. Rossen</i>	
ISOLATION AND CHARACTERIZATION OF ENDOGENOUS CRUDE OIL SURFACE ACTIVE SPECIES AND THEIR IMPLICATION IN THE FORMULATION OF SURFACTANTS FOR EOR	814
<i>V. Molinier, A. Klimenko, M. Loriau, L. Ligiero, M. Bourrel, N. Passade-Boupat</i>	
MODELING ALKALI-POLYMER COREFLOODS IN VISCOUS OIL	829
<i>A. Perez-Perez, C. Romero, A. Klimenko, E. Santanach, G. Bourdarot, I. Bogdanov</i>	
EVALUATION AND PREDICTION OF EMULSION FORMATION IN PRODUCED FLUIDS DURING AN ASP FLOOD APPLIED TO A CARBONATE RESERVOIR IN KUWAIT	857
<i>A. Qubian, S. Adkins, H. Al-Enezi, M. Delshad</i>	
WHY IS IT SO DIFFICULT TO PREDICT POLYMER INJECTIVITY IN CHEMICAL OIL RECOVERY PROCESSES?	876
<i>A. Thomas, M.A. Giddins, R. Wilton</i>	

ANALYSIS AND SIMULATION OF POLYMER INJECTIVITY	901
<i>J.G. Jacobsen, M. Alzaabi, S. Tormod, K. Sorbie, A. Skauge</i>	
A SCIENTIFIC APPROACH FOR GENERATING A RHEOLOGY MODEL TO SIMULATE POLYMER INJECTIVITY	923
<i>D.C. Raharja, D. Prasad, C. Mittelbach</i>	
MODELING OF ASSOCIATIVE POLYMER FLOW IN POROUS MEDIUM	935
<i>A. Lohne, A. Stavland, R. Reichenbach-Klinke</i>	
FLEXIBLE COILED POLYMER DYNAMICS IN A SINGLE PORE THROAT WITH EFFECTS OF FLOW RESISTANCE AND NORMAL STRESSES	963
<i>E. Eguagie, S. Berg, J. Crawshaw, S. De, P. Luckham</i>	
NOVEL INSIGHTS ON THE TRANSPORT OF HPAM SOLUTIONS IN LOW PERMEABILITY POROUS MEDIA: IMPACTS OF BRINE AND RESERVOIR PROPERTIES	974
<i>I. Guetni, C. Marlière, D. Rousseau, I. Bihannic, M. Pelletier, F. Villières</i>	
NUMERICAL STUDY OF POLYMER FLOW IN POROUS MEDIA USING DYNAMIC PORE NETWORK MODELLING	991
<i>N. Zamani, I. Cecilie Salmo, K. Sorbie, A. Skauge</i>	
THE EFFECT OF TOTAL DISSOLVED SOLIDS AND PERMEABILITY ON THE EOR LOW SALINITY WATER FLOODING	1013
<i>H. Al-Saedi, R. Flori, W. Al-Bazzaz</i>	
EMULSIFICATION MECHANISMS IN ALKALI-SURFACTANT-POLYMER (ASP) FLOODING ENHANCED OIL RECOVERY	1023
<i>H. Guo, S. Hu, H. Yan, L. Lv, Y. Yang, H. She, Z. Wang, D. Kong</i>	
POLYMER FLOODING OPTIMIZATION, MINIMIZING FOULING IN HEAT EXCHANGERS	1037
<i>O. Vazquez, M. Cooper, M. Al Kalbani, A. Beteta, E. Mackay</i>	
DEVELOPMENT OF EFFECTIVE CARBONATE STEAMFLOOD STRATEGY USING FULL-FIELD SIMULATION MODELS AND MACHINE LEARNING ALGORITHMS	1051
<i>S. Ursegov, A. Zakharian, E. Taraskin, A. Runenkov</i>	
INVESTIGATION OF ANHYDRITE DISSOLUTION AS A POTENTIAL LOW SALINITY WATERFLOODING MECHANISM IN CARBONATES	1060
<i>T. Uetani, H. Kaido, H. Yonebayashi</i>	
APPLYING THE CALIBRATED TODD AND LONGSTAFF'S MIXING PARAMETER VALUE FOR MISCIBLE SLUG SIZE WAG INJECTION ON FIELD SCALE	1070
<i>Z.I. Al-Haboobi</i>	
THE IMPACT OF CALIBRATING TODD AND LONGSTAFF'S MIXING PARAMETER ON OPTIMISING MISCIBLE FINITE SIZED SLUG WAG INJECTION	1089
<i>Z. Al-Haboobi</i>	
NUMERICAL SIMULATION OF LOW SALINITY WATERFLOOD ON FRACTURED CHALK OUTCROP-BASED MODELS	1109
<i>N. Andrianov, H.M. Nick</i>	
INSIGHTS INTO EFFECTS OF SURFACTANT CONCENTRATION ON FOAM BEHAVIOR IN POROUS MEDIA	1120
<i>S. Kahrobaei, R. Farajzadeh</i>	
INTERPRETATION OF INDUCTION TIME AND NONSTANDARD SPONTANEOUS IMBIBITION TRENDS UTILIZING IN-SITU MEASUREMENTS – IDENTIFICATION OF NO-FLOW REGIONS AND WETTABILITY ALTERATION	1133
<i>P.Ø. Andersen, T.L. Føyen, J.S. Chauhan, B. Brattekkås</i>	
OPTIMIZATION OF GAS-CONDENSATE RESERVOIR EOR TECHNOLOGY UNDER GEOLOGICAL UNCERTAINTIES	1148
<i>O. Burachok, O. Kondrat</i>	
ANALYTICAL AND NUMERICAL SOLUTIONS OF CHEMICAL FLOODING IN A LAYERED RESERVOIR WITH A FOCUS ON LOW SALINITY WATER FLOODING	1157
<i>H. Al-Ibadi, K. Stephen, E. Mackay, Z.I. Al-Haboobi</i>	
A MODELING STUDY FOR FOAM GENERATION FOR EOR APPLICATIONS IN NATURALLY FRACTURED RESERVOIRS USING DISPERSE SURFACTANT IN THE GAS STREAM	1173
<i>J.D. Valencia, J.M. Mejía, A. Ocampo, H. Solano</i>	
SINGLE WELL MODELING AND FIELD VALIDATION OF HEAVY-OIL WELL STIMULATIONS USING NANOFLUIDS	1187
<i>J. Mejía, R. Zabala, J. Valencia</i>	
A NEW QUALITATIVE AND QUANTITATIVE ANALYTICS APPROACH ON WATERFLOOD OPERATIONS DATA FOR IMPROVING OIL RECOVERY	1197
<i>A. Venkatraman, A. Malkov, A. Yadav, D. Davudov, K. Awemo, T. Hag, X. Chen</i>	

AN ADAPTIVE NEWTON'S METHOD FOR IMPLICIT DYNAMIC LOCAL GRID REFINEMENT FOR SIMULATION OF IOR/EOR PROCESSES	1210
<i>H. Groot, H. Cui, J. Rommelse, D. Van Batenburg</i>	
VELOCITY ENHANCEMENT MODELS FOR POLYMER FLOODING IN RESERVOIR SIMULATION	1228
<i>J. Romate, E. Guarnerio</i>	
EOR BACK PRODUCED WATER TREATMENT: MEDIA SELECTION TO IMPROVE FILTRATION EFFICIENCY	1244
<i>N. Lesage, H. Foraison, J. Lafourcade, M. Jouanolou, G. Munduru, C. Sagne, P. Pedenaud, P. Cordelier</i>	
EVALUATION OF EMPIRICAL MODELS FOR VISCOUS FINGERING IN MISCIBLE DISPLACEMENT	1253
<i>I. Tai, A. Muggeridge</i>	
THE DEVELOPMENT OF A LOW SHEAR VALVE SUITABLE FOR POLYMER FLOODING	1270
<i>T. Husveg, M. Stokka, S. Jouenne, R. Husveg</i>	

VOLUME 3

UNIVERSAL VISCOSIFYING BEHAVIOR OF ACRYLAMIDE-BASED POLYMERS USED IN EOR - APPLICATION FOR QA/QC, VISCOSITY PREDICTIONS AND FIELD CHARACTERIZATION	1292
<i>S. Jouenne, B. Levache, M. Joly, C. Hourcq, M. Questel, G. Heurteux</i>	
SMARTWATER SYNERGY WITH CHEMICAL EOR: POLYMER EFFECTS ON SMARTWATER SPONTANEOUS IMBIBITION	1315
<i>A.M. AlSofi, A.B. Fuseni, Z.K. Kaidar, S.M. AlEnezi</i>	
PERFORMANCE OF ASSOCIATIVE POLYMERS IN THE PRESENCE OF LOW TENSION SURFACTANTS AT DIFFERENT TEMPERATURES AND VARIABLE SALINITY CONDITIONS	1323
<i>D.A. Alexis, D. Varadarajan, D.H. Kim, T. Isbell, G. Winslow, T. Malik</i>	
RADIAL INJECTIVITY OF AN ASSOCIATIVE POLYMER FOR EOR	1363
<i>T. Skauge, K. Djurhuus, T. Zimmermann, C. Bittner, R. Reichenbach-Klinke</i>	
IMPROVE KINETICS OF OIL RECOVERY IN NATURALLY FRACTURED CARBONATES: OPTIMIZATION OF AN ADVANCED EOR FOAM PROCESS	1386
<i>E. Chevallier, S. Bouquet, N. Gland, F. Douarache, G. Batôt</i>	
CREATING INSITU EOR FOAMS IN NATURALLY FRACTURED RESERVOIRS BY THE INJECTION OF SURFACTANT IN GAS DISPERSIONS – LAB CONFIRMATION	1401
<i>A. Ocampo, A. Restrepo, J.M. Mejia, J.D. Valencia, H. Sanchez</i>	
IMPACT OF CRUDE OIL ON PRE-GENERATED FOAM IN POROUS MEDIA	1412
<i>A. Hussain, S. Vincent-Bonnieu, R. Kamarul Bahrim, R. Pilus, W. Rossen</i>	
FOAM GENERATION BY SNAP-OFF IN FLOW ACROSS A SHARP PERMEABILITY TRANSITION	1422
<i>S. Shah, H. As Syukri, K. Wolf, R. Pilus, W. Rossen</i>	
EXPERIMENTAL INVESTIGATION OF MULTIPLE PORE VOLUMES NEEDED TO REACH STEADY-STATE FOAM FLOW IN A POROUS MEDIA	1442
<i>O. M'barki, K. Ma, K. Mateen, G. Ren, H. Luo, V. Neillo, G. Bourdarot, D. Morel, Q. Nguyen</i>	
NUMERICAL ASSESSMENT AND OPTIMIZATION OF FOAM-BASED EOR PROCESSES IN NATURALLY FRACTURED CARBONATE OIL-WET RESERVOIRS	1459
<i>S. Bouquet, F. Douarache, F. Roggero, B. Bourbiaux, The EOR Alliance</i>	
ENHANCEMENT OF A FOAMING FORMULATION WITH ZWITTERIONIC SURFACTANTS FOR GOR CONTROL APPLICATION IN HARSH RESERVOIR CONDITIONS	1480
<i>M.A. Roncoroni, M.F. García Mayoral, J. Montes Ruíz, M.R. Rodríguez Pardo, G. Bascialla, P. Romero Fernández</i>	
INFLUENCE OF WETTABILITY AND OIL SATURATION ON THE RHEOLOGICAL BEHAVIOR OF CO₂-FOAMS	1496
<i>V. Beunat, G. Batôt, N. Gland, N. Pannacci, E. Chevallier, A. Cuenca</i>	
POLYMER FLOOD FIELD IMPLEMENTATION - PATTERN CONFIGURATION AND HORIZONTAL VERSUS VERTICAL WELLS	1508
<i>M. Sieberer, T. Clemens, J. Peisker, S. Ofori</i>	
DEVELOPMENT OF A FIELD SCALE POLYMER PROJECT IN ARGENTINA	1529
<i>M.A. Hryc, F. Hochenfellner, R. Ortíz Best, S. Maler, P. Freedman, D. Torchinsky</i>	
HIGH PRESSURE GAS EOR PVT EXPERIMENTAL PROGRAMS: CHALLENGES IN MEASUREMENTS AND DATA INTERPRETATIONS	1548
<i>H. Alboudwarej, J.M. Sheffield, M. Srivastava, S.S. Wu, L. Zuo, A. Inouye, D. Zhou, A. Oghena</i>	

CYCLIC STEAM STIMULATION ENHANCED WITH NITROGEN	1566
<i>E. Trigos, M.E. Lozano, A.M. Jimenez</i>	
SURFACTANT FLOODING IN OFFSHORE ENVIRONMENTS	1578
<i>J. Southwick, E. Van den Pol, C.H.T. Van Rijn, D.W. Van Batenburg, A.A. A Manap, A.A. Kalantar Mastan, N.N. Zulkifli</i>	
MODELING WETTABILITY CHANGE IN SANDSTONES AND CARBONATES USING A SURFACE-COMPLEXATION-BASED METHOD	1599
<i>A. Kazemi, G.R. Jerauld</i>	
LONG-TERM POLYMER DEGRADATION IN HIGH PH SOLUTIONS AND POLYMER EFFECT ON ALKALI-OIL PHASES	1628
<i>J.R.F. Sarquez Bernal, R.E. Hincapie R., T. Clemens, B. Schumi</i>	
DEVELOPMENT AND APPLICATION OF A COMPOSITE SILICATE GEL FOR WATER SHUTOFF TREATMENT IN HUNGARY	1642
<i>I. Lakatos, G. Szentes, J. Lakatos-Szabo, A. Vago, Z. Karaffa</i>	
THERMAL STABILITY EVALUATION OF EOR POLYMER: BEST PRACTICES & GUIDELINES	1657
<i>S. Antignard, B. Giovannetti, T. Divers, G. Dupuis, N. Gaillard, C. Favero</i>	
QUALIFICATION AND FIELD INJECTION OF SCLEROLUCAN	1669
<i>B. Kozlowicz, F. Muhammed, M. Kadhum, M. Khambete, T. Jensen, E. Sumner, R. Ravikiran, C. Ray</i>	
THE WATER-BLOCKING AGENT WITH IMPROVED PROPERTIES FOR IOR IMPLEMENTATION	1683
<i>V. Sergeev, K. Tanimoto, M. Abe</i>	
MODELING OF DIMETHYL ETHER ENHANCED WATER FLOODING IN A HEAVY OIL SANDSTONE RESERVOIR	1694
<i>G. Pelark, M. Chahardowli, M. Simjoo</i>	
INTRODUCING A NEW, LOW-COST BIOSURFACTANT FOR EOR APPLICATIONS: A MECHANISTIC STUDY	1704
<i>M. Simjoo, M.A. Rezaei, F. Nadri, M.S. Mousapour, M. Iravani, M. Chahardowli</i>	
PORTRAYAL AND DEMONSTRATION OF A NOVEL PROCEDURE FOR IN-SITU ESTIMATION OF GELATION TIME	1716
<i>A. AlSofi, J. Wang, H. AlHashim, Z. Kaidar</i>	
REVISITING THE PHASE INVERSION TEMPERATURE AS A PRACTICAL TOOL FOR EOR APPLICATIONS	1724
<i>G. Lemahieu, J.F. Ontiveros, V. Molinier, J. Aubry</i>	
EFFECT OF FORMATION WATER COMPOSITION ON INITIAL WETTING AND SMART WATER EOR POTENTIAL IN SANDSTONES	1737
<i>A. Mamonov, S. Strand, T. Puntervold</i>	
DETERMINATION OF SULPHUR ISOTOPIC RATIO TO IDENTIFY THE SOURCE FOR SULPHATE IN RESERVOIR CHALKS AND FORMATION WATER	1746
<i>I. Fjelde</i>	
ADSORPTION OF CHARGED SURFACTANTS ONTO CALCIUM CARBONATE	1757
<i>S.F. Hassan, S. Kamireddy, M.P. Yutkin, C.J. Radke, T.W. Patzek</i>	
SIMULATION OF IMMISCIBLE WAG INJECTION IN A STRATIFIED RESERVOIR - CHARACTERIZATION OF WAG PERFORMANCE	1776
<i>J.I. Nygård, P.Ø. Andersen</i>	
REDUCTION OF SURFACTANT ADSORPTION: A STUDY OF DYNAMIC SURFACTANT ADSORPTION/DESORPTION IN SHALY-SANDSTONE RESERVOIR	1797
<i>F. Srisuriyachai, M. Pancharoen, R. Laochamroonvoraponse, Y. Vathanapanich</i>	
THE EFFECT OF SALINITY AND PH ON WETTABILITY ALTERATION OF KAOLINITE FILMS STUDIED BY CONTACT ANGLE MEASUREMENT	1806
<i>N. Santha, P. Cubillas, C. Greenwell</i>	
INTERACTIONS OF IONS AT FLUIDS INTERFACES IN CARBONATE RESERVOIRS: MOLECULAR STUDIES	1823
<i>M.B. Al-Otaibi, D.K. Cha, A.A. Yousef</i>	
ENHANCED OIL RECOVERY FROM HIGH-VISCOSITY OIL DEPOSITS BY CHEMICALLY EVOLVING SYSTEMS	1836
<i>L. Altunina, V. Kuvshinov, I. Kuvshinov, L. Stasyeva</i>	
EXPERIMENTAL INVESTIGATION OF IMMISCIBLE N₂ WAG IN SALINE RESERVOIR AT ULTRA-HIGH WATER-CUT STAGE	1847
<i>D. Kong, Z. Lun, Y. Li, S. Xu, H. Yu, H. Guo</i>	

VISUALIZATION OF SPONTANEOUS IMBIBITION OF CARBONATED WATER AT DIFFERENT PERMEABILITY AND WETTABILITY CONDITIONS.....	1858
<i>W. Amarasinghe, I. Fjelde, Y. Guo, J. Chauhan</i>	
IMPACT OF TEMPERATURE ON WETTABILITY ALTERATION BY SMART WATER IN CHALK	1874
<i>I.D. Piñerez Torrijos, K.G. Sæby, S. Strand, T. Puntervold</i>	
RELEVANCE OF WATER/OIL INTERFACIAL STRUCTURE TO LOW SALINITY OIL RECOVERY PROCESS	1885
<i>J. Duboué, M. Bourrel, T. Dusautoir, E. Santanach, A. Klimenko, N. Agenet, N. Boupat-Passade, F. Lequeux</i>	
MECHANISMS UNDERLYING THE ADHESION OF CRUDE OIL TO MINERAL SURFACES: RELEVANCE OF OIL-BRINE INTERACTIONS	1902
<i>A. Klimenko, V. Molinier, N. Agenet, M. Bourrel</i>	
Author Index	