

34th PIANC World Congress 2018

Connecting Maritime Hubs Globally

Ports

Panama City, Panama
7 - 11 May 2018

ISBN: 978-1-5108-8707-7

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2018) by the Authors
All rights reserved.

Printed by Curran Associates, Inc. (2019)

For permission requests, please contact
The World Association for Waterborne Transport Infrastructure (PIANC)
at the address below.

The World Association for Waterborne Transport Infrastructure (PIANC)
General Secretariat
Boulevard Roi Albert II, 20 – B. 3
B-1000 Brussels
Belgium

Phone: +32 2 553 71 61

info@pianc.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

| | |
|---|------------|
| TRUCK EMERGENCY-BRAKING IMPULSE EFFECT MOORED FERRY | 1 |
| <i>X. Feng, W. Reenen, T. Hope, M. Willbourn</i> | |
| AUTOMATING MOORING FOR INCREASED SAFETY AND SECURITY..... | 11 |
| <i>M. Howie</i> | |
| CONSTRUCTING MODERN PORTS WITHOUT STEPPING ON WATER..... | 17 |
| <i>L. Sabino, R. Filho</i> | |
| BOLLARD LOADS ON NEW PORT INFRASTRUCTURE, PORT OF ROTTERDAM | |
| AUTHORITY POLICY | 37 |
| <i>E. Broos, W. Hoebee, B. Scherpenzeel, J. Burgers, L. Schweter, A. Deyzen</i> | |
| THE SAFE USE OF CYLINDRICAL FENDERS ON LNG, OIL AND CONTAINER TERMINALS | 49 |
| <i>E. Broos, M. Rhijnsburger, A. Vredevelde, W. Hoebee</i> | |
| BIM APPLICATION IN PIER CONSTRUCTION | 61 |
| <i>T. Noguchi, H. Ishida, T. Kotoura, S. Katsuta</i> | |
| WEB BASED OPERATIONAL SYSTEM FOR OPTIMIZING SHIP TRAFFIC IN DEPTH | |
| CONSTRAINED PORTS..... | 67 |
| <i>S. Mortensen, F. Thomsen, A. Harkin, S. Shanmugasundaram, C. Simonsen, R. Nave</i> | |
| VALIDATION OF A 3D UNDERKEEL CLEARANCE MODEL WITH FULL SCALE | |
| MEASUREMENTS | 74 |
| <i>A. Harkin, J. Harkin, J. Suhr, M. Tree, W. Hibberd, S. Mortensen</i> | |
| COMPARISON OF VALIDATION STUDIES OF WAVE-PENETRATION MODELS USING | |
| OPEN BENCHMARK DATASETS OF DELTARES..... | 94 |
| <i>P. Ven, S. Reijmerink, A. Hout, M. Jong</i> | |
| SHUNT-E - AUTONOMOUS ZERO EMISSION SHUNTING PROCESSES IN PORT AND | |
| HINTERLAND RAILWAY OPERATIONS | 110 |
| <i>I. Kramer</i> | |
| CONSTRUCTION AND OPERATION OF A WORK VESSEL LOCATION AND NAVIGATION | |
| INFORMATION SYSTEM FOR FISHING PORT CONSTRUCTION..... | 115 |
| <i>S. Nagano, M. Wada, S. Tanaka, M. Fudo, A. Nagano</i> | |
| SPECTRAL MODELING OF WAVE PROPAGATION IN COASTAL AREAS WITH A HARBOR | |
| NAVIGATION CHANNEL | 121 |
| <i>B. Eikema, Y. Attema, H. Talstra, A. Bliet, L. Wit, D. Dusseljee</i> | |
| AI PORT INITIATIVES - POSSIBLE MODERNIZATION OF PORT OPERATION AND | |
| MANAGEMENT THROUGH CUTTING EDGE ICTS..... | 137 |
| <i>K. Ono, M. Tanemura, Y. Akakura</i> | |
| EXPERIMENTAL STUDY OF TSUNAMI-INDUCED FORCES ON ONSHORE SEAWALLS..... | 147 |
| <i>N. Furuichi, Y. Ohmura, H. Yagi, A. Nakayama, M. Yoneyama, H. Kato, A. Kado</i> | |
| PHYSICAL MODELING SUPPORTING DESIGN AND CONSTRUCTION OF LOW CRESTED | |
| BREAKWATER FOR THE AYIA NAPA MARINA, CYPRUS..... | 160 |
| <i>M. Wesson, M. Provan, J. Cox, P. Knox</i> | |
| SITE CONDITIONS FOR PORT DEVELOPMENT IN CENTRAL PANAMA'S ATLANTIC | |
| COAST | 178 |
| <i>L. Alfaro</i> | |
| CONTAINER PORT DEEPENING IN CARTAGENA..... | 189 |
| <i>B. Shaw</i> | |
| BAHIA BLANCA 2040 MASTER PLAN, FLEXIBLE PLANNING FOR WATERWAYS..... | 199 |
| <i>G. Bessone, J. Linares</i> | |
| PHYSICAL AND NUMERICAL MODELLING OF SHIPS MOORED IN PORTS..... | 214 |
| <i>P.-F. Demenet, L. Guisier, C. Marcol</i> | |
| AN INTEGRATED APPROACH TO PORT PLANNING, OPERATIONS & RISK MANAGEMENT | |
| THROUGH TECHNOLOGY | 228 |
| <i>B. Curtis</i> | |
| STAD SHIP TUNNEL - THE WORLD'S FIRST FULL SCALED SHIP TUNNEL..... | 245 |
| <i>T. Andreassen</i> | |
| CORROSION EVALUATION WITH MEASUREMENTS OF MARITIME STEEL STRUCTURES | |
| IN COSTA RICA..... | 256 |
| <i>M. Solorzano</i> | |

| | |
|---|-----|
| SOHAR BREAKWATERS - COST BASED RISK ASSESSMENT | 274 |
| <i>J. Lem, R. Stive, P. Groenewegen</i> | |
| INTEGRATED ASSET MANAGEMENT: PREDICTIVE & FUTURE RESPONSIVE | 293 |
| <i>H. Voogt</i> | |
| APPLICATION OF A MANEUVERING SIMULATION CENTER AND PILOTS EXPERTISE TO THE DESIGN OF NEW PORTS AND TERMINALS AND INFRASTRUCTURE OPTIMIZATION IN BRAZIL | 297 |
| <i>E. Tannuri, G. Martins</i> | |
| MARITIME PORT PLANNING AND OPERATIONS: AN ANALYSIS OF AVAILABLE PORTS MASTERPLAN GUIDELINES, IDENTIFICATION OF CHALLENGES, AND A PROPOSAL OF EVALUATION METHOD TO MEASURE SUCCESS FACTORS IN THE DEVELOPMENT AND IMPLEMENTATION OF A PORT MASTERPLAN | 315 |
| <i>P. Campos, K. Dodd</i> | |
| PHYSICAL MODELLING OF PROPELLER SCOUR ON AN ARMoured SLOPE | 322 |
| <i>N. Berard, S. Prasad, B. Müller, M. Deiber</i> | |
| PRESSURE DISTRIBUTION ACTING ON BREAKWATER CAISSON UNDER TSUNAMI OVERFLOW | 340 |
| <i>K. Suzuki, K. Shimosako</i> | |
| DESIGN VALUES FOR BERTHING VELOCITY OF LARGE SEAGOING VESSELS | 348 |
| <i>A. Roubos, L. Groenewegen, J. Ollero, C. Hein, E. Wal</i> | |
| A MODERN CYCLONE HARBOUR FOR ESCORT CLASS TUGS IN NORTH-WEST AUSTRALIA | 362 |
| <i>L. Madsen, D. Treloar, J. McPherson, W. Wen, D. Ward</i> | |
| OPTIPOINT: AN INNOVATIVE HARBOUR DECISION-MAKING TOOL | 376 |
| <i>M. Benedicto, R. Garcia, J. Marino, F. Santos</i> | |
| WAYS & RAILS FOR SLIPWAYS FOR DRY DOCKING SHIPS | 390 |
| <i>K. Mackie</i> | |
| BELGIAN ROYAL DECREE FOR SEA-GOING INLAND VESSELS: A REVIEW FOR CONTAINER AND BULK CARGO VESSELS | 410 |
| <i>L. Donatini, T. Zwijnsvoorde, Y. Meersschaut, W. Hassan, M. Vantorre</i> | |
| EARLY WARNING SYSTEM TO SUPPORT CONSTRUCTION & MANAGEMENT OF PORT INFRASTRUCTURES: THE CASE OF TX-1 ACU PORT CONSTRUCTION | 429 |
| <i>A. Tomas, M. Simancas, G. Diaz-Hernandez, J. Lara, I. Losada, F. Esteban</i> | |
| SEIZING OPPORTUNITIES FROM PANAMA CANAL EXPANSION THROUGH ADAPTIVE PORT PLANNING | 443 |
| <i>O. Reyes, P. Taneja, B. Pielage, M. Schuylenburg</i> | |
| DESIGN OF THE SCOUR PROTECTION LAYER FOR A BREAKWATER IN AN ESTUARINE ENVIRONMENT | 463 |
| <i>W. Alboom, D. Martinez, M. Correa, M. Fossati, F. Pedocchi, S. Solari</i> | |
| CONTAINER SHIPS MOORED AT THE PORT OF ANTWERP: MODELLING RESPONSE TO PASSING VESSELS | 476 |
| <i>T. Zwijnsvoorde, M. Vantorre, S. Ides</i> | |
| NUMERICAL SHIP-WAVE GENERATION, PROPAGATION AND AGITATION ANALYSIS, RELATED WITH HARBOR DOWNTIME MANAGEMENT | 494 |
| <i>G. Diaz-Hernandez, A. Sampedro, B. Fernandez, J. Lara, F. Santos, I. Losada</i> | |
| PORT EXTENSION IN MARTINIQUE, IN THE FRENCH CARIBBEAN: USE OF THE OBSERVATIONAL METHOD IN A HIGHLY SEISMIC AREA | 510 |
| <i>P. Garcin, B. Seidlitz, G. Casse</i> | |
| TOWARDS A COMPLETE DESIGN OF THE MANOEUVRING AREAS ADDITIONAL FACTORS INVOLVED IN THE DETAILED DESIGN | 522 |
| <i>I. Verdugo, R. Atienza, C. Cal, J. Iribarren, L. Pecharroman, C. Ayuso</i> | |
| MASTERING LATENT DEFECTS IN MARITIME AND PORT ENGINEERING THROUGH TECHNICAL RISK MANAGEMENT | 534 |
| <i>F. Barbato, D. Martinez, W. Alboom</i> | |
| RECOMMENDATIONS FOR INCREASED DURABILITY AND SERVICE LIFE OF NEW MARINE CONCRETE INFRASTRUCTURE | 542 |
| <i>B.-A. Buyle, P. Collet</i> | |
| ON THE CAPACITY OF ESTUARINE ACCESS CHANNELS: A WESTERN SCHELDT CASE STUDY | 549 |
| <i>K. Delecluyse, S. Doorme, T. Vandenbroucke, R. Adams, Y. Meersschaut</i> | |
| COFASTRANS (CONTAINER VESSEL FAST TRANSHIPMENT SYSTEM) | 560 |
| <i>G. Rankine, I. Netherstreet, D. Romero, J. Palmer</i> | |

| | |
|---|-----|
| BERTH SCOUR PROTECTION FOR SINGLE & TWIN PROPELLERS | 580 |
| <i>M. Hawkswood, J. Groom, G. Hawkswood</i> | |
| NEW TECHNOLOGIES WITH CONCRETE BLOCKS FOR TSUNAMI PROTECTION AND LONG-PERIOD WAVE ABSORPTION | 600 |
| <i>S. Kubota, J. Miisui, M. Tanaka, A. Matsumoto</i> | |
| FULL-SCALE MEASUREMENTS TO ASSESS SQUAT AND VERTICAL MOTIONS IN EXPOSED SHALLOW WATER | 620 |
| <i>J. Verwilligen, M. Mansuy, M. Vantorre, K. Eloot</i> | |
| THE PROPOSAL OF COUNTERMEASURES AGAINST LEVEL 2 EARTHQUAKES AND TSUNAMIS TO -7.5M PIER OF FUTAMI PORT IN CHICHIJIMA ISLANDS OF OGASAWARA | 640 |
| <i>M. Saito, S. Tokuyama, T. Hoshijima, K. Nariyoshi, Y. Higuchi</i> | |
| AN INTEGRATED ANALYSIS FOR THE PASSING SHIP PROBLEM ON SANTOS PORT CONSIDERING REAL-TIME SIMULATIONS AND MOORED SHIP DYNAMICS | 655 |
| <i>R. Watai, F. Ruggeri, E. Tannuri, K. Nishimoto</i> | |
| EVALUATION OF PROPOSED JETTIES FOR PORT OF SANTOS NAVIGATION CHANNEL DEPTH MAINTENANCE | 670 |
| <i>T. Correa, J. Costa, T. Gireli, P. Garcia</i> | |
| THE DEVELOPMENT OF REDRAFT® SYSTEM IN BRAZILIAN PORTS FOR SAFE UNDERKEEL CLEARANCE COMPUTATION | 689 |
| <i>F. Ruggeri, R. Watai, G. Rosetti, E. Tannuri, K. Nishimoto</i> | |
| CONTAINER TERMINAL PLANNING TOWARDS OPTIMIZING SUPPLY CHAINS LOGISTICS | 709 |
| <i>E. Klimann, I. Maria</i> | |
| EXPANSION OF PORT INFRASTRUCTURES | 717 |
| <i>J. Kirkegaard, K. Sorensen, C. Vrist, P. Ydesen</i> | |
| OPTIMIZING PIER STRUCTURES USING DYNAMIC MOORING FORCES MODELLING | 734 |
| <i>O. Stoschek, S. Leschka, C. Hein, A. Bruning</i> | |
| OPERATIONAL ANALYSIS OF CRUISE SHIPS AGAINST LONG WAVES: THE EXPERIENCE AT VALPARAISO | 750 |
| <i>B. Hernandez, R. Figueroa, F. Chana</i> | |
| TSUNAMI HAZARD ASSESSMENT FOR PERMANENTLY MOORED FSRU MARINE TERMINAL IN CHILE | 764 |
| <i>E. Smith, P. Lynett, C. Rodriguez</i> | |
| SEISMIC DESIGN AND CONSTRUCTION OF PILE-SUPPORTED CONCRETE WHARVES FOR CONTAINER AND BULK-HANDLING TERMINALS | 783 |
| <i>J. Sircar, C. Opsina, V. Kumar</i> | |
| METHODOLOGY TO ANALYZE THE MOORED SHIP BEHAVIOR DUE TO PASSING SHIPS EFFECTS | 799 |
| <i>J. Iribarren, I. Trejo, C. Cal, L. Pecharroman</i> | |
| PORT DEVELOPMENT TO SUPPORT OFFSHORE PETROLEUM EXPLORATION AND PRODUCTION | 810 |
| <i>J. Berlin</i> | |
| THE DEVELOPMENT OF ABERDEEN HARBOUR EXPANSION PROJECT, UK | 819 |
| <i>I. Cruickshank, A. Orsini, P. Hunter, T. Young, K. Young</i> | |
| SHIP MANOEUVRE PATTERNS TO PREVENT PROPELLER SCOURING EFFECTS | 831 |
| <i>M. Castells, A. Mujal-Colilles, T. Llull, X. Gironella, F. Oses, A. Martin, A. Sanchez-Arcilla</i> | |
| DEVELOPMENT AND EXPANSION OF PSA'S PANAMA HUB PORT AT THE FORMER RODMAN NAVAL BASE | 846 |
| <i>M. Zinserling, D. Taylor, J. Sircar</i> | |
| ANALYSIS OF PIANC GUIDELINE AND ROM STANDARD IN DESIGN OF APPROACH CHANNEL AND HARBOR BASIN | 854 |
| <i>J. Cui, D. Dou</i> | |
| CHARACTERIZATION ANALYSIS ON HARBOUR SILTATION IN JAPAN | 867 |
| <i>Y. Nakagawa, K. Zen, M. Takayama, T. Umeyama</i> | |
| SHIP SIMULATION - IMPORTANT ASPECTS FOR CONSIDERATION | 877 |
| <i>N. Lawson, R. Main</i> | |
| EVALUATION OF MARINE STRUCTURES FOR KINEMATIC EFFECTS | 882 |
| <i>J. Galbraith, M. Naeem, W. Bruin</i> | |
| SHIP HANDLING SIMULATION IN APPROACH CHANNEL AND HARBOUR DESIGN | 892 |
| <i>C.-U. Bottner</i> | |
| EXPERIMENTAL INVESTIGATION ON SUBMERGED REEF | 896 |
| <i>R. Dev, S. Sakthivel, D. Saikat, R. Sundaravadivelu, K. Anbazhagan, M. Ramanamurthy, R. Panneer</i> | |

| | |
|---|-----|
| STRATEGIC PORT PLANNING AND ITS ASSOCIATED MANAGEMENT - A GUIDE FOR PORT AUTHORITIES | 906 |
| <i>M. Urriza, P. Arecco, C. Gines, P. Zivojnovic, R. Schwarz, R. Drunen, V. Besson</i> | |
| FUTURE PORTS AND PILOTING IN PANAMA | 915 |
| <i>T. Mikkelsen</i> | |
| CHALLENGES AND CONSIDERATIONS IN SELECTION, ANCHORAGE DESIGN, AND INSTALLATION OF QUICK-RELEASE MOORING HOOKS ON EXISTING STRUCTURES | 929 |
| <i>W. Bruin, R. Iversen, J. Galbraith</i> | |
| CASE STUDY: ENGINEERING OF A EPC 3KM JETTY FAST TRACK PROJECT | 937 |
| <i>H. Meulen</i> | |
| BENDING VIBRATIONS OF THE AFSLUITDIJK GATES SUBJECTED TO WAVE IMPACTS: A COMPARISON OF TWO DESIGN METHODS | 940 |
| <i>O. Tieleman, B. Hofland, S. Jonkman</i> | |
| HYDRODYNAMIC ASPECTS OF WATERWAY DESIGN AND OPERATION | 949 |
| <i>T. Sellers</i> | |
| MULTI-USE OFFSHORE PLATFORM ON THE GUIANA SHIELD | 962 |
| <i>T. Lockhart</i> | |
| TRELLEBORG MARINE SYSTEMS | 970 |
| <i>M. Kumar</i> | |
| Author Index | |