

PROCEEDINGS OF SPIE

Advances in Display Technologies IX

Jiun-Haw Lee
Qiong-Hua Wang
Tae-Hoon Yoon
Editors

6–7 February 2019
San Francisco, California, United States

Sponsored and Published by
SPIE

Volume 10942

Proceedings of SPIE 0277-786X, V. 10942

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Advances in Display Technologies IX*, edited by Jiun-Haw Lee, Qiong-Hua Wang, Tae-Hoon Yoon, Proceedings of SPIE Vol. 10942 (SPIE, Bellingham, WA, 2019) Seven-digit Article CID Number.

ISSN: 0277-786X
ISSN: 1996-756X (electronic)

ISBN: 9781510625266
ISBN: 9781510625273 (electronic)

Published by
SPIE
P.O. Box 10, Bellingham, Washington 98227-0010 USA
Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445
SPIE.org
Copyright © 2019, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/19/\$18.00.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.

SPIE. DIGITAL LIBRARY
SPIDigitalLibrary.org

Paper Numbering: *Proceedings of SPIE* follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

v *Authors*
vii *Conference Committee*

AR/VR AND HDR DISPLAYS

- 10942 02 **Continuous-depth augmented-reality display device (Invited Paper)** [10942-1]
- 10942 03 **Augmented reality 3D display system based on holographic optical element (Invited Paper)** [10942-2]
- 10942 04 **Fast-response LCD for 1001-ppi VR head-mounted displays (Invited Paper)** [10942-3]
- 10942 05 **Emerging high-dynamic-range mini-LED displays (Invited Paper)** [10942-4]

NTE DISPLAYS

- 10942 06 **Near-eye light-field display with polarization multiplexing** [10942-5]
- 10942 07 **Piezo-actuated varifocal head-mounted displays for virtual and augmented reality** [10942-6]
- 10942 08 **Integrated head-mounted display system based on a multi-planar architecture** [10942-7]
- 10942 09 **Wide field-of-view dual-focal-plane augmented reality display** [10942-8]

PROJECTION DISPLAYS AND HUMAN FACTOR

- 10942 0J **Development of a 360° display based on transparent projection surface: application to a theatrical performance** [10942-17]
- 10942 0K **Dynamic focal tracker display** [10942-18]
- 10942 0L **Applying the discovery of melanopsin photoreceptors in the human retina to enhancing the performance of visual displays** [10942-19]

3D DISPLAYS

- 10942 OM **A novel control method of the combination of simple active barrier pitch control and image processing to extremely expand the viewing zone in forward and backward directions of stereoscopic 3D displays** [10942-20]
- 10942 OP **Resolution-enhanced mobile three-dimensional display based on computer-generated integral imaging** [10942-23]

DISPLAY COMPONENTS

- 10942 OR **All-dielectric colored truncated cone metasurfaces with silicon mie magnetic resonators** [10942-26]
- 10942 OS **Full-color optical combiner based on multilayered metasurface design** [10942-27]

POSTER SESSION

- 10942 OX **Analysis of displayable depth range for retinal projection type super multi-view 3D head-mounted display using the time division projection optical system** [10942-33]
- 10942 OZ **Time-sequential super multiview theater system** [10942-35]
- 10942 10 **Anisotropic holographic screen for wide field-of-view augmented-reality system** [10942-36]
- 10942 11 **3D display with active parallax barrier using the monochromatic LC panel of specifications same as the image display panel** [10942-37]
- 10942 15 **Enhancement of inorganic electroluminescence by chlorine-functionalized CNTs** [10942-41]
- 10942 16 **Holographic waveguide-type three-dimensional augmented-reality display using the holographic optical element-mirror array** [10942-42]
- 10942 17 **Performance analysis for holographic display based on phase only spatial light modulator** [10942-43]
- 10942 19 **Compensation for temperature dependency of 1D position sensitive detector** [10942-45]