

7th International Building Physics Conference (IBPC2018)

Healthy, Intelligent and Resilient Buildings
and Urban Environments

Syracuse, New York, USA
23 - 26 September 2018

Editor:

J. Zhang

ISBN: 978-1-5108-9002-2

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

This work is licensed under a Creative Commons Attribution 2.5 International License.
License details: <https://creativecommons.org/licenses/by-sa/2.5/>

No changes have been made to the content of these proceedings. There may be changes to pagination, and minor adjustments for aesthetics.

Printed by Curran Associates, Inc. (2019)

Syracuse University Libraries
<https://library.syr.edu/>

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

| | |
|---|------------|
| Keynotes | 1 |
| Dynamic Environment, Adaptive Comfort, and Cognitive Performance (497) | 1 |
| Green Infrastructure and Urban Sustainability Recent Advances and Future Challenges (499) | 7 |
| Humans and Nature in the Loop (498) | 17 |
| Multiphysics Modeling of Materials, Assemblies, Buildings and Cities (496) | 25 |
| The Physics in Natural Ventilation of Cities and Buildings (501) | 35 |
| BE-1 Diagnostics and Models for Building Performance | 37 |
| A state-space based method to predict thermal performance of pipe-embedded double skin façade case study in Guangzhou (115) | 37 |
| Computer Tomography as a data acquisition tool for quantifying and modeling in-pore gypsum crystallization in building materials (84) | 43 |
| Determination of the input data for computational simulation of active glazing with changeable optical properties (92) | 49 |
| Predicting the thermal conductivity of porous building materials with nanopores or reduced gas pressures (80) | 55 |
| Rational selection of experimental readouts for hygric material characterisation (197) | 61 |
| Towards validation of a numerical model of a test cell laboratory (362) | 67 |
| BE-2 Liquid Water in Buildings and Materials | N/A |
| Adsorption and film forming of train of water droplets impacting porous stones (373) | N/A |
| Application of rain intensity dependent rain admittance factor (RAF) in hygrothermal performance assessment of wall systems (202) | N/A |
| Do interface resistances matter in historic masonries - analysis based on X-ray tomography and heat, air and moisture modelling (33) | N/A |
| Drainage and retention of water in small wall drainage cavities experimental assessment (253) | N/A |
| Rain-tightness of door sill sealing (95) | N/A |
| Water uptake in masonry effect of brickmortar interface (216) | N/A |
| BE-3 Innovative Thermal Insulation Systems | N/A |
| Aerogel-enhanced blankets state-of-the-art, market readiness and future challenges (106) | N/A |
| Hygrothermal analysis of a vapour-open assembly with vacuum insulation panels (440) | N/A |
| Measurements of temperature dependency on thermal insulation thickness in ventilated attics (199) | N/A |
| Prediction of the long-term performance of vacuum insulation panels installed in real building environments (342) | N/A |
| Super insulation material in district heating pipes (187) | N/A |
| Super insulation materials in the building sector field studies and future challenges (206) | N/A |

| | |
|--|------------|
| BE-4 Moisture in Buildings and Materials | 145 |
| Effect of air pressure on moisture transfer inside porous building materials three-dimensional behavior of moisture and air (116) | 145 |
| Evaluation of the impact of phase change humidity control material on energy performance of office buildings (167) | 151 |
| Experimental analysis of micro-cracks on the change of moisture transport properties of AAC (37). | 157 |
| Moisture monitoring of wood-frame walls with and without exterior insulation in a Midwestern U.S. cold climate (428)..... | 163 |
| Psychrometer method to measure the moisture retention curves of porous building materials in the full humidity range (59) | 169 |
| Semi-permeable membrane experiment for unsaturated liquid permeability of building materials potential and practice (58)..... | 175 |
| BE-5 Ventilation Systems for Buildings | 181 |
| Experimental analysis on a solar air heating façade system (235) | 181 |
| Experimental validation of a model for naturally ventilated double-skin facades (465) | 187 |
| Hygrothermal assessment of north facing, cold attic spaces under the eaves with varying single sided passive ventilation strategies and infiltration rates, in a cool, temperate climate (223) | 193 |
| Hygrothermal performance of sealed attics in climate zone 3A (446)..... | N/A |
| Moisture robustness of eaves solutions for ventilated roofs – experimental studies (331) | 205 |
| Thermal performance of novel natural ventilation apertures in a high-performance single-family house (240)..... | 211 |
| BE-6 Hygrothermal Performance and Mold Prevention | 217 |
| Application of radiant floor heating in large space buildings with significant cold air infiltration through door openings (131)..... | 217 |
| Evaluating the hygrothermal performance of wooden beam heads in 19th century town houses using in-situ measurements (419)..... | 223 |
| Experimental investigations of wooden beam ends in masonry with internal insulation results contrasting three years of the experiment (405) | 229 |
| On the hygrothermal behaviour of brick veneer clad timber frame walls the role of the vapour diffusion resistance of the wind barrier (123) | 235 |
| Performance evaluation of a highly insulated wall to withstand mould (208)..... | 241 |
| Renovation with internal insulation and heat recovery in real Life – energy savings and risk of mold growth (93)..... | 247 |
| BE-7 Energy Retrofits for Building Envelopes | 253 |
| A sustainable approach to the adaptive reuse of historic brick buildings analysis of energy efficiency | |

| | |
|---|------------|
| strategies for historic facade retrofits (433) | 253 |
| Experimental investigation of latent heat thermal energy storage for highly glazed apartments in a continental climate (13) | 259 |
| Interior insulation retrofit of a brick wall using super insulation materials design of a field testing in an industrial brick building (99) | 265 |
| Light transmissibility characterization of a new coating for window retrofit (444) | 271 |
| Monitoring and modelling of a prefabricated exterior envelope retrofit (474) | 277 |
| Retrofit of the existing buildings using a novel developed aerogel-based coating results from an in-field monitoring (277) | 283 |
| BE-8 High Performance Building Envelope Systems | 289 |
| Comparing exterior wall finishes using life-cycle assessment (372) | 289 |
| Experimental study of the performance of a double skin façade window under non-solar conditions (65) | 295 |
| Hygrothermal performance assessment of wall systems with various concrete and insulation configurations (194) | 301 |
| Preparation and thermal performance of diatomite-based composite phase change materials wallboard (175) | 307 |
| Study of the mechanical behavior of traditional Japanese mud wall on bamboo lath (272) | 313 |
| Thermal stability of lightweight frame partitions exposed to pulsed wind load (41) | 319 |
| BE-9 Innovations in Wood | 325 |
| Determination of lead dust fall rates during deconstruction of wood frame buildings in an urban region in the Northeastern United States. (317) | 325 |
| Hygrothermal performance of a hygroscopic and permeable wall assembly impact of a vented wall cavity (468) | 331 |
| Improving durability of wooden beam bearings in inside insulated walls by tempering the beam's heads (407) | 337 |
| Sorption hysteresis in wood and its coupling to swelling a new modeling approach (369) | 343 |
| The effects of production technologies on the air permeability properties of cross laminated timber (410) | 349 |
| Understanding swelling of wood through multiscale modeling (395) | 355 |
| BE-10 Solar Energy Harvesting and Management | 361 |
| A transparent insulation solar façade coupled with a selective absorber an experimentally validated building energy simulation model (300) | 361 |
| Power generation and visual comfort performance of photovoltaic toplighting technologies in transient spaces (255) | 367 |
| Solar and lighting transmission in complex fenestration systems with perforated solar protection | |

| | |
|--|------------|
| systems (436)..... | 373 |
| Solar efficiency index of building envelopes and load matching in low energy buildings (215) | 379 |
| Study on the design method of integration of roof and photovoltaic based on aesthetics, technology and energy-saving characteristic (130) | 385 |
| Thermal performance of PCM-glazing unit under moderate climatic conditions (38)..... | 391 |
| EC-1 Environmental Control Equipment and Systems | N/A |
| A deep reinforcement learning method for model-based optimal control of HVAC systems (66)..... | N/A |
| | N/A |
| Air cooling and dehumidification with a zeolite coated heat exchanger regenerated by solar thermal energy (352)..... | N/A |
| Evaluating the energy consumption and heat loss in the hot water supply and heating systems of a nursing home (177) | N/A |
| Extracting radiant cooling from building exhaust air using the Maisotsenko-cycle principle (276) | N/A |
| | N/A |
| Periodic alternation between intake and exhaust of air in dynamic insulation (328) | N/A |
| The energy saving performance of ventilation-heat-recovery system in residential buildings in the summer of hot-summer and cold-winter zone in China (145) | N/A |
| EP-1 Residential Energy Analysis and Management | 433 |
| Characterisation of the flexibility potential from space heating in French residential buildings (172)..... | 433 |
| | 433 |
| Evaluation of the impact of weather variability on a net zero energy building advantage of sensitivity analysis for performance guarantee (192)..... | N/A |
| Numerical analysis of a ground-source heat pump system in traditional Japanese “Kyo-machiya” dwellings (166)..... | N/A |
| Offsetting peak residential cooling loads using a medium temperature chiller and sensible cold thermal storage (181)..... | N/A |
| Prosumer cluster of single-family houses under the Danish net metering policy (473)..... | N/A |
| Visualizing the quantitative comparison between exergy & energy analysis results with ExFlow (198)... | N/A |
| | N/A |
| EP-2 Urban Energy Generation, Analysis and Management | N/A |
| A review of microgrid energy systems (431)..... | N/A |
| Impacts of climate change and its uncertainties on the renewable energy generation and energy demand in urban areas (146)..... | N/A |
| Multi-stage optimal design of energy systems for urban districts (399)..... | N/A |
| Novel gas-driven fuel cell HVAC and dehumidification prototype (244) | N/A |
| Optimization of electric vehicle charging in a fully (nearly) electric campus energy system (259)..... | N/A |

| | |
|--|------------|
| | N/A |
| Studying the impact of local urban heat islands on the space cooling demand of buildings using coupled CFD and building energy simulations (386) | N/A |
| GB-1 Environmental Design, Sensing and the Built Environment | 505 |
| An implementation for transforming a home energy management system to a multi-agent system (174) | 505 |
| Bioclimatic tools for sustainable design – uncertainty perspective (422) | 511 |
| Campus as a lab for computer vision-based heat mapping drones a case study for multiple building envelope inspection using unmanned aerial systems (UAS) (285) | 517 |
| Optimal control strategies for passive heating and cooling elements reduce loads by two-thirds in the adaptive reuse of a San Francisco Bay Area office (153) | 523 |
| Sensing and information technologies for the environment (SITE); hardware and software innovations in mobile sensing applications (430) | 529 |
| GB-2 Green Roofs and Vegetation | N/A |
| Experimental study on the stomatal resistance of green roof vegetation of semiarid climates for building energy simulations (104) | N/A |
| Greening rooftops to reduce heat islands how large is large enough (402) | N/A |
| Integrated vegetation model for studying the cooling potential of trees in urban street canyons (338) | N/A |
| | N/A |
| The use of a large, extensive green roof for multiple research objectives (447) | N/A |
| Thermal performance of a green roof based on CHAMPS model and experimental data during cold climatic weather (423) | N/A |
| Using rain and vegetation to improve thermal comfort in a hot street canyon with fully-integrated urban climate modeling (376) | N/A |
| GB-3 Urban Microclimates and the Heat Island Effect | N/A |
| An investigate on the quantitative correlation between urban morphology parameters and outdoor ventilation efficiency indices (429) | N/A |
| Effect of urban texture on building energy performance (287) | N/A |
| New microclimate monitoring method and data process for investigating environmental conditions in complex urban contexts (231) | N/A |
| Rapid cooling of urban surfaces during rainfall physical basis, dominant energy fluxes, and sensitivity to pavement and rainfall prop (400) | N/A |
| Using advanced urban canopy models to investigate the potential of thermochromic materials as urban heat island mitigation strategies (283) | N/A |
| HF-1 Office Buildings | N/A |
| A picture is worth a thousand words Smartphone photograph-based surveys for collecting data on | |

| | |
|---|------------|
| office occupant adaptive opportunities (81)..... | N/A |
| Benchmarking the energy efficiency of office buildings in Belo Horizonte, Brazil (52)..... | N/A |
| Exploring occupants' impact at different spatial scales (147)..... | N/A |
| Neural network models using thermal sensations and occupants' behavior for predicting thermal comfort (28)..... | N/A |
| Quantification of building energy performance uncertainty associated with building occupants and operators (148)..... | N/A |
| Towards a new way of capturing occupant well-being (484)..... | N/A |
| HF-2 Occupant Comfort in Special Cases | N/A |
| Conserving energy, conserving buildings airtightness testing in historic New England homes (304)..... | N/A |
| Field occupants' behavior monitoring integrated to prediction models impact on building energy performance (169)..... | N/A |
| Modeling and spatial visualization of indoor micro-climates for personalized thermal comfort (316)..... | N/A |
| Occupants' perception of historical buildings' indoor environment. Two case studies. (356)..... | N/A |
| Towards human-centered intelligent envelopes A framework for capturing the holistic effect of smart façades on occupant comfort and satisfaction (466)..... | N/A |
| HF-3 Residences | N/A |
| Energy flexibility of building cluster – part I occupancy modelling (186)..... | N/A |
| HOUSE project Building understanding through an enabled boundary object (324)..... | N/A |
| Inter-ActiveHouse users driven building performances for nearly zero energy buildings in Mediterranean climate..... | N/A |
| The influence of window opening habits on the residential energy use in nearly zero energy buildings (74)..... | N/A |
| Utilization of heat recovery ventilation steady-state two-zone energy use analysis and field studies (72)..... | N/A |
| HF-4 Lighting and Visual Quality | N/A |
| Application of C-SVM classification algorithm to the lighting visual comfort of university classrooms (46)..... | N/A |
| Developing and testing visual privacy metrics (60)..... | N/A |
| Environmental conditions and occupant satisfaction in the workplace a controlled study in a living lab (85)..... | N/A |
| Generating design-sensitive occupant-related schedules for building performance simulations (87)..... | N/A |
| Lighting systems and users interactions in classrooms and laboratory rooms (415)..... | N/A |

| | |
|--|------------|
| Visual comfort assessment of different shading strategies in a commercial office building in the southeastern US (411)..... | N/A |
| IE-1 Assessment and Analysis..... | 733 |
| A method for an effective microclimate management in historical buildings combining monitoring and dynamic simulation the cas..... | 733 |
| Description method of outdoor climate characteristics considering comprehensive effect on indoor climate (469)..... | 739 |
| IEQ measurement and assessment tools for plug-and-play deep renovation in buildings (102)..... | 745 |
| Influence of illumination on paper and silk used in Chinese traditional painting and calligraphy based on Raman spectroscopy in museum (120)..... | 751 |
| The impact of indoor temperature and CO2 levels on occupant thermal perception and cognitive performance of adult students and the implications on buildings (137)..... | 757 |
| Thermal and mycological active protection of historic buildings on the example of the baroque residence of Polish kings in Wilanów (40)..... | 763 |
| IE-2 Field Studies..... | 769 |
| Classification of the indoor environment in a high-school building by means of subjective responses (396)..... | N/A |
| Comparison between qualitative and quantitative measurement in assessing thermal comfort in an elementary school (445)..... | 775 |
| Empirical assessment of summertime overheating risk in new, retrofitted and existing UK dwellings (243)..... | 781 |
| Indoor air quality and thermal comfort for elderly residents in Houston, TX – a case study (245)..... | 787 |
| Method for detecting contaminant transport through leakages in a condemned school (195)..... | 793 |
| The impact of physical environments on satisfaction in shopping centers (207)..... | 799 |
| IE-3 Lighting and Windows..... | 805 |
| A novel methodology to spatially evaluate DGP classes by means of vertical illuminances. Preliminary results. (471)..... | 805 |
| Comparative study of different design configurations based on the daylight and visual comfort performance of electrochromic glass in a side-lit office building (452)..... | 811 |
| Daylight availability in a room equipped with PCM window (36)..... | 817 |
| Development of an electric-driven smart window model for visual comfort assessment (269)..... | 823 |
| Lighting quality study of shopping malls in China based on the evaluation experiment (88)..... | 829 |
| Thermal performance of an electric-driven smart window experiments in a full-scale test room and simulation model (270)..... | 835 |
| IE-4 Ventilation and Air Conditioning..... | 841 |

| | |
|---|------------|
| A novel approach to near-real time monitoring of ventilation rate and indoor air quality in residential houses (249)..... | 841 |
| Design and operational strategies for good indoor air quality in low-energy dwellings performance evaluation of two apartment blocks in East London, UK (162)..... | 847 |
| Effects of semi-open space on micro-environmental control (173)..... | 853 |
| Numerical investigation of a diffuse ventilation ceiling system for buildings with natural and hybrid ventilation (179)..... | 859 |
| Research for the optimization of air conditioner sensor position based on the room spatial parameter (132)..... | 865 |
| The impact of ventilation strategy on overheating resilience and energy performance of schools against climate change the evidence from two UK secondary schools (165)..... | 871 |
| IE-5 Air Pollution and Control..... | 877 |
| Analysis of dynamic variation characteristics and influential factors of PM2.5 on subway platforms under air-conditioning condition and ventilation condition (364)..... | 877 |
| Assessing the performance of photocatalytic oxidation of volatile organic compounds in three different scaled set-ups (363)..... | 883 |
| Fate of particles released by a puff–dispersion with different air distributions (475)..... | 889 |
| Radon levels in rented accommodation (5)..... | 895 |
| IE-6 Thermal Environment and Control..... | 901 |
| Condensation-free radiant cooling using infrared-transparent enclosures of chilled panels (463)..... | 901 |
| Experimental study on the impact of passive chilled beam in a room with displacement ventilation (42)..... | 907 |
| Liquid desiccant-polymeric membrane dehumidification system for improved cooling efficiency in built environments (454)..... | 913 |
| Simulation-based approach to optimize courtyard form concerning climatic comfort in hot and humid climate (105)..... | 918 |
| The effect of the position and temperature difference of local radiant asymmetry on thermal comfort an experimental investigation (17)..... | 924 |
| Thermal effect of metal fin inside elevated radiant floor based on the thermal utilization of a burning cave (479)..... | 930 |
| IM-1 Intelligent Monitoring and Management Systems..... | 935 |
| Implementation of integrated wireless sensors technology in renovation of social housing buildings. A Danish case study. (7)..... | 935 |
| LightLearn Occupant centered lighting controller using reinforcement learning to adapt systems to humans (34)..... | 941 |

| | |
|--|-------------|
| Sequential Monte Carlo for on-line estimation of the heat loss coefficient (225) | 947 |
| The co-heating test as a means to evaluate the efficiency of thermal retrofit measures applied on residential buildings (464) | 953 |
| The thermal resistance of retrofitted building components based on in-situ measurements (377) | 959 |
| Wireless sensor system for intelligent facades (387) | 965 |
| MS-1 Whole Building, Resilience, and Life Cycle Analysis | 971 |
| A resilient refurbishment project for an Italian large sports hall (490) | 971 |
| Dynamic life cycle assessment integrating cultural value (11) | 977 |
| Investigation of energy modelling methods of multiple fidelities a case study (427) | 983 |
| Optimal passive design strategies for nearly zero-energy dwellings in different Chilean climates using multi-objective genetic algorithms (24) | 989 |
| Pareto optimality analysis for evaluating the tradeoff between visual comfort and energy efficiency (384) | 995 |
| Passive survivability in residential buildings during heat waves under dynamic exterior conditions (426) | 1001 |
| MS-2 Lighting, Daylighting, and Multi-Physics Models | 1007 |
| Comparison of daylighting simulation workflows and results using plugins for BIM and 3D Modelling programs application on early phases of design process (310) | 1007 |
| Existing energy performance and the potential of simulation in school buildings – a review (4) | 1013 |
| Lighting simulation for external Venetian blinds based on BTDF and HDR sky luminance monitoring (56) | 1019 |
| Modelling of a naturally ventilated BIPV system for building energy simulations (273) | 1025 |
| Numerical analysis of the influencing factors on the performance of a pipe-embedded window operated in summer (114) | 1031 |
| Validation of the EN 151932017 calculation method to estimate the daylight supply in a building comparison with dynamic climate-base (326) | 1037 |
| MS-3 Heat and Moisture Transfer in Materials and Assemblies | 1043 |
| Assessment of cumulative damage of selected building envelopes exposed to various environmental effects (32) | 1043 |
| Impact of the substrate thermal inertia on the thermal behaviour of an extensive vegetative roof in a semiarid climate (448) | 1049 |
| New algorithm for water leakages flow through rain screen deficiencies (205) | 1055 |
| PV-PCM system integrated into a double skin façade. A genetic optimization based study for the PCM type selection. (71) | 1061 |

| | |
|--|------------|
| Stochastic modelling of hygrothermal performance of highly insulated wood framed wall (190)..... | 1067 |
| Thermal insulation of radon stack systems to avoid freezing (73) | 1073 |
| MS-4 Co-simulation and Platforms for Integrated Analysis | N/A |
| A GIS based methodology to support multi-criteria decision making for the retrofitting process of residential buildings (398)..... | N/A |
| A new normative workflow for integrated life-cycle assessment (291) | N/A |
| Big-open-real-BIM data model - proof of concept (161)..... | N/A |
| BIM and game engine integration for operational data monitoring in buildings (383) | N/A |
| Cross-platform, public domain simulation tools for performing parametric IAQ and energy analysis (380)..... | N/A |
| Optimization of four-primary white LEDs based on protective effect and color quality-a solution for museum illumination (118)..... | N/A |
| MS-5 Computational Fluid Dynamics and Energy Performance | N/A |
| Analytical and experimental investigation on depth and pipe configuration for coaxial borehole heat exchanger (281)..... | N/A |
| Comparison of lattice Boltzmann method and finite volume method of large eddy simulation in isothermal room flow (53)..... | N/A |
| Development of a supermarket prototype building model (232)..... | N/A |
| Improving the representation of convective heat transfer in an urban canopy model (424)..... | N/A |
| Streamlined CFD simulation framework to generate wind-pressure coefficients on building facades for airflow network simulations (358)..... | N/A |
| Unsteady-state exergy analysis on two types of building envelopes under time-varying boundary condition (33)..... | N/A |
| MS-6 Data Analytics, Model Reduction and Calibration | N/A |
| Achieving faster building energy model optimization through selective zone elimination (86)..... | N/A |
| Comparison of data-driven building energy use models for retrofit impact evaluation (318)..... | N/A |
| Modeling and model calibration for model predictive occupants comfort control in buildings (361)..... | N/A |
| Neural networks to predict the hygrothermal response of building components in a probabilistic framework (91)..... | N/A |
| Optimization of night cooling of commercial premises using genetic algorithms and neural networks (49)..... | N/A |
| Use of calibrated building simulation to investigate comfort conditions in a healthcare facility (303)..... | N/A |
| MS-7 Material Characterization and Model Parameters | N/A |

| | |
|---|-------------|
| An experimental and modelling study on the adsorption characteristics of activated carbon under different challenge concentration levels (229)..... | N/A |
| Development of a procedure for estimating the parameters of mechanistic emission source models from chamber testing data (308) | N/A |
| Evaluation of the physical interpretability of calibrated building model parameters (248)..... | N/A |
| Field experimental investigation of temperature, humidity and solar radiation impacts on formaldehyde emissions from interior furnish material (particle board): a preliminary study (261)..... | N/A |
| Study on improving the surface wet condition of subfloor by hygroscopic material in rural residences of China (260)..... | N/A |
| The application of computed tomography for characterising the pore structure of building materials (83) | N/A |
| MS-8 Building Enclosure Design | N/A |
| A dynamic thermal network model applied to ventilated attics (27) | N/A |
| A holistic decision support tool for facade design (413) | N/A |
| Considerations on the thermal modeling of insulated metal panel systems (309) | N/A |
| Numerical thermal model of a double-glazed window filled with phase change materials (438)..... | N/A |
| On the compliance of thermal performance requirements for highly insulated building units (238)..... | N/A |
| The effect of ambient moisture conditions on heat flux time shift and decrement factor of multi-layered walls (392)..... | N/A |
| PE-1 Economic and Policy Aspects of Green Buildings | N/A |
| Conceptual framework for improved management of risks and uncertainties associated with the performance of the building enclosure (57) | N/A |
| Effect of economic indicators on cost-optimal energy performance levels of residential building retrofits in the Mediterranean region of Turkey (347) | N/A |
| Evaluation of efficiency and renewable energy measures considering the future energy mix (274)..... | N/A |
| Optimization of government subsidization strategies for building stock energy refurbishment (357) | N/A |
| Techno economic analysis of individual building renovation roadmaps as an instrument to achieve national energy performance targets (233)..... | N/A |
| The impact of an energy efficiency regulation in northern Canada (107)..... | N/A |
| PS Poster Session | 1295 |
| A comparison of model order reduction methods for the simulation of wall heat transfer (70) | 1295 |

| | |
|---|------|
| A framework for comfort assessment in buildings and districts retrofit process (101) | 1301 |
| A rain simulator to examine green roof and soil moisture sensor performance (417) | 1307 |
| A study on natural lighting design strategies for teaching buildings in hot-summer and cold-winter zone of china—a case of the Arts and Sciences building of Xinyang Normal University (133)..... | 1313 |
| Analysis of thermal bridges in insulated masonry walls a comparison between vacuum insulated panels and expanded polystyrene (307)..... | 1319 |
| Application of PCM-to-air heat exchanger for free cooling applications (289)..... | 1325 |
| Assessment of the BIPV potential at the city of Prague and their effect on the built environment (333)..... | 1331 |
| Bio-inspired outdoor systems for enhancing citizens thermal comfort in public spaces by learning from nature (219) | 1337 |
| Building information modeling (BIM) implementation for sustainability analysis a mega airport project case study (492) | 1343 |
| Chemical analysis of precipitation and stormwater runoff from a large green roof (453)..... | 1349 |
| Computational evaluation of the thermal performance of underground bunkers the case of Albania (150)..... | 1353 |
| Criteria for identifying failure optimization algorithms in building energy optimization and case studies (90)..... | 1359 |
| Effects of gaseous pollution and thermal conditions on the corrosion rates of copper and silver in data center environment a literature review (257) | 1365 |
| Elaboration of the decision space for an optimization of building retrofit (336) | 1371 |
| Energy flow through the Onondaga County Convention Center green roof (313)..... | 1377 |
| Estimating time constants for over 10,000 residential buildings in North America towards a statistical characterization of thermal dynamics (134) | 1383 |
| Experimental investigation of the impact of PCM containment on indoor temperature variations (470)..... | 1389 |
| Hygrothermal modelling of building enclosures reference year design for moisture accumulation and condensation risk assessment (211) | 1395 |
| Hygrothermal performance of historic massive wall when is 2D simulation necessary (239)..... | 1401 |
| Innovative composite materials with enhanced acoustic, thermal, and optical performance for urban pavements experimental characterization (230) | 1407 |
| Intrinsic evaporative cooling and weather-responsive natural ventilation for adaptive thermal comfort in tropical buildings (155)..... | 1413 |
| Long term measurements and HAM modelling of an interior insulation solution for an office building in cold climate (220)..... | 1419 |
| New technology creates new lightscape (39)..... | 1425 |

| | |
|--|------|
| Optical performance of polycarbonate multi-wall panels in the form of transparent insulation based on long-term outdoor measurements (406) | 1431 |
| Preliminary monitoring results of ventilated heavyweight building envelope from recycled aggregate (98) | 1437 |
| Review of the sky temperature and solar decomposition, and their impact on thermal modeling (458) | 1443 |
| Roof windows for passive houses – what can be improved (182) | 1449 |
| Sensitivity analysis using the SWMM LID control for an extensive green roof in Syracuse, NY (149) | 1455 |
| Simulation of building physics for beginning design students (442) | 1461 |
| Study on multivariate regression model of indoor and outdoor particulate pollution in severe cold area of China (26) | 1467 |
| The design, construction and commissioning of a small scale dynamic calibrated hot box (241) | 1473 |
| The effect of human walking on distribution characteristics of indoor particulate matter (67) | 1479 |
| Thermal performance analysis of traditional housing in Albania (94) | 1485 |
| Uncertainty in building energy performance characterization impact of gas consumption decomposition on estimated heat loss coefficient (371) | 1491 |
| Ventilation potential assessments for residential building arrangements based on exceedance probability analysis (157) | 1497 |

Author Index