

# **2019 27th Iranian Conference on Electrical Engineering (ICEE 2019)**

**Yazd, Iran  
30 April – 2 May 2019**

**Pages 1-758**



**IEEE Catalog Number: CFP1963J-POD  
ISBN: 978-1-7281-1509-2**

**Copyright © 2019 by the Institute of Electrical and Electronics Engineers, Inc.  
All Rights Reserved**

*Copyright and Reprint Permissions:* Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

***\*\*\* This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP1963J-POD
ISBN (Print-On-Demand):	978-1-7281-1509-2
ISBN (Online):	978-1-7281-1508-5
ISSN:	2164-7054

**Additional Copies of This Publication Are Available From:**

Curran Associates, Inc  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: (845) 758-0400  
Fax: (845) 758-2633  
E-mail: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

CURRAN ASSOCIATES INC.  
**proceedings**  
.com

## 2019 27th Iranian Conference on Electrical Engineering

### Table of Contents

#### Paper / Article Title Page No.

A 274 $\mu$ W, Inductor-less, Active RGC-Based Transimpedance Amplifier Operating at 5Gbps	1 -- 4
Analytical-Numerical Modeling of Thermalization Loss in the InGaAs Quantum Wire Solar Cells	5 -- 9
Theoretical Investigation of effects of Size Variations and External Magnetic Field on Binding Energy and Center Frequency in InGaAs/GaAs Quantum Dot Slow Light Devices	10 -- 14
Polymer-Based Channel Waveguides with Direct-Laser Writing Technique	15 -- 17
Hybrid photonic crystal cavity as a sensitive label-free biosensor	18 -- 22
Fabrication of E-coli Bacteria Biosensor and Measurement under UV Radiation	23 -- 25
Investigation of Distributed Capacitance Loading Effect on Miniaturization of Switched-Line Phase Shifter Dimensions	26 -- 30
Modeling of graphene effect as a transparent anode on the absorption of perovskite solar cells	31 -- 35
Hydrogenated Fluorinated Microcrystalline Silicon Oxide ( $\mu$ -SiO:F:H):A New Material for the Emitter Layer of HIT Solar cells	36 -- 40
AMPS-1D Modelling of P3HT/PCBM Bilayer and BHJ Organic Solar Cell	41 -- 45
Efficient wide range telecom wavelength conversion in hydrogenated-amorphous silicon-polymer waveguide	46 -- 49
On the Resistivity of Multy-Layer Graphene Nanoribbon Interconnects	50 -- 53
Investigating the role of Niobium Pentoxide as Transparent Conductive Oxide layer on the efficiency of thin film amorphous silicon solar cell	54 -- 59
Sub-threshold MOS Translinear Principle Based-Analog Cell Suitable for Current-Mode Signal Processing	60 -- 65
Low Power Approximate Unsigned Divider Design Using Gate Diffusion Input Logic	66 -- 70
Hydrogen Gas Sensing Mechanism in Zinc Oxide Nanowire and Nanotube: A Density Functional Theory Study	71 -- 75
Novel Frequency Synthesizer for Spur Reduction	76 -- 81
5-6 GHz Dual-Vector Phase Shifter in 0.18 $\mu$ m CMOS	82 -- 86
Design and analysis of an SOI photonic filter based on a microring	87 -- 91
H <sub>2</sub> O Absorption on Mono and Multilayer Zinc Oxide Nanoribbon: A First Principles Study	92 -- 96
Titanium Trisulfide as Sensitive Gas Sensor	97 -- 100
Nanorod pH Sensor Based on an Extended Gate MOSFET	101 -- 103

CO Gas Sensing Behavior of Free-standing ZnO Nanowires	104 -- 107
A wideband inductorless LNA employing active complementary current-reuse balun	108 -- 112
Cycle By Cycle Envelope Detection and ASK Demodulation	113 -- 117
Design of a Low-Power Linear SAR-Based All-Digital Delay-Locked Loop	118 -- 124
Design of a comparator-based silicon oscillating accelerometer with a comprehensive MEMS model	125 -- 129
A Methodology for the Accurate SPICE-compatible Modelling of MSM Photodetectors for Nanophotonic Interconnects	130 -- 134
An Ultra Wideband Low Power Detector Logarithmic Video Amplifier in 0.15 $\mu$ m GaAs	135 -- 140
Porosity control and optical characterization of luminophore layers based on PtOEP	141 -- 143
Analysis MOSFET Parasitic capacitances to Class-B Power Amplifier	144 -- 148
A 5-6.2GHz Variable Bandwidth Frequency Synthesizer for IEEE 802.11ac Applications	149 -- 153
Development of an electrowetting digital microfluidics platform using low-cost materials	154 -- 157
An Infrared Ultra-Narrowband Intensity-based Plasmonic Sensor/Filter Based On Coupling Through Plasmonic Nano-Cavities	158 -- 162
A Novel 10-bit 1.2GS/s Hybrid Digital to Analog Converter with 8.4mW Power Consumption	163 -- 168
Localized Optical Trapping of Nano Particles Using Ring Resonators	169 -- 172
Simulation and Analysis of a Perovskite Solar Cell with (FAPbI <sub>3</sub> ) <sub>0.85</sub> (MAPbBr <sub>3</sub> ) <sub>0.15</sub> as Absorber Layer	173 -- 177
A Low Power CMOS Hybrid Coupler with Tunable Operating Frequency	178 -- 182
Plasmonic Force Switch Based on a Graphene Stripe	183 -- 186
Electrical Simulation of SiC/Ge Schottky Diode with Graphene contact	187 -- 189
The Effect of Nanowire Dimensions on Resonance Frequency of ZnO-Based Nanogenerator	190 -- 194
An Analog Multi-shaped and Fully Programmable twin-cell MFG Structure in 65nm CMOS Technology	195 -- 200
First-Principles Study on the Gas Sensing Properties of SnS <sub>2</sub> /PbS Nanocomposite	201 -- 204
Linearized low noise amplifier by post distortion technique	205 -- 208
Multi-bit Quantizer Delta Sigma Modulator with the feedback DAC mismatch error shaping	209 -- 213
Analysis of Optimum Copper Oxide Hole Transporting Layer for Perovskite Solar Cells	214 -- 219
Design and Simulation of Dual Polarization GST-on-Silicon Nitride Optical Modulator	220 -- 223
The Influence of Impurity on the Electronic Properties of WS <sub>2</sub> Single Layer	224 -- 227
Signal Folding Improvement in N-Path Filters by Programmable Switched-LC Band-Stop Pre-Filtering	228 -- 232
Designing SAW Assisted Multi-Mode Plasmonic Sensor	233 -- 235

A novel 6GHz/ 573 $\mu$ watt/ 30ps Dynamic Comparator with complementary differential input in 65nm CMOS Technology	236 -- 242
Design and Heuristic Optimization of a CMOS LNA for Ultra-Wideband Receivers	243 -- 248
A Time-based All-Digital Analog to Digital converter for IOT Applications	249 -- 252
Design of a Linear Class AB Amplifier with 55dB Gain, 890MHz Bandwidth and Low Output Impedance for Envelope Tracking Supply Modulator	253 -- 257
Low-cost and Real-time Hardware Implementation of Stereo Vision System on FPGA	258 -- 263
DGS for a Wilkinson Power Divider Using a Symmetric Butterfly Comb	264 -- 268
Improved Gain Folded Cascode OpAmp Employing a Novel Positive Feedback Structure	269 -- 273
A New Approach to Optimize the Defuzzification Unit of Fuzzy Systems	274 -- 279
Finite element simulation of isothermal regions in serpentine shaped PCB electrodes of a micro-PCR device	280 -- 284
On economically viable stretchable washable electronics technology: proof of concept	285 -- 289
A high Power Conversion Efficiency CMOS Rectifier Using LC Resonator Technique for Energy Harvesting Applications	290 -- 294
A highly stable and tunable Extended Cavity Diode Laser	295 -- 297
Sensing Properties of Lateral Graphene/h-BN Heterostructure towards NH <sub>3</sub> : A First Principles Study	298 -- 301
Large Nontrivial Topological Band Gap in Heterostructure of Fluorine-Functionalized Bismuthene and h-BN Substrate: A First Principles Study	302 -- 305
Hybrid Transfer Function Transformation Methodology Based on Spiral Notch Filters	306 -- 310
Design and Development of Efficient Plasmonic Sensors Based on Bi-Layer of Silver-SiO <sub>2</sub> Nanodisk Arrays	311 -- 314
A New Graphene Nanoribbon based Resonant Tunneling Diodes using BN Quantum Well	315 -- 317
A Low Phase Noise Class-C Oscillator Using an Improved Resonator	318 -- 322
Compact Microstrip Dual-Band Bandpass Filter Using Step Impedance Resonators	323 -- 325
A 3.1-10.6 GHz Forward Body Biased Ultra-low-voltage UWB LNA	326 -- 330
An Integrated bipolar GNR-RTD with Robustness to Edge Defects Based on h-BN	331 -- 335
Real-Time Control of Resonance Point of Piezoelectric Transducers Based on Class D Power Converter	336 -- 340
2D Ruddlesden-Popper perovskite photodetector based on excitonic absorption	341 -- 344
Design and implementation of a low noise earth field Proton Precession Magnetometer	345 -- 347
Ti/PEDOT:PSS/Ti Pressure Sensor	348 -- 351
Self-Consistent Carrier-Heating Model for Quantum-Dot Semiconductor Lasers	352 -- 354
A fully differential CMOS active inductor with high quality factor and high tuneability	355 -- 359
Electromagnetic Attenuation Factor Based NDE Approach for Depth Detection of Hidden Defects Using HTS rf-SQUID	360 -- 363

Polymer-assisted fabrication of high performance optical microfiber knot resonators 364 -- 366

Bipolar resistive switching of an Al/ZnO/Ti-based memristor 367 -- 370

Active microfluidic micromixer design using Ionic polymer-metal composites 371 -- 375

A gm-Boosting 3-5 GHz Noise-Cancelling LNA 376 -- 379

Classification of dairy products using chronoamperometry performed in a microfluidic channel 380 -- 383

Propagation of Quantum Squeezed Radiation in PT-Symmetric Rydberg Atomic Structures 384 -- 387

Digital Background Calibration for Binary DACs in Continuous Time Delta Sigma Modulators 388 -- 392

Effect of PET and ITO Substrates on PCE of BulkHeterojunction Organic Solar Cells with P3HT; PCBM Active Layer 393 -- 397

SnO<sub>2</sub>:F Films Grown by Ultrasonic Spray Pyrolysis Suitable for Transparent Defogger Fabrication 398 -- 401

A Novel Hybrid Test Architecture for Router Testing of 2D-Mesh NoC 402 -- 407

Hydrogen level detection via thermal conductivity measurement using temporal temperature monitoring 408 -- 411

A 6-bit 100-MS/s Fully-Digital Time-Based Analog-to-Digital Converter 412 -- 415

An FPGA Implementation of Singular Value Decomposition 416 -- 422

A graphene oxide-based humidity sensor for wearable electronic 423 -- 426

A UWB Pulse Generator with Step Recovery Diode (SRD) for Material Characterization Using Dielectric Spectroscopy 427 -- 430

Three axis Fluxgate Magnetometer Sensor Calibration 431 -- 436

A Dual Stopband SIW Ka-V band Filter 437 -- 441

Resistive Switching in Platinum/Titanium Dioxide Schottky Diode 442 -- 445

Elimination of Pitch Signal Fluctuations Caused by Unbalanced Aerodynamic System in 100 kW Wind Turbine 446 -- 450

Decentralized Daily Scheduling of Smart Distribution Networks with Multiple Microgrids 451 -- 457

Optimal Design of Passive Permanent Magnet Bearings 458 -- 463

A New Method for Fast Power Swing Detection Using the Rate of Change of Energy in the Current Signal 464 -- 469

Voltage sag assessment considering low voltage ride-through requirement for wind turbines based on SARFI index 470 -- 474

Large Induction Motor Starting Time Determination for The Purpose of Protection Coordination 475 -- 480

The Impact of Multilayered Flux Diverters on Critical Current in HTS Transformer Windings 481 -- 485

Proposal of an Analytical Model for Performance Evaluation of WR-Resolvers under Short Circuit Fault 486 -- 490

Sensitivity-based Generators Redispatch to Improve Electromechanical Mode Damping Considering Transmission Lines Resistance 491 -- 496

Forward Contract Negotiation Equilibrium in Uncongested Electricity Markets 497 -- 502

Optimal Reactive Power Planning in Active Distribution Systems for Steady-state and Transient Characteristics Improvement 503 -- 508

A new approach for field weakening in a surface mounted permanent magnet synchronous motor by winding switching 509 -- 514

Implementation of CSI-Fed Brushless DC Motor Drive using Space Vector Modulation Strategy 515 -- 521

Sensitivity analysis of distribution system reliability for identifying the critical elements 522 -- 526

The Investigation of the Current Limitation Behavior of Saturated Iron Core SFCL under Different Fault Resistance and Fault Distance 527 -- 531

Mitigating Sub-Synchronous Resonance Using Static Var Compensator (SVC) Enhanced with Adaptive Neuro-Fuzzy Inference Systems (ANFIS) Controller 532 -- 538

Optimal Investment on DG and ESS for Smart Homes under Demand Response 539 -- 543

Robust fractional order adaptive power system stabilizer for a multi-machine system 544 -- 548

A New Flexibility Index in Real Time Operation Incorporating Wind Farm 549 -- 553

The role of the Internet of things in the management and uncertainty of Distributed Generation sources in order to reduce losses and improve the voltage profile 554 -- 558

State Estimation in Multi-Area Unbalanced Distribution Networks based on Location of Real Measurements by Considering Correlation 559 -- 564

A reduced-switch 3-level VSI based direct torque control of PMSM 565 -- 569

A Common Ground Dual-Output Quasi-Z-Source DC-DC Converter 570 -- 575

Provide a new Basic Unit for Cascaded Multilevel Inverter by Reducing the Maximum blocking voltage and Switches 576 -- 581

(Assessment Effects of Transient States by Switching Capacitive Banks in network ( AIDA Ceram Factory 582 -- 586

An Improved Modular Charge Equalization Structure for Series Cascaded Battery 587 -- 592

The optimized scheduling for solving position allocation problem (PAP) in Electric Vehicle (EV) charging stations 593 -- 597

MPPT approach for fixed speed wind turbine by using Proportional- Integral controller 598 -- 601

Design and Simulation of New Soft-switched Three-Port Half Bridge Converter with Extended ZVS Range 602 -- 608

Investigation of the Induced Overvoltages Caused by the Indirect Lightning Strike in Power Distribution Lines 609 -- 613

Transient Stability Detection via Quick Estimation of the Critical Clearing Time Using Intelligent Systems with Energy Functions Based Inputs 614 -- 618

Fast and Discriminative DC Grid Protection Using Bus-bar Capacitor Current 619 -- 623

A New Power Sharing Method for Improving Power Management in DC Microgrid with Power Electronic Interfaced Distributed Generations 624 -- 629

Terminal sliding mode controller for voltage control of island microgrid 630 -- 634

A Rearrangement Strategy for a Non-Uniformly-Aged PV Array Using a Modified Genetic Algorithm 635 -- 640

Magnetic and Thermal Analysis of Switched Reluctance Machine with Single-phase AC Charging Current in Integrated Battery Charger 641 -- 645

Simulation of Breakdown Process in a High-Pressure Gas Peaking Switch 646 -- 651

Intelligent topology-oriented load shedding scheme in power systems 652 -- 656

Optimization and Comparison of New Linear Permanent Magnet Vernier Machine 657 -- 661  
 Modeling and Current Balancing of Interleaved Buck Converter Using Single Current Sensor 662 -- 667  
 Vibration Reduction of Switched Reluctance Motors Using Exponential Voltage in Demagnetization 668 -- 672  
 Study on Different Dimensions of C-type Corona Rings in 400 kV Insulator Strings Based on FEM Analysis of Electric Field Distribution 673 -- 678  
 Hybrid SVC-HPQC Scheme with Partial Compensation Technique in Co-phase Electric Railway System 679 -- 684  
 Economic Valuation of Demand Response Programs Using Real Option Valuation Method 685 -- 691  
 Ultra-Fast Busbar Protection by Applying Improved ACUSUM 692 -- 696  
 Lyapunov-Based Input-Output Feedback Linearization Control of Induction Motor drives Considering Online MTPA Strategy and Iron Loss 697 -- 701  
 Joint Distributed Generation and Active Distribution Network Expansion Planning Considering Active Management of Network 702 -- 708  
 Transformer Leakage Flux Frequencies Analysis under Internal Windings Faults 709 -- 713  
 Energy Management Framework for a TVPP in Active Distribution Network with Diverse DERs 714 -- 719  
 Direct Torque and Flux Control of Dual Stator Winding Induction Motor Drives based on Emotional Controller 720 -- 724  
 Internet of Things Benefits on Smart Grid 725 -- 730  
 Conservation Voltage Reduction for Islanded DC Microgrids Based on Distributed Cooperative Control Scheme 731 -- 736  
 A Flexibility-Oriented Model for Distribution System Expansion Planning Studies 737 -- 741  
 Proposing FOPID-based PSS2B Stabilizer Using MGSO to Improve Damping of Electromechanical Oscillations in a Multi-machine Power System 742 -- 747  
 Elimination of Sub-Synchronous Resonance via Doubly-Fed Induction Generator Based on Teaching-Learning-Based Optimization (TLBO) Algorithm 748 -- 752  
 Open-Circuit Fault detection and localization in Three-Phase Gird-Connected Active Neutral Piont Clamped Inverter 753 -- 758  
 Networked Distributed Fuzzy-Based Damping Controller for Wide-Area Power System Stabilization 759 -- 763  
 The Effects of Grounding the Shields of Electric Arc Furnace Cables on Electrical Losses 764 -- 769  
 Multi-objective optimal design and analysis of a direct drive double stator permanent magnet synchronous wind generator 770 -- 776  
 High-Gain Buck-Boost Converter Suitable for Renewable Applications 777 -- 781  
 Enhancing Power Distribution System Flexibility Using Electric Vehicle Charging Management 782 -- 786  
 Rotating Rectifier Fault Detection in Brushless Excitation System of Synchronous Generators 787 -- 791  
 A New Double-Layer Switched Reluctance Motor with a Low-Torque Ripple 792 -- 797  
 Optimal Bidding Strategy in Double-Sided Auctions of the Competitive Power Market Using Agent-Based Algorithm 798 -- 803  
 A Reliable and Fast Response Buck Converter Based on Interleaved Converter 804 -- 807  
 A non-cooperative game theoretic model for energy pricing in smart distribution networks including multiple microgrids 808 -- 812

Predictive Direct Torque Control with Reduced Number of Predictions for a Three-level Inverter Driven Permanent Magnet Synchronous Motor 813 -- 818  
 Control and Operation of the Proposed Interlinking Converter in a DC-AC-DC Hybrid Microgrid Based on the Proposed Modes of Operation 819 -- 824  
 Voltage Control and Load Sharing in a DC Islanded Microgrid based on Disturbance Observer 825 -- 830  
 Comparison between two 10MW solar plant with central and distributed inverters 831 -- 835  
 Hybrid Measurement-Based Parameter Estimator for Series Transmission Line and Power Transformer 836 -- 840  
 Adaptive Sliding Mode Control of Step-up/Step-down Z-Source DC-DC Converter 841 -- 845  
 Day-Ahead Network-Constrained Scheduling of CHP and Wind Based Energy Systems Integrated with Hydrogen Storage Technology 846 -- 851  
 A Causal Loop Diagram to Analyze Various Long-Term Effects of PV Integration into Power Systems 852 -- 855  
 Optimal Operation of AC and DC hybrid Microgrid in two management scenarios 856 -- 862  
 Improving Fault Ride Through Capability of Full-Scale WRSG Wind Turbines Using MPC-Based DVR 863 -- 867  
 Virtual Flux Droop Control With Constant Switching Frequency For Power Sharing between Parallel Inverters in Islanded Microgrids 868 -- 874  
 Effects of Stubborn Agents on Bounded Confidence Opinion Dynamic systems: Unanimity in Presence of Stubborn Agents 875 -- 880  
 Square-Root Cubature Kalman Filters for Training Recurrent Type-2 Fuzzy Neural Networks 881 -- 884  
 Design of Adaptive State-Dependent Impulsive Observer for Nonlinear Time-Delay Systems 885 -- 890  
 A new fractional-order control method for robust synchronization between fractional-order uncertain permanent magnet synchronous motors 891 -- 897  
 Fault Tolerant Model Predictive Control of Wind Turbine Against Actuator Faults Using Laguerre Functions 898 -- 903  
 New Finite-time Stability and Boundedness Conditions for Time-Delay Switched Linear Systems with Finite-Time Unstable and Unbounded Subsystems 904 -- 908  
 Adaptive sliding mode attitude control of satellites in the presence of gyro bias 909 -- 915  
 Time Delay Control of an AUV with Unknown Dynamics Using Position Measurements 916 -- 920  
 Wi-Fi RSS-based Indoor Localization Using Reduced Features Second Order Discriminant Function 921 -- 924  
 A Modification on Stochastic Approximation Algorithm with Expanding Truncations For Estimation of NARX Systems 925 -- 928  
 Multi-leak localization in liquid pipelines 929 -- 932  
 Synchronization of a Multi-slave Bilateral Nonlinear Teleoperation System in the Presence of External Disturbance and Internal Uncertainties 933 -- 938  
 Controlling Megawatt Class WECS by ANFIS network trained with Modified Genetic Algorithm 939 -- 943  
 Adaptive Neuro-Fuzzy Modeling and Control of IP Drum Level of a Power Plant for Improving Transient Response 944 -- 950  
 A Cascade Multiple-Model Predictive Controller of Nonlinear Systems by Integrating Stability and Performance 951 -- 955  
 On the stability of linear fractional-order singular systems 956 -- 961  
 A new observer based Robust output feedback Controller on Coaxial Tri-copter 962 -- 967

Model Predictive Based Sliding Mode Control for Actuator Fault Tolerant Control 968 -- 973

A Force Reflection Impedance Control Scheme for Dual User Haptic Training System 974 -- 978

Point-to-Point Motion Control of An Underactuated Planar Cable Driven Robot 979 -- 984

Adaptive Fast Terminal Sliding Mode Control of A Suspended Cable-Driven Robot 985 -- 990

Sub-Optimal Observer-based Controller Design Using the State Dependent Riccati Equation Approach for Air-Handling Unit 991 -- 996

Passive Dynamic Walking with Neuroevolutionary Controlled Torso 997 -- 1001

An Online Hardware-in-the-Loop Testbed for Spacecraft Attitude Control 1002--1006

Gain-Scheduled  $H_{\infty}$  Filter Synthesis for LPV Systems Exploiting Inexact Scheduling Parameters 1007 -- 1012

Sliding Mode Control for an Optimal MEMS Micromirror Actuator with Parameter Uncertainty 1013 -- 1018

Static Output Feedback  $H_{\infty}$  Control Design for a Class of Uncertain LPV Systems: an Integral Quadratic Constraint Approach 1019 -- 1023

A Novel Approach for Parameter Estimation Of Discrete Dynamical Systems Using Self-Organizing Maps 1024 -- 1029

Design of a Global Sliding Mode Controller Using Hyperbolic Functions for Nonlinear Systems and Application in Chaotic Systems 1030 -- 1034

Hysteresis Observation in Smart Material Actuators with Unstructured Uncertainty 1035 -- 1039

Indirect adaptive Taylor series control of differential drive wheeled mobile robots 1040 -- 1045

Robust Control Based on Backstepping Passivation Technique for Robotic Manipulators Including Actuator Dynamics 1046 -- 1051

Hybrid Force and Position Control of a 4DOF Surgical Robot with Disturbance Observer 1052 -- 1057

A global and exponential nonlinear observer for rigid body pose estimation with a single landmark readings 1058 -- 1063

Chattering-free PD Sliding Mode Control of Piezoelectric Actuators with Hysteresis 1064 -- 1069

Design and Implementation of a Feedforward-Feedback Controller for a Piezoelectric Actuator 1070 -- 1074

A simple Distributed Adaptive Consensus Tracking Control of High order Nonlinear Multi-Agent Systems 1075 -- 1080

Game Theory for Eye Robot Movement: approach and hardware implementation 1081 -- 1085

Adaptive Model-Free Control of Electrically Driven Robot Manipulators 1086 -- 1091

Event-based Control and Scheduling Co-Design in Networked Control Systems with Bandwidth Limitation 1092 -- 1096

Oscillatory Condition and Invariant Sets in Fractional Order Relay Feedback Systems 1097 -- 1101

Robust stability for affine T-S fuzzy impulsive control systems subject to parametric uncertainties 1102 -- 1107

Nonlinear MPPT control of wind turbine: an NDI and MRAC based approach 1108 -- 1112

Robust Nonlinear Control of Singular Systems with Saturating Actuator Constraint 1113 -- 1117

Root Cause Analysis of Process Faults Using Alarm Data 1118 -- 1122

Control system design over the Internet with stochastic modeling of the communication delay 1123 -- 1129

Robust Suboptimal Autopilot Design via a Novel Nonlinear Control Approach 1130 -- 1134

Adaptive tracking fault tolerant controller design for uncertain chemical reactor recycle system with unknown time-varying delay  
in the presence of disturbance and loss of actuators effectiveness 1135 -- 1139

Modeling and MPC-based Method for Planning Transportation of Multiple Oil Products in Pipeline Network 1145 -- 1150

A Full Order High Gain Observer Design for Image-Guided Robotic Flexible Needle Steering 1151 -- 1156

An Adaptive Fuzzy Backstepping Controller for Delay Compensation in Networked Control Systems 1157 -- 1162

Moving Target Tracking and Obstacle Avoidance for a Mobile Robot Using MPC 1163 -- 1169

Leader Following Distributed Formation tracking in Nonlinear Fractional-Order Multi-Agent Systems by using Adaptive integral Sliding Mode Approach 1170 -- 1175

Cooperative Transportation of a Point Mass with Unknown Weight by Multiple Quadrotors 1176 -- 1180

Nonlinear and Time Varying System Identification Using a Novel Adaptive Fully Connected Recurrent Wavelet Network 1181 -- 1187

Modeling of Discrete-Time Systems Using Petri Nets 1188 -- 1192

Modeling and Parameter Identification of Piezoelectric Actuator in Micropositioning System 1193 -- 1198

Chattering-free Higher Order Sliding Mode and Unscented Kalman Filter for Blood Glucose Level Control 1199 -- 1206

Adaptive Control for Discrete-Time Delay Switched Systems with Uncertainties 1207 -- 1210

Lab-scale Combustion Control Setup for Test and Implementation of Control Algorithms 1211 -- 1215

Two Stage Identification of Linear Switched Systems 1216 -- 1220

Controlling Hepatitis B Virus Infection using PID like Neural Network 1221 -- 1227

An iterative LMA method for parameter estimation in dynamic modeling of TGF $\beta$  pathway using ODE 1140 -- 1144

Sensor placement in AOA localization of multiple sources in the presence of distance dependent noise 1233 -- 1238

Time-aware Probabilistic Epidemic Forwarding Method in Heterogeneous DTNs 1239 -- 1244

A Systematic Method to Design Desired Wideband 180° Couplers 1245 -- 1248

3D Massive MIMO Channel Modeling With Cluster Based Ray Tracing Method 1249 -- 1253

Enhanced Absorption of Solar Cells by Graphene-Based Nano-Antenna Array 1254 -- 1259

Dynamic Feature-based Fire Detection Using Fusion of Markov Random Field and PCA Optical Flow 1260 -- 1264

On the Performance Enhancement of Routing Protocols in the Internet of Underwater Things 1265 -- 1271

Rotation-Aware Discriminative Scale Space Tracking 1272 -- 1276

Iterative Fusion Based on Amplitude Minimization of Orthogonal Spatial Component and Spectral Error 1277 -- 1283

Johnson SU distribution in Uncompensated QPSK Coherent Optical Transmission Systems 1284 -- 1288

Energy and QoS-Aware Contention-Based Medium Access Control in Machine-Type Communications 1289 -- 1293  
Retinal Image Registration based on Auto-Adaptive SIFT and Redundant Keypoint Elimination Method 1294 -- 1297  
Sub-Optimal Beamforming for 3D Cylindrical Arrays of Dipoles Including the Mutual Coupling Effects 1298 -- 1302  
Improving Performance of Hyperspectral Unmixing Using Multi-Layer Perceptron by Generating an Appropriate Synthetic Library 1303 -- 1308  
Defense Against Intelligent Jammer in Cognitive Wireless Networks 1309 -- 1314  
Combination of smart antenna & ant colony optimization in Multi-Purpose Wireless sensor networks 1315 -- 1320  
Energy Efficient Relay Selection and Routing in Diffusion-based Molecular Communication 1321 -- 1326  
Implementation of a Reflectarray antenna with Isoflux Beam Based on Gauss-legendre Quadrature Technique 1327 -- 1332  
New two-stage position estimators for Differential Received Signal Strength-Based with unknown transmit power 1333 -- 1337  
Design of compact SIW-based multi-aperture coupler for Ku-Band applications 1338 -- 1341  
Fast Estimation of Propagation Constants in Lamellar Gratings Needless of Solving the Eigenvalue Equation 1342 -- 1346  
Radar Cross Section Reduction of Conformal Patch Antenna Using Mantel Cloak 1347 -- 1351  
Response of CPW Transmission Line to the Nearfield Waves of a Magnetic Dipole 1352 -- 1356  
Public Algorithm in Reversible Data Hiding 1357 -- 1361  
Sequence to Image Transform Based Convolutional Neural Network for Load Forecasting 1362 -- 1366  
Improving AODV with TOPSIS Algorithm and Fuzzy logic in VANETs 1367 -- 1372  
A Modified McEliece Public-Key Cryptosystem Based On Irregular Codes Of QC-LDPC And QC-MDPC 1373 -- 1376  
Relay Selection for Spectral-Efficient Network-Coded Multi-Source D2D Communications 1377 -- 1381  
A Seven-Port Receiver for MIMO 2x2 Communication Systems 1382 -- 1386  
An Improved Performance Ka-Band Low Noise Amplifier and On-Chip Transmission Line Modeling in 0.18  $\mu\text{m}$  CMOS Technology 1387 -- 1391  
Spectroscopy Study of Single-Wall Carbon Nano-Tubes 1392 -- 1396  
A Low Complexity Channel Estimation for Millimeter Wave Massive MIMO Systems Based on Atomic Norm Minimization 1397 -- 1401  
Spectral Unmixing of Time series data to Provide Initial Object Seeds for Change Detection on Google Earth Engine 1402 -- 1407  
History-based Network Selection in Heterogeneous Wireless Multimedia Networks 1408 -- 1412  
Development of Phase Congruency to Estimate the Direction of Maximum Information (tDMI) in Images with Straight Line Segment 1413 -- 1419  
An Efficient Real-time Voice Activity Detection Algorithm using Teager Energy to Energy Ratio 1420 -- 1424  
Analysis of Surface Waves in a 3-Layered Cylindrical Plasma Antenna 1425 -- 1428  
Palm Print Recognition using Modified Local Features based on Sparse Classifier 1429 -- 1433

Performance Evaluation of Network-Coded Decode-and-Forward Cooperation with Smart Relay Selection 1434 -- 1440

Spectrum Trading for Device-to-Device Communication In Cellular Networks using Incomplete Information Bandwidth-Auction Game 1441 -- 1447

Scattering transfer matrix representation for low-loss coupled-line interconnects 1448 -- 1451

Low-cost metallic linear array antenna with cosecant-squared radiation pattern 1452 -- 1455

Design of Wide-band Dual-Beam Leaky-Wave Antenna using the Holographic Theory 1456 -- 1460

A Minaturized Tunable Blade Antenna for UHF Frequencies 1461 -- 1464

A CZT-Based Algorithm for Improving Multi-Target Ranging in FMCW Radar 1465 -- 1469

Improving Energy Efficiency of Massive MIMO Relay Systems using Power Bisection Allocation for Cell-Edge Users 1470 -- 1475

An Optimized Hardware Design for high speed 2D-DCT processor based on modified Loeffler architecture 1476 -- 1480

A New Pilot Assignment Scheme for Pilot Decontamination of Multi-Cell Massive MIMO Systems 1481 -- 1485

ID-based Strong Designated Verifier Signature Scheme and its Applications in Internet of Things 1486 -- 1491

Classification of the Air Quality Level based on Analysis of the Sky Images 1492 -- 1497

Target Localization in Distributed MIMO Radar from Time Delays, Doppler Shifts, Azimuth and Elevation Angles of Arrival 1498 -- 1503

A terahertz Fourier transform spectrometer with no moving part 1504 -- 1507

Transformation Optics Based Computation of Electromagnetic Scattering from a Buried Object Beneath a Random Rough Surface 1508 -- 1512

Dyadic Hertzian Vector Potential Green's Function for Dipole-Excited Homogenized Metasurface 1513 -- 1517

Hardware Implementaion of High Speed Bartlett Spectral Density Estimator Based on R4MDC FFT 1518 -- 1522

Energy Efficient Coordinated Multicell Power Allocation in Dynamic TDD MIMO Systems 1523 -- 1528

Wave Propagation in Metallic Slab Waveguides Undergoing Arbitrary Temporal Variations of Permittivity 1529 -- 1533

Orthogonal-Mode Dual-band Rectangular Waveguide Filters 1534 -- 1537

Ultra High Q-Factor Superconducting Microresonator to Use in Microwave Kinetic Inductance Detectors 1538 -- 1542

Handover Management Based on RSSI, Load and Velocity in Dense Green Heterogeneous Networks 1543 -- 1548

Deep Feature Selection using an Enhanced Sparse Group Lasso Algorithm 1549 -- 1552

An Efficient Key Distribution Mechanism for Large Scale Hierarchical Wireless Sensor Networks 1553 -- 1559

Single Notch Band UWB Off-Body Wearable Antenna with Full Ground Plane 1228 -- 1232

Application of Adaptive Injection Gain in Sparse-Based Multispectral Image Fusion 1560 -- 1569

Non-strictly Sparse Source Modelling Using Heavy-tailed Distributions for DCT Coefficients 1570 -- 1575

A Broadband Fixed Phase Shifter in Substrate Integrated Waveguide Technology 1576 -- 1578

Reduced Complexity Architecture for Normalization of Histogram of Oriented Gradients 1579 -- 1583  
A New Fast Method of Image Segmentation Fusion Using Maximum Mutual Information 1584 -- 1588  
Assessing the effect of image quality on SSD and Faster R-CNN networks for face detection 1589 -- 1594  
Uplink Spectral and Energy Efficiency Analysis of Low Resolution Quantized-Massive MIMO Systems 1595 -- 1600  
Cognitive Radio and Cooperation among the Primary and Secondary Users 1601 -- 1605  
A Novel Compact Triple Band ACS-Fed Antenna 1606 -- 1610  
Performance of Wireless Energy Transfer Efficiency in mm-Wave Communications 1611 -- 1615  
A Neural Network Based Levinson-Durbin Method for Adaptive Active Sensor Waveform Synthesis 1616 -- 1621  
Dual band/ Dual Mode Branch-Line/Rat-Race Coupler Using Artificial Transmission Line 1622 -- 1626  
RCS Reduction of Reflectarray Antenna Backed with Sub-Wavelength Frequency Selective Surface 1627 -- 1631  
Employing a Pseudo-Random Sequence to Secure a Lattice Coding Scheme 1632 -- 1636  
Ultra Wide Band Antipodal Vivaldi Antenna with Tapered Triangular Corrugated Edges 1637 -- 1642  
Enhancement of decoupling bandwidth in very dense dipole arrays with split-loop resonators 1643 -- 1646  
Weighted I-Vector Based Text-Independent Speaker Verification System 1647 -- 1653  
M2M Communications as a Promising Technique to Support Green Powered Base Stations 1654 -- 1658  
Optimal Sleep & Wakeup Mechanism for Green Internet of Things 1659 -- 1663  
Measurement Time Reduction in Compliance Assessment of Electromagnetic Field Exposure 1664 -- 1668  
Low-complexity CFO Estimation for FBMC-based Massive MIMO systems 1669 -- 1673  
A Simple Two-stage detector for Massive MIMO Systems with one-bit ADCs 1674 -- 1678  
Microwave Imaging Using Frequency-Diverse Scattering of a Random Rough Surface 1679 -- 1681  
human activity recognition using 2D convolutional neural networks 1682 -- 1686  
A Novel Calibration Error Aware Precoding for Massive MIMO Systems with Imperfect CSI 1687 -- 1691  
High Accuracy Farsi Language Character Segmentation and Recognition 1692 -- 1698  
Speech Enhancement using Maximum Likelihood and Maximum A Posteriori Detectors and Estimators 1699 -- 1703  
Diffusive Molecular Communication in Partially Blocked Cylindrical Environment 1704 -- 1709  
Iterative Constrained Weighted Least Squares Solution for Target Localization in Distributed MIMO Radar 1710 -- 1714  
Convex Combination of Two Diffusion LMS for Distributed Estimation 1715 -- 1719  
Sample Projection Watermarking Improvement Using the Increasing of Samples in Wavelet Domain 1720 -- 1724

Location Estimation of Sensor nodes in 3-d Wireless Sensor Networks Based on Multidimensional Support Vector Regression 1725 -- 1729

Mental Arousal Level Recognition Competition on the Shared Database 1730 -- 1736

A color-encoded map to facilitate the identification of abnormal segments of the left ventricle by novice examiners 1737 -- 1741

A Controlled Generative Model for Segmentation of Liver Tumors 1742 -- 1745

Brain Tumor Classification from MRI Images Based on Cumulant Features 1746 -- 1750

Sensor Single and Multiple Anomaly Detection in Wireless Sensor Networks for Healthcare 1751 -- 1755

On the Design of Low Power CMOS Schmitt Trigger for Biomedical Application 1756 -- 1760

Prediction of Life-Threatening Heart Arrhythmias Using Obstructive Sleep Apnoea Characteristics 1761 -- 1764

Discrimination of Depression Levels Using Machine Learning Methods on EEG Signals 1765 -- 1769

Correlation-Based Regularized Common Spatial Patterns for Classification of Motor Imagery EEG Signals 1770 -- 1774

Investigating the effect of computer games on the heart activity and signals 1775 -- 1778

Neural Spike Compression Based on Split Vector Quantization for Implantable BMIs 1779 -- 1782

Data augmentation of ct images of liver tumors to reconstruct super-resolution slice based on a multi-frame approach 1783 -- 1786

Optimization of Laser Power for Laser-Induced Hyperthermia in the Presence of Nanoparticles using MATLAB and COMSOL Multiphysics 1787 -- 1792

Online Dictionary Learning for Sparse Representation-Based Classification of Motor Imagery EEG 1793 -- 1797

Detection of Sustained Auditory Attention in Students with Visual Impairment 1798 -- 1801

Brain Mechanism in the Human-Computer Interaction Modes Leading to Different Motor Performance 1802 -- 1806

The effect of constant and variable stimulus duration on P300 detection 1807 -- 1811

In pursuit of activity dependent synaptic plasticity rules for cerebellar motor learning: a computational study 1812 -- 1818

Obstructive Sleep Apnea Syndrome Diagnosis Using HRV Signal Processing 1819 -- 1824

Transfer Learning based Motor Imagery EEG Signals Classification using Convolutional Neural Networks 1825 -- 1828

An automated system for diagnosis of sleep apnea syndrome using single-channel EEG signal 1829 -- 1833

An empirical framework for evaluation of spectral-based fault localization techniques 1834 -- 1838

A graph based approach to analyse metabolic networks for strain engineering 1839 -- 1843

Reducing Reconfiguration Time in FPGAs 1844 -- 1848

An Aging-aware Energy-efficient Data Collection Approach in Wireless Sensor Networks using Multiple Mobile Sinks 1849 -- 1854

DTO: Donkey Theorem Optimization 1855 -- 1859

Iranian License Plate Detection using Cascade Classifier 1860 -- 1863

Semantic segmentation of aerial images using FCN-based network 1864 -- 1868  
Impact of Steganography on JPEG File Size 1869 -- 1873  
Scramble and Transform: An Image Data Hiding Technique 1874 -- 1878  
Tarimliq: A new internal metric for software clustering analysis 1879 -- 1883  
A Heuristic-based Task Scheduling Method for Reducing Waiting Time in Cloud Environment 1884 -- 1888  
A hybrid privacy-preserving mutual authentication protocol for RFID traffic management 1889 -- 1894  
A Novel Image Perturbation Approach: Perturbing the Latent Representation 1895 -- 1899  
PODBOT: A New Botnet Detection Method by Host and Network-Based Analyzing 1900 -- 1904  
Preprocessing Role in Analyzing Tweets Towards Requirement Engineering 1905 -- 1911  
Improving the Security of SIM Applets by using TEE 1912 -- 1916  
Product Quality Assessment using Opinion Mining in Persian Online Shopping 1917 -- 1921  
Availability Aware SFC embedding in NFV: A Clustering Approach 1922 -- 1928  
Certainty of outlier and boundary points processing in data mining 1929 -- 1934  
Interdependent Network Formation Game Using TLBO Algorithm 1935 -- 1939  
IPKB : A New Metric For Evaluating Cache Replacement Policies 1940 -- 1945  
Action Recognition Using Temporal Partitioning of Motion Information 1946 -- 1950  
Hierarchical Persian Text Categorization in Absence of Labeled Data 1951 -- 1955  
An Improved Cooperative Cell Outage Detection in Self-Healing Het Nets using Optimal Cooperative Range 1956 -- 1960  
Optimal delay-aware service function chaining in NFV 1961 -- 1966  
An Efficient Privacy-Preserving Data Aggregation Scheme in Smart Grid 1967 -- 1971  
Automatic Keyphrase Extraction from Persian Scientific Documents Using Semantic Relations 1972 -- 1978  
SBGRP as an Improved Stable CDS-Based Routing Protocol in Vehicular Ad Hoc Networks 1979 -- 1983  
Influence Maximization Under Partially Observable Environments 1984 -- 1988  
Deep Real-world and Real-time Face Identification System 1989 -- 1993  
End to End Fingerprint Verification Based on Convolutional Neural Network 1994 -- 1998  
Playfield extraction in soccer video based on Lab color space classification 1999 -- 2003  
Gene regulatory networks full observable control based on batch reinforcement learning: An improved policy 2004 -- 2009  
Persian Keyphrase Generation Using Sequence to Sequence Models 2010 -- 2015

Admitting new requests in Fog networks according to Erlang B distribution 2016 -- 2021

A Comparison of 2D and 3D Convolutional Neural Networks for Hand Gesture Recognition from RGB-D Data 2022 -- 2027

Geographic Routing With Energy Constraint in Wireless Multimedia Sensor Networks 2028 -- 2032

OMID: Optimize Micro-Architecture Design for Fog Computing Applications 2033 -- 2038

TAMPER: Thermal Assistant Method to Improve Write Performance in STT-RAM Memories 2039 -- 2044

Impact of Team Size, Project Scale and Level of Education on Software Build Event Status in Enriched Event Streams 2045 -- 2049

Multi-Objective Service Provisioning in Fog: a Trade-off Between Delay and Cost using Goal Programming 2050 -- 2056

A Novel Descent Method of Localization in Wireless Sensor Networks 2057 -- 2061

A New Method in RFID Anti-Collision Protocol using Chaos Optimization Algorithm 2062 -- 2066

Multi-sensor Feature Fusion and Grey Wolf Optimizer-based Support Vector Machine for Transient Fault Detection in a Once-Through Power Plant 2067 -- 2073

Incorporating Parking Lot and Demand Response in Energy Procurement of a Commercial Complex as a Smart Large Consumer 2074 -- 2082

Techno - economic evaluation of a hybrid PV/wind system with grid/DG/Battery backups for an educational department in Tehran 2083 -- 2089

A Multiobjective Coordinated design of PSS and FACTS using the combination of CWT and Prony Methods 2090 -- 2094

Improving Cloud Computing Performance Using Task Scheduling Method Based on VMs Grouping 2095 -- 2099

Design, Fabrication, and Testing of a Shore-line Wave Energy Converter with Mechanical Gear Motion Rectifier 2100 -- 2105

Phase-Shifted Active Clamp Flyback Converter For Driving a Magnetron 2106 -- 2110

Super twisting sliding mode control for LTI descriptor system based on disturbance observer 2111 -- 2116