

# **2019 IEEE 8th International Workshop on Advances in Sensors and Interfaces (IWASI 2019)**

**Otranto, Italy  
13 – 14 June 2019**



**IEEE Catalog Number: CFP19IWI-POD  
ISBN: 978-1-7281-0558-1**

**Copyright © 2019 by the Institute of Electrical and Electronics Engineers, Inc.  
All Rights Reserved**

*Copyright and Reprint Permissions:* Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

***\*\*\* This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

|                         |                   |
|-------------------------|-------------------|
| IEEE Catalog Number:    | CFP19IWI-POD      |
| ISBN (Print-On-Demand): | 978-1-7281-0558-1 |
| ISBN (Online):          | 978-1-7281-0557-4 |

**Additional Copies of This Publication Are Available From:**

Curran Associates, Inc  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: (845) 758-0400  
Fax: (845) 758-2633  
E-mail: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

CURRAN ASSOCIATES INC.  
**proceedings**  
.com

## Table of Contents

---

|  |           |
|--|-----------|
| <b>Foreword</b>  | <b>1</b>  |
| <hr/>  |           |
| <b>Organizing Committee</b>  | <b>3</b>  |
| <hr/>  |           |
| <b>IWASI 2019 Opening Speech</b>   | <b>5</b>  |
| <hr/>  |           |
| <i>Strategies to create a bridge between the University Research and Enterprise</i>                    | <b>6</b>  |
| C. Meglio, A. Cammarano, M. E. Mercurio, L. Nicolais   |           |
| <hr/>  |           |
| <b>Keynote Speech</b>  |           |
| <hr/>  |           |
| <i>Comparing Innovation Ecosystems</i>   | <b>7</b>  |
| A. Sangiovanni-Vincentelli   |           |
| <hr/>  |           |
| <b>Session 1: Neural Dynamics-based Systems and Interfaces</b>   | <b>8</b>  |
| <hr/>  |           |
| <i>EEG/EMG based Architecture for the Early Detection of Slip-induced Lack of Balance</i>              | <b>9</b>  |
| G. Mezzina, F. Aprigliano, S. Micera, V. Monaco, D. De Venuto.   |           |
| <hr/>  |           |
| <i>A Rechargeable Battery Driven More than 4 Weeks Runtime Biphasic Bilateral DBS Unit for Rodents</i> | <b>15</b> |
| M. Schulz, E. Reese, R. Hadar, C. Winter, R. Thewes.   |           |
| <hr/>  |           |
| <b>Keynote Speeches</b>  |           |
| <hr/>  |           |
| <i>Human-Centric Communication and Computation</i>   | <b>20</b> |
| J. Rabaey  |           |
| <hr/>  |           |
| <i>Current and future applications of non-invasive and invasive Brain-Computer interfaces</i>          | <b>21</b> |
| C. Guger   |           |
| <hr/>  |           |

|   |           |
|---|-----------|
| <b>Session 2: Sensor interfaces: analog and digital sensor data processing architectures and ICs</b>  | <b>22</b> |
| <hr/>   |           |
| <i>SPINE (SPIN Emulator) - A Quantum-Electronics Interface Simulator</i><br>J. van Dijk, A. Vladimirescu, M. Babaie, E. Charbon, F. Sebastian   | 23        |
| <hr/>   |           |
| <i>From Open-Loop to Closed-Loop Single-VCO-Based Sensor-to-Digital Converter Architectures: theoretical analysis and comparison</i><br>E. Sacco, J. Vergauwen, G. Gielen   | 29        |
| <hr/>   |           |
| <b>Keynote Speech</b>   |           |
| <hr/>   |           |
| <i>The fantastic voyage towards ultra-miniaturized sensing circuits</i><br>G. Gielen  | 35        |
| <hr/>   |           |
| <b>Session 3: High Energy Physics</b>   | <b>36</b> |
| <hr/>   |           |
| <i>Characterization and development of NUV SiPMs for INFN optical modules for the SCT Medium Size Telescope proposed for the CTA Observatory</i><br>G. Ambrosi, M. Ambrosio, C. Aramo, B. Bertucci, E. Bissaldi, M. Bitossi, A. Boiano, C. Bonavolontà, M. Caprai, L. Di Venere, E. Fiandrini, N. Giglietto, F. Giordano, M. Ionica, F. Liciulli, S. Loporchio, V. Masone, M. Mongelli, F. R. Pantaleo, R. Paoletti, A. Rugliancich, L. Stiaccini, L. Tosti, V. Vagelli, M. Valentino | 37        |
| <hr/>   |           |
| <i>Upgrade of the CMS Muon system with Triple-GEM detectors</i><br>F. M. Simone, R. Venditti, E. Soldani  | 42        |
| <hr/>   |           |
| <i>Monitoring Proton Beam-induced Photodiode Degradation using Low-voltage Ring Oscillators</i><br>H. C. Neitzert, G. Landi, F. Lang, J. Bundesmann, A. Denker, S. Keil, R. Thewes  | 48        |
| <hr/>   |           |
| <i>Ion identification with the Plastic Scintillator Detector for the High Energy cosmic-Radiation Detection (HERD) experiment</i><br>P. de la Torre Luque, A. De Benedictis, M. Di Santo, L. Di Venere, P. Fusco, F. Gargano, F. Giordano, F. Loparco, S. Loporchio, M. N. Mazziotta, M. Mongelli, D. Serini, G. Torralba Elipe, Z. M. Wang   | 53        |

---

|   |           |
|---|-----------|
| <i>FATIC: an ASIC for Fast Timing Micro-Pattern Gas Detectors</i> | <b>58</b> |
| F. Licciulli, G. De Robertis, A. Ranieri, P. Verwilligen          |           |

---

## **Keynote Speech**

---

|  |           |
|--|-----------|
| <i>CMOS Active Pixel Sensors for High Energy Physics</i> | <b>64</b> |
| L. Musa  |           |

---

## **Session 4: Advances in Lab-on-Chip Technologies**

---

|   |           |
|---|-----------|
| <i>All-solid-state Reference Electrodes for analytical applications</i> | <b>66</b> |
| F. Criscuolo, M. Galfione, S. Carrara, G. De Micheli                    |           |

---

|  |           |
|--|-----------|
| <i>Analysis of Label-Free Single-Molecule Biosensors based on Gate-Biofunctionalized Organic Transistors</i> | <b>70</b> |
| F. Torricelli, E. Macchia, K. Manoli, C. Di Franco, Z. M. Kovacs-Vajna, G. Palazzo, G. Scamarcio, L. Torsi   |           |

---

|  |           |
|--|-----------|
| <i>Equivalent Electrical Model of a-Si:H Diodes for Lab-on-Chip Technology</i> | <b>75</b> |
| N. Lovecchio, A. Nascetti, G. de Cesare, D. Caputo                             |           |

---

|  |           |
|--|-----------|
| <i>Development of an Electrochemiluminescence-based Lab-on-Chip Using Thin/Thick Film Technologies</i> | <b>79</b> |
| N. Lovecchio, F. Costantini, A. Nascetti, R. Petrucci, G. de Cesare, D. Caputo                         |           |

---

## **Session 5: IoT and AI in Industrial and Environmental Applications**

---

|   |           |
|---|-----------|
| <i>Semantic matchmaking as a way for attitude discovery</i> | <b>85</b> |
| M. Ruta, F. Scioscia, S. Ieva, G. Capurso, E. Di Sciascio   |           |

---

|   |           |
|---|-----------|
| <i>People/Car Classification using an Ultra-Low-Power Smart Vision Sensor</i> | <b>91</b> |
| F. Paissan, G. Cerutti, M. Gottardi, E. Farella                               |           |

---

|   |           |
|---|-----------|
| <i>Algorithms for the Detection of Blob Defects in High Speed Glass Tube Production Lines</i> | <b>97</b> |
| G. A. De Vitis, P. Foglia, C. A. Prete  |           |

---

## **Keynote Speeches**

---

---

|  |            |
|--|------------|
| <i>Industrial-IoT Data Analysis Exploiting Electronic Design Automation Techniques</i>   | <b>103</b> |
| N. Dall’Ora, S. Centomo, F. Fummi  |            |
| <br>   |            |
| <i>Is Innovating in a large high-tech multinational company possible?</i>  | <b>110</b> |
| B. Vigna   |            |
| <br>   |            |
| <b>Session 6: High Performance Systems for Healthcare, Food, Agriculture and Environment</b>   | <b>111</b> |
| <hr/>  |            |
| <i>A multi-protocol system for configurable data streaming on IoT healthcare devices</i>   | <b>112</b> |
| T. Polonelli, D. Brunelli, A. Girolami, G. N. Demmi, L. Benini   |            |
| <hr/>  |            |
| <i>NETWIS: A Scalable and Robust Body Sensor Network For Biomedical Application</i>  | <b>118</b> |
| M. Ballerini, M. Magno, D. Brunelli, G. Comai, L. Benini   |            |
| <hr/>  |            |
| <i>Sensor monitoring system for PV plant with active load</i>  | <b>124</b> |
| M. Muttillo, T. de Rubeis, D. Ambrosini, G. Ferri, G. Barile   |            |
| <hr/>  |            |
| <b>Keynote Speech</b>  |            |
| <hr/>  |            |
| <i>The OnePlanet Research Center – applying nanoelectronics, sensors, circuits and AI in food, health, agriculture and the environment</i>             | <b>128</b> |
| C. Van Hoof  |            |
| <hr/>  |            |
| <b>Session 7: Flexible large-area sensors and Smart Sensing Surfaces</b>   | <b>129</b> |
| <hr/>  |            |
| <i>The Multicorder: A Handheld Multimodal Metabolomics-on-CMOS Sensing Platform</i>  | <b>130</b> |
| V. F. Annese, C. Hu, C. Accarino, C. Giagkoulovits, S. B. Patil, M. A. Al-Rawhani, J. Beeley, B. C. Cheah, S. Velugotla, J. P. Grant, D. R. S. Cumming |            |
| <hr/>  |            |
| <i>A label-free immunosensor based on a graphene water-gated field-effect transistor</i>   | <b>136</b> |
| R. A. Picca, D. Blasi, E. Macchia, K. Manoli, C. Di Franco, G. Scamarcio, F. Torricelli, A. Zurutuza, I. Napal, A. Centeno, L. Torsi                   |            |

---

---

|  |            |
|--|------------|
| <i>0.5(BaZr0.2Ti0.8O3)-0.5(Ba0.7Ca0.3O3) thin films deriving from green sol-gel routes</i>       | <b>139</b> |
| P. S. Barbato, P. Aprea, D. Caputo, V. Casuscelli, R. Scaldaferrri, A. Di Matteo                 |            |
| <hr/>  |            |
| <i>A Simulation Study of an Optimized Impedance Spectroscopy Approach for Gas Sensors</i>        | <b>143</b> |
| A. V. Radogna, S. D'Amico, S. Capone, L. Franciosi   |            |
| <hr/>  |            |
| <b>Keynote Speeches</b>  |            |
| <hr/>  |            |
| <i>Towards Wireless Flexible Printed Wearable Sensors</i>  | <b>148</b> |
| C. Baumbauer, J. Ting, A. Thielens, J. Rabaey, A. C. Arias                                       |            |
| <hr/>  |            |
| <i>Single molecule detection of markers with a label-free bio-electronic sensor</i>              | <b>149</b> |
| L. Torsi   |            |
| <hr/>  |            |
| <i>Printed Smart Sensing Surfaces: technology, design and applications</i>                       | <b>150</b> |
| M.Fattori, J. A. Fijn, E. Genco, E. Cantatore  |            |
| <hr/>  |            |
| <b>Session 8: Pixel Detectors Applications</b>   | <b>151</b> |
| <hr/>  |            |
| <i>Study of the photon rejection of the ALPIDE pixel detector for medical applications</i>       | <b>152</b> |
| F. Colamaria, G. Trombetta, G. E. Bruno, G. De Robertis, V. Manzari, A. Mazzone, C. Pastore      |            |
| <hr/>  |            |
| <i>Design and Implementation of a Flexible Interface for TID Detector</i>                        | <b>158</b> |
| I. Fara, L. Matana Luza, J. Boch, G. Furano, M. Ottavi, L. Dilillo                               |            |
| <hr/>  |            |
| <i>Low-noise, low-power, event-driven read-out of counting Pixel Array Detectors</i>             | <b>163</b> |
| M. Hromalik, K. Burkey, T. Burns, B. Lin, K. Shanks, P. Purohit, H. Philipps, M. Tate, S. Gruner |            |
| <hr/>  |            |
| <b>Special Session: Energy efficient Smart Sensors and Self-sustainability</b>                   | <b>168</b> |
| <hr/>  |            |
| <i>A RISC-V Based Open Hardware Platform for Always-On Wearable Smart Sensing</i>                | <b>169</b> |
| M. Eggimann, M. Magno, S. Mach, L. Benini  |            |

---

---

|   |            |
|---|------------|
| <i>Energy-autonomous On-rotor RPM Sensor Using Variable Reluctance Energy Harvesting</i>                        | <b>175</b> |
| Y. Xu, S. Bader, M. Magno, P. Mayer, B. Oelmann   |            |
| <b>Keynote Speeches</b>   |            |
| <i>The role of cryo-CMOS in quantum computers</i>   | <b>181</b> |
| E. Charbon  |            |
| <i>Secure Near-Sensor Analytics: the PULP approach</i>  | <b>182</b> |
| L. Benini   |            |
| <b>Special Session: Building Blocks and Tools for Secure Hardware Design</b>                                    |            |
| <i>Two-Metric Helper Data for Highly Robust and Secure Delay PUFs</i>   | <b>184</b> |
| J. L. Danger, A. Schaub, S. Guilley   |            |
| <i>On Misuse of Nonce-Misuse Resistance: Adapting Differential Fault Attacks on (few) CAESAR Winners</i>        | <b>189</b> |
| M. Khairallah, S. Bhasin, A. Chattopadhyay  |            |
| <i>Lattice-based Cryptography for IoT in A Quantum World: Are We Ready?</i>                                     | <b>194</b> |
| A. Khalid, M. O'Neill, S. McCarthy, W. Liu  |            |
| <b>Poster Session</b>   |            |
|   | <b>200</b> |
| <i>A new NEMS Based Linear-to-Rotary Displacement-Capacity Transducer</i>                                       | <b>201</b> |
| A. Buzzin, A. Veroli, G. de Cesare, E. Giovine, M. Verotti, N. P. Belfiore                                      |            |
| <i>A Low Power Time Domain ECG Interface Based on Flexible a-IGZO TFTs</i>                                      | <b>205</b> |
| M. Zulqarnain, S. Stanziona, J. L. P.J. van der Steen, G. H. Gelinck, K. Myny, E. Cantatore                     |            |
| <i>A programmable low-power ADC interface for an ISFET sweat sensor used in a wearable multi-sensing system</i> | <b>210</b> |
| E. Voulgari, F. Krummenacher, M. Kayal  |            |

---

- 
- Effect of the ionic strength of the gating solution on a bioelectronic response*  
E. Macchia, K. Manoli, B. Holzer, C. Di Franco, F. Torricelli, R. A. Picca,  
G. Palazzo, G. Scamarcio, L. Torsi

- 
- Integrated 3D Microfluidic Device for Impedance Spectroscopy in Lab-on-Chip Systems*  
A. Buzzin, L. Iannascoli, M. Muzi, A. Veroli, G. de Cesare, D. Caputo, L.  
Maiolo, F. Maita, G. Ricci

- 
- Ultrasound Sensor for an Integrated Smart Spatial Exploration System*  
V. Di Palma, M. Passoni, F. Quaglia, R. A. Di Vaio, F. Foncellino, G. Villa,  
D. Ruggiero, A. Di Matteo

- 
- “Medical Assistance in Contextual awareness” (AMICO): a project for a better cardiopathic patients quality of care*  
V. Di Palma, D. De Venuto, S. Ricci, A. Frangi, A. S. Savoia, D. Di Nocera,  
P. Zampognaro, A. Coronato, I. Infantino, L. Pescosolido, N. De Luca, A.  
Di Matteo

- 
- A Differential Capacitive Multi-Material 3D Printed Sensor for Portable Anemometric Applications*  
G. Barile, A. Leoni, G. Ferri

- 
- Local Binary Patterning Approach for Movement Related Potentials based Brain Computer Interface*  
G. Mezzina, D. De Venuto

- 
- Sensors-based treatment system of the organic waste with RFID identification and on-cloud traceability*  
R. de Fazio, C. Esposito Corcione, A. Greco, F. Ferrari, R. Striani, L.  
Catarinucci, F. Chietera, R. Colella, L. Patrono, V. Mighali, I. Sergi, E.  
Venere, M. Pucciarelli, M. Caiazzo, P. Pastore, O. Ivchenko, L.  
Abbruzzese, A. Fornaro and P. Visconti

- 
- Wireless System Based in Cellular Network for Monitoring Marine Mammals at Mexican Coast*  
U. Cedeño-Antunez, B. E. Carvajal-Gamez, A. E. Pallares-Calvo

---

|  |            |
|--|------------|
| <i>An Active Low Input Capacitance Bond Pad for CMOS Sensor Interface Circuits</i>   | <b>255</b> |
| S. Keil, Y. Ebensberger, R. Thewes   |            |
| <hr/>  |            |
| <i>Impact of Front-End Wearout Mechanisms on the Performance of a Ring Oscillator-Based Thermal Sensor</i>   | <b>258</b> |
| R. Zhang, K. Yang, T. Liu, L. Milor  |            |
| <hr/>  |            |
| <i>A sensors-based monitoring system of electrical consumptions and home parameters remotely managed by mobile app for elderly habits' control</i> | <b>264</b> |
| P. Visconti, P. Costantini, R. de Fazio, A. Lay-Ekuakille, L. Patrono  |            |
| <hr/>  |            |
| <i>Custom measuring system tailored for MFCs</i>   | <b>270</b> |
| A. Pietrelli, N. Lovecchio, V. Ferrara, B. Allard  |            |
| <hr/>  |            |
| <i>Capacitive and Optical Sensing for Automatic Detection and Characterization of Cleaning Sponges in Fiber Optic Microduct Installations</i>      | <b>274</b> |
| S. Akram, M. F. Alam, K. Bertilsson, J. Siden  |            |
| <hr/>  |            |
| <i>Tests and investigation towards the final design of the GEM front-end electronics</i>   | <b>279</b> |
| C. Aruta, F. M. Simone, F. Ivone, B. L. Dorney, J. A. Merlin, E. R. Starling   |            |
| <hr/>  |            |
| <i>Preparation of graphite targets for Accelerator Mass Spectrometry (AMS) radiocarbon measurements at INFN-Bari Laboratory</i>                    | <b>285</b> |
| F. Barile, S. Barone, M. E. Fedi, L. Liccioli, L. Schiavulli, G. Casamassima, A. Valentini, C. Pastore, V. Paticchio                               |            |
| <hr/>  |            |
| <i>Gamma radiation measurements of naturally radioactive samples at INFN Bari laboratory</i>   | <b>291</b> |
| F. Barile, L. Schiavulli   |            |
| <hr/>  |            |
| <i>A gamma-ray imaging camera for ambient radioactivity detection</i>  | <b>297</b> |
| C. Altomare, L. Di Venere, E. Fanchini, F. Giordano, F. Loparco, M. Morichi, P. Spinelli, L. Swiderski   |            |
| <hr/>  |            |
| <i>MFCs as biosensor, bioreactor and bioremediatory</i>  | <b>302</b> |
| A. Pietrelli, I. Bavasso, N. Lovecchio, V. Ferrara, B. Allard  |            |

---

---

|  |            |
|--|------------|
| <i>LoRa vs. LoRa: In-Field Evaluation and Comparison For Long-Lifetime Sensor Nodes</i>  | <b>307</b> |
| P. Mayer, M. Magno, T. Brunner, L. Benini  |            |
| <br>   |            |
| <i>Wireless Power Transmission Powering Miniaturized Low Power IoT devices: A Review</i> | <b>312</b> |
| L. Meile, A. Ulrich, M. Magno  |            |
| <hr/>  |            |
| <b>Index of Authors</b>  | <b>318</b> |
| <hr/>  |            |