## 29th International Conference on Software Engineering & Knowledge Engineering (SEKE 2017)

Pittsburgh, Pennsylvania, USA 5-7 July 2017

ISBN: 978-1-5108-9143-2

## Printed from e-media with permission by:

Curran Associates, Inc. 57 Morehouse Lane Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2017) by KSI Research Inc. All rights reserved.

Printed by Curran Associates, Inc. (2019)

For permission requests, please contact KSI Research Inc. at the address below.

KSI Research Inc. 156 Park Square Lane Pittsburgh, PA 15238 USA

Phone: 412-606-5022

office@ksiresearch.org

## Additional copies of this publication are available from:

Curran Associates, Inc. 57 Morehouse Lane Red Hook, NY 12571 USA Phone: 845-758-0400

Fax: 845-758-2633

Email: curran@proceedings.com Web: www.proceedings.com

## **Table of Contents**

| Foreword   | iii |
|--|-----|
| Conference Organization  | iv  |
| Keynote 1: Actor-Oriented Programming for the Internet of Things Prof. Gul Agha  | ix  |
| Keynote 2: User-centric Techniques for Big Data Exploration Prof. Panos Chrysanthis                                      | Х   |
| Data Intensive Services based Application-I  |     |
| Answering Who/When, What, How, Why through Constructing Data Graph, Information Graph, Knowledge Graph and Wisdom Graph  | 1   |
| BPaaS: A Platform for Artifact-centric Business Process Customization in Cloud Computing                                 | 7   |
| Applying Probability Model to The Genetic Algorithm Based Cloud Rendering Task Scheduling                                | 12  |
| Software Architecture  |     |
| F 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1  | 18  |
| Alexandre Le Borgne, David Delahaye, Marianne Huchard, Christelle Urtado and<br>Sylvain Vauttier                         |     |
| Towards a Models Traceability and Synchronization Approach of an Enterprise Architecture (S)                             | 24  |
| José Rogério Poggio Moreira and Rita Suzana Pitangueira Maciel   |     |
| Infrastructure Based on Template Engines for Automatic Generation of Source Code for Self-adaptive Software Domain (S)   | 30  |
|  |     |
| Risk Management  |     |
| A Knowledge Engineering Process for the Development of Argumentation Schemes for<br>Risk Management in Software Projects | 36  |
| Denise Da Luz Siqueira, Lisandra M. Fontoura, Rafael H. Bordini and Luis A. L. Silva                                     |     |
| Argumentation Schemes for the Collaborative Debate of Requirement Risks in Software Projects                             | 42  |
| Denise Da Luz Siqueira, Lisandra M. Fontoura, Rafael H. Bordini and Luis A. L. Silva                                     |     |

| An empirical study on software engineering and software startups: Findings from cases in an innovation ecosystem (S)   | 48  |
|--|-----|
| Leandro Pompermaier, Rafael Chanin, Afonso Sales, Kellen Fraga and Rafael Prikladnicki   | 40  |
| Data Intensive Services based Application-II   | -   |
| POQAS-S: a Novel Programmer-Oriented Online Question Answering System With Semantic Comprehension  | 52  |
| Logical Tree and Complex Event Processing in Power Systems (S)   | 57  |
| I/O Performance Isolation Analysis and Optimization on Linux Containers Li Zhou, Yifan Zhang, Youhuizi Li, Na Yun, and Lifeng Yu                                   | 61  |
| Software Process   |     |
| A Framework to Build Bayesian Networks to Assess Scrum-based Development Methods Mirko Perkusich, Kyller Gorgônio, Hyggo Almeida and Angelo Perkusich              | 67  |
| Ordering the Product Backlog in Agile Software Development Projects: A Systematic Literature Review  | 74  |
| BPL-Framework 2.0: Support tool for Creation and Instantiation of Business Process Lines (S)   | 81  |
| Literature Review  |     |
| Practical similarities and differences between Systematic Literature Reviews and Systematic Mappings: a tertiary study   | 85  |
| An Experience Report on Update of Systematic Literature Reviews  | 91  |
| System of Systems Requirements: A Systematic Literature Review using Snowballing $(S)$ . Renata Martinuzzi de Lima, Daniel de Vargas and Lisandra Manzoni Fontoura | 97  |
| Big Data R&D In Knowledge Engineering-I  |     |
| Authenticity Protection in Outsourced Database (S)   | 101 |
| Constructing Drug Ingredient Interaction Network to Ensure Medication Security Zhiren Mao, Pingyi Zhou, Jiaxiang Zhong, Luojia Jiang, Chongzhi Deng and Jin Liu    | 105 |
| Is the Number of Faults Helpful for Cross-Company Defect Prediction? (S)   | 111 |

| Using Class Imbalance Learning for Cross-Company Defect Prediction (S)   |
|--|
| Improving Bug Triage with Relevant Search  |
| Performance  |
| Concurrent Call Level Interfaces Based on an Embedded Thread Safe Local Memory Structure   |
| Parallel Execution Optimization of GPU-aware Components in Embedded Systems $135$ $Gabriel\ Campeanu$  |
| New Optimal Solutions for Real-Time Scheduling of Operating System Tasks Based on Neural Networks  |
| Model Construction and Data Management of Running Log in Supporting SaaS Software Performance Analysis   |
| Formal Methods   |
| Conceptual Software Design: Algebraic Axioms for Conceptual Integrity  |
| A Method to Analyze High Level Petri Nets using SPIN Model Checker   |
| Algebraic Formalization and Verification of PKMv3 Protocol using Maude   |
| A Formal Design Model for Cloud Services (S)   |
| Feature Selection  |
| Exploring the Influence of Feature Selection Techniques on Bug Report Prioritization179  Yabin Wang, Tieke He, Weiqiang Zhang, Chunrong Fang and Bin Luo |
| Analyzing Variability in Product Families through Canonical Feature Diagrams   |
| An Empirical Study on the Equivalence and Stability of Feature Selection for Noisy Software Defect Data  |
| A Membership-based Multi-dimension Hierarchical Deep Neural Network Approach for Fault Diagnosis (S)   |
| Requirements Modeling  |

| Context Model Acquisition from Spoken Utterances  | 201 |
|---|-----|
| A Comparison of Two Model Transformation Frameworks for Multiple-viewed Software Requirements Acquisition | 207 |
| Selection and prioritization of software requirements using the Verbal Decision Analysis paradigm (S)     | 213 |
| Software Testing I  |     |
| Multi-Objective Crowd Worker Selection in Crowdsourced Testing  | 218 |
| Reuse of Fixture Setup between Test Classes   | 224 |
| An Ontology-based Knowledge Management System for Software Testing (S)                                    | 230 |
| Model Driven Development  |     |
| A Framework for Developing Cyber Physical Systems   | 236 |
| Towards Code Generation from Design Models  | 242 |
| Self-adaptive Systems Driven by Runtime Models  | 248 |
| Extending HL7 RIM Model to Capture Physical Activity Data   | 254 |
| Software Testing II   |     |
| An Approach to Mobile Application Testing Based on Natural Language Scripting                             | 260 |
| Random GUI Testing of Android Application Using Behavioral Model  | 266 |
| Localization of Linearizability Faults on the Coarse-grained Level  | 272 |
| Predicate Interpretation Analysis Based on Soot (S)   | 278 |
| Data Mining I   |     |

| Generating Software Agents for Data Mining: An Example for the Health Data Area 28                |
|---|
| Reinier Morejon, Marx Viana and Carlos José Lucena  |
| Distributed API Protocol Mining   |
| Quality Assurance I   |
| Automatic Type Inference for Proactive Misconfiguration Prevention                                |
| Combing Data Filter and Data Sampling for Cross-Company Defect Prediction: An Empricial Study (S) |
| Search  |
| SnippetGen:Enhancing the Code Search via Intent Predicting  |
| LaSaS: an Aggregated Search based Graph Matching Approach   |
| An Event Search Platform Using Machine Learning (S)   |
| Data Mining II  |
| The effects of classifiers diversity on the accuracy of stacking                                  |
| Discovering Hidden Interests from Twitter for Multidimensional Analysis                           |
| Software Defect Prediction Using Dictionary Learning  |
| Map-Reduce based Link Prediction for Large Scale Social Network (S)                               |
| Quality Assurance II  |
| A Practical Study on Quality Evaluation for Age Recognition Systems                               |
| FSCR:A Feature Selection Method for Software Defect Prediction (S)                                |

| An empirical study on the influence of context in computing thresholds for Chidamber and Kemerer metrics (S)   |
|--|
| Leonardo C. Santos, Renata Saraiva, Mirko Perkusich, Hyggo O. Almeida and Angelo<br>Perkusich  |
| Recommendation   |
| Who Will be Interested in? A Contributor Recommendation Approach for Open Source Projects  |
| A GQM-based Approach for Software Process Patterns Recommendation  |
| Cold-Start Developer Recommendation in Software Crowdsourcing: A Topic Sampling Approach   |
| Automated Software Security Requirements Recommendation Based on FT-SR Model (S) 382  Jiangjuan Wang, Xiaohong Li, Zhiyong Feng, Jianye Hao, Guangquan Xu and Zhuobing Han |
| Big Data R&D In Knowledge Engineering-II   |
| A Reinforced Hungarian Algorithm for Task Allocation in Global Software Development . 386 $Xiao\ Yu,\ Man\ Wu,\ Xiangyang\ Jia\ and\ Ye\ Liu$                              |
| A Data Filtering Method Based on Agglomerative Clustering  |
| An Ontology-based Approach to Semantic Health Resource Knowledge Base Development for Crisis Preparation Decision Support System (S)                                       |
| Constant Evaluation of L2 Students' English Witing Ability (S)   |
| Knowledge Discovery Process for Description of Spatially Referenced Clusters   |
| Conceptual Integrity of Software Systems   |
| Conceptual Integrity of Software Systems: Architecture, Abstraction and Algebra 416 $Iaakov\ Exman$  |
| Conceptual Integrity without Concepts  |
| EXTRACTION OF PATTERNS USING NLP: GENETIC DEAFNESS (S)   |
| Extending Software Systems While Keeping Conceptual Integrity (S)  |
| Code Analysis I  |

| A Comparative Study of Software Bugs in Clone and Non-Clone Code  | :36 |
|---|-----|
| The Relationship between Traceable Code Patterns and Code Smells  | 44  |
| Refactoring Object-Oriented Applications towards a better Decoupling and Instantiation Unanticipation (S)   | :50 |
| Delphi: A Source-code Analysis and Manipulation System for Bricklayer (S) 4 Victor Winter, Betty Love and Chris Harris                            | :56 |
| Reliability   |     |
| A Simpler and More Direct Derivation of System Reliability Using Markov Chain Usage Models  | :62 |
| A Process to Calculate the Uncertainty of Software Metrics-based Models Using Bayesian Networks (S)   | :67 |
| Safe Incremental Design of UML Architectures (S)  | 73  |
| Anne-Lise Courbis, Thomas Lambolais and Thanh-Hung Nguyen   |     |
| Enhancing sample-based scheduler with collaborate-state in big data cluster (S) 4 Chunliang Hao, Celia Chen, Jie Shen, Mingshu Li and Barry Boehm | :77 |
| Software Security   |     |
| A Stratification and Sampling Model for Bellwether Moving Window  | :81 |
| Security Requirements for Tolerating Security Failures (S)  | :87 |
| SemHunt: Identifying Vulnerability Type with Double Validation in Binary Code $(S)$ 4 Yao Li, Weiyang Xu, Yong Tang, Xianya Mi and Baosheng Wang  | 91  |
| A Tailor made System for providing Personalized Services (S)  | .95 |
| Code Analysis II  |     |
| Fault Interference and Coupling Effect  | 01  |
| Reranking-based Crash Report Deduplication (S)  | 07  |

| Analyzing duplication on code generated by Scaffolding frameworks for Graphical user interfaces (S)  |
|--|
| André M. Andrade, Rodrigo A. Vilar, Anderson A. Lima, Hyggo Almeida and Angelo<br>Perkusich  |
| Dedicated Static Sampling Pointcut Designators (S)   |
| Agent  |
| A Publish-Subscribe based Architecture for Testing Multiagent Systems  |
| Practical Reasoning in an Argumentation-based Decision BDI Agent: a Case Study for Participatory Management of Protected Areas (S)                                       |
| Working Towards a BDIAgent Based on Personality Traits to Improve Normative Conflicts Solution (S)   |
| Software Education   |
| A Virtual Environment for Problem-Based Learning in Software Engineering Education 535 Bruno Bessa and Simone Santos   |
| Knowledge-based Learning Content Generation in the STUDYBATTLES Environment 541 Amal Shehadeh, Alexander Felfernig, Michael Jeran, Martin Stettinger and Stefan Reiterer |
| Development of a Data Mining Education Framework for Visualization of Data in Distance Learning Environments (S)   |
| Ontology   |
| Morpheme-Enhanced Spectral Word Embedding  |
| A Lightweight Approach for Evaluating Sufficiency of Ontologies (S)  |
| Understanding the Impact of Using Ontology Matching Tools for Validating Feature Models with Domain Knowledge (S)  |
| Towards a Model-Driven Platform for Evidence based Public Health Policy Making (S) $\dots$ 566 Marios Prasinos, George Spanoudakis and Dimitrios Koutsouris              |
| Development Tools  |
| Automatic Classification of Review Comments in Pull-based Development Model 572  Zhixing Li, Yue Yu, Gang Yin, Tao Wang, Qiang Fan and Huaimin Wang                      |

| Mining Developer Behavior Across GitHub and StackOverflow  | 578         |
|--|-------------|
| Exploring Identical Users on GitHub and Stack Overflow   | 584         |
| D3TraceView: A Traceability Visualization Tool (S)   | <b>59</b> 0 |
| Data Analysis  |             |
| Analyzing Complex Data in Motion at Scale with Temporal Graphs   | 596         |
| MAGICIAN: Model-based design for optimizing the configuration of data-centers 6 Pablo C. Cañizares, Alberto Núñez and Juan de Lara   | i02         |
| Characterizing Relationships for System Dynamics Models Supported by Exploratory Data Analysis - A Conceptualizing Approach about the Meeting Diversity in Student Software Projects | 308         |
| A Software Framework for Data Provenance (S)   | 315         |
| Posters and Demos  |             |
| Systems Implantation: A Comparative Study and Identification of Gaps in Usual Methodologies (P)  | 319         |
| Custom Process to Small Business (P)   | 522         |
| Visual Development Platform for Ruby on Rails (P)  | 323         |
| Home automation:HMM based fuzzy rule engine for Ambient intelligent smart space (P)6  Gopal Singh Jamnal, Xiaodong Liu and Lu Fan  | 524         |
| Named Entity Extraction and Classification in Digital Publications (P)   | 526         |
| Knowledge Management in a Software Development Organization: Identifying Tools, Processes and Benefits (P)   | 327         |
| Implementing and Evaluating Scrum in Computer Science Senior Projects (P) 6  Maral Kargarmoakhar, Mohsen Taheri and S. Masoud Sadjadi  | 328         |

| A Comparative Analysis of Classification Algorithms in Diabetic Retinopathy Screening |              |
|---|--------------|
| (P)   | 331          |
| Saboora Mohammadian, Ali Karsaz and Yaser M. Roshan                                   |              |
| A Conversational Workflow Model for Chatbot (P)                                       | 332          |
| Authors' Index  | <b>A-</b> 1  |
| Progam Committee Reviewers' Index   | <b>A-</b> 10 |
| External Reviewers' Index   | <b>A-</b> 14 |
| Note:   |              |
| <ul><li>(S) indicates a short paper.</li><li>(P) indicates a poster.</li></ul>        |              |