

International Elastomer Conference 2019

Featuring the Expo, 196th Technical Meeting
& Educational Symposium

Cleveland, Ohio, USA
8-10 October 2019

Volume 1 of 2

ISBN: 978-1-5108-9803-5

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2019) by Rubber Division, American Chemical Society
All rights reserved.

Printed with permission by Curran Associates, Inc. (2020)

For permission requests, please contact Rubber Division, American Chemical Society
at the address below.

Rubber Division, American Chemical Society
411 Wolf Ledges Pkwy.
Ste 201
Akron, OH 44311
USA

Phone: 330-595-5531
Fax: 330-972-5269

www.rubber.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

VOLUME 1

MANUFACTURING GREEN SILICA FROM RICE HUSK ASH	1
<i>P. Garbelotto</i>	
5 REASONS TO CELEBRATE TOOL CLEANING IN ELASTOMER MOLDING	4
<i>S. Wilson</i>	
NEW INSIGHTS INTO THE ROLE PLAYED BY ZNO IN SULFUR CROSSLINKING BY WAYS OF A SULFUR DONOR	13
<i>G. Butuc, A. Janssen, K. van Leerdam, A. Talma, A. Blume</i>	
UNIQUE NON-STAINING POLYBUTADIENE RUBBER CONTAINING SPB WITH HIGH MELTING POINT FOR EXCELLENT ENERGY LOSS PERFORMANCE AND HIGH PROCESS ABILITY	25
<i>K. Mizokami</i>	
A FINITE ELEMENT METHODS ENGINEERED SOLUTION FOR IMPLEMENTING COMPONENT MATERIAL PROPERTIES FOR PREDICTING TIRE VIBRATION PERFORMANCE	27
<i>R. Wheeler</i>	
DEFORMATION INDEX APPLIED TO PROJECTILE IMPACT	33
<i>C. Roland, T. Ransom, R. Gamache</i>	
CARBON BLACK REINFORCEMENT OF RUBBER FOR ANTI-VIBRATION APPLICATIONS: DYNAMIC PERFORMANCE VERSUS DURABILITY	38
<i>L. Tunnicliffe</i>	
NVH IMPLICATIONS OF USING GUAYULE IN AUTOMOTIVE PART APPLICATIONS	46
<i>C. Barrera, J. Tardiff, J. Connors</i>	
A LOW HYSTERESIS ADDITIVE FOR USE WITH PHENOL-FORMALDEHYDE RESINS	57
<i>D. Seel</i>	
GET MULTIPLE EXTRUDATE DIMENSIONS ON SPEC FAST USING CASCADE CONTROL	89
<i>J. Stevenson</i>	
ECO-FRIENDLY CURATIVES: A TOOL TO ASSIST IN DEVELOPING BETTER HEALTH AND ENVIRONMENTALLY SAFER RUBBER COMPOUNDS	105
<i>J. Neilsen, H.-J. Weidenhaupt, D. Kaempfer</i>	
EFFECT OF DIFFERENT ACCELERATORS IN EPDM	115
<i>M. Schmitz, N. Hershberger</i>	
FUEL AGING STUDIES OF AEM COMPOUNDS	149
<i>E. McBride</i>	
GENERAL INTRODUCTION AND POTENTIAL APPLICATIONS OF NEW OIL-RESISTANT ELASTOMER: EVOLMER®	165
<i>M. De Sarkar, N. Kobayashi, T. Sunada, A. Kondo</i>	
NEW DEVELOPMENTS IN FLUROSILICONE RUBBER	178
<i>C. Gross, P. Griffith, R. Drake</i>	
MLPC, A RELIABLE PARTNER FOR SUSTAINABLE SOLUTIONS	194
<i>I. Yarzabal</i>	
EFFECTS OF MOLECULAR ARCHITECTURE AND CHARGE COMPLEXATION ON THERMOPLASTIC ELASTOMER GELS	232
<i>M. Tuhin, J. Yan, S. Yan, M. Pasquinelli, B. Lee, S. Smith, R. Spontak</i>	
DEVELOPMENT OF A NEW HIGH RESILIENT TPV FOR AUTOMOTIVE SEALING SYSTEMS	236
<i>K. Iyer, A. Doufas, B. Shah</i>	
PROGRAMMABLE SHAPE CHANGE IN BIO-INSPIRED THERMOPLASTIC ELASTOMER BILAYERS	245
<i>C. Wisinger, L. Maynard, J. Barone</i>	
IMPROVING THE SUSTAINABLE CONTENT IN THERMOPLASTIC ELASTOMERS – USE OF NATURAL RUBBER AND ALTERNATIVE FILLERS	261
<i>S. Park, C. Barrera, M. Shewey, J. Tardiff</i>	
IMPROVING CPE CABLES FOR ROBOTIC WELDING FORMULATIONS ENHANCING ACTUAL UL 94 V-1 TO UL 94 V-0 CROSSLINKING BY ELECTRON BEAMING USING NON-HALOGENATED FIRE RETARDANTS	276
<i>D. Marginean</i>	

OIL EXTENDED FREE FLOW PELLET NORDEL™ EPDM FOR TPV AND EXTRUSION APPLICATIONS	291
<i>L. Du, S. Wu, C. Shan, J. Tuberquia</i>	
NATURAL RUBBER-TOUGHENED PHBV/PLA BIOPLASTIC FILMS FOR QUIETER PACKAGING APPLICATIONS	309
<i>X. Zhao, S. Storts, K. Cornish, Y. Vodovotz</i>	
IMPROVED MANUFACTURING EFFICIENCY WITH NORDEL™ EPDM	320
<i>I. Hamdan, G. Brennan, S. Dhodapkar, G. Li, E. Madenjian, L. Nguyen, C. Thomas, R. Trottier, J. Tuberquia, S. Wu</i>	
THERBAN® HT - A POLYAMIDE REINFORCED HNBR WITH IMPROVED HIGH TEMPERATURE PROPERTIES	326
<i>M. Hemstede, P. Spanos, J. Dodevski, A. Kaiser, S. Lieber</i>	
LOW TEMPERATURE CURE LSR TECHNOLOGY ENABLES PROCESSING IMPROVEMENTS	345
<i>P. Beyer, C. Gross, M. Wang</i>	
COMPREHENSIVE SELF-STERILIZING ELASTOMERS TO COMBAT DRUG-RESISTANT MICROBES	360
<i>B. Peddinti, F. Scholle, M. Vargas, S. Smith, R. Ghiladi, R. Spontak</i>	
DEVELOPMENTS IN SEBS FOR MEDICAL AND OTHER VALUABLE APPLICATIONS	364
<i>S. Corona-Galvan, M. Alonso, M. Cruz, L. Alvarez</i>	
CAVITATION DAMAGE IN TIRE RUBBER MATERIALS	382
<i>E. Euchler, R. Bernhardt, F. Wilde, K. Schneider, S. Wiessner, G. Heinrich, T. Tada</i>	
COMPUTING STIFFNESS LOSS DUE TO FATIGUE UNDER INCREMENTALLY UPDATED LOAD AND DISPLACEMENT HISTORIES	395
<i>W. Mars, M. Bauman, J. Suter</i>	
UNDERSTANDING THE ROLE OF FILLER PARTICLES IN STRESS SOFTENING OF FILLER-REINFORCED ELASTOMERS	407
<i>V. Morovati, Y. Chen, R. Dargazany</i>	
BREAKING THE COMPUTATIONAL BARRIER TO SIMULATING FULL ROAD LOAD SIGNALS IN FATIGUE	412
<i>W. Mars, J. Suter</i>	
TRANS-1, 4-POLY(BUTADIENE-CO-ISOPRENE) COPOLYMER RUBBER: NEW STRATEGY FOR GREEN TIRES AND LONG SERVING LIFE DAMPING MATERIALS	435
<i>A. He, X. Zhang, R. Wang, H. Wang, H. Shao, C. Liu</i>	
DESIGNING BROMOBUTYL ELASTOMER SYSTEM FOR TIRE INNERLINER COMPOUNDS	441
<i>E. Wamsley, R. Chen, B. Rodgers</i>	
EMERGENCE OF NC7000™ CARBON NANOTUBE INTO TIRE AND RUBBER PRODUCTS RELEASE ASSESSMENT FROM MATRIX CONTAINING-MWCNT ALONG THE LIFECYCLE	467
<i>A. Rul, A. Nasiri, M. Claes</i>	
SILICA DEVELOPMENT FOR SIDEWALL COMPOUNDS	469
<i>L. Freire, T. Brenner</i>	
BIOMIMETIC SYNTHETIC RUBBER VS. NATURAL RUBBER – STRAIN INDUCED CRYSTALLIZATION AND ABRASION RESISTANCE	493
<i>M. Beiner, U. Wendler, D. Pruffer, R. Jaeger, K. Mandel</i>	
NEW DEVELOPMENTS IN OTR TIRES: PERFORMANCE AND SUSTAINABILITY	501
<i>F. Bacchelli, B. Pellizzari, F. Grasso</i>	
BROMINATED ISOBUTYLENE-CO-PARAMETHYLSTYRENE (BIMSM) WITH SUPERIOR IMPERMEABILITY FOR TIRE INNERLINER APPLICATIONS	517
<i>S. Jacob, R. Chen, S. Nair, J. Valentage</i>	
SILANE-TERMINATED LIQUID POLY(BUTADIENES) IN TREAD FORMULATIONS: A MECHANISTIC STUDY	580
<i>F. Salort, S. Henning</i>	
UNIVERSAL COUPLING AGENT FOR CARBON BLACK AND SILICA	623
<i>V. Barbera, S. Guerra, A. Bernardi, D. Locatelli, G. Prioglio, F. Margani, L. Rubino</i>	
LIQUID RUBBERS FOR ENHANCED TIRE PERFORMANCE	671
<i>K.-S. Krannig</i>	
IMPROVED WINTER TIRE PERFORMANCES WITH LIQUID RUBBER	681
<i>Y. Ueno, Y. Uehara</i>	
UTILIZATION OF ORGANOCCLAY AS SECONDARY FILLER IN SILICA-REINFORCED NATURAL RUBBER TIRE TREAD COMPOUNDS	686
<i>S. Sattayanurak, K. Sahakaro, W. Kaewsakul, W. Dierkes, L. Reuvekamp, A. Blume, J. Noordermeer</i>	

SURFACE MODIFIED CARBON BLACK FOR MODERN LOW ROLLING RESISTANCE TIRES - COMPOUNDING STRATEGY AND PROCESS OPTIMIZATION	714
<i>H. Westenberg</i>	
SILICA-FILLED MASTERBATCHES PRODUCED WITH LIQUID PHASE MIXING - PART I. CHARACTERIZATION	721
<i>M.-J. Wang, J. Song, Z. Wang, K. Liu, H. Zhang, X. Zhang, W. Jia</i>	
SILICA MASTERBATCHES PRODUCED WITH LIQUID PHASE MIXING - PART II. DYNAMIC STRESS-SOFTENING EFFECT	748
<i>M. Xie, F. He, L. Yi, M.-J. Wang</i>	
CAPILLARY RHEOMETERS WITH CONTIFEED	773
<i>T. Haake</i>	
ESTIMATION OF MECHANICAL LOAD ON RUBBER MIXING ROTORS BY USING PARTIALLY-FILLED FLOW SIMULATION IN CHAMBER.....	781
<i>K. Fukutani, K. Higashi, H. Miura, Y. Yamane</i>	

VOLUME 2

RPA RUBBER TESTING BY THE NUMBERS – THE ASTM NUMBERS.....	803
<i>J. Dick</i>	
SILICA TREAD MIXING USING ENTEX PLANETARY ROLLER EXTRUDER	823
<i>E. Terrill, R. Quack, M. Batton</i>	
MEASURING SILICA DISPERSION QUALITY IN RUBBER MIXING	839
<i>J. Dick, A. Gil</i>	
RUBBER BONDING: NOVEL MEASUREMENTS FOR CURE RATE OF ADHESIVES AND MEASUREMENTS OF REACTIVITY OF APPLIED DRIED ADHESIVES	862
<i>C. Stevens, S. Sabnis, S. Clague</i>	
TWO-COAT RUBBER TO SUBSTRATE BONDING SYSTEMS VS ONE-COAT BONDING SYSTEMS AND THE IMPACT ON CORROSION RESISTANCE	875
<i>R. Cassell, D. Hoy, J. Mentzer</i>	
HEXAMETHYLENE BIS-BUNTE SALT IN PLACE OF COBALT SALTS FOR STEEL CORD ADHESION.....	885
<i>C. Lin, F. Ignatz-Hoover, L. Forciniti, S. Niknezhad, J. Tyhurst, D. Wong, W. Jackson, M. Barb</i>	
ADVANCES IN COATINGS FOR RUBBER-TO-METAL BONDED PARTS	901
<i>T. Betzhold</i>	
THE EFFECT OF BONDING AID ON ARAMID PULP IN EPDM COMPOUND.....	928
<i>M. Gmerek</i>	
IMPROVED ADHESION IN ELASTOMERIC LAMINATES FOR CHEMICAL PROTECTION THROUGH THE USE OF COMPATIBILIZING RUBBER BLENDS	940
<i>J. Yi, E. Keane, J. Zhang, C. Hansen, W. Zukas, J. Mead</i>	
INNER LINER: HOW CONSTRUCTION AND COMPOSITION EFFECT AIR RETENTION	959
<i>D. Adkinson, S. Teerstra, R. Krista</i>	
BRANCHING CHARACTERISTICS OF MODEL POLYBUTADIENES USING MULTI- DETECTOR GEL PERMEATION CHROMATOGRAPHY AND RUBBER PROCESS ANALYZER.....	977
<i>L. Rodriguez-Guadarrama, L. Lugo</i>	
FATIGUE CRACK INITIATION IN SILICA FILLED STYRENE BUTADIENE RUBBER	993
<i>H. Padmanathan, C. Federico, F. Addiego, G. Rauchs, O. Kotecky, S. Westermann, R. Rommel, Y. Fleming</i>	
MULTISCALE APPROACH FOR CHARACTERIZING DAMAGE IN RUBBER COMPOSITES	1018
<i>C. Federico, H. Padmanathan, Y. Fleming, G. Rauchs, O. Kotecky, R. Rommel, F. Adiego, S. Westermann</i>	
PREDICTION AND VALIDATION OF OPTIMAL CURING CONDITIONS IN NON-POST CURED RUBBER COMPOUNDS	1033
<i>A. Becker, R. Ovink</i>	
ANALYSIS OF METHODS FOR MEASURING DISPERSION OF FILLERS IN RUBBER COMPOUNDS.....	1054
<i>K. Knipp</i>	
USING THE LABORATORY CUTTING METHOD FOR PREDICTING LONG-TERM DURABILITY OF ELASTOMERS.....	1080
<i>C. Robertson, J. Goossens, W. Mars</i>	
RHEOLOGICAL AND PROCESSABILITY CHARACTERIZATION OF MIXING EFFECTS ON NATURAL RUBBER USING AN RPA.....	1088
<i>A. Latshaw, D. Bohnsack, S. Reddy, T. Rauschmann</i>	

DYNAMIC MECHANICAL CHARACTERIZATION OF BR/NR CURED RUBBER	1099
<i>T. Nickel, M. Haris, S. Behdad</i>	
CHARACTERIZING TENSILE STRENGTH DISTRIBUTION TO EVALUATE FILLER DISPERSION EFFECTS AND RELIABILITY OF RUBBER	1113
<i>C. Robertson, L. Tunnicliffe, L. Maciag, M. Bauman, K. Miller, C. Herd, W. Mars</i>	
AUTOMATION AND AI FOR MATERIAL DEVELOPMENT - SUMMARY	1136
<i>K. Boqaileh</i>	
MOLECULAR CHARACTERISTICS OF ELASTOMERS MEASURED WITH MODERN RHEOLOGICAL TOOLS	1140
<i>H. Pawloski, R. Hanzlik</i>	
A NOVEL INSIGHT INTO OZONE CRACKING OF RUBBER	1163
<i>H. Mouri</i>	
FUNDAMENTAL ASPECT FOR EVALUATION OF ACTIVATION ENERGY OF THERMAL DEGRADATION OF TETRAFLUOROETHYLENE-PROPYLENE ELASTOMER BY WEIGHT CHANGE	1178
<i>M. Ito, S. Okada</i>	
UNDERSTANDING TRACTION ENHANCERS WITH UESHIMA RTM FRICTION TESTER	1210
<i>E. Terrill, H. Yoshioka</i>	
A NOVEL METHOD FOR DISPERSION ANALYSIS IN ELASTOMERIC TIRE FORMULATIONS USING HIGH RESOLUTION X-RAY COMPUTED TOMOGRAPHY	1230
<i>D. Penumadu, J. Chin, S. Young, F. Ignatz-Hoover, T. Floyd, P. Chapman</i>	
TEARING ENERGY IN RELATION TO DISTRIBUTION OF OIL CONCENTRATION MEASURED BY INFRARED SPECTROSCOPY AT FRACTURE SURFACE	1260
<i>S. Datta, E. Harea, R. Stoczek</i>	
NORDEL EPDM SOLUTION TO ENABLE HIGH HEAT RESISTANT APPLICATIONS	1268
<i>Y. Lai, J.-Y. Lee, G. Li, S. Wu, R. Laakso</i>	
HYDROGEN COMPATIBILITY OF EPDM RUBBER IN HIGH-PRESSURE ENVIRONMENTS	1276
<i>W. Kuang, K. Simmons, B. Arey, A. Dohnalkova, Y. Shin</i>	
WATCHING FILLER BEHAVIOR IN SILICA REINFORCED SBR USING X-RAYS	1289
<i>D. Presto</i>	
FORMATION AND DEGRADATION OF ELASTOMER MATRIX IN LIGHT OF VISCOELASTIC PROPERTIES AND CURE KINETICS	1299
<i>S. Chakraborty, H. Kumar, P. Banerjee, S. Paul, S. Bhaskar</i>	
EFFECT OF PARAMETRIC AND COMPOSITIONAL VARIABLES ON THE PENETRATION RESISTANCE OF RUBBER VULCANIZATES	1317
<i>A. Bhowmick, A. Baral, K. Vineet, S. Saha, A. Sahadeuri, D. Vaidya</i>	
THE INFLUENCE OF CARBON BLACK TYPES ON THE PROCESSABILITY OF RUBBER COMPOUNDS IN GREEN TIRES	1348
<i>M. Jahrling</i>	
LOW VOLTAGE DRIVEN LARGE BENDING OF IONIC LIQUID CRYSTAL ELASTOMERS	1354
<i>C. Feng, C. Rajapaksha, J. Cedillo, C. Piedrahita, J. Cao, V. Kaphle, B. Lussem, T. Kyu, A. Jakli</i>	
STRETCHABLE ELASTIC SHAPE MEMORY FIBERS WITH ELECTRICAL CONDUCTIVITY	1368
<i>S. Park, N. Baugh, H. Shah, D. Parekh, I. Joshipura, M. Dickey</i>	
ELASTOMER SEALING PERFORMANCE IN HYDROGEN FUEL CELLS	1377
<i>K. Kulbaba, E. Norton, J. Rawski, R. Ziebell</i>	
ACTUATING AND ENERGY HARVESTING BASED ON DIELECTRIC ELASTOMERS	1402
<i>W. Wang, H. Lee, B. Shin, C. Nah</i>	
DEVELOPMENT OF ELASTOMERIC POLYMER ELECTROLYTE NETWORKS FOR ENERGY HARVESTING FROM ROLLING TIRES AND WEARABLE THERAPEUTIC DEVICES	1408
<i>J. Cao, C. Piedrahita, H. Albehajian, T. Kyu</i>	
CIRCULAR LOOPS FOR TIRE RUBBER: CHANCES AND CHALLENGES	1431
<i>W. Dierkes, M. Van Hoek, S. Saiwari, G. Heideman, J. Noordermeer, A. Blume</i>	
CRADLE-TO-CRADLE DEVULCANIZATION OPTIONS FOR VARIOUS ELASTOMER TYPES	1466
<i>J. Noordermeer, W. Dierkes, A. Blume, K. Dijkhuis, H. Van Hoek, L. Reuvekamp, S. Saiwari</i>	
PUSHING BOUNDARIES! - VESTENAMER® IN RECYCLING RUBBER APPLICATIONS	1484
<i>A. Paasche, F. Lindner, P. Hannen, M. Gensheimer, A. Kant</i>	
COMPOUNDING FOR SUSTAINABILITY - A COMPARISON BETWEEN RECOVERED CARBON BLACK (RCB) AND STANDARD N650 IN EPDM RUBBER COMPOUNDS	1503
<i>A. Gil, I. Quinzacara</i>	
APPLICATION OF RECOVERED CB IN SUPPORT OF A CIRCULAR ECONOMY	1524
<i>J. McNutt, D. Abdallah</i>	

SOYBEAN OIL AS A PLASTICIZER FOR MICRONIZED RECYCLED RUBBER POWDER	1533
<i>O. Shafranska, J. Dahlgren, R. Burgett, D. Webster</i>	
MODIFICATION OF SOYBEAN OIL TO ENHANCE PERFORMANCE AS A PROCESSING OIL IN SBR-BASED RUBBER COMPOUNDS	1577
<i>B. Chisholm, O. Shafranska, A. Chernykh, D. Webster</i>	
THE CHARACTERIZATION AND CORRELATION OF THE NETWORK CHAIN DENSITY TO THE PROPERTIES OF FLUOROELASTOMER RUBBER	1601
<i>M. Boyd, I. Therrien, R. Pazue</i>	
ADVANTAGE OF 1,2-POLYBUTADIENE ON HALOGENATED RUBBER APPLICATIONS	1631
<i>H. Hashimoto, K. Sugisawa, B. Bartlett</i>	
TAILORING NATURAL RUBBER/BUTADIENE RUBBER COMPOUNDS CONTAINING A HYBRID CARBON BLACK-SILICA FILLER FOR AIRCRAFT TIRE TREADS: THE EFFECT OF ZINC OXIDE AND DPG ADDITION SEQUENCE ON COMPOUND PROPERTIES AND HYSTERESIS	1638
<i>Indriasari, W. Kaewsakul, J. Noordermeer, W. Dierkes, A. Blume</i>	
PATENTLY GOOD IDEAS: TRADEMARK BASICS FOR BUSINESS	1659
<i>J. Ward</i>	
Author Index	