11th International Heavy Haul Association Conference (IHHA 2017)

Cape Town, South Africa
2-6 September 2017

Volume 1 of 2

Editors:

P.J. (Hannes) Gräbe
R.D. Fröhling

ISBN: 978-1-7138-0271-6

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571

Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2017) by International Heavy Haul Association (IHHA)
All rights reserved.

Printed with permission by Curran Associates, Inc. (2020)

For permission requests, please contact International Heavy Haul Association (IHHA)
at the address below.

International Heavy Haul Association (IHHA)
2808 Forest Hills Court
Virginia Beach, Virginia, 23454-1236 USA

Phone: (757) 496-8288
Fax: (757) 496-2662

https://ihha.net/

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

Foreword 20

Organization 21

Rail Failure

The effect of high impact wheel loads on rail fracture from transverse defects 25
H. Tournay, X. Shu & P. Rakoczy

Improving rail integrity on the Sishen-Saldanha line 32
J. Duvel & K. Mistry

Quantifying rail bending stresses for assessing the rail structural integrity 40
S. Fallah Nafari, M. Gül, M.T. Hendry & J.J.R. Cheng

Effect of microstructure on fracture toughness and fatigue crack growth strength of rails applied in a Brazilian railroad 45
T. G. Viana, L. P. Moreira, L. B. Godefroid, G. L. Faria & L. C. Cândido

Big data analytics: predicting asset health risk (rail failures and derailments) 51
N.J. van der Westhuizen, K. Smart, M. Dick, G. Drapé & R. Maldonado

Rolling contact fatigue life prediction for rails and welds in heavy haul systems 56
C. L. Pun, D. Welsby, P. Mutton & W. Yan

Thermography methods and modelling approaches for rail foot flaw detection 63
C. Bosomworth, M. Spiryagin, S. Alahakoon & C. Cole

Development and evaluation of a phased array rail inspection system 71
M. Witte, A. Poudel & S. Kalay

Comparison of rolling contact fatigue crack initiation models under heavy haul conditions 79
G. Trummer, K. Six, A. Woelfle, W. Huang & E. Magel

Rail Grinding

Moving towards predictive grinding 86
D. Hampton, E. Magel & R. Harris

Analysis of rail grinding as a means to optimize rail head fatigue life under heavy axle loads 94
G. Fry & P. Tangtragulwong

Rail grinding technology and strategy implementation in a new Brazilian heavy haul railroad 99
B.M. Borges, C.G. Jorge, R.P. Santos, T.G. Viana & P.H.P. Lobato

Study on the formation of a white etching layer on bainitic rail and the grinding method for preventing rail squats 106
M. Tsujie, F. Urakawa, Y. Kanematsu, M. Matsui & H. Chen

Delivering quality turnout grinding with the utility grinder concept 113
S. Thomas

Preventative rail maintenance by grinding – exploring the limits 121
W. Schoech

Rail Welding

Predicting the occurrence and cost of temporary speed restrictions on North American freight lines 130
A.H. Lovett, C.T. Dick & C.P.L. Barkan

Welding with improved reliability 138
J. Keichel, J. Yang, D. Liebenthal, P. Radmann & H. Smith

Employing the design of experiments for optimization and modeling of thermite welds of rails used on the EFC line 144
L.H.D. Alves, A. Machado, R. De Souza, R.M.M. Filho & R. Baldez

Simulation of the thermite welding process using 3D casting software 150
L.T. Mapaila, T.M. Sitimela & L.L. Msibi

Rail welding in Japan 155
R.I. Yamamoto

Applicability of the Niyama criterion to predict the volume fraction s hrinkage porosity in aluminothermic welds 162
T.M. Sitimela & L.L. Msibi

Study on post weld heat treatment of welded rail joints 168
X. Zhan & S. Wang

Reducing dynamic loads at rail welds via improved running surface alignment requirements 175
J.M. Cookson, G. Hardie & P.J. Mutton

Flat spot defect formation and resolution in rail flashbutt welds 181
J.M. Cookson, C. Qiu & P.J. Mutton

Improving aluminothermic weld performance on Transnet's heavy haul systems 189
K. Mistry & J. Duvel

Rail capping system for improved performance and life cycle cost 198
A. Sundgren, U.A. Juntti, S. M. Famurewa & M. Asplund

Performance evaluation of improved rail welding procedures under heavy axle loads 203
A. Banerjee, M. Archuleta & J. LoPresti

Developing technologies to improve the reliability of flash-butt welds 208
K. Saita, M. Ueda, T. Miyazaki & T. Yamamoto

Rail Materials

Comparative test study on type and material of rails used in 30t axle load heavy haul railway 217
Y. Zhang, C. Li, Z. Yu, Q. Zhou, W. Li, S. Zhang & F. Gan

Research and applications of a new type bainitic forging steel for frog 224
Y.L. Lin, Q.Y. Zhou, Y.H. Zhang & F.S. Liu

An advanced methodology for developing grinding patterns to efficiently address corrugation removal and establish profile 232
C.M. Hartsough, J.W. Palese, S. DiVentura & J. Zhang

Field evaluation of fatigue and wear resistant rail steels under heavy axle loads 239
A. Banerjee, J. LoPresti, S. Kalay & K. Ninness

Rail Flaw Detection

A novel approach for analysis of correlation among different railway infrastructure inspection condition parameters 247
M. Capodiferro, L. Carotti, P. Pace & C. Evangelisti

Development of an incipient rail buckle detection system using continuously measured vehicle data 253
P. Reichl, D. Zheng, C. Thompson & H. Sethi

Data fusion strategies for rail flaw detection with increased reliability 259
S. Alahakoon, M. Spiryagin, C. Cole & Y. Q. Sun

Finite element simulation study on rail flaw detection using laser induced ultrasonic guided waves 267
M. Pathak, S. Alahakoon, Y.Q. Sun, M. Spiryagin & C. Cole

Ultrasonic broken rail detector and rail condition monitor technology 275
F.A Burger & P. Loveday

Continuously Welded Rail

Fundamentals of track buckling prevention and rail stress management 282
A. Kish

Re-engineering rail stressing in Aurizon 291
D. Buntine

Reduction of cut-out rate of insulated rail joints 300
A. Maree & G. Ackermann

Determining the stress state of rails after aluminothermic welding using a thermal-stress analysis 305
*N. Rooskrans & L. Msib*i

A model for predicting lateral buckling in rails 310
D.H. Allen & G.T. Fry

Sleepers & Fasteners

A study on fatigue test conditions for certification of rail fastening systems 318
T. Deshimaru, S. Tamagawa, H. Kataoka, Y. Sonoda

Development of a new load-deflection method for characterization of North American heavy haul concrete sleepers 325
J.C. Bastos, A. Álvarez-Reyes, M.S. Dersch & J.R. Edwards

Lateral load performance of concrete sleeper fastening systems under non-ideal conditions 330
B.G.J. Holder, Y. Qian, M.S. Dersch & J.R. Edwards

Laboratory mechanical fatigue performance of under-ballast mats subjected to North American loading conditions 336
A. de O. Lima, M. S. Dersch, Y. Qian, E. Tutumluer & J.R. Edwards

Steel sleeper performance in Vitória-Minas Railway (EFVM) railway 342
R.Maximo & S. Nobre

Effect of track conditions on the flexural performance of concrete sleepers on heavy-haul freight railroads 349
Z. Gao, M. S. Dersch, Y. Qian, & J. R. Edwards

Heavy haul rail fastening system design and considerations for friction and elasticity 355
W. Bösterling, N. Wiethoff & B. van Dyk

Turnouts

Turnout innovation in the Outback: axle loads > 40 t ; installation < 4 hours 363
A.T. Tang, H. Ossberger & F. Sodia

Advancements in fastening systems technology for turnouts in North American heavy haul operation 368
G. Click, B. Duffner & B. Abbott

A study of the life cycle of turnouts on the South African heavy haul network 372
W. Swart & W. van der Westhuizen

Overhead track equipment and track geometry parameters on the performance of the Pantograph 380
R. Ludzulu & L. Msibi

Track Geotechnology

Measuring device for in situ determination of the track modulus in a heavy haul track 388
R. Costa, R. Motta, E. Moura, J. Pires, L.L.B. Bernucci & L. Oliveira

Permanent and resilient deformation behaviour of heavy haul formation materials subjected to environmental changes 396
R. Vandoorne, G.D. Mpye & P.J. Gräbe

Formation design philosophy for Swaziland rail link project 406
A. Ramadwa & J.K. Kae

Semi-automatic condition-based track maintenance and rehabilitation planning 414
M. Silvast, A. Nurmikolu, B. Wiljanen & E. Mäkelä

Substructure Maintenance Management: A Two-Decade Update 420
J. Hyslip, M. Trosino & M. Craft

Increased track availability with elastic elements - practical experience 426
L. Mayer & H. Steger

Discrete element modeling of track settlement characteristics at the transition zone of heavy-haul railway bridge approaches 430
Y. Xiao, Z. Zhang, Q. Zhang & L. Chen

Prevention and renovation of heavy haul railway in the Datong-Qinghuangdao railway line 436
G. Lin-quan

Model for assessment of ballasted track maintenance requirements 441
L. Rorke, D. J. Vorster, A. J. Wepener & S. Deosaran

High Axle Loads

Consequences regarding an increase in axle load in heavy haul operation on existing infrastructure in a test period on Ofotbanen, Norway 449
H. Gåsemyr

Experimental study on track dynamic characteristics of 30t axle load in revenue service railway 457
Z.G. Ma, G.M. Zhang, L.C. Qie & Z. Pan

Higher axle loads on existing tracks - Opportunity to improve utilisation 464
S. Bisht

Track structure design: Breaking the narrow gauge 30 ton barrier 472
D.J. Hewson, P.J. Gräbe & F.J. Shaw

Dynamic loads evaluation in existing railroad infrastructure under increasing axle loads and speed 480
A. Merheb, L. Valente, R. Marotta, F. Moreira & R. Montoya

Track Maintenance

Systematic track maintenance based on monitoring and identification of cost drivers 488
R. Schilder

Using decision support systems to make informed decisions in the railway industry 496
A. Dinat & M. Munshi

Research on a preventive tamping maintenance model for heavy haul railway based on inspection data 501
J.J. Qu, Z.T. Ke, F. Yang & G. Zhao

Machine learning approaches for tamping effectiveness prediction 507
C.W. Tan, G.I. Webb, F. Petitjean & P. Reichl

Track Geometry & Design

A structured approach for selecting a bulk rail corridor during feasibility stage 516
F.J. Heyns

Track structural design for maintenance and rehabilitation with automated track inspection data 521
T.R. Sussmann & H. B. Thompson II

The effect of climate change on the stability and settlement of railway embankments 528
P. Vorster, P.J. Gräbe & S.W. Jacobsz

Smart track geometry analyses as key to sustainability 536
M. Landgraf & F. Hansmann

Track geometry degradation on the Swedish heavy haul line – correlation between measured support stiffness gradients and differential settlement 542
J.C.O. Nielsen, E.G. Berggren, A. Hammar, F. Jansson & R. Bolmsvik

Tunnels, Bridges & Other Structures

Prioritization of the time rehabilitation in railway bridges based on risk and fatigue index 551
R. Montoya, L.F. Martha, J. Junqueira, M. Botelli & A. Merheb

Transition from bridge approach to bridge end and fouled ballast maintenance and drainage 558
D.D. Cantrell

Evaluation of hybrid composite beam span bridges under heavy haul traffic 566
D. Otter, S. Dick & A.M. Rakoczy

Study of load-decrement on small-span bridges by track structure in railway heavy-haul transport up grade 571
L. Jiyuan

Conversion of a ballasted deck bridge to a ballast-less deck in 94 hours – construction complications and in service considerations 580
R.J. Ellaby

The implementation of a small-scale unmanned aerial system (UAS) for railway culvert inspections 587
C.H. Vong, R. Ravitharan, P. Reichl, J. Chevin, H. Chung & P. Campbell

Study on minimum fill depth over culvert structures under a heavy haul train 594
L. Dong, Y. Su, B. Niu, D. Li & S. Hu

How testing and monitoring can support heavy haul railway bridge management: the experience gained in South Africa 599
F. Busatta & P. Moyo

Overvaal rail tunnel: securing South Africa's economic arteries 607
J.W. Muir & H. Gouws

Ventilation options for heavy haul operations through the Overvaal tunnel 614
S. Htay, D. Edwards, C. Biotto & E. Bennett

Influence of the tie-ballast interface on transition zone performance 624
S.T. Wilk, T.D. Stark, J.G. Rose, T.R. Sussmann (Jr.) & H.B. Thompson II

Track Condition Monitoring

Development of single tie push test technology for track lateral resistance measurement in a new Brazilian heavy haul railroad 633
B. Barboza, R. Santos, L.C. Rampinelli & C. Jorge

Distributed track condition monitoring using train-based telemetry systems 642
J.R. White & G. Hardie

Delivering informative quality network health information with the "MPV multi-purpose vehicle" concept 647
A. Carty

Quantifying track substructure performance using continuous and autonomous vertical track deflection data 652
J.W. Palese, C.M. Hartsough, S. Farritor & G.R. Newman

Vehicle Track Interaction

Vehicle-track system dynamics and its influence on operational efficiency 661
R.D. Fröhling

On estimating the risk of wheel damage for wagons with paper rolls considering various dynamic conditions 669
R. Prevolnik, C. Casanueva, S. Hossein Nia & S. Stichel

Study of freight cars and track interaction in heavy train operation on the Russian railways 678
Y.S. Romen & S.M. Zakharov

Influence of increased axle load of heavy-haul freight locomotive on acting force between wheel and rail 684
H.X. Li, S.Y Lu, M. Zhao & P. Liu

Wear & Rolling Contact Fatigue

Improved performance of wheels and rails through profile design and maintenance 691
S. Cummings, A. Keylin & S. Kalay

Investigation of wheel & rail rolling contact fatigue by using a full scale simulator 699
H. Tournay & A. Tajaddini

New insights into curve squeal mitigation measures 705
D.J. Fourie, P.J. Gräbe, P.S. Heyns, R.D. Fröhling & U. Spangenberg

Recent advances in top of rail onboard locomotive application 713
J. Cotter, J. VanderMarel, X. Lu, P. Fan, X. Meng & J. Jia

The influence of maintenance-induced variations in bogie geometry on hollow-wear rates of ore line wagon wheels 721
G. Hettasch & U. Spangenberg

Master-surface to master-surface contact formulation applied to wheel-rail interaction 728
A. Gay Neto, P.R. Refachinho de Campos & T.F. Medeiros Pereira

A case made design method of target profile for rail grinding 736
G. Shen, X. Mao & D. Chen

Reduction of rolling contact fatigue initiation through wheel and rail profile changes 741
U. Spangenberg, P.S. Els & R.D. Fröhling

Wheel life prediction model considering wear and rolling contact fatigue 749
S. Hossein-Nia, C. Casanueva, S. Stichel & T. Nordmark

Wheel Rail Interaction

Improved wheel-rail system of Sweden's iron ore line 759
M. Asplund, S.A. Khan & T. Nordmark

The impact of sand and loss of wheel conicity on friction management 767
L.S. Soares, A.M. Freitas, M. Santoro, R.C. do Carmo & F.O. Vidon

Using stress-based damage models to describe subsurface damage in crossings 774
J. Wiedorn, W. Daves, H. Ossberger, U. Ossberger & M. Pletz

Wheel and rail life extension with on-board top of rail friction control 782
R. Stock, D. Elvidge, K. Oldknow & D.T. Eadie

Mechanical deterioration of wheels and rails under winter conditions – mechanisms and consequences 790
R. Deuce, A. Ekberg & E. Kabo

Derailment Analysis & Safety

Rail break and derailment prediction using probabilistic graphical modelling 799
R.M.C Taylor & J.A. du Preez

Implementing a derailment distance criteria for simulation of derailment risk 806
S. Younes, D. Welsby, A. Shamdani & M. Kwong

The coupler and buffer compressed stability and running safety analysis of heavy-haul locomotives 812
G. Li, Z.C. Zhang, G.F. Chu & H.L. Zu

Principal factors contributing to heavy haul freight train safety improvements in North America: a quantitative analysis 820
B. Wang, C. Barkan & R. Saat

Rolling Stock Monitoring & Maintenance

Identification and monitoring of polygonised railway wheels using existing wheel impact monitoring measurement data 826
E. Reitmann, R.D. Fröhling & G. Hettasch

Preventive and predictive maintenance by using distributed acoustic sensing 834
P. Bradley & M. Rosenberger

Evaluation of bolster spring faults on heavy haul wagon dynamic behaviour 840
C. Li, S. Luo, C. Cole, M. Spiryagin & Y. Sun

Data analysis of wagon axle loads on Malmbanan 849
T. Nordmark, J. Lin, L. Zhang & R. Fjellberg

Development of an integrated onboard operational systems (IOOS) architecture 852
N.M.X. Gobhozi

Narrow gauge freight axlesfor heavy haul applications; comparative evaluation of design solutions according to the European standard EN1303 858
A. Ronchi & C. Canova

Condition based and predictive rollingstock maintenance 866
C.R Prebble & K. Nayebi

Mechanization of wagon cleaning process on Vitoria a Minas railroad 874
B.S. de Oliveira

Laboratory based accelerated fatigue testing of F-type couplers 880
S.P. Nkosi & R.S. Hartley

Study on railway freight wagon body acceleration fatigue test methodology 888
Q. Zhang, X.W. Li, Y B. Yu, L.D. Li & W. Yan

Cyclic twist load measurement and fatigue design of rolling stock body structures 893
J. Amaro, T. Constable, D. Birkin & E. Hecht

Curve fitting and extrapolation for the main welded joints of heavy haul wagon body in China 899
W. Liu, Z. Liu, W. Hu, Y. Wang & H. Liu

Locomotives & Traction Power Supply

Improving locomotive energy efficiency through pre-empting and operating at more efficient system states through the utilization of regenerated braking energy 907
K.R.K. Boshoff & J.W. Gevers

High adhesion locomotive performance under individual axle and bogie traction control strategies with the presence of wheel diameter difference 915
M. Spiryagin, P. Wolfs, C. Cole, Q. Wu, Y.Q. Sun, T. Mcsweeney, V. Spiryagin & S. Alahakoon

Assessing obstacles to renewable energy in heavy haul traction 923
R.D. van der Meulen & L.C. Möller

Insulation coordination based model for dual voltage locomotives for the coal line 931
G. Maluleke & S.E Sibande

Research brake monitoring technology about freight trains on DaQin 937
O. Dongfang, X. Lei, X. Weiyuan, A. Hong, S. Jiaming. & L. Jianchao

Baseline study on the occupational exposure to electromagnetic fields in South African railway 941
N.N. Khoza & D.H. Brouwer

Obsolescence management for heavy load locomotive 945
Y. Du, R. Mao & Y. Zhang

Redefinition of locomotives maintenance strategy using reliability and maintenance engineering 949
M.E. de O. Rocha, C. Andrade, D. Vieira, J. Dutra, M. Faustino, M. Soares & P.B. de Souza

On-the-fly 3kV DC to 25kV AC automatic section transition of locomotives 957
J.W. Clay, P.L. Croucamp & L.O. Borchard

Discrete element modelling of railway electrical traction supply systems 965
C.P. Botha

Energy management on heavy haul lines 973
T.C. Govender, T. Chetty & C.J. Rossouw

Research and development of cooling technology for Railway overloading high-power electric locomotive 979
L. Shi-min, M. Ye-jun, Z. Maohua, L. Zhang-qing & L. Qiang

Traction performance of remote in-train locomotives in distributed power heavy haul trains 984
Q. Wu, M. Spiryagin, C. Cole and Y. Sun

Bogies

Improving and measuring wagon bogie maintenance through a strategic maintenance approach 991
T. Legodi, M. Sivnarain & P. Mokhako

Study of low track force dynamic performance of new type bogie for Plateau locomotive 997
C. Wang, S. Luo, J. Du & H. Fan

Premature failure of polymer bogie centre liners on three piece bogies on South Africa's coal export line 1002
C. Antunes, M. Sivnarain & R.D. Frohling

Monitoring, managing and mitigating in-train forces 1007
R. Bowey, A. Shamdani & A. Stevens

Wheels

Heavy haul wheel optimisation combining material and structural design towards better performance and higher axle loads 1015
F. Demilly, S. Hencoco & F. Fortin

Effect of manufacturing related flaws on railway wheel material properties 1021
V.J. Matjeke, J.W. Van Der Merwe & A.S. Bolokang

On the convective heat transfer from railway wheels 1029
J.L. Cuperus & G. Venter

Automated inspection of cracked wheels in heavy haul operations 1036
A. Poudel, M. Witte & S. Kalay

An innovative steel grade family for forged-rolled solid wheels designed for environments with presence of sand, debris or gravel on the rails 1043
A. Ghidini, A. Mazzù, C. Petrogalli & M. Faccoli

Strategies to prevent wheel failures under heavy axle loads 1051
H. Tournay, K. Jones & S. Kalay

Data analytics for condition based wheel maintenance 1058
S. M. Famurewa, L. Zhang, U. Kumar & M. Asplund

Study on crack initiation life of heavy haul wheel under the coupling action of braking thermal load and rolling contact fatigue 1066
L. Li, C.Y. Chang, J.B. Wang & D. Chen

Monitoring Technology

Implementation of machine vision based wayside condition monitoring systems in Australian heavy haul railroads 1074
A.C. Meyer

Integrated Infrastructure Asset Management Solution 1079
W. Ebersöhn, A.B.M. Smith & M. Reed

Development and testing of freight wagons for 27t per axle loads for 1520 mm gauge railways 1089
A. Orlova, R. Savushkin, A. Sokolov, S. Dmitriev, E. Rudakova, A. Krivchenkov, M. Kudryavtsev & V. Fedorova

Condition based maintenance of railcar roller bearings using predictive wayside alerts based on acoustic bearing detector measurements 1097
K.R. Mulligan, S. de Blois, A. Aronian & R. Campbell

Complete wheel condition monitoring using an automated machine vision system 1104
K. Nayebi

Train Handling & Optimisation

Improving operational efficiency through dynamic train scheduling: a case study 1110
N. Tlhoaele, D. van Niekerk & R. Bennetto

Improved distributed power train handling strategies 1118
P.N. Naidoo & J.M. Mulder

Optimization of iron ore train operation with focus on fuel savings 1125
H.L. Ghelere & V.A. Parreira

Use of electro-dynamic braking on locomotives and its effect on rolling contact fatigue 1133
T. Nordmark, S.A. Khan & C. Domay

Experiment of a 30-tonne Axle Load Train in Shuohuang Railway 1138
J.Z. Jia, X.H. Meng, Z.T. Ke, G.M. Zhang, S.T. Hu & Z.G. Ma

Assessment of automated train brake effectiveness – Phase 1 1146
Y. Liu, L. Steiginga, T. Davies, K. R. Mulligan, T. Heffernan, M. Lipsett, D. Juhaszova, D. Iler, T. Roman & A. Aronian

Improvement and application of coupling device used on heavy haul train with capacity over 30,000 tonnes 1155
Y.J. Cui, Q.M. Meng, Z. Zhu, Y.B. Yu & Y. Jiang

Study on effects of combination strength and toughness fatigue 1161
X.F. Qin, C.L. Tian, H. Li, H.F. Li & Z.X. Qin

Determination of maximum safe wagon length for head end power trains 1169
S. Singh, P.N. Naidoo, S.J. Maartens & R.D. Fröhling

Feasibility of implementing wagon dividers to reduce train resistance 1177
W. Botha, S. Singh & R. Fröhling

Ofotbanen towards higher axle load 1182
H. Voldsund

Railway Systems

Addressing the Sub-Saharan African Corridor Dilemma – A Systems Methodology 1192
N. Cloete-Hopkins & B. Lacquet

Systemic railway engineering relevance in heavy haul railway systems 1200
C.J. Dutton & F.J Mülke

Composing a heavy haul engineering symphony in differential life cycle costing 1209
P.C. Lombard

Increasing capacity on Transnet's general freight operations through running longer trains - a case study of the chrome railway system 1219
L. Ratshilingano & B. Monakali

Heavy haul operation on the Russian railways: present state, problems and ongoing research 1229
V.V. Stepov

Network Capacity

Reducing the costs of rail network control 1237
D.J. Wust & G. D. Hjort

A parametric model of the train delay distribution to improve planning of heavy haul cycle times 1245
M.C. Shih, C.T. Dick & C.P.L. Barkan

Monitoring of lightning protection's degradation level to achieve preventative maintenance 1251
M.M. Mashaba

Analysis of lessons learned on conversion from copper to carbon contact strips fitted on heavy haul locomotives 1259
L.L. Ngubane, F Matoro, A. Singh & S.E. Sibande

Building capacity through structured heavy haul operations on single-track shared corridors in North America 1265
D. Mussanov, N. Nishio & C.T. Dick

The heavy haul service on the eastern section of the Baikal-Amur mainline 1274
Y.A. Davydov, T.N. Kalikina, A.K. Plyaskin & M.Y. Keyno

Exploring the advantages of operating a scheduled railway in the South African context 1278
W.C. Kuys, A. Fenske & V. Klahn

Network Safety

Factors that prevent labor unions from endorsing non-intrusive train driver monitoring technologies in South Africa 1289
B.A. Mabaso & N.M.X. Gobhozi

The influence of visual pursuit on railway accidents 1295
B.H. Tabai, M. Bagheri & V. Sadeghi-Firoozabadi

Systemic cost of risk for heavy haul operations in South Africa 1299
J. van der Merwe, C. Malan, J. Havenga, A. de Bod, Z. Simpson & S. Swarts

Quantitative prediction of the risk of heavy haul freight train derailments due to collisions at level crossings 1306
S.G. Chadwick, C.P.L. Barkan & M.R. Saat

Semi-quantitative risk assessment of adjacent track accidents on shared-use rail corridors 1314
C.Y. Lin, C.P.L. Barkan & M.R. Saat

Assessment of intervention options for the increased tonnage and utilisation of a single line railway with sensitive formation conditions. 1323
D.J. Vorster, L. Rorke, A. J. Wepener & J. Venter

Systemic factors in the investigation of railway occurrences in South Africa 1331
J. Hutchings

Implementing locomotive video and voice recorder and monitoring systems to improve safety in Canada 1335
D. Chen

Bond monitor and fault locator for safety and reliability of AC railway 1343
U.M. Cella, J.S. Goffey & P.F. Nussey