

23rd Symposium on Physics of Switching Arc 2019

Nove Mesto na Morave, Czech Republic
9 - 13 September 2019

ISBN: 978-1-7138-0316-4

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2019) by Brno University of Technology
All rights reserved.

Printed with permission by Curran Associates, Inc. (2020)

For permission requests, please contact Brno University of Technology
at the address below.

Brno University of Technology
c/o Milada Bartlová - Department of Physics
Technical 2848/8, Zabovresky, 61600
Brno, Czech Republic

Phone: +420 541 143 431
Fax: +420 541 143 133

bartlova@feec.vutbr.cz

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

ISSUE 1

METALLIC NANOPARTICLES GENERATION BY REPETITIVE PULSED LASER FOR APPLICATIONS IN BIO-MEDICINE	1
<i>Restuccia N., Silipigni L., Cordaro M., Torrisi L.</i>	
OUTPUT CURRENT CONTROL SYSTEM OF A HIGH VOLTAGE ELECTRIC PULSE GENERATOR FOR PLASMA EXCITATION	7
<i>Godun D. V., Bordusau S. V., Budzko G. P.</i>	
EXPERIMENTAL STUDY ON DYNAMIC WELDING OF AGW60, CUW60 AND CU CONTACT MATERIALS IN SYMMETRICAL AND ASYMMETRIC PAIRINGS AT DC 270V/200A	10
<i>Liao Yuan, Zhang Dandan, He Mengbing, Makoto Hasegawa, Li Zhenbiao</i>	
INVESTIGATIONS ON THE EFFECT OF THE NOZZLE MATERIAL ON THE INTERRUPTION CAPABILITY OF A MEDIUM VOLTAGE LOAD BREAK SWITCH	15
<i>Bendig M., Krampert T., Götte N., Kalter A., Schaak M., Ermeler K.</i>	
CONTROL OF DIFFUSE VACUUM ARC USING AXIAL MAGNETIC FIELDS IN COMMERCIAL HIGH VOLTAGE SWITCHGEAR	19
<i>Giere S., Heinz T., Lawall A., Stiehler C., Taylor A. D., Wethekam S.</i>	
NOZZLE WEAR AND PRESSURE RISE IN HEATING VOLUME OF SELF-BLAST TYPE ULTRA-HIGH PRESSURE NITROGEN ARC	23
<i>Abid F., Niayesh K., Støa-Aanensen N.</i>	
THERMAL PLASMA OF ELECTRIC ARC DISCHARGE BETWEEN CU-CR COMPOSITE ELECTRODES	27
<i>Veklich A., Boretskij V., Kleshych M., Fesenko S., Murmantsev A., Ivanisik A., Khomenko O., Tolochyn O., Bartlova M.</i>	
IMPACT OF STARK SHIFTS ON THE RADIATION COOLING OF CU-DOMINATED PLASMAS	31
<i>Corfdir P., Lantz G., Abplanalp M., Delachaux T., Kassubek F., Sütterlin P., Bator M.</i>	
3D CFD ARC FAULT SIMULATION IN GAS-INSULATED SWITCHGEARS	35
<i>Reichert F., Petchanka A.</i>	
BREAKDOWN IN CO₂/O₂ AND CO₂/O₂/C₂F₄ MIXTURES AT ELEVATED TEMPERATURES IN THE RANGE 1000-4000K	39
<i>Seeger M., Votteler T., Pancheshnyi S., Carstensen J., Garyfallos A., Schwinne M.</i>	
FORMATION OF THE UPSTREAM REGION IN HV GAS BLAST INTERRUPTERS WITH SYNCHRONOUS GAS INJECTION	43
<i>Kurakina N. K., Frolov V. Ya., Tonkonogov E. N.</i>	
ESTIMATION OF THE INTENSIVELY BLASTED ELECTRIC ARC MODEL SENSITIVITY TO SELECTED VARIABLES	47
<i>Senk J., Laznickova I., Jakubova I., Coufal O.</i>	
MODELLING AND EXPERIMENTAL INVESTIGATIONS OF DC ELECTRIC ARCS IN ARGON AND CARBON DIOXIDE	51
<i>Mohsni C., Baeva M., Franke St., Gortschakow S., Gonzalez D., Araoud Z., Charrada K.</i>	
COMPARATIVE STUDIES OF LOW-INTENSITY SHORT-LENGTH ARCS	56
<i>Baeva M., Siewert E., Uhrlandt D.</i>	
ESTIMATION OF CURRENT DENSITY USING HIGH-SPEED-CAMERA RECORDINGS IN A MODEL SPARK GAP DURING SURGE CURRENTS	60
<i>Kopp T. H., Peters E., Kurrat M.</i>	
3D ANALYSIS OF LOW-VOLTAGE GAS-FILLED DC SWITCH USING SIMPLIFIED ARC MODEL	65
<i>Gortschakow S., Gonzalez D., Yu S., Werner F.</i>	
INVESTIGATION OF THE ARC CHARACTERISTICS OF SWITCHING DC ARCS ON HYDROGEN CONTAINING GAS MIXTURES	69
<i>Gonzalez D., Gortschakow s., Yu S., Werner F.</i>	
INTERRUPTION OF MEDIUM-VOLTAGE DIRECT-CURRENTS BY SEPARATION OF CONTACT ELEMENTS IN MINERAL OIL USING AN ULTRA FAST ELECTRO-MAGNETIC ACTUATOR	73
<i>Jugelt S., Leu C.</i>	

NUMERICAL INVESTIGATION, INCLUDING EXPERIMENTAL VALIDATION, OF AN AXIALLY BLOWN, STABLE ARC IN ARGON	78
<i>Galletti B., Kassubek F., Buffoni M., Carstensen J., Stoller P. C.</i>	
ANALYSIS OF C₂ SWAN BANDS IN ABLATION-DOMINATED ARCS IN CO₂ ATMOSPHERE	82
<i>Methling R., Franke St., Götte N., Wetzeler S., Uhrlandt D.</i>	
OPTICAL EMISSION SPECTROSCOPY OF MAGNETHRON DISCHARGE AR/CU PLASMA	87
<i>Murmantsev A., Veklich A., Boretskij V., Shapovalov A., Kalenyuk A.</i>	
PYROTECHNIC SWITCH WITH FUSE FUNCTION	91
<i>Ehrhardt A., Wolfram S.</i>	
DIAGNOSTICS OF PLASMA PENCIL DISCHARGE FOR CHEMICAL ANALYSIS	95
<i>Slavicek P., Hrdlicka A., Dvorakova M., Kanicky V.</i>	
SELF-CONSISTENT MODELING OF ELECTRODE MOTION IN A MODEL CIRCUIT BREAKER	99
<i>Fuchs R.</i>	
INFLUENCE OF VARYING GAPS BETWEEN TMF CONTACTS ON CONSTRICTED HIGH CURRENT VACUUM ARCS	103
<i>Kuehn B., Weber B., Gentsch D., Kurrat M.</i>	

ISSUE 2

INVESTIGATION OF THE METHOD OF DYNAMIC MICROWAVE POWER REDISTRIBUTION IN A RESONATOR-TYPE PLASMATRON	107
<i>Madveika S., Bordusau S., Zemlyakov A., Lushakova M.</i>	
INVESTIGATION OF CONVERSION PROCESS OF SiCl₄ + CCl₄ MIXTURE BY RF (40.68 MHZ) ARC DISCHARGE	111
<i>Kornev R., Sennikov P., Nazarov V., Kut'in A., Plekhovich A.</i>	
A COMPUTATIONAL MODEL FOR HIGH CURRENT DENSITY ARC PLASMAS	115
<i>Alija M., Kurrat M.</i>	
INFLUENCE OF RESONANCE RADIATION TRANSPORT ON CHEMICAL EQUILIBRIUM IN AN ARGON ARC	119
<i>Gortschakow S., Kalanov D., Golubovskii Yu.</i>	
ANALYSIS OF EROSION RESISTANCE OF CUC ARCING CONTACTS MANUFACTURED BY PLASMA SPRAYING TECHNOLOGY	123
<i>Derevyankin P., Frolov V., Gonzalez D., Gortschakow S., Methling R., Uhrlandt D.</i>	
APPLICATION OF RF (40.68 MHZ) ARC DISCHARGE FOR PLASMA CHEMICAL CONVERSION OF VOLATILE CHLORIDES OF SILICON AND GERMANIUM	127
<i>Kornev R., Sennikov P., Nazarov V., Sukhanov A., Shabarova L.</i>	
TRANSPORT PROPERTIES OF THERMAL PLASMA CONTAINING FLUORO-NITRILE (C₄F₇N)-BASED GAS MIXTURES	131
<i>Narayanan V. R. T., Rümpler Ch., Gnybida M., Slavicek P.</i>	
DEVELOPMENT OF TWO-TEMPERATURE MATHEMATICAL MODEL OF PROCESSES IN DISCHARGE CHAMBER OF MULTI-CHAMBER ARRESTER OPERATING IN CONDITIONS OF MOUNTAIN AREAS	135
<i>Frolov V., Ivanov D., Sivaev A., Chusov A.</i>	
ARC BEHAVIOURS IN THE HV SF₆ GAS-BLAST INTERRUPTER	140
<i>Averyanova S., Tonkonogov E.</i>	
RADIATIVE PROPERTIES AND NUMERICAL MODELING OF C₄F₇N-CO₂ THERMAL PLASMA	144
<i>Gnybida M., Rümpler Ch., Narayanan V. R. T.</i>	
EXPERIMENTAL ASSESSMENT OF PTFE POST-ARC ABLATION	148
<i>Babou Y., Corfdir P., Suetterlin R.-P.</i>	
PLASMA PECULARITIES OF ARC DISCHARGE BETWEEN CARBON-COPPER ELECTRODES	152
<i>Veklich A., Fesenko S., Boretskij V.</i>	
ROTATING GLIDING ARC: INNOVATIVE SOURCE FOR VOC REMEDIATION	156
<i>Cech J., Prokeš L., Zemánek L., Dostál L., Šimek D., Valenta J., Žebrák R., Zápotocký L., Stahel P.</i>	
INFLUENCE OF COPPER VAPOURS IN SF₆ PLASMA	161
<i>Freton P., Gonzalez J.-J., Harry Solo A., Reichert F., Petchanka A.</i>	
IMPACT OF THE METAL EVAPORATION RATE IN VACUUM INTERRUPTERS ON VAPOUR EXPANSION AND DEPOSITION	165
<i>Geisler A. E., Wenzel N.</i>	

POST-ARC CHARACTERISTICS OF HIGH-CURRENT ARCS IN VACUUM CIRCUIT-BREAKERS	170
<i>Wenzel N., Haas W.</i>	
DETERMINING THE TIME CONSTANT OF ARCS AT ARBITRARY CURRENT LEVELS	175
<i>Bort L. S. J., Schultz T., Franck C. M.</i>	
GENERATION OF SILVER NANOPARTICLES BY THE PIN-HOLE DC PLASMA SOURCE WITH AND WITHOUT GAS BUBBLING	180
<i>Kozáková Z., Krma F., Cechová L., Simic S., Duskocil L.</i>	
PERFORMANCE EVALUATION METHOD CONSIDERING SHOCK WAVE IN NOZZLE FOR HIGH-VOLTAGE CIRCUIT BREAKER	184
<i>Terada M., Urai H., Nishimura T., Yokomizu Y.</i>	
CALCULATION OF OPGW STRANDS MELTING DUE TO DC ARC DISCHARGE SIMULATING HIGH-ENERGY LIGHTNING STRIKE	N/A
<i>Iwata M., Nakano T., Kotari M., Ohtaka T., Goda Y.</i>	
FROM SWITCHING ARCS TO BALL LIGHTNING TO CURING CANCER	194
<i>Lowke J. J.</i>	
ARC MODELING IN INDUSTRIAL APPLICATIONS	200
<i>Rümppler Ch., Chechare R., Zacharias A.</i>	
STATE OF ART AND CHALLENGES FOR THE CALCULATION OF RADIATIVE AND TRANSPORT PROPERTIES OF THERMAL PLASMAS IN HVCB	208
<i>Cressault Y., Teulet Ph., Baumann X., Vanhulle G., Kabbaj N., Reichert F., Petchanka A.</i>	

ISSUE 3

LINEAR PINCH EQUILIBRIUM OF NON-NEUTRAL PLASMA REVISITED: PHENOMENOLOGICAL CONSEQUENCES OF A NUMERICAL ACCURACY PROBLEM	217
<i>Braga F.L., Soares D.N.</i>	
SWITCHING BEHAVIOUR OF A SERIES CONNECTION OF A VACUUM INTERRUPTER AND A GAS CIRCUIT BREAKER	223
<i>Gotte N., Bendig, M., Krampert T., Nikolic P.G.</i>	
AXIAL BLAST TYPE DISCHARGE CHAMBER WITH MOVING ELECTRODE	227
<i>Pinchuk M.E., Budin A.V., Kurakina N.K., Leks A.G.</i>	
EXPERIMENTAL INVESTIGATION ON THE ARC CHARACTERISTICS AND ARC QUENCHING CAPABILITIES OF C₅F₁₀O-CO₂ MIXTURES	231
<i>Guo Z., Tang F., Lv Q., Li X., Zhang B., Jia S., Huang R.</i>	
INVESTIGATION AND NUMERICAL SIMULATION OF A HIGH-CURRENT AC CIRCUIT BREAKER	235
<i>Murashov I., Frolov V., Kvashnin A., Valenta J., Simek D., Dostal L., Kloc P.</i>	
INVESTIGATION OF SILICON WAFERS' INFLUENCE ON THE LOCAL MICROWAVE POWER VALUES IN A RESONATOR-TYPE PLASMATRON	239
<i>Madveika S., Bordusau S., Lushakova M., Tsikhan O.</i>	
ON THE INTERACTION OF A MICROWAVE EXCITED OXYGEN PLASMA WITH A JET OF PRECURSOR MATERIAL FOR DEPOSITION APPLICATIONS	243
<i>Methling R., Hempel F., Baeva M., Trautvetter T., Baierl H., Foest R.</i>	
ON THE ISSUE OF THE THERMAL EMISSION CATHODE RESOURCE ON THE OXIDE FILMS OF HAFNIUM AND ZIRCONIUM	247
<i>Klochok N., Popil Yu., Chernyak V., Iukhymenko V., Fedirchuk I., Tkach V.</i>	
EQUILIBRUM COMPOSITION OF THERMAL PLASMA WITH COPPER AND CHROMIUM VAPOURS ADMIXTURES	251
<i>Bartlova M., Coufal O., Veklich A.N., Pokorny J.</i>	
EXPERIMENTAL AND SIMULATION STUDIES ON THE VOLTAGE DROP OF ARC IN LOW-VOLTAGE CIRCUIT BREAKER SPLITTERS	256
<i>Lu J., Deplaude G., Fretton P., Gonzalez J.J., Joyeux P.</i>	
PRELIMINARY STUDY ON MAKING ARC CHARACTERISTICS OF AGSNO₂ CONTACT	261
<i>Guo F., Zhang Y., Wang Z., Wang X., Gao H.</i>	
APPROXIMATE DETERMINATION OF RADIATION PROPERTIES IN THE ARC PLASMAS WITH ADMIXTURES OF COPPER VAPOURS	265
<i>Bogatyreva N., Bartlova M., Aubrecht V., Kloc P.</i>	

HYBRID PLASMA-CATALYTIC REFORMING OF ETHANOL INTO SYNTHESIS GAS: EXPERIMENT AND MODELING	270
---	------------

Nedybaliuk O., Fedirchuk I., Chernyak V., Tereshchenko T., Tsybaliuk O., Demchina V., Bogaenko M., Popkov V.

Author Index