2019 IEEE 31st International Conference on Tools with Artificial Intelligence (ICTAI 2019)

Portland, Oregon, USA 4-6 November 2019

Pages 1-605



IEEE Catalog Number: ISBN:

CFP19091-POD 978-1-7281-3799-5

Copyright \odot 2019 by the Institute of Electrical and Electronics Engineers, Inc. All Rights Reserved

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

*** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.

 IEEE Catalog Number:
 CFP19091-POD

 ISBN (Print-On-Demand):
 978-1-7281-3799-5

 ISBN (Online):
 978-1-7281-3798-8

ISSN: 1082-3409

Additional Copies of This Publication Are Available From:

Curran Associates, Inc 57 Morehouse Lane Red Hook, NY 12571 USA Phone: (845) 758-0400

Fax: (845) 758-2633

E-mail: curran@proceedings.com Web: www.proceedings.com



2019 IEEE 31st International Conference on Tools with Artificial Intelligence (ICTAI) ICTAI 2019

Table of Contents

| General Chair's Foreword | xxxviii |
|--|---------|
| Message from the ICTAI Program Chair | |
| ICTAI 2019 Conference Committees | xl |
| Program Area Chairs | xli |
| Program Committee | xlii |
| SATISFIABILITY - 1 | |
| Benchmarking Symbolic Execution Using Constraint Problems - Initial Results | 1 |
| On Solving Exactly-One-SAT | 10 |
| Guaranteed Diversity & Quality for the Weighted CSP | 18 |
| Automating Elevator Design with Satisfiability Modulo Theories | 26 |
| Synthesis of Boolean Networks from Biological Dynamical Constraints using Answer-Set Programn Stéphanie Chevalier (Université Paris-Sud, France), Christine Froidevaux (Université Paris-Sud, France), Loïc Paulevé (CNRS, France), and Andrei Zinovyev (Institut Curie, France) | ning 34 |
| Exploiting Data Mining Techniques for Compressing Table Constraints Soufia Bennai (University of Bejaia, Algeria), Kamal Amroun (University of Bejaia, Algeria), and Samir Loudni (University of Caen Normandy Caen, France) | 42 |

SATISFIABILITY - 2

| Combining Constraint Languages via Abstract Interpretation Pierre Talbot (Université de Nantes, LS2N), David Cachera (Univ Rennes, Inria, CNRS, IRISA), Éric Monfroy (Université de Nantes, LS2N), and Charlotte Truchet (Université de Nantes, LS2N) | 50 |
|---|-------------|
| Centrality Heuristics for Exact Model Counting Bernhard Bliem (University of Helsinki) and Matti Järvisalo (University of Helsinki) | 59 |
| Memory Efficient Parallel SAT Solving with Inprocessing Markus Iser (Karlsruhe Institute of Technology, Germany), Tomás Balyo (Karlsruhe Institute of Technology, Germany), and Carsten Sinz (Karlsruhe Institute of Technology, Germany) | 64 |
| Refining Constraint Weighting | 71 |
| A Survey on Applications of Quantified Boolean Formulas | 78 |
| PLANNING | |
| Intention Interleaving Via Classical Replanning | 85 |
| Multi-agent Path Planning with Heterogeneous Cooperation Keisuke Otaki (Toyota Central R&D Labs., Inc.), Satoshi Koide (Toyota Central R&D Labs., Inc.), Keiichiro Hayakawa (Toyota Central R&D Labs., Inc.), Ayano Okoso (Toyota Central R&D Labs., Inc.), and Tomoki Nishi (Toyota Central R&D Labs., Inc.) | 93 |
| Collision-Free Path Finding for Dynamic Gaming and Real Time Robot Navigation | 01 |
| Routing Sales Territory by Solving a Multi-objective TSP Variant with Evolutionary Algorithms | 09 |
| A Comparison of Contextual Bandit Approaches to Human-in-the-Loop Robot Task Completion with Infrequent Feedback | l 17 |

| Random Walk-Based Top-k Tag Generation in Bipartite Networks of Entity-Term Type Mingxi Zhang (University of Shanghai for Science and Technology, China), Guanying Su (University of Shanghai for Science and Technology, China), and Wei Wang (Fudan University, China) | , 125 |
|---|-------|
| REASONING | |
| Cases without Borders: Automating Knowledge Acquisition Approach using Deep Autoencoders and Siamese Networks in Case-Based Reasoning | 133 |
| Fence GAN: Towards Better Anomaly Detection Phuc Cuong Ngo (Hwa Chong Institution (College Section), Singapore), Amadeus Aristo Winarto (Hwa Chong Institution (College Section), Singapore), Connie Khor Li Kou (Agency for Science, Technology and Research (A*STAR), National University of Singapore, Singapore), Sojeong Park (Agency for Science, Technology and Research (A*STAR) Singapore Chosun University, South Korea), Farhan Akram (Agency for Science, Technology and Research (A*STAR), Singapore), and Hwee Kuan Lee (Agency for Science, Technology and Research (A*STAR), National University of Singapore, Singapore Eye Research Institute (SERI), Image and Pervasive Access Laboratory (IPAL), Singapore) | 141 |
| An End-to-End Abnormal Fastener Detection Method Based on Data Synthesis Bangyi Dong (Beijing Key Lab of Transportation Data Analysis and Mining, Beijing Jiaotong University, Beijing), Qingyong Li (Beijing Key Lab of Transportation Data Analysis and Mining, Beijing Jiaotong University, Beijing), Jianzhu Wang (Beijing Key Lab of Transportation Data Analysis and Mining, Beijing Jiaotong University, Beijing), Wei Huang (Beijing Key Lab of Transportation Data Analysis and Mining, Beijing Jiaotong University, Beijing), Peng Dai (Infrastructure Inspection Research Institute, China Academy of Railway Sciences LTD, Beijing), and Shengchun Wang (Infrastructure Inspection Research Institute, China Academy of Railway Sciences LTD, Beijing) | 149 |
| Reasoning About Future Cyber-Attacks Through Socio-Technical Hacking Information | 157 |
| Automated Mechanism Design: Compact and Decomposition Linear Programming Models | 165 |
| DEEP LEARNING - 1 | |
| Deep Reinforcement Learning with Model-Based Acceleration for Hyperparameter Optimization | 170 |

| Internet of Things Security Analytics and Solutions with Deep Learning Luke Holbrook (University of Texas at San Antonio) and Miltiadis Alamaniotis (University of Texas at San Antonio) | 178 |
|--|-----|
| Deep Reinforcement Learning for Time Optimal Velocity Control using Prior Knowledge | 186 |
| Shallow Deep Learning: Embedding Verbatim K-Means in Deep Neural Networks | 194 |
| Coordination in Adversarial Multi-Agent with Deep Reinforcement Learning Under Partial Observability Elhadji Amadou Oury Diallo (Waseda University, Japan) and Toshiharu Sugawara (Waseda University, Japan) | 198 |
| Parallel Gym Gazebo: a Scalable Parallel Robot Deep Reinforcement Learning Platform Zhen Liang (National University of Defense Technology, China), Zhongxuan Cai (National University of Defense Technology, China), Minglong Li (National University of Defense Technology, China), and Wenjing Yang (National University of Defense Technology, China) | 206 |
| MACHINE LEARNING - 1 | |
| Adversarial Capsule Learning for Network Embedding Di Jin (Tianjin University, China), Zhigang Li (Tianjin University, China), Liang Yang (Hebei University of Technology, China), Dongxiao He (Tianjin University, China), Pengfei Jiao (Tianjin University, China), and Lu Zhai (Tianjin University, China) | 214 |
| Semi-Supervised Ovulation Detection Based on Multiple Properties Amos Azaria (Ariel University) and Seagal Azaria (Mayanei Hayeshua Medical Center) | 222 |
| Distant-Supervised Relation Extraction with Hierarchical Attention Based on Knowledge Graph Hong Yao (China University of Geosciences, Wuhan, China), Lijun Dong (China University of Geosciences, Wuhan, China), Shiqi Zhen (China University of Geosciences, Wuhan, China), Xiaojun Kang (China University of Geosciences, Wuhan, China), Xinchuan Li (China University of Geosciences, Wuhan, China), and Qingzhong Liang (hina University of Geosciences, Wuhan, China) | 229 |
| Approximating Learning Curves for Imbalanced Big Data with Limited Labels | 237 |
| An Adjusted Nearest Neighbor Algorithm Maximizing the F-Measure from Imbalanced Data Rémi Viola (Université Saint-Etienne, DGFiP, France), Rémi Emonet (Université Saint-Etienne, France), Amaury Habrard (Université Saint-Etienne, France), Guillaume Metzler (Université Saint-Etienne, France), Sébastien Riou (DGFiP, France), and Marc Sebban (Université Saint-Etienne, France) | 243 |
| The Concept of Criticality in Reinforcement Learning | 251 |

NLP/NLU-1

| Math Expression Image Retrieval via Attention-Based Framework Caili Wu (East China Normal University), Zhao Zhou (Videt Tech Ltd.), Hao Ye (Videt Tech Ltd.), Jing Yang (East China Normal University), and Liang He (East China Normal University) | . 259 |
|---|-------|
| Sentence-Level Semantic Features Guided Adversarial Network for Zhuang Language Part-of-Speech Tagging Zhixin Li (Guangxi Normal University), Yaru Sun (Guangxi Normal University), Suqin Tang (Guangxi Normal University), Canlong Zhang (Guangxi Normal University), and Huifang Ma (Northwest Normal University) | . 265 |
| Text-Independent Speaker ID Employing 2D-CNN for Automatic Video Lecture Categorization in a MOOC Setting Ali Shariq Imran (Norwegian University of Science and Technology, Norway), Zenun Kastrati (Linnaeus University, Sweden), Torbjørn Karl Svendsen (Norwegian University of Science and Technology, Norway), and Arianit Kurti (Linnaeus University, Sweden) | . 273 |
| Document Clustering and Topic Modeling: A Unified Bayesian Probabilistic Perspective | . 278 |
| Improving Irregular Text Recognition by Integrating Gabor Convolutional Network Zhaohong Guo (Chongqing Institute of Green and Intelligent Technology, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Hui Xu (Chongqing Institute of Green and Intelligent Technology, Chinese Academy of Sciences, China), Feng Lu (Chongqing Institute of Green and Intelligent Technology, Chinese Academy of Sciences, China), Qiufeng Wang (Xian Jiaotong-Liverpool University, China), Xiangdong Zhou (Chongqing Institute of Green and Intelligent Technology, Chinese Academy of Sciences, China), and Yu Shi (Chongqing Institute of Green and Intelligent Technology, Chinese Academy of Sciences, China) | . 286 |
| Aspect-Based Sentiment Analysis with Adjustments to Irrelevant Sentimental-Related Features | 294 |
| NLP/NLU - 2 | |
| Deep Captioning Hashing Network for Complex Scene Image Retrieval Song Liu (Shenzhen Graduate School, Peking University), Jiawei Zhan (Shenzhen Graduate School, Peking University), Zhengding Luo (Shenzhen Graduate School, Peking University), Gege Qi (Shenzhen Graduate School, Peking University), Zhiqiang Bai (Shenzhen Graduate School, Peking University), and Yuesheng Zhu (Shenzhen Graduate School, Peking University) | . 300 |

| Text-Enhanced Knowledge Representation Learning Based on Gated Convolutional Networks |
|--|
| Chunfeng Liu (College of Intelligence and Computing, TianJin |
| University, Tianjin Key Laboratory of Advanced Networking (TANK Lab), |
| Tianjin Key Laboratory of Cognitive Computing and Application,), Yan |
| Zhang (College of Intelligence and Computing, TianJin |
| University, Tianjin Key Laboratory of Advanced Networking (TANK Lab), |
| Tianjin Key Laboratory of Cognitive Computing and Application), Mei Yu |
| (College of Intelligence and Computing, TianJin University, Tianjin Key |
| Laboratory of Advanced Networking (TANK Lab), Tianjin Key Laboratory |
| of Cognitive Computing and Application), Xuewei Li (College of |
| Intelligence and Computing, TianJin University, Tianjin Key Laboratory |
| of Advanced Networking (TANK Lab), Tianjin Key Laboratory of Cognitive |
| Computing and Application), Mankun Zhao (College of Intelligence and |
| Computing, TianJin University, Tianjin Key Laboratory of Advanced |
| Networking (TANK Lab), Tianjin Key Laboratory of), Tianyi Xu (College |
| of Intelligence and Computing, TianJin University, Tianjin Key |
| Laboratory of Advanced Networking (TANK Lab), Tianjin Key Laboratory |
| of Cognitive Computing and Application), Jian Yu (College of |
| Intelligence and Computing, TianJin University, Tianjin Key Laboratory |
| of Advanced Networking (TANK Lab), Tianjin Key Laboratory of Cognitive |
| Computing and Application), and Ruiguo Yu (College of Intelligence and |
| Computing, TianJin University, Tianjin Key Laboratory of Advanced |
| Networking (TANK Lab), Tianjin Key Laboratory of Cognitive Computing |
| and Application) |
| |
| An Efficient Approach for Semantic Relatedness Evaluation Based on Semantic Neighborhood |
| Alcides Lopes (UFRGS), Renata Alvarenga (UFRGS), Joel Carbonera |
| (UFRGS), and Mara Abel (UFRGS) |
| Semi-Supervised Cross-Modal Hashing Based on Label Prediction and Distance Preserving |
| Xu Zhang (Chongqing University of Posts and Telecommunications, China), |
| Xin Tian (Chongqing University of Posts and Telecommunications, China), |
| Bing Yang (China Academy of Electronics and Information |
| Technology, China), Zuyu Zhang (Chongqing University of Posts and |
| Telecommunications, China), and Yan Li (Inha University, South Korea) |
| Self-Learned Feature Reconstruction and Offset-Dilated Feature Fusion for Real-Time Semantic |
| |
| Segmentation |
| (Shenzhen Graduate School of Peking University), Song Liu (Shenzhen |
| Graduate School of Peking University), Zhengding Luo (Shenzhen |
| Graduate School of Peking University), and Yuesheng Zhu (Shenzhen |
| Graduate School of Peking University) Graduate School of Peking University) |
| |
| Scaling up Prediction of Psychosis by Natural Language Processing |
| Dong Si (University of Washington Bothell, USA), Sunny Chieh Cheng |
| (University of Washington Tacoma, USA), Ruiwen Xing (University of |
| Washington Bothell, USA), Chang Liu (University of Washington Bothell, |
| USA), and Hoi Yan Wu (University of Washington Bothell, USA) |

NEURAL NETS - 1

| Mini Lesions Detection on Diabetic Retinopathy Images via Large Scale CNN Features Qilei Chen (The University of Massachusetts Lowell), Xinzi Sun (The University of Massachusetts Lowell), Ning Zhang (The University of Massachusetts Lowell), Yu Cao (The University of Massachusetts Lowell), and Benyuan Liu (The University of Massachusetts Lowell) | 348 |
|--|-----|
| A Multi-channel Neural Network for Imbalanced Emotion Recognition Ran Li (Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Qingyi Si (Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Peng Fu (Chinese Academy of Sciences, China), Zheng Lin (Chinese Academy of Sciences, China), Weiping Wang (Chinese Academy of Sciences, China), and Gang Shi (Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China) | 353 |
| Automatic 2D-to-3D Video Conversion using 3D Densely Connected Convolutional Networks Bei Chen (College of Computer Science and Technology, Nanjing University of Aeronautics and Astronautics, Nanjing), Jiabin Yuan (College of Computer Science and Technology, Nanjing University of Aeronautics and Astronautics, Nanjing), and Xiuping Bao (College of Computer Science and Technology, Nanjing University of Aeronautics and Astronautics, Nanjing) | 361 |
| Predicting User Reported Symptoms Using a Gated Neural Network Lahari Poddar (National University of Singapore), Wynne Hsu (National University of Singapore), and Mong Li Lee (National University of Singapore) | 368 |
| A Unified Approximation Framework for Compressing and Accelerating Deep Neural Networks Yuzhe Ma (The Chinese University of Hong Kong), Ran Chen (The Chinese University of Hong Kong), Wei Li (The Chinese University of Hong Kong), Fanhua Shang (Xidian University), Wenjian Yu (Tsinghua University), Minsik Cho (IBM T. J. Watson), and Bei Yu (The Chinese University of Hong Kong) | 376 |
| SEARCH - RECOGNITION | |
| A Probabilistic Forward Search Value Iteration Algorithm for POMDP | 384 |
| A Divide and Conquer Algorithm for Dominance Testing in Acyclic CP-Nets Sultan Ahmed (University of Regina, Canada) and Malek Mouhoub (University of Regina, Canada) | 392 |
| Generating Reduced Tests for FSMs using a Search-Based Testing Approach Mariana Soller Ramada (Universidade Federal de Goiás, Brazil), Telma Woerle de Lima (Universidade Federal de Goiás, Brazil), Anderson da Silva Soares (Universidade Federal de Goiás, Brazil), and Adenilso Simao (Universidade de São Paulo, Brazil) | 400 |

| AERNs: Attention-Based Entity Region Networks for Multi-Grained Named Entity Recognition | 8 |
|--|---|
| Monte Carlo Tree Search with Variable Simulation Periods for Continuously Running Tasks | 6 |
| KNORA-IU: Improving the Dynamic Selection Prediction in Imbalanced Credit Scoring Problems | 4 |
| METHODS - TOOLS-1 | |
| Agnostic Local Explanation for Time Series Classification | 2 |
| Using Gradient Based Multikernel Gaussian Process and Meta-Acquisition Function to Accelerate SMBO 44 Daning Cheng (University of Chinese Academy of Sciences, China Institute of Computing Technology, China), Hanping Zhang (University at Buffalo, USA Wisdom Uranium technology Co.Ltd, China), Fen Xia (Wisdom Uranium technology Co.Ltd, China), Shigang Li (ETH Switzerland), and Yunquan Zhang (Institute of Computing Technology, China) | 0 |
| Ant Colony Optimization Parameters Control Based on Evolutionary Strength | 8 |
| Budget-Constrained Demand-Weighted Network Design for Resilient Infrastructure | 6 |
| On the Convergence Speed of AMSGRAD and Beyond | 4 |

| TPOT-SH: A Faster Optimization Algorithm to Solve the AutoML Problem on Large Datasets |
|--|
| CLASSIFICATION - 1 |
| METAPHOR - A Multiagent Architecture using IoT and Classification Algorithms for Referral Postoperative Patients |
| AudioMask: Robust Sound Event Detection Using Mask R-CNN and Frame-Level Classifier |
| Regularized Non-Negative Spectral Embedding for Clustering |
| An Efficient Truth Discovery Mechanism for Crowdsensing Tasks With Temporal and Spatial Correlations 501 Runzhi Wang (Soochow University, China), Yu-E Sun (Soochow University, China), He Huang (University of Florida, United States), Le Lu (Soochow University, China), Yang Du (University of Science and Technology of China, China), and Danlei Huang (Soochow University, China) |
| A Subspace Hierarchical Clustering Algorithm for Categorical Data |
| Multi-label Emotion Classification in Music Videos Using Ensembles of Audio and Video Features |

IMAGING - 1

| Recovering Extremely Degraded Faces by Joint Super-Resolution and Facial Composite |
|---|
| SOON: Specifically Optimized One-Stage Network for Object Detection in Remote Sensing Imagery |
| Partial Attribute-Driven Video Person Re-Identification |
| CPDM: An Efficient Crowdsensing-Based Pothole Detection and Measurement System Design |
| FMNet: Feature Mining Networks for Brain Tumor Segmentation |
| APPLICATIONS - 1 |
| No-PASt-BO: Normalized Portfolio Allocation Strategy for Bayesian Optimization |
| Texture CNN for Thermoelectric Metal Pipe Image Classification |

| A Multi-index Examination Cheating Detection Method Based on Neural Network |
|---|
| GLmser: A GAN-Lmser Network for Image-to-Image Translation |
| Stealthy Malware Detection using RNN-Based Automated Localized Feature Extraction and Classifier 590 Sanket Shukla (George Mason University), Gaurav Kolhe (George Mason University), Sai Manoj P D (George Mason University), and Setareh Rafatirad (George Mason University) |
| IMAGING - 2 |
| ECPNet: An Efficient Attention-Based Convolution Network with Pseudo-3D Block for Human Action Recognition |
| Triplet Deep Hashing with Joint Supervised Loss for Fast Image Retrieval 606 Mingyong Li (1College of Computer Science and Technology, Donghua University, Shanghai, China; 2 College of Computer and Information Science, Chongqing Normal University, Chongqing, China), Hongya Wang (College of Computer Science and Technology, Donghua University, Shanghai, China), Liangliang Wang (College of Computer Science and Technology, Donghua University, Shanghai, China), Kaixiang Yang (College of Computer Science and Technology, Donghua University, Shanghai, China), and Yingyuan Xiao (School of CSE, Tianjin University of Technology, China) |
| Automatic Identification of Alzheimer's Disease and Epilepsy Based on MRI Xijue Zhang (University of Electronic Science and Technology of China, China), Wanling Li (West China Hospital, Sichuan University, China), Wangshu Shen (University of Electronic Science and Technology of China, China), Lin Zhang (West China Hospital, Sichuan University, China), Xiaorong Pu (University of Electronic Science and Technology of China, China), and Lei Chen (West China Hospital, Sichuan University, China) |
| Salient Textural Anomaly Proposals and Classification for Metal Surface Anomalies |
| Texture Recognition on Metal Surface using Order-Less Scale Invariant GLAC Shangbo Mao (Rolls-Royce@NTU Corporate Lab), Vidhya Natarajan (Rolls-Royce@NTU Corporate Lab), Liang-Tien Chia (School of Computer Science and Engineering, Nanyang Technological University, Singapore), and Guang-Bin Huang (School of Electrical and Electronic Engineering, Nanyang Technological University, Singapore) |

| AFP-Net: Realtime Anchor-Free Polyp Detection in Colonoscopy | 636 |
|---|-----|
| RECOMMENDATION - 1 | |
| MALP: A More Effective Meta-Paths Based Link Prediction Method in Partially Aligned Heterogeneous Social Networks Kai Zhu (Department of Computer Science and Technology, Nanjing University, Nanjing, China), Meng Cao (Department of Computer Science and Technology, Nanjing University, Nanjing, China), and Heng-yang Lu (School of Internet of Things Engineering, Jiangnan University, Wuxi, China) | 644 |
| SARC: Split-and-Recombine Networks for Knowledge-Based Recommendation | 652 |
| Element-Aware Legal Judgment Prediction for Criminal Cases with Confusing Charges Shang Li (Harbin Institute of Technology), Boyang Liu (Harbin Institute of Technology), Lin Ye (Harbin Institute of Technology), Hongli Zhang (Harbin Institute of Technology), and Binxing Fang (Harbin Institute of Technology) | 660 |
| A Location-Aware Strategy for Agents Negotiating Load-Balancing | 668 |
| A Dynamic Knowledge Generation System for Cognitive Agents Antonio Lieto (Dipartimento di Informatica, Università di Torino), Gian Luca Pozzato (Dipartimento di Informatica, Università di Torino), and Federico Perrone (Dipartimento di Informatica, Università di Torino) | 676 |
| METHODS-TOOLS - 2 | |
| Online Kernel Selection via Grouped Adversarial Bandit Model | 682 |
| Optimizing Value of Information Over an Infinite Time Horizon | 690 |
| Automating Personnel Rostering by Learning Constraints Using Tensors Mohit Kumar (KU Leuven), Stefano Teso (KU Leuven), Patrick De Causmaecker (KU Leuven), and Luc De Raedt (KU Leuven) | 697 |

| Towards a Hybrid Approach for Evolving Bayesian Networks Using Genetic Algorithms | .705 |
|--|-------|
| An Eigenvector-Enhanced Parallel Adaptive Differential Evolution for Electric Motor Design Mokhtar Essaid (University of Haute Alsace, France), Mathieu Brévilliers (University of Haute Alsace, France), Julien Lepagnot (University of Haute Alsace, France), Lhassane Idoumghar (University of Haute Alsace, France), and Daniel Fodorean (Technical University of Cluj Napoca, Romania) | .713 |
| An Effective Dynamic Programming Algorithm for Optimal Coalition Structure Generation | . 721 |
| NEURAL NETS - 2 | |
| Multi-granularity Position-Aware Convolutional Memory Network for Aspect-Based Sentiment Analysis Yuanyuan Pan (Nanjing University), Jun Gan (Nanjing University), Xiangying Ran (Nanjing University), and Chongjun Wang (Nanjing University) | . 728 |
| Residual Neural Network Based Classification of Macular Edema in OCT Yueyao Huang (Sichuan University, China) and Junjie Hu (Sichuan University, China) | . 736 |
| Multi-graph Convolution Network with Jump Connection for Event Detection Xiangbin Meng (School of Computer Science, Beijing University of Posts and Telecommunications), Pengfei Wang (School of Computer Science, Beijing University of Posts and Telecommunications), Haoran Yan (Key Laboratory of Network Data Science and Technology, Institute of Computing Technology, Chinese Academy of Sciences), Liutong Xu (School of Computer Science, Beijing University ofPosts and Telecommunications), Jiafeng Guo (Key Laboratory of Network Data Science and Technology, Institute of Computing Technology, Chinese Academy of Sciences), and Yixing Fan (Key Laboratory of Network Data Science and Technology, Institute of Computing Technology, Chinese Academy of Sciences) | . 744 |
| Constrained State-Preserved Extreme Learning Machine | . 752 |
| Reconciling Feature-Reuse and Overfitting in DenseNet with Specialized Dropout Kun Wan (University of California, Santa Barbara), Shu Yang (University of California, Santa Barbara), Boyuan Feng (University of California, Santa Barbara), Yufei Ding (University of California, Santa Barbara), and Lingwei Xie (Xiamen University) | 760 |
| A One-step Pruning-recovery Framework for Acceleration of Convolutional Neural Networks | . 768 |

METHODS -TOOLS- 3

| Modeling Uncertainty and Inaccuracy on Data from Crowdsourcing Platforms: MONITOR 776 Constance Thierry (University of Rennes, France), Jean-Christophe Dubois (University of Rennes, France), Yolande Le Gall (University of Rennes, France), and Arnaud Martin (University of Rennes, France) |
|--|
| Dynamic Multi-population Artificial Bee Colony Algorithm |
| Robust Point Set Registration with Mixture Re-Weighting Based on Relative Geometric Structures |
| Manifold Regularized Stochastic Block Model |
| Improving the Accuracy of Principal Component Analysis by the Maximum Entropy Method |
| NEURAL NETS - 3 |
| RegCNN: A Deep Multi-output Regression Method for Wastewater Treatment |
| Crowd Counting via Enhanced Feature Channel Convolutional Neural Network |

| Unsupervised Pedestrian Trajectory Prediction with Graph Neural Networks Mingkun Wang (College of Computer, National University of Defense Technology), Dianxi Shi (National Innovation Institute of Defense Technology; Tianjin Artificial Intelligence Innovation Center), Naiyang Guan (National Innovation Institute of Defense Technology; Tianjin Artificial Intelligence Innovation Center), Tao Zhang (Department of Computer Science, The University of Illinois at Chicago), Liujing Wang (College of Computer, National University of Defense Technology), and Ruoxiang Li (College of Computer, National University of Defense Technology) | 832 |
|---|-------|
| High-Speed Rail Operating Environment Recognition Based on Neural Network and Adversarial Training Xiaoxue Hou (Tongji University), Jie An (Tongji University), Miaomiao Zhang (Tongji University), Bowen Du (University of Warwick), and Jing Liu (East China Normal University) | . 840 |
| Integrating an Attention Mechanism and Deep Neural Network for Detection of DGA Domain Names Fangli Ren (Institute of Information Engineering, Chinese Academy of Sciences), Zhengwei Jiang (Institute of Information Engineering, Chinese Academy of Sciences), and Jian Liu (Institute of Information Engineering, Chinese Academy of Sciences) | 848 |
| Solving the Defect in Application of Compact Abating Probability to Convolutional Neural Network Based Open Set Recognition | 856 |
| Experience Selection in Multi-agent Deep Reinforcement Learning | 864 |
| Applying Deep Learning and Wearable Devices for Educational Data Analytics | 871 |
| University of Hong Kong), Allan Yuen (The University of Hong Kong), Xiao Hu (The University of Hong Kong), and Nancy Law (The University of Hong Kong) | |
| University of Hong Kong), Allan Yuen (The University of Hong Kong), Xiao Hu (The University of Hong Kong), and Nancy Law (The University | 879 |

| Driver Identification Based on Vehicle Telematics Data using LSTM-Recurrent Neural Network | |
|---|-------|
| Deep Unsupervised Progressive Learning for Distant Domain Adaptation Suncheng Xiang (Shanghai Jiao Tong University, China), Yuzhuo Fu (Shanghai Jiao Tong University, China), and Ting Liu (Shanghai Jiao Tong University, China) | 903 |
| MACHINE LEARNING - 2 | |
| MABWiser: A Parallelizable Contextual Multi-Armed Bandit Library for Python Emily Strong (Fidelity Investments), Bernard Kleynhans (Fidelity Investments), and Serdar Kadiolu (Fidelity Investments) | 909 |
| Harnessing GAN with Metric Learning for One-Shot Generation on a Fine-Grained Category | 915 |
| Metric Learning from Imbalanced Data Léo Gautheron (Jean Monnet University), Amaury Habrard (Jean Monnet University), Emilie Morvant (Jean Monnet University), and Marc Sebban (Jean Monnet University) | 923 |
| Transfer Learning with Ensemble Feature Extraction and Low-Rank Matrix Factorization for Severity Stage Classification of Diabetic Retinopathy | 931 |
| Accelerating Nash Q-Learning with Graphical Game Representation and Equilibrium Solving Yunkai Zhuang (State Key Laboratory for Novel Software Technology, Collaborative Innovation Center of Novel Software Technology and Industrialization, Nanjing University, Nanjing, China), Xingguo Chen (National Engineering Laboratory for Agri-product Quality Traceability, Beijing Technology and Business University, Beijing, China), Yang Gao (State Key Laboratory for Novel Software Technology, Collaborative Innovation Center of Novel Software Technology and Industrialization, Nanjing University, Nanjing, China), and Yujing Hu (Fuxi AI Lab in Netease, Hangzhou, China) | . 939 |
| Embedding Learning with Heterogeneous Event Sequence for Insider Threat Detection Jiarong Wang (Chinese Academy of Sciences, University of Chinese Academy of Sciences), Lijun Cai (Chinese Academy of Sciences), Aimin Yu (Chinese Academy of Sciences), and Dan Meng (Chinese Academy of Sciences) | 947 |

DEEP LEARNING - 3

| Motion Coordination of Multiple Robots Based on Deep Reinforcement Learning Xiuzhao Hao (Beijing Jiaotong University, China), Zhihao Wu (Beijing Jiaotong University, China), Haiguang Zhou (Systems Engineering Research Institude, China), Xiangpeng Bai (Beijing Jiaotong University, China), Youfang Lin (Beijing Jiaotong University, China), and Sheng Han (Beijing Jiaotong University, China) | 955 |
|---|------|
| Experience Sharing Between Cooperative Reinforcement Learning Agents Lucas Oliveira Souza (Numenta, USA), Gabriel de Oliveira Ramos (Universidade do Vale do Rio dos Sinos, Brazil), and Celia Ghedini Ralha (University of Brasilia, Brazil) | 963 |
| Deep Learning Poison Data Attack Detection | 971 |
| Estimating Vehicle Speed on Highway Roads from Smartphone Sensors Using Deep Learning Models Norhan Elsayed Amer Abdelgawad (Egypt-Japan University of Science and Technology, Egypt), Ahmed El Mahdy (Egypt-Japan University of Science and Technology, Egypt), Walid Gomaa (Egypt-Japan University of Science and Technology, Egypt), and Amin Shoukry (Egypt-Japan University of Science and Technology, Egypt) | 979 |
| MACHINE LEARNING - 3 | |
| Learning Sparse Support Vector Machine with Relaxation and Rounding Xiangyu Tian (College of Intelligence and Computing, Tianjin University) and Shizhong Liao (College of Intelligence and Computing, Tianjin University) | 987 |
| Information-Theoretic Ensemble Learning for DDoS Detection with Adaptive Boosting | 995 |
| Transfer Learning on Decision Tree with Class Imbalance Ludovic Minvielle (CMLA, ENS Paris-Saclay, Cachan, France), Mounir Atiq (CMLA, ENS Paris-Saclay, Cachan, France), Sergio Peignier (INSA Lyon, Lyon, France), and Mathilde Mougeot (ENSIIE, Évry, France) | 1003 |
| EsiNet: Enhanced Network Representation via Further Learning the Semantic Information of Edges Anqing Zheng (School of Computer Science, Beijing Institute of Technology), Chong Feng (School of Computer Science, Beijing Institute of Technology), Fang Yang (School of Computer Science, Beijing Institute of Technology), and Huanhuan Zhang (China Academy of Electronics & IT of CETC) | 1011 |
| Learning Linear Programs from Data | 1019 |

| A Novel Learning Classification Scheme for Brain EEG Patterns | 1027 |
|--|------|
| Spyridon Manganas (Wright State University, United States of America) and Nikolaos Bourbakis (Wright State University, United States of America) | |
| CLASSIFICATION - 2 | |
| Visual Sequence Place Recognition with Improved Dynamic Time Warping Feng Lu (Chongqing Institute of Green and Intelligent Technology, University of Chinese Academy of Sciences; CAS Chongqing, China), Baifan Chen (School of Automation, Central South University, Changsha, China), Zhaohong Guo (Chongqing Institute of Green and Intelligent Technology, University of Chinese Academy of Sciences; CAS Chongqing, China), and Xiangdong Zhou (Chongqing Institute of Green and Intelligent Technology, Chinese Academy of Sciences (CAS), Chongqing, China) | 1034 |
| Heterogeneous Transfer Clustering for Partial Co-occurrence Data | 1042 |
| A CNN-RNN Hybrid Model with 2D Wavelet Transform Layer for Image Classification | 1050 |
| Fine-Grained Image Classification Combined with Label Description Xiruo Shi (Beijing University of Posts and Telecommunications, National Engineering Laboratory of Big Data Application on Improving Government Governance Capabilities), Liutong Xu (Beijing University of Posts and Telecommunications), and Pengfei Wang (Beijing University of Posts and Telecommunications) | 1057 |
| Data-Driven Gene Regulatory Network Inference Based on Classification Algorithms Sergio Peignier (Université Lyon 1, INSA Lyon, INRA BF2I, UMR0203, F-69621), Pauline Schmitt (Université Lyon 1, INSA Lyon, INRA BF2I, UMR0203, F-69621), and Federica Calevro (Université Lyon 1, INSA Lyon, INRA BF2I, UMR0203, F-69621) | 1065 |
| Targeted Sentiment Classification with Knowledge Powered Attention Network Ximo Bian (Beijing Institute of Technology, China), Chong Feng (Beijing Institute of Technology, China), Arshad Ahmad (University of Swabi, Anbar), Jinming Dai (Communication University of China, China), and Guifen Zhao (Beijing Institute of Science and Technology Information, China) | 1073 |
| CLASSIFICATION - 3 | |
| Cancer Classification Using Microarray Data By DPCAForest | 1081 |

| Towards Explainable Multi-Label Classification | 1088 |
|--|------|
| EPMS: A Framework for Large-Scale Patient Matching | 1096 |
| Bayesian Network Learning for Classification via Transfer Method | 1102 |
| Fusing Vector Space Models for Domain-Specific Applications | 1110 |
| Solving Traveling Salesman Problem with Image-Based Classification Shoma Miki (Graduate School of Science and Engineering, Kansai University) and Hiroyuki Ebara (Graduate School of Science and Engineering, Kansai University) | 1118 |
| CLASSIFICATION - 4 | |
| Monaural Music Source Separation using a ResNet Latent Separator Network Gino Brunner (ETH Zurich, Switzerland), Nawel Naas (ETH Zurich, Switzerland), Sveinn Palsson (ETH Zurich, Switzerland), Oliver Richter (ETH Zurich, Switzerland), and Roger Wattenhofer (ETH Zurich, Switzerland) | 1124 |
| A Decision-Based Dynamic Ensemble Selection Method for Concept Drift Régis Antônio S. Albuquerque (Federal University of Amazonas, Brazil), Albert F. Josuá Costa (Federal Institute of Amazonas, Brazil), Eulanda Miranda dos Santos (Federal University of Amazonas, Brazil), Robert Sabourin (École de Technologie Supérieure, Canada), and Rafael Giusti (Federal University of Amazonas, Brazil) | 1132 |
| Towards a High-Level Multi-label Classification from Complex Networks | 1140 |
| Effects of Integrated Instance-Random-Sampling and Feature Reduction on Classifiers Performance and Training Speed | 1148 |
| Gorthaur: A Portfolio Approach for Dynamic Selection of Multi-Armed Bandit Algorithms for Recommendation | 1156 |

NLP/NLU-3

| Sentiment-Aware Short Text Classification Based on Convolutional Neural Network and Attention Zeyu Chen (Hohai University), Yan Tang (Hohai University), Zuowei Zhang (Hohai University), Chengyang Zhang (Hohai University,), and Luwei Wang (Hohai University) | 1164 |
|---|------|
| Implementing Ranking-Based Semantics in ConArg Stefano Bistarelli (University of Perugia, Italy), Francesco Faloci (University of Perugia, Italy), and Carlo Taticchi (Gran Sasso Science Institute, Italy) | 1172 |
| Graph-Based Attention Networks for Aspect Level Sentiment Analysis Junjie Chen (College of Computer Science, Inner Mongolia University), Hongxu Hou (College of Computer Science, Inner Mongolia University), Yatu Ji (College of Computer Science, Inner Mongolia University), Jing Gao (College of Computer Science and Information Engineering, Inner Mongolia Agricultural University), and Tiangang Bai (College of Computer Science, Inner Mongolia University) | 1180 |
| FPSeq: Simplifying and Accelerating Task-Oriented Dialogue Systems via Fully Parallel Sequence-to-Sequence Framework Meina Song (Beijing University of Posts and Telecommunications), Zhongfu Chen (Beijing University of Posts and Telecommunications), Peiqing Niu (Beijing University of Posts and Telecommunications), and Haihong E (Beijing University of Posts and Telecommunications) | 1187 |
| GLSE: Global-Local Selective Encoding for Response Generation in Neural Conversation Model | 1195 |
| Detecting Sentences that May be Harmful to Children with Special Needs Merav Allouch (Ariel University, Ariel, Israel), Amos Azaria (Ariel University, Ariel, Israel), and Rina Azoulay (Jerusalem College of Technology, Jerusalem, Israel) | 1201 |
| IMAGING - 3 | |
| An Efficient Semantic Segmentation Method using Pyramid ShuffleNet V2 with Vortex Pooling | 1206 |
| Few-Shot Learning for Monocular Depth Estimation Based on Local Object Relationship | 1213 |
| Learning Spatial-Corrected Regularized Correlation Filters for Visual Tracking | 1221 |

RECOMMENDATION - 3

| Adversarial Attack Against DoS Intrusion Detection: An Improved Boundary-Based Method | 280 |
|---|-----|
| Knowledge Graph Embedding by Bias Vectors | 288 |
| Reverse Auction Based Incentive Order Matching Mechanism for Real-Time Ride-Sharing 12 Bing Shi (Wuhan University of Technology, China), Liquan Zhu (Wuhan University of Technology, China), and Yikai Luo (Wuhan University of Technology, China) | 295 |
| The Application of Network Based Embedding in Local Topic Detection from Social Media | 303 |
| Graph Attention Networks for Neural Social Recommendation | 312 |
| Threshold Based Optimization of Performance Metrics with Severely Imbalanced Big Security Data | 320 |

MISCELLANEOUS

| Using Classical Planning in Adversarial Problems | 7 |
|---|---|
| Federated Learning of Unsegmented Chinese Text Recognition Model | 3 |
| Evaluating Different Metric Configurations of an Evolutionary Wrapper for Attack Detection | 8 |
| Anomaly Detection, Consider Your Dataset First An Illustration on Fraud Detection | 3 |
| A Comparative Analysis of Classifiers in the Recognition of Packed Executables | 8 |
| Cases and Clusters in Reuse Policies for Decision-Making in Card Games | 3 |
| Improving Bandit-Based Recommendations with Spatial Context Reasoning: An Online Evaluation | 8 |
| NEURAL NETS - 4 | |
| Exploring Numerical Calculations with CalcNet | 6 |
| An IBP-CNN Based Fast Block Partition for Intra Prediction Jia Su (Capital Normal University), Wenpeng Ren (Capital Normal University), Chang Sun (Capital Normal University), and Zhiping Shi (Capital Normal University) | |

| 5M-Building: A Large-Scale High-Resolution Building Dataset with CNN Based Detection Analysis Zeshan Lu (University of Jinan, China), Tao Xu (University of Jinan, China), Kun Liu (University of Jinan, China), Zhen Liu (University of Jinan, China), Feipeng Zhou (Beihang University, China), and Qingjie Liu (Beihang University, China) | 1377 |
|--|--------|
| A New Effective Neural Variational Model with Mixture-of-Gaussians Prior for Text Clustering Miao Li (State Key Laboratory of Computer Science, Institute of Software, Chinese Academy of Sciences, Beijing, China), Hongyin Tang (State Key Laboratory of Computer Science, Institute of Software, Chinese Academy of Sciences, Beijing, China), Beihong Jin (State Key Laboratory of Computer Science, Institute of Software, Chinese Academy of Sciences, Beijing, China), and Chengqing Zong (National Laboratory of Pattern Recognition, Institute of Automation, Chinese Academy of Sciences, Beijing, China) | . 1382 |
| Learning Effective Neural Nets for Outcome Prediction from Partially Labelled Log Data | 1388 |
| DASNet: Dynamic Activation Sparsity for Neural Network Efficiency Improvement | 1393 |
| METHODS - TOOLS-4 | |
| Feature-Selected and -Preserved Sampling for High-Dimensional Stream Data Summary ling Lin (State Key Laboratory for Novel Software Technology, Nanjing University, Nanjing), Qian Yu (State Key Laboratory for Novel Software Technology, Nanjing University, Nanjing), Wen Ji (State Key Laboratory for Novel Software Technology, Nanjing University, Nanjing), and Yang Gao (State Key Laboratory for Novel Software Technology, Nanjing University, Nanjing) | . 1398 |
| Hyperparameter Tuning using Quantum Genetic Algorithms | 1404 |
| Fair Kernel Regression via Fair Feature Embedding in Kernel Space | . 1409 |
| Bayesian Anytime m-top Exploration Pieter Libin (Vrije Universiteit Brussel, Belgium), Timothy Verstraeten (Vrije Universiteit Brussel, Belgium), Diederik M. Roijers (Vrije Universiteit Brussel, Belgium), Wenjia Wang (Vrije Universiteit Brussel, Belgium), Kristof Theys (Katholieke Universiteit Leuven, Belgium), and Ann Nowe (Vrije Universiteit Brussel, Belgium) | 1414 |
| Optimal Multiple Stopping Rule for Warm-Starting Sequential Selection | 1421 |

| Attribute Reduction for Partially Labeled Data Based on Hypergraph Models Xiaojun Xie (Nanjing University of Aeronautics and Astronautics), Xiaolin Qin (Nanjing University of Aeronautics and Astronautics), Guangmei Huang (Guangxi Normal University), and Wei Zhao (McMaster University) |
|--|
| METHODS - TOOLS-5 |
| An Expansion Convolution Method Based on Local Region Parameter Sharing 1432 Qimao Yang (East China Normal University, China) and Jun Guo (East China Normal University, China) |
| Hybrid-TE: Hybrid Translation-Based Temporal Knowledge Graph Embedding |
| Proximal Policy Optimization with Mixed Distributed Training |
| Learning Fuzzy SPARQL User Preferences |
| MACHINE LEARNING - 4 |
| Feature Space Regularization for Person Re-identification with One Sample TIan Xu (Fudan University, Shanghai, China), Jiangli Li (Fudan University, Shanghai, China), Hao Wu (Fudan University, Shanghai, China), Huafeng Yang (Fudan University, Shanghai, China), Xiaoming Gu (Fudan University, Shanghai, China), and Yanqiu Chen (Fudan University, Shanghai, China) |
| Towards Automated Machine Learning: Evaluation and Comparison of AutoML Approaches and Tools 1463 Anh Truong (Capital One, USA), Austin Walters (Capital One, USA), Jeremy Goodsitt (Capital One, USA), Keegan Hines (Capital One, USA), C. Bayan Bruss (Capital One, USA), and Reza Farivar (University of Illinois at Urbana-Champaign, USA) |
| Multi-task Learning for Relation Extraction |
| Admissible Generalizations of Examples as Rules |

| Algorithmic Currency Trading Based on Reinforcement Learning Combining Action Shaping and Advantage Function Shaping | 1486 |
|---|------|
| Hongyong Sun (University of Electronic Science and Technology of Chin), Nan Sang (University of Electronic Science and Technology of China), Jia Wu (University of Electronic Science and Technology of China), and Chen Wang (niversity of Electronic Science and Technology of China) | |
| MACHINE LEARNING - 5 | |
| Sparse High-Level Attention Networks for Person Re-Identification | 491 |
| Optimizing the Parameters for Post-Processing Consumer Photos via Machine Learning | 196 |
| High-Value Prioritized Experience Replay for Off-Policy Reinforcement Learning | 502 |
| An Adaptive Cross-Layer Sampling-Based Node Embedding for Multiplex Networks | 507 |
| Some Improvements of Deep Knowledge Tracing | 512 |
| DEEP LEARNING - 4 | |
| Optimizing Training using Information Theory-Based Curriculum Learning Factory | 517 |
| Design and Research of Composite Web Page Classification Network Based on Deep Learning | 523 |
| Learning to Drive via Apprenticeship Learning and Deep Reinforcement Learning | 528 |

| Swarm Filter - A Simple Deep Learning Component Inspired by Swarm Concept | 1533 |
|--|--------|
| Variational Policy Chaining for Lifelong Reinforcement Learning | 1538 |
| Enhancing Profit by Predicting Stock Prices using Deep Neural Networks Soheila Abrishami (Florida State University, USA), Michael Turek (Florida State University, USA), Ahana Roy Choudhury (Florida State University, USA), and Piyush Kumar (Florida State University, USA) | . 1543 |
| NLP/NLU-4 | |
| Impact of Argument Type and Concerns in Argumentation with a Chatbot Lisa Andreevna Chalaguine (Computer Science Department, University College London), Anthony Hunter (Computer Science Department, University College London), Henry Potts (Institute of Health Informatics, University College London), and Fiona Hamilton (eHealth Unit, University College London) | 1549 |
| Text Style Transfer Using Partly-Shared Decoder | 1555 |
| Incorporating Domain Knowledge in Learning Word Embedding | 1560 |
| NLP/NLU-5 | |
| Enhancing Relation Extraction Using Syntactic Indicators and Sentential Contexts Qiongxing Tao (Shanghai University), Xiangfeng Luo (Shanghai Institute for Advanced Communication and Data Science; Shanghai University), Hao Wang (Shanghai Institute for Advanced Communication and Data Science; Shanghai University), and Richard Xu (University of Technology Sydney) | 1566 |
| Dynamically Scoring Rhymes with Phonetic Features and Sequence Alignment Benjamin Bay (Lawrence Livermore National Laboratory), Paul Bodily (Idaho State University), and Dan Ventura (Brigham Young University) | 1573 |
| Deep Contextualized Pairwise Semantic Similarity for Arabic Language Questions Hesham Al-Bataineh (Mawdoo3 Ltd, Jordan), Wael Farhan (Mawdoo3 Ltd, Jordan), Ahmad Mustafa (Mawdoo3 Ltd, Jordan), Haitham Seelawi (Mawdoo3 Ltd, Jordan), and Hussein T. Al-Natsheh (Mawdoo3 Ltd, Jordan) | 1578 |
| Age-Suitability Prediction for Literature Using a Recurrent Neural Network Model | . 1584 |

| BERT for Stock Market Sentiment Analysis | 89 |
|--|----|
| Quantum-Inspired DMATT-BiGRU for Conversational Sentiment Analysis | 94 |
| APPLICATIONS - 2 | |
| An Improved Hybrid Heuristic Algorithm for Pickup and Delivery Problem with Three-Dimensional Loading Constraints | 99 |
| Pre-training of Autoregressive Model for Aircraft Hard Landing Prediction Based on QAR Data | 05 |
| Self-Organizing Traffic Based on Dynamic Platoon Configuration 16 Maxime Guériau (School of Computer Science and Statistics, Trinity College Dublin, Ireland) | 10 |
| Adaptive Phone Orientation Method for Continuous Authentication Based on Mobile Motion Sensors | 15 |
| Flooding-Driven Modifications of a Hierarchical and Irregular Navigation Grid Structure for Large Virtual Terrains used in Simulation Systems | 20 |
| EmbML Tool: Supporting the use of Supervised Learning Algorithms in Low-Cost Embedded Systems 162. Lucas Tsutsui da Silva (Universidade de São Paulo, Brazil), Vinicius M. A. Souza (Universidade de São Paulo, Brazil), and Gustavo E. A. P. A. Batista (University of New South Wales, Australia) | 25 |
| APPLICATIONS - 3 | |
| Query Answering from Traditional Dance Videos: Case Study of Zapin Dances | 30 |

| Neural Network Approximation for Nonlinear Partial Differential Equations with Quasi-Newton Optimization and Piecewise Strategy Yu Jin (Shanghai University) and Ying Li (Shanghai University) | 1635 |
|---|------|
| MOPNAR-II: An Improved Multi-Objective Evolutionary Algorithm for Mining Positive and Negative Association Rules Tao Zhang (Northeastern University, China), Lianbo Ma (Northeastern University, China), and Guangming Yang (Northeastern University, China) | 1640 |
| Deep Active Imitation Learning in FIFA Free-Kicks Player Platforms Based on Raw Image and Object Detection State Representations | 1646 |
| An Automatic Method for Identifying Huntington's Disease using Gait Dynamics Juliana Paula Felix (Universidade Federal de Goiás, Brazil), Flávio Henrique Teles Vieira (Universidade Federal de Goiás, Brazil), Gabriel da Silva Vieira (Instituto Federal Goiano, Brazil), Ricardo Augusto Pereira Franco (Universidade Federal de Goiás, Brazil), Ronaldo Martins da Costa (Universidade Federal de Goiás, Brazil), and Rogerio Lopes Salvini (Universidade Federal de Goiás, Brazil) | 1651 |
| Rethink Gaussian Denoising Prior for Real-World Image Denoising Tianyang Wang (Austin Peay State University), Jun Huan (Baidu Research), Bo Li (University of Southern Mississippi), and Kaoning Hu (Texas A&M University-Commerce) | 1656 |
| A Siamese-Detection Network for Real-Time Object Tracking Yang Deng (Center for Future Media and the School of Computer Science and Engineering University of Electronic Science and Technology of China, Chengdu, China), Ning Xie (Center for Future Media and the School of Computer Science and Engineering University of Electronic Science and Technology of China, Chengdu, China), and Yang Yang (Center for Future Media and the School of Computer Science and Engineering University of Electronic Science and Technology of China, Chengdu, China) | 1661 |
| IMAGING - 4 | |
| Facial Expression Recognition: Residue Learning Using SVM Fangjun Wang (Shanghai Jiao Tong University) and Liping Shen (Shanghai Jiao Tong University) | 1667 |

| Extending the Aerial Image Analysis from the Detection of Tree Crowns Gabriel da Silva Vieira (Federal University of Goiás, Pixelab Laboratory. Goiânia - GO, Brazil), Bruno M. Rocha (Federal University of Goiás, Pixelab Laboratory. Goiânia - GO, Brazil), Fabrizzio Soares (Department of Computer Science, Southern Oregon University, Ashland - OR, USA), Júnio César Lima (Federal Institute Goiano, Computer Vision Laboratory. Urutaí - GO, Brazil), Helio Pedrini (Institute of Computing, University of Campinas, Campinas, SP, Brazil), Ronaldo Costa (Federal University of Goiás, Pixelab Laboratory. Goiânia - GO, | 1673 |
|--|--------|
| Brazil), and Júlio Ferreira (Federal Institute Goiano) X-ray Image Enhancement: A Technique Combination Approach Afonso U. Fonseca (Federal University of Goiás, Pixelab Laboratory), Fabrizzio Soares (Federal University of Goiás, Pixelab Laboratory; Southern Oregon University), Leandro L. Oliveira (Federal University of Goiás, Pixelab Laboratory), Mariana S. Ramada (Federal University of Goiás, Pixelab Laboratory), Rogerio Salvini (Federal University of Goiás, Pixelab Laboratory), Deborah S. A. Fernandes (Federal University of Goiás, Pixelab Laboratory), Cristiane B. R. Ferreira (Federal University of Goiás, Pixelab Laboratory), and Willian D. Ferreira (Federal University of Goiás, Pixelab Laboratory) | . 1678 |
| Accurate and Robust RGB-D Dense Mapping with Inertial Fusion and Deformation-Graph Optimization Yong Liu (Institute of Applied Technology, Hefei Institutes of Physical Science, Chinese Academy of Sciences, China), Liming Bao (Institute of Applied Technology, Hefei Institutes of Physical Science, Chinese Academy of Sciences, China; University of Science and Technology of China, China), Chaofan Zhang (Institute of Applied Technology, Hefei Institutes of Physical Science, Chinese Academy of Sciences, China), Wen Zhang (Institute of Applied Technology, Hefei Institutes of Physical Science, Chinese Academy of Sciences, China), and Yingwei Xia (Institute of Applied Technology, Hefei Institutes of Physical Science, Chinese Academy of Sciences, China) | . 1683 |

APPLICATIONS - 4

| TFPN: Twin Feature Pyramid Networks for Object Detection Yi Liang (School of Computer, National University of Defense Technology), Wang Changjian (School of Computer, National University of Defense Technology), Li Fangzhao (School of Computer, National University of Defense Technology), Peng Yuxing (School of Computer, National University of Defense Technology), Lv Qin (Department of Computer Science, University of Colorado Boulder), Yuan Yuan (School of Computer, National University of Defense Technology), and Huang Zhen (School of Computer, National University of Defense Technology) | 1694 |
|---|--------|
| Focus Generator with Score Classification on Fabric Defect Detection | 1700 |
| Poster Papers | |
| Bayesian Deep Learning Based Exploration-Exploitation for Personalized Recommendations | 1707 |
| A Meta-Strategy Enhancement for Network Embedding | 1712 |
| An Advanced Harmony Search Algorithm Based on Harmony Anchoring and Reverse Learning Lin Liu (Harbin Institute of Technology, China), Daming Shi (Harbin Institute of Technology, China), Dansong Cheng (Harbin Institute of Technology), and Maysam Orouskhani (Shenzhen University, China) | 1716 |
| A Theoretical Analysis of Pooling Operation Using Information Theory Christoforos Nalmpantis (Aristotle University of Thessaloniki, Greece), Athanasios Lentzas (Aristotle University of Thessaloniki, Greece), and Dimitris Vrakas (Aristotle University of Thessaloniki, Greece) | . 1721 |
| Constrained GANs: Dealing with Constraints in Generation Tasks | |
| A Novel Proposed Pooling for Convolutional Neural Network Dou El Kefel Mansouri (University Ibn khaldoun, Tiaret, Algeria), Seif-Eddine Benkabou (University Lyon1, France), Bachir Kaddar (University Ibn khaldoun, Tiaret, Algeria), and Khalid Benabdeslem (University Lyon1, France) | 1731 |
| Uplift Modeling for Cost Effective Coupon Marketing in C-to-C E-Commerce Akihiro Shimizu (Mercari, Inc., Japan Advanced Institute of Science and Technology), Riku Togashi (Mercari, Inc., Waseda University), Antony Lam (Mercari, Inc.), and Nam Van Huynh (Japan Advanced Institute of Science and Technology) | 1736 |
| Random Vector Functional Link with Naive Bayes for Classification Problems of Mixed Data | . 1741 |

| Short-Spoken Language Intent Classification with Conditional Sequence Generative Adversarial Network 1 Xinyu Zhou (Beijing University of Posts and Telecommunications, China) and Yang Peng (Beijing University of Posts and Telecommunications, China) | 1745 |
|--|------|
| Deep Convolutional Neural Network Based Object Detector for X-Ray Baggage Security Imagery | 1749 |
| Directional Search Algorithm and its Utilization of Simulated Annealing and Expand-Retract | 1754 |
| Real-Coded Genetic Algorithm Realizing Fast Convergence by Reducing Its Population Size | 1759 |
| Multi-classfication Sentiment Analysis Based on the Fused Model Yingbin Xue (Tianjin University of Technology Key Laboratory of Computer Vision and System, Ministry of Education, Tianjin, 300384, P.R China), Xiaoye Wang (Tianjin University of Technology Key Laboratory of Computer Vision and System, Ministry of Education, Tianjin, 300384, P.R China), and Zan Gao (Tianjin University of Technology, Tianjin, 300384, P.R China; Qilu University of Technology (Shandong Academy of Sciences), Shandong Computer Science Center, Jinan, 250014, P.R China) | 1763 |
| Modeling Missing Data Based on Neural Fuzzy Inference for Implicit Recommendation | 1768 |
| Classification of Infiltrated Injections During PET/CT Imaging Applying Deep Learning Technique | 1773 |
| SLAOE-NN:A Deep Network with Structure Learning for Aspect and Opining co-Extraction for NLP | 1778 |
| Differential Evolution Using Linkage Identification | 1783 |
| Solving Six-Player Games via Online Situation Estimation | 1787 |

| Generative Adversarial Learning Based Commercial Building Electricity Time Series Prediction |
|---|
| Dynamic Multi-objective Evolutionary Algorithm with Fuzzy Weighted Borda Count Method |
| Improving Prediction Fairness via Model Ensemble |
| Sensory Substitution of Vision: A Systematic Mapping and a Deep Learning Object Detection Proposition |
| Elze Pinheiro Lima Neto (Instituto de Informática Universidade Federal de Goiás), Ronaldo Martins da Costa (Instituto de Informática Universidade Federal de Goiás), Deborah Silva Alves Fernandes (Instituto de Informática Universidade Federal de Goiás), and Fabrízzio Alphonsus Alves de Melo Nunes Soares (Southern Oregon University) |
| Predicting Judicial Decisions: A Statistically Rigorous Approach and a New Ensemble Classifier |
| Additional Paper |
| Opinion Spam Detection Based on Heterogeneous Information Network |
| Yingcheng Sun (Case Western Reserve University), Kenneth Loparo (Case Western Reserve University) |
| Author Index |

xxxvii