

# **23rd Association for the Advancement of Animal Breeding and Genetics Conference 2019**

Armidale, Australia  
27 October – 1 November 2019

ISBN: 978-1-7138-0335-5

**Printed from e-media with permission by:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571



**Some format issues inherent in the e-media version may also appear in this print version.**

Copyright© (2019) by AAABG – Association for the Advancement of Animal Breeding and Genetics  
All rights reserved.

Printed with permission by Curran Associates, Inc. (2020)

For permission requests, please contact AAABG – Association for the Advancement of Animal Breeding and Genetics at the address below.

AAABG – Association for the Advancement of Animal Breeding and Genetics  
University of New England  
Armidale NSW 2351  
Australia

Phone: 61 2 677 320 55  
Fax: 61 2 677 332 66

AGBU@une.edu.au

**Additional copies of this publication are available from:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: 845-758-0400  
Fax: 845-758-2633  
Email: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

## TABLE OF CONTENTS

### **Plenary 1**

|  |    |
|--|----|
| Investments in breeding technologies and organization to meet global needs<br><i>J.A.M. van Arendonk, M.C.A.M Bink, K. Peeters, B. Visser, N. Duijvesteijn and P. van As</i>   | 1  |
| Improved rate of targeted gene knock-in of in-vitro fertilized bovine embryos<br><i>J.R. Owen, S.L. Hennig, E.E. Paulson, J.L. Lin, P.J. Ross and A.L. Van Eenennaam</i>   | 7  |
| Integration of functional genomics and phenomics into genomic prediction raises its accuracy in sheep and dairy cattle<br><i>H.D. Daetwyler, R. Xiang, Z. Yuan, S. Bolormaa, C.J. Vander Jagt, B.J. Hayes, J.H.J van der Werf, J.E. Pryce, A.J. Chamberlain, I.M. MacLeod and M.E. Goddard</i> | 11 |

### **Computational and Statistical 1**

|  |    |
|--|----|
| More genotypes than markers: the SS-T-BLUP model in action. An application study in multi-trait Australian Angus BREEDPLAN genetic evaluation<br><i>V. Boerner and D.J. Johnston</i>                         | 15 |
| Simple example to demonstrate the effect of allele frequencies on the genomic relationship matrix values<br><i>M.H. Ferdosi, N.K. Connors, V. Boerner and D.J. Johnston</i>                                  | 19 |
| Deep learning for genotype quality control<br><i>D.P. Garrick</i>  | 23 |
| ‘Meta-founders’ to model base populations in genomic evaluation for multi-breed sheep data<br><i>Karin Meyer and A.A. Swan</i>   | 27 |
| Using random Forest to identify SNPs that decrease accuracy of genomic prediction – behaviour of SNPs with negative VIM values<br><i>Y. Li, F.S.S. Raidan, M. Naval Sanchez, A.W. George and A. Reverter</i> | 31 |

### **Breeding Objectives**

|  |    |
|--|----|
| Importance of heat stress adaptation for New Zealand dairy cattle<br><i>S. Harburg, P.R. Amer, J. Duckles, G.M. Jenkins and J. Sise</i>  | 35 |
| Genotype by environment interaction for heat tolerance in Australian Holstein dairy cattle<br><i>E.K. Cheruiyot, M. Haile-Mariam, T.T.T. Nguyen, B.G. Cocks and J.E. Pryce</i>   | 39 |
| Novel selection criteria will be required for reduction of New Zealand’s national greenhouse gas emissions inventory through dairy genetics<br><i>X. Zhang, G.M. Jenkins, J.A. Sise, B. Santos, C. Quinton and P.R. Amer</i> | 43 |
| Experiences with non-linear economic values in selection index design<br><i>C.D. Quinton, P.R. Amer, T.J. Byrne, J.A. Archer, B. Santos and F. Hely</i>  | 47 |
| Current progress on developing a selection index for Australian meat goats<br><i>M.N. Aldridge, W.S. Pitchford and D.J. Brown</i>  | 51 |

|  |     |
|--|-----|
| Industry consultation survey for the American Angus \$value indexes review   | 55  |
| <i>B. Santos, J.A. Archer, D. Martin-Collado, C.D. Quinton, J. Crowley, P.R. Amer and S. Miller</i>  |     |
| <b>Gene Editing and Novel Genes</b>  |     |
| Comparison of gene editing versus conventional breeding to introgress the <i>polled</i> allele into the tropically adapted Australian beef cattle population       | 59  |
| <i>M.L. Mueller, J.B. Cole, N.K. Connors, D.J. Johnston, I.A.S. Randhawa and A.L. Van Eenennaam</i>  |     |
| Pre- and post-puberty co-expression gene networks from RNA-sequencing of Brahman heifers   | 63  |
| <i>L.T. Nguyen, A. Reverter, A. Cánovas, L.R. Porto-Neto, B. Venus, A. Islas-Trejo, S.A. Lehnert, J.F. Medrano, Milton G. Thomas, S.S. Moore and M.R.S. Fortes</i> |     |
| Genetically engineered and Genome edited large animal models for neuronal ceroid lipofuscinoses – a review   | 67  |
| <i>L. Tammen, C.G. Grupen, C.L. Pollard, N. Morey and F. Delerue</i>   |     |
| Genomic prediction in a numerically small sheep breed population using imputed sequence variants   | 71  |
| <i>N. Moghaddar, D.J. Brown, A.A. Swan, I.M. MacLeod and J.H.J van der Werf</i>  |     |
| <b>Beef 1</b>  |     |
| Genetic diversity in Australian Angus beef cattle  | 75  |
| <i>S.A. Clark, T. Granleese and P.F. Parnell</i>   |     |
| Validation of Single step genomic best linear unbiased prediction in beef cattle   | 79  |
| <i>M.G. Jeyaruban, P.M. Gurman, D.J. Johnston, A.A. Swan, R.G. Banks and C.J. Girard</i>   |     |
| Feasibility of using imaging carcass traits in genetic evaluation for Australian Wagyu beef cattle   | 83  |
| <i>Y. Zhang and R.G. Banks</i>   |     |
| GBLUP analysis predicted fertility phenotypes of crossbred bulls using data from Brahman and tropical composite  | 87  |
| <i>L.R. Porto Neto, M.R.S. Fortes and A. Reverter</i>  |     |
| Genetics of heifer age at puberty in Australian Hereford cattle  | 91  |
| <i>M.L. Wolcott, R.G. Banks, M. Tweedie and G. Alder</i>   |     |
| How does maternal weaning weight (milk) affect body condition score at weaning in Angus cattle   | 95  |
| <i>T. Granleese and S.A. Clark</i>   |     |
| <b>Sheep</b>   |     |
| Contributions from genetic groups and outcrossing to components of reproduction in maternal sheep breeds   | 99  |
| <i>K.L. Bunter, A.A. Swan and D.J. Brown</i>   |     |
| Graphical modelling of the relationship between body reserves and yearling reproduction in maternal sheep  | 103 |
| <i>S.F. Walkom, K.L. Bunter, A.A. Swan and S.A. Clark</i>  |     |

|   |     |
|---|-----|
| Genetic parameters for growth traits in Hampshire sheep in Mexico<br><i>L. De la Cruz, S.F. Walkom, H.G. Torres and A.A. Swan</i>   | 107 |
| The inheritance of flight distance as a maternal behaviour score of the dam and its impact on lamb survival<br><i>J.C. Greeff, A.C. Schlink, D. Blache and G.B. Martin</i>  | 111 |
| Genetic evaluation and relationship across ages for dag score in maternal sheep<br><i>A.J. McMillan, S.F. Walkom and D.J. Brown</i>   | 115 |
| Growth, carcass and meat quality traits of dormer and South African mutton Merino lambs<br><i>A. Muller, T.S. Brand, J.J.E. Cloete and S.W.P. Cloete</i>  | 119 |
| <b>Dairy</b>  |     |
| Breeding values of the 1000-Bull-Genome cattle estimated by dairy pleiotropic variants<br><i>R. Xiang and M.E. Goddard</i>  | 123 |
| Genetic parameters of first lactation milk yield under low, medium and high production systems in Kenya, using test-day random regression model<br><i>P.K. Wahinya, T.M. Magothe, A.A. Swan and M.G. Jeyaruban</i>          | 127 |
| Genetic correlation between milk urea and efficiency of crude protein utilization estimated from a random regression model<br><i>H.B.P.C. Ariyarathne, M. Correa-Luna, H.T. Blair, D.J. Garrick and N. Lopez-Villalobos</i> | 131 |
| Genetic parameters for milk yield, milk electrical conductivity and milk flow rate in first-lactation jersey cows in Sri Lanka<br><i>A.M. Samaraweera, V. Boerner, S. Disnaka, J.H.J. van der Werf and S. Hermesch</i>      | 135 |
| Effects of selection for fertility on milk production traits<br><i>E.M. Strucken, G.A. Brockmann and Y.C.S.M. Laurenson</i>   | 139 |
| Age at culling and reasons of culling in Australian dairy cows<br><i>Z.W. Workie, J.P. Gibson and J.H.J. van der Werf</i>   | 143 |
| <b>Pigs and Poultry</b>   |     |
| Late gestation health status is correlated with lactation outcomes for sows<br><i>L. Vargovic, K.L. Bunter, S. Hermesch, J. Harper and R. Sokolinski</i>  | 147 |
| Post-farrowing health status of sows and piglets is correlated with lactation outcomes of sows<br><i>L. Vargovic, K.L. Bunter, S. Hermesch, R. Sokolinski and J. Harper</i>   | 151 |
| Genotype by temperature grouping interaction for farrowing rate at first insemination<br><i>A.M.G Bunz, K.L. Bunter, R. Morrison, B.G. Luxford and S. Hermesch</i>  | 155 |
| Genetic parameter estimates for pre- and post-weaning piglet mortality<br><i>J. Harper, K. L. Bunter and S. Hermesch</i>  | 159 |
| Genetic associations between early and late growth with sexual maturity in Thai native chickens   | 163 |

|  |     |
|--|-----|
| <i>S. Tongsiri, M.G. Jeyaruban, J.H.J. van der Werf, L. Li, S. Hermesch and T. Chormai</i>   |     |
| Genetic analyses of sow longevity traits, age at first farrowing and first-litter characteristics  | 167 |
| <i>N. Kerssen, B.J. Ducro and S. Hermesch</i>  |     |
| <b>Native Breeds and Challenging Environments</b>  |     |
| Integrating gender considerations into livestock genetic improvement programs in low to middle income countries  | 171 |
| <i>K. Marshall, N. de Haan and A. Galiè</i>  |     |
| Perceptions of women and men smallholder pig keepers in Uganda on pig keeping objectives, and breed and trait preferences  | 175 |
| <i>B.M. Babigumira, E. Ouma, J. Sölkner and K. Marshall</i>  |     |
| Genetic structure and differentiation among African <i>Bos taurus</i> cattle breeds  | 179 |
| <i>N.Z. Gebrehiwot, E.M. Strucken, H. Aliloo, K. Marshall and J.P. Gibson</i>  |     |
| Analysis of growth of two major breeds of domestic camel in Pakistan: implications for breed improvement   | 183 |
| <i>S. Sabahat, M.S. Khatkar, A. Nadeem and P.C. Thomson</i>  |     |
| Genetic characterization of Indian indigenous cattle breeds  | 187 |
| <i>E.M. Strucken, M. Swaminathan, S. Joshi and J.P. Gibson</i>   |     |
| Morphometric differentiation of selected indigenous cattle breeds in Nigeria   | 191 |
| <i>A.D. Oladepo, A.E. Salako, A.A. Adeoye and O.A. Adeniyi</i>   |     |
| <b>Plenary 2</b>   |     |
| Developing genomic strategies for the livestock industries: all implementations are challenging  | 195 |
| <i>D.A.L. Lourenco, S. Tsuruta, Y. Masuda and I. Misztal</i>   |     |
| The accuracy obtained from reference populations for genomic selection   | 206 |
| <i>J.H.J. van der Werf, S.A. Clark, S.H. Lee and N. Moghaddar</i>  |     |
| Increase of power and efficiency to fine-map genetic defects using genotype probabilities through segregation analyses   | 210 |
| <i>N. Duijvestein, S.A. Clark, B.P. Kinghorn and J.H.J. van der Werf</i>   |     |
| <b>Breeding Program Design</b>   |     |
| Progeny of Anderson rams selected for resistance to internal parasites in Australia are comparable in other traits to that from Talitas rams selected in Uruguay | 214 |
| <i>A. Sánchez, F. De Brum, E. van Lier, A. Burton, J. Paperán, W. Bell and R. Ponzoni</i>  |     |
| Investigating novel traits in single trait selection for their potential in selection indexes for feed efficiency of crossbred pigs                              | 218 |
| <i>M.N. Aldridge, R. Bergsma and M.P.L. Calus</i>  |     |

|   |     |
|---|-----|
| Genomic relationships to control inbreeding in optimum-contribution selection realise more genetic gain than pedigree relationships when inbreeding control is relaxed around quantitative trait loci | 222 |
| <i>M. Henryon, P. Berg, H. Liu, G. Su, T. Ostersen and A.C. Sørensen</i>  |     |
| Fine control of bull allocation to help avoid dystocia  | 226 |
| <i>B.P. Kinghorn and A. L. Van Eenennaam</i>  |     |
| Wether trials and their role in Merino bloodline evaluation   | 230 |
| <i>K.L. Egerton-Warburton, K.D. Atkins, L.M. Stephen and S.I. Mortimer</i>  |     |
| Genotype by environment interaction in Australian maternal and terminal sheep   | 234 |
| <i>L. Li, A.A. Swan, D.J. Brown and J.H.J. van der Werf</i>   |     |
| <b>Computational and Statistical 2</b>  |     |
| Simulating genotypic merit with high-order epistatic interactions   | 238 |
| <i>A.B. Kinghorn and B.P. Kinghorn</i>  |     |
| Impact of an approximate inverse of the genomic relationship matrix for single-step evaluation of Australian meat sheep   | 242 |
| <i>Karin Meyer and A.A. Swan</i>  |     |
| An evaluation of ‘deflation’ to improve convergence rates for single-step genomic evaluation with the hybrid model  | 246 |
| <i>Karin Meyer and A.A. Swan</i>  |     |
| Alternative implementations of preconditioned conjugate gradient algorithms for solving mixed model equations   | 250 |
| <i>D.J. Garrick, B.L. Golden and D.P. Garrick</i>   |     |
| Adjusting the genomic relationship matrix for breed differences in single step genomic blup analyses  | 254 |
| <i>P.M. Gurman, K.L. Bunter, V. Boerner, A.A. Swan and D.J. Brown</i>   |     |
| <b>Detection of Causal Variants</b>   |     |
| Genetic control of fertility traits across species: variance in tropical beef heifers’ age at puberty explained by genes controlling age at menarche in women   | 258 |
| <i>R. Costilla, C. Warburton and B.J. Hayes</i>   |     |
| Signatures of selection in admixed dairy cattle of Kenya  | 262 |
| <i>H. Aliloo, R. Mrode, A.M. Okeyo and J.P. Gibson</i>  |     |
| Genome-wide association study of carcase and eating quality traits in Australian Angus beef cattle  | 266 |
| <i>W.M.S.P. Weerasinghe, B.J. Crook, S.A. Clark, N. Moghaddar and A.I. Byrne</i>  |     |
| Molecular investigation of several emerging inherited diseases in cattle and sheep  | 270 |

*S.A. Woolley, E.R. Tsimnadiis, R.L. Tulloch, P. Hughes, B. Hopkins, S.E. Hayes, M.R. Shariflou, A. Bauer, I.M. Häftiger, V. Jagannathan, C. Drögemüller, T. Leeb, M.S. Khatkar, C.E. Willet, B.A. O'Rourke and I. Tammen*

The population genomic signature of environmental selection in chickens from Malawi, South Africa and Zimbabwe 274

*K. Hadebe, E.F. Dzomba and F.C. Muchadeyi*

#### **Genomic Selection 1**

Assessment of genomic prediction accuracy for meat quality traits in Hanwoo cattle 278

*M. Bedhane, J.H.J. van der Werf, M. Al Kalaldeh, D. Lim, B. Park, M. N. Park, R. S. Hee and S.A. Clark*

Genomic predictions for fertility traits in tropical beef cattle from a multi-breed, crossbred and composite reference population 282

*B.J. Hayes, G. Fordyce and S. Landmark*

Selection of reference candidates for whole genome sequencing in an Australian Wagyu population 286

*R.A. McEwin, M.L. Hebart, H. Oakey, R.G. Tearle, J. Grose, G.I. Popplewell and W.S. Pitchford*

The accuracy of genotype imputation in selected South African sheep breeds from Australian reference panels 290

*C.L. Nel, K. Gore, A.A. Swan, S.W.P Cloete, J.H.J van der Werf and K. Dzama*

Application of genomic selection to Vietnamese household dairy herds 294

*N.N. Bang, B.J. Hayes, I.A.S. Randhawa, R.E. Lyons, J. B. Gaughan, N.V. Chanh, N.X. Trach, N.D. Khang and D.M. McNeill*

Genomic tools for use in the New Zealand deer industry 298

*K.G. Dodds, S-A. N. Newman, S.M. Clarke, R. Brauning, A.S. Hess, T.P. Bilton, J.F. Ward, A.J. Chappell, J.C. McEwan, T.C. Van Stijn, M. Bates and S.J. Rowe*

#### **Efficiency and Product Quality**

GWAS for methane yield, residual feed intake and liveweight in New Zealand sheep 302

*M.K. Hess, P.L. Johnson, K. Knowler, S.M. Hickey, A.S. Hess, J.C. McEwan and S.J. Rowe*

Selection for divergent methane yield in New Zealand sheep – a ten-year perspective 306

*S.J. Rowe, S.M. Hickey, A. Jonker, M.K. Hess, P Janssen, T. Johnson, B. Bryson, K. Knowler, C. Pinares-Patino, W. Bain, S. Elmes, E. Young, J. Wing, E. Waller, N. Pickering and J.C. McEwan*

Visual marble score as a predictor of intramuscular fat for the genetic improvement of eating quality in lamb 310

*S.Z.Y. Guy, P. McGilchrist and D.J. Brown*

The genetic relationships between intramuscular fat measured in four different lamb muscles 314

*S.Z.Y. Guy, S.F. Walkom, F. Anderson, G.E. Gardner, P. McGilchrist and D.J. Brown*

Genetic parameters for primal cut weights in pigs 318

*N.R. Sarker, B.J. Walmsley and S. Hermesch*

|  |     |
|--|-----|
| Investigating relationship between traits associated with eating quality and market end point<br><i>S.J. Lee, M.L. Hebart and W.S. Pitchford</i>   | 322 |
| <b>Health, Welfare and Immunity</b>  |     |
| The heritability of congenital entropion in dual-purpose New Zealand sheep<br><i>K.M. McRae, S.M. Clarke, K.G. Dodds, S.J. Rowe, S-A. Newman, H.J. Baird and J.C. McEwan</i>   | 326 |
| Correcting sampling bias in microsatellite marker testing for polledness<br><i>N.K. Connors, R.G. Banks and D.J. Johnston</i>  | 330 |
| Genetic analysis of tail-biting victims in pigs<br><i>S. Hermesch and S.Z.Y. Guy</i>   | 334 |
| Genomic prediction of metabolic profiles in dairy cows<br><i>T.D.W. Luke, T.T.T. Nguyen, S. Rochfort, W.J. Wales, C. Richardson, M. Abdelsayed and J.E. Pryce</i>  | 338 |
| Poll testing efficiency, accuracy and trends in australian cattle<br><i>I.A.S. Randhawa, M.R. McGowan, L.R. Porto-Neto, B.J. Hayes, K.M. Schutt and R.E. Lyons</i>   | 342 |
| Determining the gene expression profiles of 17 candidate genes for host resistance to ticks in South African beef cattle<br><i>B. Dube, K.J. Marima, C.M. Marufu, F. Muchadeyi, N.O. Mapholi, N.N. Jonsson, K. Dzama and C.L. Nel</i>                | 346 |
| <b>Beef 2</b>  |     |
| Production and polledness: genetic correlations between target traits in beef cattle<br><i>I.A.S. Randhawa, L.R. Porto-Neto, M.R. McGowan, B.J. Hayes, K.M. Schutt and R.E. Lyons</i>  | 350 |
| Genetic correlations between days to calving and other male and female reproduction traits in Brahman cattle<br><i>D.J. Johnston and K. Moore</i>  | 354 |
| Genome-wide association studies for BODY weight and average daily feed intake during the feedlot test period<br><i>J.A. Torres-Vázquez, J.H.J. van der Werf and S.A. Clark</i>   | 358 |
| Coefficient of variation as a measure of general resilience for yearling weight in nellore cattle<br><i>D.C.B. Scalez, A. Reverter, B.O. Fragomeni, L.R. Porto-Neto, L.H.S. Iung, L.G. Albuquerque and R. Carvalheiro</i>                            | 362 |
| Increases in accuracy of female reproduction genetic evaluations for beef breeds in northern Australia<br><i>K.L. Moore, C.J. Girard, T.P. Grant and D.J. Johnston</i>   | 366 |
| <b>Genomic Selection 2</b>   |     |
| Sharing multibreed cow data with New Zealand to improve prediction for Australian crossbreed cows for milk yield traits<br><i>M. Haile-Mariam, I.M. MacLeod, M. Khansefid, C. Schrooten, E. O'Connor, G. de Jong, H.D. Daetwyler and J. E. Pryce</i> | 370 |

|   |     |
|---|-----|
| Assessing the value of whole genome sequence data in selecting for age at puberty in 374 tropically adapted beef heifers  |     |
| <i>C. Warburton and B.J. Hayes</i>  |     |
| Increasing the accuracy of genomic prediction in crossbred dairy cattle   | 378 |
| <i>M. Khansefid, M.E. Goddard, M. Haile-Mariam, C. Schrooten, G. de Jong, E. O'Connor, J.E. Pryce, H.D. Daetwyler and I.M. MacLeod</i>  |     |
| Genotype panel requirements for inclusion into BREEDPLAN single step evaluations  | 382 |
| <i>N.K. Connors and M.H. Ferdosi</i>  |     |
| Finding the optimal reference population for genomic prediction of Australian red dairy cattle  | 386 |
| <i>L. van den Berg, I.M. MacLeod and J.E. Pryce</i>   |     |
| <b>Novel Phenotypes and Other Industries</b>  |     |
| Applying next generation phenotyping strategies for genetic gain in dairy cattle  | 390 |
| <i>J.E. Pryce, T.T.T. Nguyen, P.N. Ho, T.D.W. Luke, S. Rochfort, W.J. Wales, P. Moate, L.C. Marett, G. Nieuwhof, M. Abdelsayed, M. Axford, M. Shaffer and M. Haile-Mariam</i> |     |
| The genetic analysis of adult bird performance together with slaughter traits in ostriches  | 394 |
| <i>S.W.P. Cloete, A. Engelbrecht, A.R. Gilmour, M.F. Schou, Z. Brand and C.K. Cornwallis</i>  |     |
| Trait development for <i>Apis mellifera</i> in commercial beekeeping in New Zealand   | 398 |
| <i>G.E.L. Petersen, P.F. Fennedy and P.K. Dearden</i>   |     |
| A method for developing a breeding objective trait from multiple components using the example of immune competence in Australian Angus cattle                                 | 402 |
| <i>S. Dominik, L. Porto-Neto, C.J. Duff, A.I. Byrne, B. Hine, A. Ingham, I.G. Colditz and A. Reverter</i>   |     |
| Selective breeding for improved survival to juvenile pearl oyster mortality syndrome in silver lipped pearl oyster, <i>Pinctada maxima</i>                                    | 406 |
| <i>C. Massault, K. Zenger, J.M. Strugnell, J. Knauer, G. Firman, R. Barnard and D.R. Jerry</i>  |     |
| <b>Plenary 3</b>  |     |
| Sequencing strategy, imputation and genomic prediction in a large pig sequencing study  | 410 |
| <i>R. Ros-Freixedes, A. Whalen A. Somavilla, S. Gonen, M. Battagin, M. Johnsson, G. Gorjanc, C.Y. Chen, W.O. Herring, A.J. Mileham and J.M. Hickey</i>                        |     |
| Genomic prediction and candidate gene discovery for dairy cattle temperament using sequence data and functional biology   | 416 |
| <i>I.M. MacLeod, P.J. Bowman, A.J. Chamberlain, C.J. Vander Jagt, H.D. Daetwyler, B.J. Hayes and M.E. Goddard</i>   |     |
| Gene network analysis for marbling development using gene expression (RNA-seq) in Hanwoo  | 420 |
| <i>S. de las Heras-Saldana, D. Lim, S.H. Lee and J.H.J. van der Werf</i>  |     |

## **Posters**

|  |     |
|--|-----|
| Exploring the regulatory potential of long non-coding RNA in bovine feed efficiency through coexpression in liver and muscle     | 424 |
| <u>P.A. Alexandre, A. Reverter, L.R. Porto-Neto, R.B. Berezin, J.B.S. Ferraz and H. Fukumasu</u>                                 |     |
| Genetic improvement of pasture intake and efficiency in beef cattle: are we there yet?   | 428 |
| <u>P.F. Arthur, R.M. Herd, P.L. Greenwood, K.A. Donoghue and T. Bird-Gardiner</u>  |     |
| The effect of including stature in sire selection on the live weight, milk yield, fertility and feed efficiency of Holstein cows | 432 |
| <u>C.J.C. Muller, S.W.P. Cloete and M. Burger</u>  |     |
| Genetic parameters of milk lactation curve traits of Thai dairy cattle   | 436 |
| <u>S. Pangmao, P.C. Thomson and M.S. Khatkar</u>   |     |
| Genetic variation and estimating breeding values for smallholder crossbred dairy cattle in India                                 | 440 |
| <u>M. Al kalaldeh, Y. Gaundare, M. Swaminathan, S. Joshi, H. Aliloo, E.M. Strucken, V. Ducrocq and J.P. Gibson</u>               |     |
| Mitochondrial gene expression is associated with organ and tissue metabolism in dairy cattle                                     | 444 |
| <u>J. Dorji, I.M. MacLeod, C.J. Vander Jagt, A.J. Chamberlain and H.D. Daetwyler</u>   |     |
| Accuracy of genomic predictions for milk production traits in Philippine dairy buffaloes   | 448 |
| <u>J.R.V. Herrera, E.B. Flores, N. Duijvesteijn, N. Moghaddar and J.H.J. van der Werf</u>  |     |
| Medium density beadchip genotype data reveals genomic structure of South African Merino-based breeds                             | 452 |
| <u>E.F. Dzomba and F.C. Muchadeyi</u>  |     |
| Evaluation of body morphology and shape of black tiger prawn ( <i>Penaeus monodon</i> ) by morphometric analysis                 | 456 |
| <u>M.M. Hasan, N.M. Wade, C. Bajema, P.T. Thomson, D.R. Jerry, H.W. Raadsma and M.S. Khatkar</u>                                 |     |
| Genotype x environment interaction in shrimp breeding: a review and perspectives   | 460 |
| <u>M.M. Hasan, P.C. Thomson, H.W. Raadsma and M.S. Khatkar</u>   |     |
| Bioeconomic modelling of Australian black tiger prawn <i>Penaeus monodon</i> under intensive pond culture                        | 464 |
| <u>M.C. Marin-Riffo, H.W. Raadsma, D.R. Jerry, G.J. Coman and M.S. Khatkar</u>   |     |
| Economic weighing of traits in a preliminary selection index for ostriches in South Africa                                       | 468 |
| <u>A. Engelbrecht, S.W.P. Cloete and P.R. Amer</u>   |     |
| Discovery of signatures of selection in beef and dairy cattle using ultra high-density SNP genotypes                             | 472 |
| <u>I.A.S. Randhawa, M.S. Khatkar, P.C. Thomson, R.D. Schnabel, J.F. Taylor and H.W. Raadsma</u>                                  |     |
| Comparing the carbon dioxide and methane emissions of Holstein and Jersey cows in a kikuyu pasture-based system                  | 476 |
| <u>N.M. Bangani, K. Dzama, C.J.C. Muller, F.V. Nherera-Chokuda and C.W. Cruywagen</u>  |     |

|  |     |
|--|-----|
| Investigation into the effects of number of SNPs and number of reference individuals on imputation accuracy                      | 480 |
| <i>M.H. Ferdosi and N.K. Connors</i>   |     |
| Factors affecting development of horns and scurs in domestic ruminants   | 484 |
| <i>L.A.S. Randhawa, R.E. Lyons, B.J. Hayes, L.R. Porto-Neto and M.R. McGowan</i>   |     |
| <b>John Vercoe Memorial Lecture</b>  |     |
| Levels of performance recording in the Australian beef industry  | 488 |
| <i>B.W. Gudex and C.A. Millen</i>  |     |
| <b>Breeders Days Beef 1</b>  |     |
| The Angus Sire Benchmarking Program – a major contributor to future genetic improvement in the Australian beef industry          | N/A |
| <i>P.F. Parnell, C.J. Duff, A.I. Byrne and N.M. Butcher</i>  |     |
| Should Angus breeders live-animal ultrasound scan for intramuscular fat in the genomics era?                                     | 496 |
| <i>C.J. Duff, J.H.J. van der Werf, P.F. Parnell and S.A. Clark</i>   |     |
| Bull discovery powered by genomics – a practical case study  | 500 |
| <i>M.J. Reynolds, A.I. Byrne, C.J. Duff and P.F. Parnell</i>   |     |
| Benefits of genomic information in the Angus industry – the Rennylea experience  | 504 |
| <i>S. Dominik, L.R. Porto-Neto, A. Reverter and L. Corrigan</i>  |     |
| A survey approach to explore industry priorities for novel traits in Australian Angus  | 508 |
| <i>A.M. Bell, A.I. Byrne, C.J. Duff and S. Dominik</i>   |     |
| <b>Breeders Days Sheep 1</b>   |     |
| Design and purpose of the Merino Lifetime Productivity Project   | 512 |
| <i>A.M.M. Ramsay, A.A. Swan and B.C. Swain</i>   |     |
| Merino Lifetime Productivity - economic value of meat and wool from wethers at yearling and adult age                            | 516 |
| <i>B.E. Clarke, J.M. Young, S. Hancock and A.N. Thompson</i>   |     |
| Accounting for ewe source effects in genetic evaluation of Merino fleece traits  | 520 |
| <i>K.L. Egerton-Warburton, S.I. Mortimer and A.A. Swan</i>   |     |
| Indicator traits recorded early in life will be useful selection criteria for breech flystrike resistance in weaner Merino sheep | 524 |
| <i>J.L. Smith, S. Dominik, S. Lehnert, A. Reverter and I.W. Purvis</i>   |     |
| Breeding for reduced breech flystrike as part of multi-trait selection   | 528 |
| <i>E.D. Brien, S.F. Walkom, A.A. Swan and D.J. Brown</i>   |     |
| <b>Breeders Days Beef 2</b>  |     |
| Demonstrating BREEDPLAN estimated breeding values in New Zealand commercial beef herds   | 532 |

|  |     |
|--|-----|
| <i>M. Tweedie, J.A. Archer and L. Proctor</i>  |     |
| Two years in: lessons from the introduction of Hereford single-step BREEDPLAN  | 536 |
| <i>C.A. Millen and B.J. Crook</i>  |     |
| Pedigromics: a network-inspired approach to visualise and analyse pedigree structures                                      | 540 |
| <i>A. Reverter, S. Dominik, J.B.S. Ferraz, L. Corrigan and L.R. Porto-Neto</i>   |     |
| Genetics of female fertility in Wagyu cattle using field data  | 544 |
| <i>K. Reid, G. Moser and M. Kelly</i>  |     |
| Popplewell composites: adding value to our customers' tropical beef supply chains through genomic evaluation and selection | 548 |
| <i>G.I. Popplewell, R.G. Tearle, R.A. McEwin, M.L. Facy and W.S. Pitchford</i>   |     |
| <b>Breeders Days Sheep 2</b>   |     |
| Merinolink/UNE DNA stimulation project: Doubling the rate of genetic gain - where are we at in year 2?                     | 552 |
| <i>S.J. Martin and T. Granleese</i>  |     |
| Australia you have footrot, time to start breeding against it!   | 556 |
| <i>S.F. Walkom, K.L. Bunter, H. Raadsma, D.J. Brown and M.B. Ferguson</i>  |     |
| Evolution of genetic evaluation for ewe reproductive performance   | 560 |
| <i>K.L. Bunter, A.A. Swan, P.M. Gurman, V. Boerner, A.J. McMillan and D.J. Brown</i>                                       |     |
| <b>Breeders Days Adoption</b>  |     |
| The influence feed cost has on changing beef cattle greenhouse gas emissions   | 564 |
| <i>B.J. Walmsley, A.L. Henzell and S.A. Barwick</i>  |     |
| Costs of and returns from performance recording in beef and sheep studs  | 568 |
| <i>R.G. Banks, Yue Zhang, Y. Zhang and J. Shovelton</i>  |     |
| Impact of key messages on accuracy of sheep breeding programs  | 572 |
| <i>L.M. Stephen and D.J. Brown</i>   |     |
| Farmer app adoption is influenced by age, use of advisors and farmer networks  | 576 |
| <i>P.J. Schulz, J. Prior, L. Kahn and G. Hinch</i>   |     |
| AngusSELECT™   | 580 |
| <i>M.J. Reynolds, A.I. Byrne, C.J. Duff and P.F. Parnell</i>   |     |
| <b>Breeders Days Value Chain</b>   |     |
| Enhanced data capture in Australian red meat supply chains for the genetic improvement of eating quality and carcass yield | 584 |
| <i>S.Z.Y. Guy and D.J. Brown</i>   |     |
| Phenotypic variation in retail beef yield in Angus cattle  | 588 |
| <i>K.A. Donoghue, L.M. Cafe, B.J. Walmsley and C.J. Duff</i>   |     |

DeSireBull, a decision support tool to simplify genetic information for effective use by 592 commercial beef producers

*L.A. Penrose, M. Suarez and B.J. Walmsley*

The livestock phenotype revolution: enabling a step-change in farm management and 596 scientific discovery

*C.E.F. Clark, S.C. Garcia, K. Marshall, J.E. Pryce, P.L. Greenwood and S. Lomax*