

37th International No-Dig Conference and Exhibition (INTERNATIONAL NO-DIG 2019)

Florence, Italy
30 September – 2 October 2019

ISBN: 978-1-7138-0591-5

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2019) by International Society for Trenchless Technology
All rights reserved.

Printed with permission by Curran Associates, Inc. (2020)

For permission requests, please contact International Society for Trenchless Technology
at the address below.

International Society for Trenchless Technology
15 Belgrave Square
London
SW1X 8PS
United Kingdom

Phone: 703 299 8484

www.istt.com

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

ASSET MANAGEMENT AND WORK PLANNING

| | |
|---|----|
| NEW TECHNICAL SOLUTIONS FOR THE BURIAL OF DISTRIBUTION NETWORKS: BENEFITS AND REASONS WHY | 1 |
| <i>Luca Venturi; Valeria Nascimben</i> | |
| NOVEL BUSINESS MODELS IN SUPPORT OF TRENCHLESS CITIES | 11 |
| <i>Chris Rogers, Aryan Hojjati, Ian Jefferson, Nicole Metje</i> | |
| SELECTION OF CRITERIA AND METHODS FOR A COMPARATIVE EVALUATION OF ENVIRONMENTAL SUSTAINABILITY OF OPEN-CUT AND NO-DIG TECHNOLOGIES FOR NEW INSTALLATIONS AND IN SITU REHABILITATION OF WATER PIPES | 21 |
| <i>Martina Ferrini, Valentina Castellani, Nadia Mirabella, Serenella Sala, Stefano Tani, Valeria Mezzanotte</i> | |
| UNIPDR-GUIDELINE ON LOW ENVIRONMENTAL IMPACT UNDERGROUND INFRASTRUCTURE TECHNOLOGY | 30 |
| <i>Esposito Feliciano, Paola Finocchi, Alessandro Olcese, Elena Mocchio, Alessandro Delvecchio</i> | |
| SENSORS MONITORING AND TRENCHLESS TECHNOLOGIES: TWO ESSENTIAL KEYSTONES TOWARD A DEEP INNOVATION OF SMART PIPES BACKBONES | 40 |
| <i>Costantino Giaconia, Leonardo Mistretta, Giuseppe Greco, Raimondo Rizzo, Antonino Valenza, Francesco Di Puma</i> | |
| A NOVEL MONITORING PROCEDURE FOR ASSESS THE CORRECT ROAD PAVEMENT RESTORATION AFTER THE ONE-DAY-DIG MINI-TRENCHING INSTALLATION | 48 |
| <i>Gianluca Cerni, Barbara Bernardini, Diana Salciarini, Federica Ronchi, Alessandro Corradini, Evelina Volpe</i> | |
| BUSINESS AND THE SDG'S | 58 |
| <i>Per Holm</i> | |
| THE USE OF NEW CONDITION ASSESSMENT TECHNOLOGIES FOR SELECTING TRENCHLESS REHABILITATION OF WASTEWATER NETWORKS IN RAS AL KHAIMAH, UAE | 64 |
| <i>Abdul Qadir Malik</i> | |
| CONSIDERATION IN PLANNING SUCCESSFUL TRENCHLESS UTILITY INSTALLATIONS | 73 |
| <i>Loui Thomsen, Jesper E. Andersen</i> | |

ASSOCIATED TECHNOLOGIES, TECHNIQUES AND EQUIPMENT

| | |
|--|----|
| A NOVEL IOT APPLICATION SYSTEM USING WEARABLE PPG HEARTRATE MONITORING DEVICES TO IMPROVE SAFETY MANAGEMENT FOR SHIELD TUNNEL CONSTRUCTION PROJECTS | 83 |
| <i>Wei-Cheng Chen, Hui-Ping Tserng, Josh Huang</i> | |
| EXPERIMENTAL CHARACTERIZATION OF MINI-TRENCHES ON ROAD PAVEMENTS | 92 |
| <i>Alessandro Corradini, Gianluca Cerni, Federica Ronchi, Diana Salciarini</i> | |

CLOSE-FIT LININGS

| | |
|--|-----|
| DESIGN AND INSTALLATION OF WATER PIPELINE RENEWALS | 102 |
| <i>Houming Ni, Mohammadrza Malek Mohammadi, Mohammad Najafi, Seyedmohamadsadegh Jalalediny Korky Ramtin Serajiantehrani</i> | |
| PALERMO RENOVATES WATER MAIN TO COPE WITH SEISMIC ACTIVITY | 112 |
| <i>Arnold Cekodhima</i> | |
| REHABILITATION OF A 10 KM LONG ASBESTOS-CEMENT DRINKING WATER TRUNK MAIN IN SPAIN WITH FLEXIBLE RELINING TECHNOLOGY | 116 |
| <i>Jorge Lamazares</i> | |

CURED IN PLACE PIPELINERS

| | |
|---|-----|
| AWWA WATER MAIN REHABILITATION INITIATIVES | 121 |
| <i>Mark Knight</i> | |

| | |
|--|-----|
| A UNIQUE EXAMPLE OF CLOSE FIT LINING TECHNOLOGY FOR THE RENEWAL OF WATER PIPES ALONG THE BRIDGE “PONTE PUNTA PENNA” IN TARANTO | 129 |
| <i>Giovanni Bramante, Gianluca Casamassima, Celestino Davide Tria, Antonio Schinaia; Federica Fuselli</i> | |
| ADVANCES IN CIPP PRESSURE PIPE LINER TESTING AND DESIGN | 138 |
| <i>Kay Awe, Mark Knight, Ahmed Abdel-Aal, George Bontus</i> | |
| CIPP ADVANTAGES, RISKS AND POTENTIALS OF LED CURING | 146 |
| <i>Niklas Ernst</i> | |
| CIPP RELINING OF A DN 300 MM PRESSURE STEEL WATER PIPE ANCHORED UNDER THE ANCIENT BRIDGE OF THE ACADEMY IN THE HISTORIC CENTER OF VENICE | 154 |
| <i>Gianluca Paro</i> | |
| DESIGN OF LINERS FOR CIRCULAR & NON-CIRCULAR SHAPES ACCORDING TO THE NEW FRENCH ASTEE 3R-2014 V2.0 METHOD - INFLUENCE OF GEOMETRICAL IMPERFECTIONS OF HOST PIPE & LINER | 163 |
| <i>Olivier Thépot, Jean-Marie Joussin, Jean-Michel Bergue</i> | |
| DESIGN&BUILDING CONTRACTS AS A PERFORMING OPPORTUNITYTO C.I.P.P. SEWERS REHABILITATION –BRIANZACQUE CASE STUDY | 170 |
| <i>Mauro Pozzi, Simone Maria Cellitti; Federica Fuselli</i> | |
| HYDROELECTRIC PIPELINE REHABILITATION, BLUELINE-UV LINER SYSTEM | 180 |
| <i>Dario Dalla Corte, Vicentini Matteo, Paolo Chemello, Federica Fuselli</i> | |
| JOINING METHODS FOR CIPP PRODUCTS IN PRESSURE PIPE SYSTEMS | 184 |
| <i>Federica Fuselli, Jens Wahr</i> | |
| PIPE REHABILITATION SYSTEMS – HOW DO YOU ENSURE THE SYSTEM WILL WITHSTAND THE RIGORS OF DAY TO DAY OPERATION AND MAINTENANCE | 188 |
| <i>Richard Swan</i> | |
| QUALITY CONTROL FACTORS OF CIPP CONSTRUCTION MANAGEMENT FOR WATER MAIN REHABILITATION | 196 |
| <i>Wei-Cheng Chen, Yu-Chin Lin, I-Chun Chen</i> | |
| REHABILITATION OF A 3000 MM WATER SUPPLY LINE UNDER OPERATING CONDITIONS IN BUENOS AIRES | 205 |
| <i>Jens Hölterhoff</i> | |
| RENOVATION OF SEWERAGE NETWORKS UNDER PRESSURE WITH CURED-IN-PLACE PIPES; RSV LEAFLET 1.2 | 212 |
| <i>Susanne Leddig-Bahls</i> | |
| NEW PERFORMANCE OF A NO-DIG TECHNOLOGY "PIPETRONICS EMULTI –ONE ROBOT-SYSTEM WITH EXTENDED APPLICATIONS" | 222 |
| <i>Christian Noll</i> | |
| NUMERICAL ANALYSIS OF THE BEHAVIOR OF PRESSURIZED UNDERGROUND PIPELINES REHABILITATED BY CURE-IN-PLACE-PIPE METHOD | 228 |
| <i>K. J. Shou, C. C. Huang</i> | |
| EXPERIENCES WITH REHABILITATION OF POTABLE WATER PIPES IN NORWAY | 238 |
| <i>Hendrik Panman</i> | |
| A CASE STUDY IN SUCCESSFUL SEWER NETWORK REHABILITATION WITH UV CURED CIPP & TRADITIONAL/NON-TRADITIONAL SURVEY TECHNOLOGIES | 244 |
| <i>Jan Borje Persson</i> | |
| NO-DIG RENOVATION OF PRESSURE PIPELINES, RE-CONNECTION TECHNIQUES AND CASE STUDIES | 252 |
| <i>Firmino Pires Barbosa</i> | |

HORIZONTAL DIRECTIONAL DRILLING

| | |
|--|-----|
| INNOVATION FOR THE ENVIRONMENT: THE EXPERIENCE OF MARCHE MULTISERVIZI S.P.A. | 263 |
| <i>Niko Bruni</i> | |
| TRENCHLESS SOLUTIONS FOR THE INSTALLATION OF GAS DISTRIBUTION NETWORKS | 269 |
| <i>Thorsten Schulte</i> | |
| EXPERIMENTAL STUDY ON PULLBACK LOADS FOR STEEL PIPELINES INSTALLED BY HORIZONTAL DIRECTIONAL DRILLING | 275 |
| <i>- Ashkan Faghieh; Alireza Bayat; Samuel Wilson</i> | |
| GAS STORAGE PLANT WITH ANNULUS FILLING | 285 |
| <i>Marcello Viti, Marco Berti</i> | |

| | |
|---|-----|
| HDD DRILLING IN HARD AND HARDEST ROCK IN EUROPE – EXAMPLES OF JOB SITES | 295 |
| <i>Hans-Joachim Bayer</i> | |
| HDD MARSDIEP CROSSING BETWEEN DEN HELDER AND TEXEL, LENGTH = 4,600 M | 301 |
| <i>Ernst Fengler</i> | |
| HORIZONTAL DIRECTIONAL DRILLING, PIPELINE INSTALLATION BY PULLING OR PUSHING | 306 |
| <i>Henk Kruse; Jorn Stoelinga</i> | |
| REPLACING A PENSTOCK PIPE USING DIRECTIONAL DRILLING : CHRONICLE OF A NON-STANDARD JOBSITE | 315 |
| <i>Dominique Feldmann, Paul Cavillon</i> | |
| SAFETY MEASURES FOR REDUCING ASSET STRIKES | 325 |
| <i>Scott D. Landes</i> | |
| SMART TECHNOLOGIES FOR THE ENHANCEMENT OF PRODUCTIVITY AND DIGITAL INTEGRATION AND SAFETY IN HDD PROJECTS | 331 |
| <i>Jasper Van 'T Westende</i> | |
| STEERING THE HDD | 335 |
| <i>Hans Blok</i> | |
| THE CORNEGLIANO LAUDENSE NATURAL GAS STORAGE PROJECT: HDD AS SOLUTION FOR PIPELINE INSTALLATION IN URBAN AREAS | 345 |
| <i>Nisii V., D'Alberto D., Bruciatelli L., Napolitano A., Tallone F.</i> | |
| THE DEVELOPMENT OF REAL-TIME DETECTION AND WIRELESS TRANSMISSION SYSTEM OF DRILLING PARAMETERS IN HDD REAMING HOLE | 356 |
| <i>Zhu Xuning, Wu Xiaoming</i> | |
| THE DRILLING CONTRACTORS ASSOCIATION (DCA-EUROPE) A EUROPEAN ORGANIZATION FOR QUALITY AND EDUCATION IN HDD | 366 |
| <i>Jorn Stoelinga</i> | |
| THE ROLE OF TORQUE IN THE REAMING PROCESS IN HDD APPLICATIONS | 371 |
| <i>Renzo Chirulli, René Albert</i> | |
| ELECTRIFICATION OF DIRECTIONAL DRILLING MACHINES FOR SUSTAINABLE TRENCHLESS EXCAVATIONS | 375 |
| <i>Raffaele Savi, Luca Pugi, Massimo Delogu, Lorenzo Berzi, Francesco Grasso, Enrico Boni, Francesco Del Pero</i> | |
| INNOVATIVE MONITORING OF RAILWAY TRACKS DURING TRENCHLESS CROSSINGS | 385 |
| <i>Jack Butterworth</i> | |
| POLYMERIC ALLOY PIPE WITH RESTRAINT JOINT SYSTEM FOR HDD APPLICATIONS | 393 |
| <i>Gianfranco Battaglin, Nicola Melotti</i> | |

LOCAL REPAIRS AND GROUTING

| | |
|---|-----|
| REDEX® INTERNAL SEALING COLLARS – PARTIAL REPAIR AND LINER END SEALING FOR SEWAGE AND DRINKING WATER PIPES | 403 |
| <i>Martin Cygiel; Federica Fuselli</i> | |
| SUCCESSFUL INSTALLATION OF CFRP AND GFRP ON PIPE BRIDGES IN SCOTLAND, UK | 408 |
| <i>Amber Wagner; Shauna Herron; Raymond Hope</i> | |

MICROTUNNELING AND PIPE JACKING

| | |
|---|-----|
| A MICROTUNNEL WITH A VERY LITTLE RADIUS FOR A BIG PIPELINE | 417 |
| <i>Ugo Lazzarini, Antonio Guerini</i> | |
| E-POWER PIPE®: JET PUMP TECHNOLOGY FOR LONG-DISTANCE DRIVES IN SMALL DIAMETERS | 427 |
| <i>Marc Peters</i> | |
| MICROTUNNELING PROJECTS FOR POWER-TRANSMISSION PIPES – STEEP SLOPES AND CASING TECHNOLOGY | 433 |
| <i>Masahiro Yoshimoto, Shinjiro Nakamura, Kazuki Kito</i> | |
| SHORT-SEGMENT JACKING OF WATER MAIN FOR REALIGNMENT UNDER LIMITED SPACE IN URBAN AREA | 441 |
| <i>Huanying Fan, Shihchi Wu</i> | |
| STABILITY OF SURROUNDING SOIL BY USING UNDERPINNING PIPE JACKING METHOD | 448 |
| <i>Hideki Shimada, Takashi Sasaoka, Sugeng Wahyudi, Akihiro Hamanaka, Fumihiko Matsumoto, Tomo Morita</i> | |

| | |
|---|-----|
| TECHNOLOGY TRANSFER - HOW DREDGING AND SHIPBUILDING INNOVATIONS ARE IMPROVING (MICRO)TUNNELLING OPERATIONS..... | 457 |
| <i>Tobias Vraetz, Hans Greve, Kris Zych, Karsten Jansen</i> | |
| THE CHOICE OF THE BEST TECHNOLOGY FOR LAYING AN UNDERGROUND PIPE. A SUCCESSFUL CASE:CROSSING THE ADDA RIVER BYTHE DIRECT PIPE METHOD | 466 |
| <i>Marco Dusso, Antonio Guerini, Enzo Rizzi</i> | |
| TIGHT CURVED MICROTUNNEL IN AUCKLAND; NEW ZEALAND | 476 |
| <i>Yann Rouillard</i> | |
| TUNIS NAVIGATION E-POWER PIPE. PRECISE GUIDANCE OF SMALL DIAMETER TUNNELING MACHINES | 485 |
| <i>Torben Hähnle</i> | |

MICROTUNNELING AND PIPE JACKING

| | |
|---|-----|
| CONTACT MECHANICS AND ITS NORMALIZED INDICES FOR TRENCHLESS CUTTING ASSOCIATED WITH MACHINE LEARNING | 500 |
| <i>Li-Hsien Chen, Jhih-Ping Huang, Yao-Chung Chen</i> | |
| INVESTIGATION OF CRACKS FOUND IN THE CIRCUMFERENTIAL DIRECTION ON JACKING PIPES | 510 |
| <i>Yuki Kaneshiro, Jun Ozaki, Masahiro Yoshimoto</i> | |
| INSTALLATION OF PRE-SUPPORT STEEL PIPES TO PROTECT AN HISTORICAL BUILDING BY A RETRACTABLE MTBM..... | 518 |
| <i>Riccardo Miotto</i> | |
| RECENT DEVELOPMENTS OF GRP SOLUTIONS IN THE BOOMING TRANSPORTATION MARKET | 528 |
| <i>Laurent Hesters, Marc Sadok</i> | |

AUGER BORING AND PILOT TUBE MICROTUNNELING

| | |
|---|-----|
| UNIQUE HORIZONTAL DRAIN INSTALLATION UNDER A BUILDING USING PILOT TUBE GUIDED AUGER BORE METHODS. | 537 |
| <i>Michelle L. Macauley; Steve Torgerson</i> | |
| UTILISATION OF MICROTUNNELING TECHNOLOGY FOR CONSTRUCTION OF THE NEW GAS PIPELINE BETWEEN AZERBAIJAN AND EUROPE..... | 546 |
| <i>Yann Rouillard</i> | |

PIPE BURSTING AND SPLITTING

| | |
|---|-----|
| SHARING PERSPECTIVE –HOW BID ITEMS EFFECT THE COST AND CONSTRUCTION OF A PIPE BURSTING PROJECT | 556 |
| <i>Edward Alan Ambler ; Mark Hutchinson Mark ; Lawrence Pultz ; 4 Michael Woodcock</i> | |
| THE PATH FORWARD FOR PIPE BURSTING ASBESTOS CEMENT PIPE WHILE MEETING EXISTING US REGULATIONS | 564 |
| <i>Edward Alan Ambler; John Matthews ; Lawrence Pultz; 4 Ryan Stowe</i> | |

PIPE RAMMING AND IMPACT MOLE

| | |
|---|-----|
| CRITICAL ANALYSIS OFPIPE RAMMING BEHAVIOR AND FACTORS THAT IMPACT PREDICTIVE MODELS..... | 571 |
| <i>Kimberlie Staheli; Armin Stuedlein</i> | |

SITE SURVEY AND PREPARATION

| | |
|--|-----|
| A NOVEL CYBER-MONITORING BASED ASSET MANAGEMENT SCHEME FOR WATER DISTRIBUTION NETWORKS THROUGH FINE-TUNING GENETIC ALGORITHM PARAMETERS | 582 |
| <i>Ahmad Momeni, Kalyan R. Piratla</i> | |

| | |
|---|------------|
| A PIPE-DETECTING PROJECT AND TECHNICAL ASSISTANCE IN BANGLADESH | 589 |
| <i>Kazuki Kito, Masahiro Yoshimoto; Koji Kamiyo</i> | |
| AN AUTOMATED LEAKAGE DETECTION MODEL FOR WATER DISTRIBUTION SYSTEM | 598 |
| <i>Harshit Shukla, Kalyan R. Piratla</i> | |
| ASSESSING THE UNDERWORLD –A THREE-INFRASTRUCTURE APPROACH TO REMOTE SENSING | 608 |
| <i>Chris Rogers, David Chapman, Nicole Metje, Mehran Eskandari Torbaghan</i> | |
| CONDITION MONITORING OF EXCAVATED CIPP-LINERS TO ENSURE LIFESPAN..... | 618 |
| <i>Love Pallon, Olle Persson, Erik Marklund, Annika Malm, Thomas Johansson</i> | |
| DEMD "DEEP ELECTROMAGNETIC DETECTION" | 625 |
| <i>Alexandre Thoury, Fabrice Pont, Jean François Maregiano</i> | |
| FROM HADES TO HEAVEN? DEVELOPMENTS IN INTEGRATED BURIED ASSET INFORMATION SYSTEMS IN THE UK | 635 |
| <i>Jo Parker</i> | |
| GPR AND PIPELINE & CABLE LOCATOR DEVELOPMENT..... | 645 |
| <i>Masaru Tsunasaki, Shintaro Hiromori, Takaharu Nakauchi</i> | |
| LEAK DETECTION USING HELIUM AS A TRACER GAS AND THE PRIMUS LINE SOLUTION FOR PIPE REHABILITATION | 651 |
| <i>Avishay Schnaidman</i> | |
| NO-DIG INVESTIGATION AROUND PALAZZO VECCHIO,FLORENCE –ITALY | 657 |
| <i>Massimo Coli, Marco Tanganelli, Vincenzo Sapia, Valerio Materni, Fabio Giannattasio, Marco Marchetti</i> | |
| SMALL OR BIG –WE DON’T MIND! PICCOLO O GRANDE –NON C’IMPORTA!WATERMAIN INSPECTION TECHNOLOGIES | 664 |
| <i>Piero Salvo</i> | |
| THE ADOPTION OF A DIAL BEFOREYOU DIG SYSTEM BY NEW ZEALAND IN ORDER TO PROTECT THE UNDERGROUND INFRASTRUCTURE | 669 |
| <i>J. W. Nijman</i> | |
| THE CADASTRE OF UNDERGROUND INFRASTRUCTURE NETWORKS: THE MODEL OF REGIONE LOMBARDIA | 675 |
| <i>Chiara Dell’Orto, Erminia Falcomatà, Francesca Fava</i> | |
| THE ITALIAN SOLUTION FOR THE CADASTRE OF TECHNOLOGICAL INFRASTRUCTURES | 684 |
| <i>Fulvio Ananasso, Sergio Farruggia, Calogero Ravenna; Monica Sebillio</i> | |
| WRC’S USE OF FOCUSED ELECTRODE LEAK LOCATION (FELL) TO ASSESS GRAVITY SEWERS IN THE UNITED KINGDOM, UNITED STATES, AND GERMANY, BEFORE & AFTER TRENCHLESS REHABILITATION | 690 |
| <i>Peter Henley; Chuck Hansen</i> | |
| <u>SLIP LININGS (LOOSE FIT)</u> | |
| MECHANIZED PIPE REHABILITATION DESIGN AND CASE STUDY | 700 |
| <i>Ladan Sahafi; Chris Sivsend</i> | |
| WATER MAIN REHABILITATION WITH INSERTED HOSES – CONSIDERATIONS ON DESIGN AND INSTALLATION | 706 |
| <i>Andreas Gross</i> | |
| A NEW FRP SOLUTION FOR RECONSTRUCTION OF DETERIORATED PIPES AND CULVERTS | 716 |
| <i>Mo Ehsani</i> | |
| <u>SPRAY-ON LININGS AND COATINGS</u> | |
| FRP 101:TAKING THE MYSTERY OUT OF TRENCHLESSREPAIR OF PRESSURE PIPES WITH CARBON FRP | 726 |
| <i>Mo Ehsani</i> | |
| SPRAY APPLIED LINING SYSTEMS ADDRESS UNIQUE INFRASTRUCTURE PROBLEMS..... | 736 |
| <i>Josh Marazzini</i> | |

TESTING & ASSESSMENTS

| | |
|--|------------|
| PIPE PRESERVATION DURING TRENCHLESS INSTALLATIONS:THERE'S NO NEED TO TAKE UNNECESSARY RISKS | 742 |
| <i>Cristian Grecco, Falko Wiethoff</i> | |
| APPLICATION OF SOLUBILIZING SURFACTANT IN TRENCHLESS DRILLING FLUID | 752 |
| <i>Xulanbo, Wu Xiaoming</i> | |

ASSOCIATED TECHNOLOGIES, TECHNIQUES AND EQUIPMENT

| | |
|---|------------|
| PIPE-FILLING METHOD FOR STABILIZING EMPTY DUCTS FROM THE MANHOLE..... | 758 |
| <i>Kenji Hiyoshi , Masashi Shintaku , Keitaro Dekai , Noriyuki Ishizu</i> | |
| THE DESIGN AND APPLICATION OF PE100 PIPE IN TRENCHLESS TECHNOLOGIES FOR NEW INSTALLATION AND REHABILITATION –ASPECTS OF NEW MATERIALS AND SUPPORT VIA ONLINE GUIDE AND TOOL..... | 763 |
| <i>Patrik Schneider, Andrew Wedgner; Tom Sangster</i> | |
| THE DLT-METHOD: STRESS TEST FOR PRESSURE PIPES..... | 773 |
| <i>Andreas Haacker</i> | |
| Author Index | |