## PROCEEDINGS OF SPIE

## Silicon Photonics XV

Graham T. Reed Andrew P. Knights Editors

3–6 February 2020 San Francisco, California, United States

Sponsored and Published by SPIE

**Volume 11285** 

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Silicon Photonics XV*, edited by Graham T. Reed, Andrew P. Knights, Proceedings of SPIE Vol. 11285 (SPIE, Bellingham, WA, 2020) Seven-digit Article CID Number.

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510633339

ISBN: 9781510633346 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time)· Fax +1 360 647 1445

SPIE.org

Copyright © 2020, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/20/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.



**Paper Numbering:** Proceedings of SPIE follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

## **Contents**

χij **Authors** Conference Committee iх PHOTONIC INTEGRATION 11285 03 MORPHIC: programmable photonic circuits enabled by silicon photonic MEMS (Invited Paper) [11285-1] 11285 04 Epitaxial integration of high-performance quantum-dot lasers on silicon (Invited Paper) [11285-2] 11285 06 Multi-chip heterogeneously integrated array of active three-terminal transistor lasers and passive photonic structures for electronic-photonic integration on silicon [11285-4] 11285 07 Amorphous silicon waveguide escalator: monolithic integration of active components on 3 µm **SOI platform** [11285-5] **OPTICAL COMMUNICATIONS I** 11285 0A Fabrication tolerant high-speed SiP ring modulators and optical add-drop multiplexers for WDM applications [11285-8] 11285 OB Advanced Si photonics platform for high-speed and energy-efficient optical transceivers for datacom [11285-9] **OPTICAL COMMUNICATIONS II** 11285 0C Power-efficient lumped-element meandered silicon Mach-Zehnder modulators [11285-10] 11285 0D Strain induced Pockels effect in silicon for electro-optic modulation [11285-11] 16×16 silicon photonic AWGR for dense wavelength division multiplexing (DWDM) O-band 11285 OF interconnects [11285-13] 11285 0G Flat-top interleavers based on single MMIs [11285-14] 11285 0H Ultrafast self-induced oscillation in a nonlinear subwavelength grating metamaterial ring resonator [11285-15]

## SILICON PHOTONICS ENABLED LIDAR 11285 OJ An overview of silicon photonics for LIDAR (Invited Paper) [11285-17] 11285 OK Integrated optical phased arrays: LiDAR, augmented reality, and beyond (Invited Paper) [11285-18] **WAVEGUIDES** 11285 OP Suspended subwavelength grating waveguides on SOI for ultra-broadband operation [11285-23] 11285 0Q Photonic crystal and quasi photonic crystal Ge-on-Si lenses for the combination of QCL array outputs [11285-24] Optical reflection from a free carrier-induced front in a slow light waveguide [11285-25] 11285 OR **GE/SI INTEGRATION** 11285 OV Monolithic integration of up to 40 GHz Ge photodetectors in 3µm SOI [11285-29] MANUFACTURING TECHNOLOGY 11285 0Y Hot-wire CVD hydrogenated amorphous silicon for multi-layer photonic applications (Invited Paper) [11285-32] 11285 10 Experimental phase-error extraction and modelling in silicon photonic arrayed waveguide **gratings** [11285-34] 11285 12 Electrical annealing for Ge ion-implanted directional couplers [11285-36] OPTICAL DETECTION AND SENSING I 11285 13 Micro PA detector: pushing the limits of mid IR photoacoustic spectroscopy integrated on silicon (Invited Paper) [11285-37] 11285 15 High speed integrated waveguide lateral Si/Ge/Si photodiodes with optimized transit time [11285-39] 11285 16 Heterodyne detection for the measurement of electro-optical frequency combs generated with a silicon Mach-Zehnder modulator [11285-40]

	EMERGING APPLICATIONS II
11285 1A	Reconfigurable photonic integrated circuits (RPICs) based on functional materials for integrated optical communication applications [11285-44]
11285 1C	The effect of two-photon absorption on the dynamic range of integrated microwave photonics links [11285-46]
	OPTICAL DETECTION AND SENSING II
11285 1G	Investigations into group IV photonic waveguides with a wide working optical bandwidth [11285-49]
	OPTICAL COMMUNICATIONS III
11285 1J	Fast thermo-optic optimization of high-order SOI microring optical filters by method of gradient descent [11285-53]
	POSTER SESSION
11285 1K	POSTER SESSION  Design of silicon photonics based accelerometer for displacement sensing applications [11285-54]
11285 1K 11285 1L	Design of silicon photonics based accelerometer for displacement sensing applications
	Design of silicon photonics based accelerometer for displacement sensing applications [11285-54]  Low voltage 12 GHz silicon optical electro-absorption modulator (EAM) using a Schottky diode
11285 1L	Design of silicon photonics based accelerometer for displacement sensing applications [11285-54]  Low voltage 12 GHz silicon optical electro-absorption modulator (EAM) using a Schottky diode for optical interconnectors in the C-band [11285-55]  Model-based guard ring structure guideline for the enhancement of silicon-based single-
11285 1L 11285 1O	Design of silicon photonics based accelerometer for displacement sensing applications [11285-54]  Low voltage 12 GHz silicon optical electro-absorption modulator (EAM) using a Schottky diode for optical interconnectors in the C-band [11285-55]  Model-based guard ring structure guideline for the enhancement of silicon-based single-photon avalanche diode characteristics [11285-58]  A compact structure for realizing electromagnetically induced transparency in a microring
11285 1L 11285 1O 11285 1P	Design of silicon photonics based accelerometer for displacement sensing applications [11285-54]  Low voltage 12 GHz silicon optical electro-absorption modulator (EAM) using a Schottky diode for optical interconnectors in the C-band [11285-55]  Model-based guard ring structure guideline for the enhancement of silicon-based single-photon avalanche diode characteristics [11285-58]  A compact structure for realizing electromagnetically induced transparency in a microring resonator [11285-59]