

PROCEEDINGS OF SPIE

*2019 International Conference on Optical
Instruments and Technology*

Optoelectronic Measurement Technology and Systems

Jigui Zhu
Kexin Xu
Hai Xiao
Sen Han
Editors

**26–28 October 2019
Beijing, China**

Sponsored by
CIS— China Instrument and Control Society (China)

Cosponsored and Published by
SPIE

Volume 11439

Proceedings of SPIE 0277-786X, V. 11439

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *2019 International Conference on Optical Instruments and Technology: Optoelectronic Measurement Technology and Systems*, edited by Jigui Zhu, Kexin Xu, Hai Xiao, Sen Han, Proceedings of SPIE Vol. 11439 (SPIE, Bellingham, WA, 2020) Seven-digit Article CID Number.

ISSN: 0277-786X
ISSN: 1996-756X (electronic)

ISBN: 9781510636569
ISBN: 9781510636576 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA
Telephone +1 360 676 3290 (Pacific Time)- Fax +1 360 647 1445
SPIE.org

Copyright © 2020, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$21.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/20/\$21.00.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.

SPIE. DIGITAL LIBRARY
SPIDigitalLibrary.org

Paper Numbering: *Proceedings of SPIE* follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

vii	<i>Authors</i>
xi	<i>Symposium Committee</i>
xiii	<i>Conference Committee</i>
xv	<i>Introduction</i>
xvii	<i>Conference Organizers</i>

OPTOELECTRONIC MEASUREMENT TECHNOLOGY AND SYSTEM

11439 02	Design and research of phase-locked loop for infrared laser ranging system [11439-3]
11439 03	Surface profile measurement based on continuous wavelet transform in line-scan dispersive interferometry (Invited Paper) [11439-4]
11439 04	Defective samples simulation through neural style transfer for automatic surface defect segment [11439-6]
11439 05	Micro-vibration calibration system based on laser Doppler [11439-7]
11439 06	3D extrinsic joint calibration of 3D-Flash-LiDAR and camera system [11439-11]
11439 07	Sub-pixel wavelength calibration of spectrometer [11439-12]
11439 08	Design of chip character recognition system based on neural network [11439-13]
11439 09	Indoor point cloud recognition with deep convolutional networks [11439-14]
11439 0A	An on-site calibration method for on-line detection system of wheelset geometric parameters [11439-15]
11439 0C	Study on non-phase-shifting phase retrieval methods for interferogram with large phase gradient [11439-20]
11439 0D	High-bandwidth angular jitter measurement for acquisition, tracking and pointing system [11439-21]
11439 0E	Compact high-stability and low-nonlinearity heterodyne grating interferometer [11439-23]
11439 0F	A new pose measurement method based on microlens arrays [11439-25]

11439 OG	A novel image points matching method by intersecting into space for close-range photogrammetry [11439-26]
11439 OH	Fast deflectometric measurement of freeform surfaces for ultra-precision optical manufacturing (Invited Paper) [11439-27]
11439 OI	Thermostatic chamber for Doppler broadening temperature measurement [11439-28]
11439 OJ	Performance analysis of software-based methods to expand the dynamic range of Shack-Hartmann wavefront sensor [11439-31]
11439 OK	Vertex radius of curvature fabrication error measurement of aspheric surface based on aberration analysis in partial compensation interferometry [11439-34]
11439 OL	Laser displacement sensor optimization for space structure vacuum thermal test [11439-36]
11439 OM	Non-orthogonal shafting laser sensor for trans-scale three-dimensional measurement [11439-38]
11439 ON	The calculating method of minimal-distance between aero-engine pipelines by using optoelectronic measurement system [11439-39]
11439 OO	Accuracy assessment of tissue polarimetric properties based on Mueller matrix images decomposition [11439-40]
11439 OP	Face 3D measurement by phase matching with infrared grating projection [11439-42]
11439 OQ	A fast and cost-efficient technique for estimating feedback strength parameter C in laser self-mixing interferometry [11439-43]
11439 OR	Study on infrared collimation heating technology in thermal vacuum tests [11439-44]
11439 OS	Location of circular retro-reflective target based on micro-vision [11439-47]
11439 OT	Research on the application of indoor GPS in aircraft assembly [11439-49]
11439 OU	An absolute displacement measurement method of simple graphic decimal shift encoding [11439-50]
11439 OV	Femtosecond pulse laser distance and angle interferometer [11439-52]
11439 OW	Design and test of a multi-line structured light projector [11439-53]
11439 OX	Absolute distance measurement by dispersive interferometry using an electro-optic comb [11439-55]
11439 OY	Design and performance characterization of a quartz crystal micro-retarder array [11439-56]

11439 0Z	Global calibration method for non-overlapping cameras based on mobilephone screens in defocus scene [11439-57]
11439 10	A method of MRTD parameter measurement based on CNN neural network [11439-59]
11439 11	Statistical characteristics analysis of global specific humidity vertical profile [11439-60]
11439 12	Influence of nonlinear error on measuring accuracy for a dual-frequency heterodyne interferometer using a polarization maintaining fiber [11439-61]
11439 13	Off-axis catadioptric partial compensator design for interferometric measurement of optical freeform surface [11439-62]
11439 14	A new automatic hand-held laser rangefinder verification system [11439-63]
11439 15	Research on calibration technology of comprehensive performance parameters of mid-far infrared space load [11439-66]
11439 16	Design and research of automatic cylinder calibration system based on digital image processing technology [11439-67]
11439 17	Design and simulation on compact type of LED light source radar system for aerosol detection [11439-68]
11439 18	A multi-dimensional evaluation method of the angle measurement performance for the transmitter [11439-69]
11439 19	A new methodology for evaluating profile and position errors of blade based on parameter priority [11439-70]
11439 1A	Research on calibration method of hybrid Body-in-White online measurement system [11439-75]
11439 1B	A noncontact full-field flatness measuring system based on fringe projection [11439-80]
11439 1C	Theoretical model on underwater sound detection based on laser heterodyne method [11439-81]
11439 1D	The research of optical fiber sensor calibration based on acoustic sensor calibration system [11439-82]
11439 1E	The temperature field measurement method by using schlieren method for aircraft engine [11439-84]
11439 1F	Machine vision based recognition and integrity inspection of printing characters on food package [11439-86]
11439 1G	A spectrally tunable monochromatic integrating sphere photon source for spectral photon radiance responsivity calibration [11439-87]
11439 1H	Automatic segment assembly in shield method using multiple imaging sensors [11439-88]

11439 1I	Robust 6DOF measurement for non-overlapping multi-camera systems based on uncertainty-weighted space resection [11439-96]
11439 1J	Research on the effects of charge transfer efficiency on X-ray energy spectra taken with CCDs [11439-98]
11439 1K	Coordinate evaluation using three-dimensional reference standard [11439-100]
11439 1L	Temperature measurements by infrared thermal imaging system in thermal vacuum test [11439-102]
11439 1M	Based on EMCCD imaging system [11439-103]
11439 1N	A research on extraction of meter line of steel tape image based on Gabor transformation [11439-104]
11439 1O	Research on measurement optical axis eccentricity and fitting method of aspheric mirror [11439-105]
11439 1P	A fiber-based photodetector linearity measurement system from classic to single photon level [11439-107]
11439 1Q	A technology of absolute distance measurement based on multi-wavelength self-mixing interferometry of a three-wavelength optical fiber laser [11439-109]
11439 1R	Volume measurement system of large vertical energy storage tank based on optoelectronic measurement technology [11439-110]
11439 1S	Accurate piston error detection unaffected by tip-tilt error [11439-111]
11439 1T	MTF non-redundant distribution for multi-piston errors detection of segmented telescopes [11439-112]